

Davey Rc, Davey R

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5323361/davey-rc-davey-r-publications-by-year.pdf>

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 papers	3,844 citations	32 h-index	61 g-index
97 ext. papers	4,608 ext. citations	4.6 avg, IF	5.06 L-index

#	Paper	IF	Citations
91	Determining thresholds for spatial urban design and transport features that support walking to create healthy and sustainable cities: findings from the IPEN Adult study.. <i>The Lancet Global Health</i> , 2022 , 10, e895-e906	13.6	9
90	Smartphone applications for physical activity and sedentary behaviour change in people with cardiovascular disease: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021 , 16, e0258460	3.7	2
89	Children's moderate-to-vigorous physical activity on weekdays versus weekend days: a multi-country analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 28	8.4	15
88	Built Environment, Physical Activity, and Obesity: Findings from the International Physical Activity and Environment Network (IPEN) Adult Study. <i>Annual Review of Public Health</i> , 2020 , 41, 119-139	20.6	49
87	Comparison of device-based physical activity and sedentary behaviour following percutaneous coronary intervention in a cohort from Sweden and Australia: a harmonised, exploratory study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020 , 12, 17	2.4	1
86	Do physical activity and sedentary time mediate the association of the perceived environment with BMI? The IPEN adult study. <i>Health and Place</i> , 2020 , 64, 102366	4.6	2
85	A Behavioral Change Smartphone App and Program (ToDo-CR) to Decrease Sedentary Behavior in Cardiac Rehabilitation Participants: Prospective Feasibility Cohort Study. <i>JMIR Formative Research</i> , 2020 , 4, e17359	2.5	4
84	A smartphone app for sedentary behaviour change in cardiac rehabilitation and the effect on hospital admissions: the ToDo-CR randomised controlled trial study protocol. <i>BMJ Open</i> , 2020 , 10, e040479	2.7	0
83	Implementation pilot of a novel electronic bedside nursing chart: a mixed-methods case study. <i>Australian Health Review</i> , 2020 , 44, 672-676	1.8	2
82	A Hotspot of Walking in and around the Central Business District: Leveraging Coarsely Geocoded Routinely Collected Data. <i>Applied Spatial Analysis and Policy</i> , 2020 , 13, 649-668	1.7	2
81	High sedentary behaviour and low physical activity levels at 12 months after cardiac rehabilitation: A prospective cohort study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020 , 63, 53-58	3.8	5
80	Frequency of a very brief intervention by physiotherapists to increase physical activity levels in adults: a pilot randomised controlled trial. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2019 , 11, 6	2.4	3
79	International Comparison of the Levels and Potential Correlates of Objectively Measured Sedentary Time and Physical Activity among Three-to-Four-Year-Old Children. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	12
78	A closer look at the relationship among accelerometer-based physical activity metrics: ICAD pooled data. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 40	8.4	11
77	Infographic:The effects of residential relocation on walking, physical activity and travel behaviour. <i>British Journal of Sports Medicine</i> , 2019 , 53, 1486-1487	10.3	
76	Objectively measured access to recreational destinations and leisure-time physical activity: Associations and demographic moderators in a six-country study. <i>Health and Place</i> , 2019 , 59, 102196	4.6	4
75	Associations of built environment and proximity of food outlets with weight status: Analysis from 14 cities in 10 countries. <i>Preventive Medicine</i> , 2019 , 129, 105874	4.3	5

74	Do associations of sex, age and education with transport and leisure-time physical activity differ across 17 cities in 12 countries?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 121	8.4	15
73	Designing healthy futures: involving primary school children in the co-design of a health report card. <i>International Journal of Design Creativity and Innovation</i> , 2019 , 7, 237-255	1	1
72	The Built Environment and Social Capital: A Systematic Review. <i>Environment and Behavior</i> , 2018 , 50, 119-158	64	
71	Physical activity intensity, bout-duration, and cardiometabolic risk markers in children and adolescents. <i>International Journal of Obesity</i> , 2018 , 42, 1639-1650	5.5	58
70	Stakeholder perspectives about general practice pharmacists in the Australian Capital Territory: a qualitative pilot study. <i>Australian Journal of Primary Health</i> , 2018 , 24, 263-272	1.4	7
69	Optimizing Gestational Weight Gain With the Eating4Two Smartphone App: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2018 , 7, e146	2	4
68	What can pharmacists do in general practice? A pilot trial. <i>Australian Journal of General Practice</i> , 2018 , 47, 545-549	1.5	13
67	Associations of neighborhood environmental attributes with adults' objectively-assessed sedentary time: IPEN adult multi-country study. <i>Preventive Medicine</i> , 2018 , 115, 126-133	4.3	15
66	Moving to an active lifestyle? A systematic review of the effects of residential relocation on walking, physical activity and travel behaviour. <i>British Journal of Sports Medicine</i> , 2018 , 52, 789-799	10.3	26
65	Neighborhood walkability and hospital treatment costs: A first assessment. <i>Preventive Medicine</i> , 2017 , 99, 134-139	4.3	8
64	Impact of scale of aggregation on associations of cardiovascular hospitalization and socio-economic disadvantage. <i>PLoS ONE</i> , 2017 , 12, e0188161	3.7	1
63	Weather and children's physical activity; how and why do relationships vary between countries?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 74	8.4	55
62	Do associations between objectively-assessed physical activity and neighbourhood environment attributes vary by time of the day and day of the week? IPEN adult study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 34	8.4	29
61	The influence of sport club participation on physical activity, fitness and body fat during childhood and adolescence: The LOOK Longitudinal Study. <i>Journal of Science and Medicine in Sport</i> , 2016 , 19, 400-644	4.4	86
60	Is Walk Score associated with hospital admissions from chronic diseases? Evidence from a cross-sectional study in a high socioeconomic status Australian city-state. <i>BMJ Open</i> , 2016 , 6, e012548	3	15
59	Assessing the 'active couch potato' phenomenon in cardiac rehabilitation: rationale and study protocol. <i>BMC Health Services Research</i> , 2016 , 16, 75	2.9	5
58	Equating accelerometer estimates among youth: The Rosetta Stone 2. <i>Journal of Science and Medicine in Sport</i> , 2016 , 19, 242-249	4.4	29
57	International comparisons of the associations between objective measures of the built environment and transport-related walking and cycling: IPEN Adult Study. <i>Journal of Transport and Health</i> , 2016 , 3, 467-478	3	129

56	Association between maternal education and objectively measured physical activity and sedentary time in adolescents. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 541-8	5.1	44
55	The perspectives of obese women receiving antenatal care: A qualitative study of women's experiences. <i>Women and Birth</i> , 2016 , 29, 189-95	3.3	29
54	Perceived Neighborhood Environmental Attributes Associated with Walking and Cycling for Transport among Adult Residents of 17 Cities in 12 Countries: The IPEN Study. <i>Environmental Health Perspectives</i> , 2016 , 124, 290-8	8.4	154
53	Why Are Girls Less Physically Active than Boys? Findings from the LOOK Longitudinal Study. <i>PLoS ONE</i> , 2016 , 11, e0150041	3.7	169
52	Association of BMI and interpregnancy BMI change with birth outcomes in an Australian obstetric population: a retrospective cohort study. <i>BMJ Open</i> , 2016 , 6, e010667	3	43
51	Physical activity in relation to urban environments in 14 cities worldwide: a cross-sectional study. <i>Lancet, The</i> , 2016 , 387, 2207-17	4.0	602
50	Age-related patterns of vigorous-intensity physical activity in youth: The International Children's Accelerometry Database. <i>Preventive Medicine Reports</i> , 2016 , 4, 17-22	2.6	62
49	Outcomes of a four-year specialist-taught physical education program on physical activity: a cluster randomized controlled trial, the LOOK study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 64	8.4	24
48	Estimates of the energy deficit required to reverse the trend in childhood obesity in Australian schoolchildren. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 62-7	2.3	11
47	What is orthopaedic triage? A systematic review. <i>Journal of Evaluation in Clinical Practice</i> , 2015 , 21, 128-36	3.5	19
46	Moderating effects of age, gender and education on the associations of perceived neighborhood environment attributes with accelerometer-based physical activity: The IPEN adult study. <i>Health and Place</i> , 2015 , 36, 65-73	4.6	37
45	International study of objectively measured physical activity and sedentary time with body mass index and obesity: IPEN adult study. <i>International Journal of Obesity</i> , 2015 , 39, 199-207	5.5	89
44	Longitudinal comparison of a physiotherapist-led, home-based and group-based program for increasing physical activity in community-dwelling middle-aged adults. <i>Australian Journal of Primary Health</i> , 2015 , 21, 189-96	1.4	6
43	The future healthcare?. <i>Australian Health Review</i> , 2015 , 39, 444-447	1.8	5
42	Determinants of childhood morbidity in Bangladesh: evidence from the Demographic and Health Survey 2011. <i>BMJ Open</i> , 2015 , 5, e007538	3	31
41	Objectively measured physical activity and sedentary time in youth: the International children's accelerometry database (ICAD). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 113	8.4	407
40	International study of perceived neighbourhood environmental attributes and Body Mass Index: IPEN Adult study in 12 countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 62	8.4	43
39	The Key Role of Nurse Researchers in the Evaluation of Nurse Practitioner Models of Practice. <i>Research and Theory for Nursing Practice</i> , 2015 , 29, 214-25	0.8	1

38	Progress in centralised ethics review processes: Implications for multi-site health evaluations. <i>Evaluation and Program Planning</i> , 2015 , 49, 117-23	1.7	0
37	Development and Pilot Testing of the Eating4two Mobile Phone App to Monitor Gestational Weight Gain. <i>JMIR MHealth and UHealth</i> , 2015 , 3, e44	5.5	44
36	The views and attitudes of health professionals providing antenatal care to women with a high BMI: a qualitative research study. <i>Women and Birth</i> , 2014 , 27, 138-44	3.3	32
35	A systematic review protocol: social network analysis of tobacco use. <i>Systematic Reviews</i> , 2014 , 3, 85	3	8
34	Validating two self-report physical activity measures in middle-aged adults completing a group exercise or home-based physical activity program. <i>Journal of Science and Medicine in Sport</i> , 2014 , 17, 611-6	4.4	17
33	Perceived neighbourhood environmental attributes associated with adults' recreational walking: IPEN Adult study in 12 countries. <i>Health and Place</i> , 2014 , 28, 22-30	4.6	103
32	International variation in neighborhood walkability, transit, and recreation environments using geographic information systems: the IPEN adult study. <i>International Journal of Health Geographics</i> , 2014 , 13, 43	3.5	139
31	Community group exercise versus physiotherapist-led home-based physical activity program: barriers, enablers and preferences in middle-aged adults. <i>Physiotherapy Theory and Practice</i> , 2014 , 30, 85-93	1.5	12
30	Contribution of individual risk factor changes to reductions in population absolute cardiovascular risk. <i>BioMed Research International</i> , 2014 , 2014, 626205	3	6
29	Nurse practitioners in aged care: documentary analysis of successful project proposals. <i>Qualitative Health Research</i> , 2014 , 24, 1592-602	3.9	6
28	Issues for central ethics review of aged care service evaluations. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 92-3	2.3	
27	One-year cardiovascular risk and quality of life changes in participants of a health trainer service. <i>Perspectives in Public Health</i> , 2014 , 134, 135-44	1.4	5
26	Neighborhood environments and objectively measured physical activity in 11 countries. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2253-64	1.2	75
25	Reconnecting urban planning with health: a protocol for the development and validation of national liveability indicators associated with noncommunicable disease risk behaviours and health outcomes. <i>Public Health Research and Practice</i> , 2014 , 25,	5.1	16
24	Sharing good NEWS across the world: developing comparable scores across 12 countries for the Neighborhood Environment Walkability Scale (NEWS). <i>BMC Public Health</i> , 2013 , 13, 309	4.1	84
23	How effective are physical appearance interventions in changing smoking perceptions, attitudes and behaviours? A systematic review. <i>Tobacco Control</i> , 2013 , 22, 74-9	5.3	11
22	Study protocol--Indigenous Australian social networks and the impact on smoking policy and programs in Australia: protocol for a mixed-method prospective study. <i>BMC Public Health</i> , 2013 , 13, 879	4.1	5
21	Longitudinal patterns of physical activity in children aged 8 to 12 years: the LOOK study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 81	8.4	61

20	Developing a public health policy-research nexus: an evaluation of Nurse Practitioner models in aged care. <i>Evaluation and Program Planning</i> , 2013 , 40, 55-63	1.7	8
19	Advancing science and policy through a coordinated international study of physical activity and built environments: IPEN adult methods. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 581-601	2.5	136
18	Association of physical inactivity with circulatory disease events and hospital treatment costs. <i>Clinical Epidemiology</i> , 2013 , 5, 111-8	5.9	4
17	Aged care nurse practitioners in Australia: evidence for the development of their role. <i>Australian Health Review</i> , 2013 , 37, 594-601	1.8	19
16	Physiotherapist-led home-based physical activity program versus community group exercise for middle-aged adults: Quasi-experimental comparison. <i>Open Journal of Preventive Medicine</i> , 2013 , 03, 229-237	9.3	3
15	NHS health checks through general practice: randomised trial of population cardiovascular risk reduction. <i>BMC Public Health</i> , 2012 , 12, 944	4.1	50
14	Advertise in the Chippy – The Importance of Scoping Within Social Marketing for the Promotion of Positive Mental Health: A Case Study. <i>American Journal of Lifestyle Medicine</i> , 2012 , 6, 277-283	1.9	
13	A randomized controlled trial of an appearance-related smoking intervention. <i>Health Psychology</i> , 2011 , 30, 805-9	5	25
12	Women smokers' experiences of an age-appearance anti-smoking intervention: a qualitative study. <i>British Journal of Health Psychology</i> , 2011 , 16, 675-89	8.3	21
11	'Physical activity at home (PAAH)', evaluation of a group versus home based physical activity program in community dwelling middle aged adults: rationale and study design. <i>BMC Public Health</i> , 2011 , 11, 883	4.1	14
10	What is my walking neighbourhood? A pilot study of English adults' definitions of their local walking neighbourhoods. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 34	8.4	88
9	Randomised controlled trial of additional lifestyle support for the reduction of cardiovascular disease risk through primary care in Stoke-on-Trent, UK. <i>Contemporary Clinical Trials</i> , 2010 , 31, 345-54	2.3	7
8	Relative importance of physical and social aspects of perceived neighbourhood environment for self-reported health. <i>Preventive Medicine</i> , 2010 , 51, 157-63	4.3	41
7	Small area and individual level predictors of physical activity in urban communities: a multi-level study in Stoke on Trent, England. <i>International Journal of Environmental Research and Public Health</i> , 2009 , 6, 654-77	4.6	33
6	In-school and out-of-school physical activity in primary and secondary school children. <i>Journal of Sports Sciences</i> , 2008 , 26, 1411-9	3.6	61
5	Exercise interventions as an adjunct therapy for psychosis: a critical review. <i>British Journal of Clinical Psychology</i> , 2007 , 46, 95-111	3.6	56
4	Community rehabilitation for older adults with osteoarthritis of the lower limb: a controlled clinical trial. <i>Clinical Rehabilitation</i> , 2004 , 18, 92-101	3.3	69
3	Cost effectiveness of a community based exercise programme in over 65 year olds: cluster randomised trial. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 1004-10	5.1	76

2	The obesity epidemic: too much food for thought?. <i>British Journal of Sports Medicine</i> , 2004 , 38, 360-3; discussion 363	10.3	27
1	Recruitment strategies for a clinical trial of community-based water therapy for osteoarthritis. <i>British Journal of General Practice</i> , 2003 , 53, 315-7	1.6	19