

Axel C Carlsson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/532624/axel-c-carlsson-publications-by-year.pdf>

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174 papers	8,749 citations	28 h-index	92 g-index
183 ext. papers	11,558 ext. citations	4.7 avg, IF	5.22 L-index

#	Paper	IF	Citations
174	Systemic diseases and their association with open-angle glaucoma in the population of Stockholm. <i>International Ophthalmology</i> , 2021 , 1	2.2	4
173	Country of birth and mortality risk in hypertension with and without diabetes: the Swedish primary care cardiovascular database. <i>Journal of Hypertension</i> , 2021 , 39, 1155-1162	1.9	1
172	Health care consumption and psychiatric diagnoses among adolescent girls 1 and 2 years after a first-time registered child sexual abuse experience: a cohort study in the Stockholm Region. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1803-1811	5.5	8
171	Unwillingness to participate in health checks for cardiometabolic diseases: A survey among primary health care patients in five European countries. <i>Health Science Reports</i> , 2021 , 4, e256	2.2	0
170	Hearing impairment among children in Sweden with foreign-born parents and natives: A national Swedish study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 2817-2824	3.1	1
169	Urolithiasis in second-generation immigrant children younger than 18 years of age in Sweden. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 340-346	3.1	
168	Patterns of multimorbidity and pharmacotherapy: a total population cross-sectional study. <i>Family Practice</i> , 2021 , 38, 132-140	1.9	6
167	Delayed healthcare access among victims of sexual abuse, understood through internal and external gatekeeping mechanisms. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 370-377	2.3	1
166	Huntington's disease among immigrant groups and Swedish-born individuals: a cohort study of all adults 18 years of age and older in Sweden. <i>Neurological Sciences</i> , 2021 , 42, 3851-3856	3.5	0
165	Osteoporotic fractures in second-generation immigrants and Swedish natives. <i>Osteoporosis International</i> , 2021 , 32, 1343-1350	5.3	1
164	Visual impairment among children in Sweden with foreign-born parents and natives: a national Swedish study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 ,	3.1	1
163	Amyotrophic lateral sclerosis (ALS) among immigrant groups and Swedish-born individuals: a cohort study of all adults 18 years of age and older in Sweden. <i>Journal of Neurology</i> , 2021 , 1	5.5	
162	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021 , 398, 957-980	40	154
161	Validation and initial results of surveys exploring perspectives on risks and solutions for diagnostic and medication errors in primary care in Sweden. <i>Scandinavian Journal of Primary Health Care</i> , 2020 , 38, 381-390	2.7	1
160	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020 , 396, 1511-1524	40	73
159	The association between sociodemographic characteristics and dementia in patients with atrial fibrillation. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 2319-2327	4.8	5
158	Parkinson's Disease Among Immigrant Groups and Swedish-Born Individuals: A Cohort Study of All Adults 50 Years of Age and Older in Sweden. <i>Journal of Parkinsons Disease</i> , 2020 , 10, 1133-1141	5.3	2

157	An audit & feedback intervention for improved anticoagulant use in patients with atrial fibrillation in primary care. <i>International Journal of Cardiology</i> , 2020 , 310, 67-72	3.2	2
156	Distal forearm fractures in immigrant groups: A national Swedish study. <i>Bone</i> , 2020 , 138, 115508	4.7	2
155	Is medical urgency of elderly patients with traumatic brain injury underestimated by emergency department triage?. <i>Uppsala Journal of Medical Sciences</i> , 2020 , 125, 58-63	2.8	4
154	Epilepsy in immigrants and Swedish-born: A cohort study of all adults 18 years of age and older in Sweden. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 76, 116-122	3.2	1
153	Patient and provider perspectives on reducing risk of harm in primary health care: a qualitative questionnaire study in Sweden. <i>Scandinavian Journal of Primary Health Care</i> , 2020 , 38, 66-74	2.7	4
152	Patient-related factors associated with an increased risk of being a reported case of preventable harm in first-line health care: a case-control study. <i>BMC Family Practice</i> , 2020 , 21, 20	2.6	4
151	Clinical Implications of Estimating Glomerular Filtration Rate with Three Different Equations Among Older People. Preliminary Results of the Project "Screening for Chronic Kidney Disease among Older People across Europe (SCOPE)". <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
150	Endostatin predicts mortality in patients with acute dyspnea - A cohort study of patients seeking care in emergency departments. <i>Clinical Biochemistry</i> , 2020 , 75, 35-39	3.5	2
149	Health care consumption among adolescent girls prior to diagnoses of sexual abuse, a case-control study in the Stockholm Region. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1363-1369	5.5	3
148	Growth differentiation factor 15 (GDF-15) is a potential biomarker of both diabetic kidney disease and future cardiovascular events in cohorts of individuals with type 2 diabetes: a proteomics approach. <i>Uppsala Journal of Medical Sciences</i> , 2020 , 125, 37-43	2.8	15
147	Chronic kidney disease in the context of multimorbidity patterns: the role of physical performance : The screening for CKD among older people across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 350	4.1	4
146	Impaired kidney function is associated with lower quality of life among community-dwelling older adults : The screening for CKD among older people across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 340	4.1	3
145	Is kidney function associated with cognition and mood in late life? : The Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 297	4.1	2
144	Kidney function and other factors and their association with falls : The screening for CKD among older people across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 320	4.1	1
143	Association between kidney function, nutritional status and anthropometric measures in older people : The Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 366	4.1	5
142	Prevalence of sarcopenia in community-dwelling older adults using the updated EWGSOP2 definition according to kidney function and albuminuria : The Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 327	4.1	6
141	Use of cardiovascular drugs and risk of incident heart failure in patients with atrial fibrillation. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1396-1405	2.3	1
140	The association between plasma proteomics and incident cardiovascular disease identifies MMP-12 as a promising cardiovascular risk marker in patients with chronic kidney disease. <i>Atherosclerosis</i> , 2020 , 307, 11-15	3.1	3

139	Multiple sclerosis among first- and second-generation immigrant groups in Sweden. <i>Acta Neurologica Scandinavica</i> , 2020 , 142, 339-349	3.8	2
138	The impact of diabetes, education and income on mortality and cardiovascular events in hypertensive patients: A cohort study from the Swedish Primary Care Cardiovascular Database (SPCCD). <i>PLoS ONE</i> , 2020 , 15, e0237107	3.7	3
137	Levothyroxine treatment and incident dementia in adults with atrial fibrillation. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 433-439	4.8	2
136	Levothyroxine treatment is associated with an increased relative risk of overall and organ specific incident cancers - a cohort study of the Swedish population. <i>Cancer Epidemiology</i> , 2020 , 66, 101707	2.8	4
135	What should selective cardiometabolic prevention programmes in European primary care look like? A consensus-based design by the SPIMEU group. <i>European Journal of General Practice</i> , 2019 , 25, 101-108	2.8	1
134	An evidence-based toolbox for the design and implementation of selective-prevention primary-care initiatives targeting cardio-metabolic disease. <i>Preventive Medicine Reports</i> , 2019 , 16, 100979	3.6	2
133	Association Between Relevant Co-Morbidities and Dementia With Atrial Fibrillation-A National Study. <i>Archives of Medical Research</i> , 2019 , 50, 29-35	6.6	6
132	The use of anthropometric measures in the prediction of incident gout: results from a Swedish community-based cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2019 , 48, 294-299	1.9	3
131	Dementia in immigrant groups: A cohort study of all adults 45 years of age and older in Sweden. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 82, 251-258	4	11
130	Circulating endostatin as a risk factor for cardiovascular events in patients with stable coronary heart disease: A CLARICOR trial sub-study. <i>Atherosclerosis</i> , 2019 , 284, 202-208	3.1	6
129	The association between gout and cardiovascular disease in patients with atrial fibrillation. <i>SN Comprehensive Clinical Medicine</i> , 2019 , 1, 304-310	2.7	5
128	End-Stage Kidney Diseases in Immigrant Groups: A Nationwide Cohort Study in Sweden. <i>American Journal of Nephrology</i> , 2019 , 49, 186-192	4.6	1
127	Selective prevention of cardiometabolic diseases: activities and attitudes of general practitioners across Europe. <i>European Journal of Public Health</i> , 2019 , 29, 88-93	2.1	12
126	Urolithiasis in immigrant groups: a nationwide cohort study in Sweden. <i>Scandinavian Journal of Urology</i> , 2019 , 53, 69-76	1.6	2
125	Diagnostic errors reported in primary healthcare and emergency departments: A retrospective and descriptive cohort study of 4830 reported cases of preventable harm in Sweden. <i>European Journal of General Practice</i> , 2019 , 25, 128-135	2.8	9
124	Massive open online courses (MOOCs) for long-distance education in geriatric medicine across Europe : A pilot project launched by the consortium of the project "Screening for Chronic Kidney Disease among Older People": SCOPE project. <i>European Geriatric Medicine</i> , 2019 , 10, 989-994	3	4
123	The prediction of colorectal cancer using anthropometric measures: A Swedish population-based cohort study with 22 years of follow-up. <i>United European Gastroenterology Journal</i> , 2019 , 7, 1250-1260	5.3	8
122	Effects of cardiovascular pharmacotherapies on incident dementia in patients with atrial fibrillation: A cohort study of all patients above 45 years diagnosed with AF in hospitals in Sweden. <i>International Journal of Cardiology</i> , 2019 , 297, 55-60	3.2	0

121	Effect of Levothyroxine Treatment on Incident Dementia in Adults with Atrial Fibrillation and Hypothyroidism. <i>Clinical Drug Investigation</i> , 2019 , 39, 187-195	3.2	4
120	Predictive Capacity for Mortality and Severe Liver Disease of the Relative Fat Mass Algorithm. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 2619-2620	6.9	5
119	Atrial fibrillation in immigrants under the age of 45 y in Sweden. <i>International Health</i> , 2019 , 11, 193-202	2.4	0
118	Circulating proteins as predictors of cardiovascular mortality in end-stage renal disease. <i>Journal of Nephrology</i> , 2019 , 32, 111-119	4.8	24
117	The association between circulating endostatin and a disturbed circadian blood pressure pattern in patients with type 2 diabetes. <i>Blood Pressure</i> , 2018 , 27, 215-221	1.7	1
116	Levels of soluble tumor necrosis factor receptor 1 and 2, gender, and risk of myocardial infarction in Northern Sweden. <i>Atherosclerosis</i> , 2018 , 272, 41-46	3.1	10
115	The association between relevant co-morbidities and prevalent as well as incident heart failure in patients with atrial fibrillation. <i>Journal of Cardiology</i> , 2018 , 72, 26-32	3	21
114	Mortality trends and cause of death in patients with new-onset type 2 diabetes and controls: A 24-year follow-up prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 138, 81-89	7.4	16
113	Barriers and facilitators among health professionals in primary care to prevention of cardiometabolic diseases: A systematic review. <i>Family Practice</i> , 2018 , 35, 383-398	1.9	29
112	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i	7.8	40
111	10-Year Associations Between Tumor Necrosis Factor Receptors 1 and 2 and Cardiovascular Events in Patients With Stable Coronary Heart Disease: A CLARICOR (Effect of Clarithromycin on Mortality and Morbidity in Patients With Ischemic Heart Disease) Trial Substudy. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	16
110	Antihypertensive drugs and relevant cardiovascular pharmacotherapies and the risk of incident dementia in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2018 , 272, 149-154	3.2	10
109	Barriers and facilitators to participation in a health check for cardiometabolic diseases in primary care: A systematic review. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1326-1340	3.9	31
108	Socioeconomic factors and mortality in patients with atrial fibrillation-a cohort study in Swedish primary care. <i>European Journal of Public Health</i> , 2018 , 28, 1103-1109	2.1	18
107	Cardiovascular events in patients under age fifty with early findings of elevated lipid and glucose levels - The AMORIS study. <i>PLoS ONE</i> , 2018 , 13, e0201972	3.7	5
106	Associations between relevant cardiovascular pharmacotherapies and incident heart failure in patients with atrial fibrillation: a cohort study in primary care. <i>Journal of Hypertension</i> , 2018 , 36, 1929-1933	1.9	3
105	Circulating endostatin and the incidence of heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2018 , 52, 244-249	2	6
104	Mortality in patients with atrial fibrillation and common co-morbidities - a cohort study in primary care. <i>Annals of Medicine</i> , 2018 , 50, 156-163	1.5	7

103	The association between circulating endostatin levels and incident myocardial infarction. <i>Scandinavian Cardiovascular Journal</i> , 2018 , 52, 315-319	2	3
102	Heart failure in immigrant groups: a cohort study of adults aged 45 years and over in Sweden. <i>Scandinavian Cardiovascular Journal</i> , 2018 , 52, 292-300	2	8
101	Cathepsin B and S as markers for cardiovascular risk and all-cause mortality in patients with stable coronary heart disease during 10 years: a CLARICOR trial sub-study. <i>Atherosclerosis</i> , 2018 , 278, 97-102	3.1	15
100	Design and methodology of the screening for CKD among older patients across Europe (SCOPE) study: a multicenter cohort observational study. <i>BMC Nephrology</i> , 2018 , 19, 260	2.7	11
99	Endothelial dysfunction is associated with impaired lung function in two independent community cohorts. <i>Respiratory Medicine</i> , 2018 , 143, 123-128	4.6	3
98	Body composition measurements and risk of hematological malignancies: A population-based cohort study during 20 years of follow-up. <i>PLoS ONE</i> , 2018 , 13, e0202651	3.7	6
97	Multiplex proteomics for prediction of major cardiovascular events in type 2 diabetes. <i>Diabetologia</i> , 2018 , 61, 1748-1757	10.3	28
96	The association between relevant comorbidities and dementia in patients with atrial fibrillation. <i>GeroScience</i> , 2018 , 40, 317	8.9	14
95	Estimated glomerular filtration rate and functional status among older people: A systematic review. <i>European Journal of Internal Medicine</i> , 2018 , 56, 39-48	3.9	10
94	Investigations, findings, and follow-up in patients with chest pain and elevated high-sensitivity cardiac troponin T levels but no myocardial infarction. <i>International Journal of Cardiology</i> , 2017 , 232, 111-116	3.2	18
93	Gout in immigrant groups: a cohort study in Sweden. <i>Clinical Rheumatology</i> , 2017 , 36, 1091-1102	3.9	3
92	Diagnoses of sexual abuse and their common registered comorbidities in the total population of Stockholm. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 592-598	5.1	7
91	Circulating cathepsin-S levels correlate with GFR decline and sTNFR1 and sTNFR2 levels in mice and humans. <i>Scientific Reports</i> , 2017 , 7, 43538	4.9	10
90	Waist/Hip Ratio Better Predicts Development of Severe Liver Disease Within 20 Years Than Body Mass Index: A Population-based Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 1294-1301.e2	6.9	19
89	Neighborhood socioeconomic status at the age of 40 years and ischemic stroke before the age of 50 years: A nationwide cohort study from Sweden. <i>International Journal of Stroke</i> , 2017 , 12, 815-826	6.3	18
88	Impact of physical activity on cardiovascular status in obesity. <i>European Journal of Clinical Investigation</i> , 2017 , 47, 167-175	4.6	7
87	Comparison of Mortality and Nonfatal Cardiovascular Events in Adults With Atrial Fibrillation With Versus Without Levothyroxine Treatment. <i>American Journal of Cardiology</i> , 2017 , 120, 1974-1979	3	8
86	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980

85	Endostatin: a promising biomarker in the cardiovascular continuum?. <i>Biomarkers in Medicine</i> , 2017 , 11, 905-916	2.3	14
84	Use of Proteomics To Investigate Kidney Function Decline over 5 Years. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1226-1235	6.9	35
83	Atrial fibrillation in immigrant groups: a cohort study of all adults 45 years of age and older in Sweden. <i>European Journal of Epidemiology</i> , 2017 , 32, 785-796	12.1	10
82	Urinary Osteopontin Predicts Incident Chronic Kidney Disease, while Plasma Osteopontin Predicts Cardiovascular Death in Elderly Men. <i>CardioRenal Medicine</i> , 2017 , 7, 245-254	2.8	9
81	Use of a proximity extension assay proteomics chip to discover new biomarkers associated with albuminuria. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 340-348	3.9	11
80	High-sensitivity cardiac troponin T levels in the emergency department in patients with chest pain but no myocardial infarction. <i>International Journal of Cardiology</i> , 2017 , 228, 253-259	3.2	21
79	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 191 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	4.0	1100
78	HIV-infection and psychiatric illnesses - A double edged sword that threatens the vision of a contained epidemic: The Greater Stockholm HIV Cohort Study. <i>Journal of Infection</i> , 2017 , 74, 22-28	18.9	23
77	Association between antithrombotic treatment and hemorrhagic stroke in patients with atrial fibrillation-a cohort study in primary care. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 215-221	2.8	1
76	Serum Fatty Acids, Desaturase Activities and Abdominal Obesity - A Population-Based Study of 60-Year Old Men and Women. <i>PLoS ONE</i> , 2017 , 12, e0170684	3.7	22
75	Sex-specific risk of emergency department revisits and early readmission following myocardial infarction. <i>International Journal of Cardiology</i> , 2017 , 243, 54-58	3.2	7
74	Relationship of proximal tubular injury to chronic kidney disease as assessed by urinary kidney injury molecule-1 in five cohort studies. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1460-70	4.3	35
73	Low fructosamine and mortality - A long term follow-up of 215,011 non-diabetic subjects in the Swedish AMORIS study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 1120-1128	4.5	6
72	Reply. <i>Journal of Hypertension</i> , 2016 , 34, 1441-2	1.9	
71	Associations between urinary kidney injury biomarkers and cardiovascular mortality risk in elderly men with diabetes. <i>Uppsala Journal of Medical Sciences</i> , 2016 , 121, 174-8	2.8	3
70	The association between endostatin and kidney disease and mortality in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2016 , 42, 351-357	5.4	26
69	Chronic kidney disease and 10-year risk of cardiovascular death. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1187-94	3.9	13
68	Association of soluble tumor necrosis factor receptors 1 and 2 with nephropathy, cardiovascular events, and total mortality in type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2016 , 15, 40	8.7	50

67	Physical activity, obesity and risk of cardiovascular disease in middle-aged men during a median of 30 years of follow-up. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 359-65	3.9	24
66	Depression or anxiety and all-cause mortality in adults with atrial fibrillation--A cohort study in Swedish primary care. <i>Annals of Medicine</i> , 2016 , 48, 59-66	1.5	18
65	Neighbourhood socioeconomic status and coronary heart disease in individuals between 40 and 50 years. <i>Heart</i> , 2016 , 102, 775-82	5.1	28
64	Psychiatric comorbidities in patients with hypertension--a study of registered diagnoses 2009-2013 in the total population in Stockholm County, Sweden. <i>Journal of Hypertension</i> , 2016 , 34, 414-20; discussion 420	1.9	32
63	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	4.0	2039
62	Neighbourhood socio-economic status and all-cause mortality in adults with atrial fibrillation: A cohort study of patients treated in primary care in Sweden. <i>International Journal of Cardiology</i> , 2016 , 202, 776-81	3.2	24
61	Warfarin treatment and risk of myocardial infarction - A cohort study of patients with atrial fibrillation treated in primary health care. <i>International Journal of Cardiology</i> , 2016 , 221, 789-93	3.2	4
60	The association between serum cathepsin L and mortality in older adults. <i>Atherosclerosis</i> , 2016 , 254, 109-116	3.1	9
59	Urinary KIM-1, but not urinary cystatin C, should be corrected for urinary creatinine. <i>Clinical Biochemistry</i> , 2016 , 49, 1164-1166	3.5	6
58	Warfarin treatment and risk of stroke among primary care patients with atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2016 , 50, 311-316	2	8
57	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden - the Greater Stockholm HIV Cohort Study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 142-9	2.2	16
56	Neighborhood deprivation and warfarin, aspirin and statin prescription - A cohort study of men and women treated for atrial fibrillation in Swedish primary care. <i>International Journal of Cardiology</i> , 2015 , 187, 547-52	3.2	18
55	High levels of soluble tumor necrosis factor receptors 1 and 2 and their association with mortality in patients undergoing hemodialysis. <i>CardioRenal Medicine</i> , 2015 , 5, 89-95	2.8	12
54	Gout and its comorbidities in the total population of Stockholm. <i>Preventive Medicine</i> , 2015 , 81, 387-91	4.3	23
53	Interleukin-8 is associated with increased total mortality in women but not in men-findings from a community-based cohort of elderly. <i>Annals of Medicine</i> , 2015 , 47, 28-33	1.5	4
52	Obesity, metabolic syndrome and risk of atrial fibrillation: a Swedish, prospective cohort study. <i>PLoS ONE</i> , 2015 , 10, e0127111	3.7	41
51	Low anthropometric measures and mortality--results from the Malmö Diet and Cancer Study. <i>Annals of Medicine</i> , 2015 , 47, 325-31	1.5	8
50	Soluble Tumor Necrosis Factor Receptor 1 Is Associated with Glomerular Filtration Rate Progression and Incidence of Chronic Kidney Disease in Two Community-Based Cohorts of Elderly Individuals. <i>CardioRenal Medicine</i> , 2015 , 5, 278-88	2.8	18

49	Endostatin, Cathepsin S, and Cathepsin L, and Their Association with Inflammatory Markers and Mortality in Patients Undergoing Hemodialysis. <i>Blood Purification</i> , 2015 , 39, 259-65	3.1	11
48	Effects of prescribed antihypertensives and other cardiovascular drugs on mortality in patients with atrial fibrillation and hypertension: a cohort study from Sweden. <i>Hypertension Research</i> , 2014 , 37, 553-9	4.7	10
47	Response to: Modifiable lifestyle risks, cardiovascular disease, and all-cause mortality. <i>International Journal of Cardiology</i> , 2014 , 173, 560	3.2	1
46	Effect of cardiovascular drugs on mortality in atrial fibrillation and chronic heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2014 , 48, 291-8	2	3
45	Differences in anthropometric measures in immigrants and Swedish-born individuals: results from two community-based cohort studies. <i>Preventive Medicine</i> , 2014 , 69, 151-6	4.3	9
44	Soluble tumor necrosis factor receptor 1 (sTNFR1) is associated with increased total mortality due to cancer and cardiovascular causes - findings from two community based cohorts of elderly. <i>Atherosclerosis</i> , 2014 , 237, 236-42	3.1	24
43	Diabetes and psychiatric illness in the total population of Stockholm. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 169-73	4.1	28
42	Personality measured as Murray's psychological needs and all-cause mortality: 41 years of follow-up of a population-based sample. <i>Personality and Individual Differences</i> , 2014 , 68, 32-36	3.3	2
41	Increased urinary cystatin C indicated higher risk of cardiovascular death in a community cohort. <i>Atherosclerosis</i> , 2014 , 234, 108-13	3.1	9
40	Endostatin level is associated with kidney injury in the elderly: findings from two community-based cohorts. <i>American Journal of Nephrology</i> , 2014 , 40, 417-24	4.6	34
39	Soluble TNF receptors and kidney dysfunction in the elderly. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 1313-20	12.7	31
38	Urinary kidney injury molecule-1 and the risk of cardiovascular mortality in elderly men. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1393-401	6.9	20
37	Hypertriglyceridemic waist phenotype is associated with decreased insulin sensitivity and incident diabetes in elderly men. <i>Obesity</i> , 2014 , 22, 526-9	8	27
36	Gender differences and time trends in incidence and prevalence of type 2 diabetes in Sweden--a model explaining the diabetes epidemic worldwide today?. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, e90-2	7.4	42
35	Financial stress in late adulthood and diverse risks of incident cardiovascular disease and all-cause mortality in women and men. <i>BMC Public Health</i> , 2014 , 14, 17	4.1	30
34	District nurses' preventive home visits to 75-year-olds: an opportunity to identify factors related to unsafe medication management. <i>Scandinavian Journal of Public Health</i> , 2014 , 42, 786-94	3	20
33	Kidney injury molecule (KIM)-1 is associated with insulin resistance: results from two community-based studies of elderly individuals. <i>Diabetes Research and Clinical Practice</i> , 2014 , 103, 516-21	7.4	16
32	Prediction of cardiovascular disease by abdominal obesity measures is dependent on body weight and sex--results from two community based cohort studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 891-9	4.5	16

31	Effects of prescribed antithrombotics and other cardiovascular pharmacotherapies on all-cause mortality in patients with diabetes and atrial fibrillation - a cohort study from Sweden using propensity score analyses. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 2	5.6	5
30	Differences and time trends in drug treatment of atrial fibrillation in men and women and doctors' adherence to warfarin therapy recommendations: a Swedish study of prescribed drugs in primary care in 2002 and 2007. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 245-53	2.8	25
29	High prevalence of diagnosis of diabetes, depression, anxiety, hypertension, asthma and COPD in the total population of Stockholm, Sweden - a challenge for public health. <i>BMC Public Health</i> , 2013 , 13, 670	4.1	86
28	Urinary neutrophil gelatinase-associated lipocalin (NGAL) is associated with mortality in a community-based cohort of older Swedish men. <i>Atherosclerosis</i> , 2013 , 227, 408-13	3.1	24
27	Seven modifiable lifestyle factors predict reduced risk for ischemic cardiovascular disease and all-cause mortality regardless of body mass index: a cohort study. <i>International Journal of Cardiology</i> , 2013 , 168, 946-52	3.2	70
26	Most common diseases diagnosed in primary care in Stockholm, Sweden, in 2011. <i>Family Practice</i> , 2013 , 30, 506-13	1.9	52
25	Lack of long-term effects from a pedagogical intervention upon blood pressure control--a randomized primary care study. <i>Scandinavian Cardiovascular Journal</i> , 2013 , 47, 289-96	2	3
24	High levels of leptin are associated with poor self-rated health in men and women with type 2 diabetes treated with metformin. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, e11-2	4.5	1
23	Country of birth-specific and gender differences in prevalence of diabetes in Sweden. <i>Diabetes Research and Clinical Practice</i> , 2013 , 100, 404-8	7.4	26
22	Cardiovascular medication in relation to renal function after coronary artery bypass surgery. <i>International Journal of Cardiology</i> , 2013 , 168, 4033-8	3.2	1
21	Effects of tactile massage on metabolic biomarkers in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2013 , 39, 411-7	5.4	10
20	Effect of cardiovascular drug classes on all-cause mortality among atrial fibrillation patients treated in primary care in Sweden: a cohort study. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 279-87	2.8	13
19	Serum FGF23 and risk of cardiovascular events in relation to mineral metabolism and cardiovascular pathology. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 781-6	6.9	86
18	Blood pressure measures and their predictive ability of cardiovascular mortality: a 26-year follow-up. <i>Blood Pressure Monitoring</i> , 2013 , 18, 72-7	1.3	8
17	Association between circulating endostatin, hypertension duration, and hypertensive target-organ damage. <i>Hypertension</i> , 2013 , 62, 1146-51	8.5	37
16	Urinary kidney injury molecule 1 and incidence of heart failure in elderly men. <i>European Journal of Heart Failure</i> , 2013 , 15, 441-6	12.3	29
15	Higher fibroblast growth factor-23 increases the risk of all-cause and cardiovascular mortality in the community. <i>Kidney International</i> , 2013 , 83, 160-6	9.9	112
14	Time trends and gender differences in incidence and prevalence of type 1 diabetes in Sweden. <i>Current Diabetes Reviews</i> , 2013 , 9, 342-9	2.7	40

13	Measuring possible effect on health-related quality of life by tactile massage or relaxation in patients with type 2 diabetes. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 8-15	3.5	16
12	Elevated ApoB serum levels strongly predict early cardiovascular events. <i>Heart</i> , 2012 , 98, 1242-5	5.1	15
11	Poor self-rated health is not associated with a high total allostatic load in type 2 diabetic patients--but high blood pressure is. <i>Diabetes and Metabolism</i> , 2011 , 37, 446-51	5.4	16
10	Total mortality among levothyroxine-treated women with atrial fibrillation in Swedish primary health care. <i>International Journal of Cardiology</i> , 2011 , 152, 147-8	3.2	9
9	Prevalence of blood lipid disturbances in Swedish and foreign-born 60-year-old men and women in Stockholm, Sweden. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 173-81	4.5	26
8	Physicians' gender is associated with risk factor control in patients on antihypertensive and lipid lowering treatment. <i>Blood Pressure</i> , 2010 , 19, 240-8	1.7	24
7	Effect of heart-rate recovery on long-term mortality among men and women. <i>International Journal of Cardiology</i> , 2010 , 144, 276-9	3.2	9
6	Health factors and longevity in men and women: a 26-year follow-up study. <i>European Journal of Epidemiology</i> , 2010 , 25, 547-51	12.1	17
5	Is a unified definition of metabolic syndrome needed? Comparison of three definitions of metabolic syndrome in 60-year-old men and women. <i>Metabolic Syndrome and Related Disorders</i> , 2009 , 7, 231-41	2.6	21
4	Cardiovascular and total mortality in men and women with different blood pressure levels--A 26-year follow-up. <i>Blood Pressure</i> , 2009 , 18, 105-10	1.7	14
3	Factors associated with uncontrolled hypertension and cardiovascular risk in hypertensive 60-year-old men and women--a population-based study. <i>Hypertension Research</i> , 2009 , 32, 780-5	4.7	19
2	Risk factors associated with newly diagnosed high blood pressure in men and women. <i>American Journal of Hypertension</i> , 2008 , 21, 771-7	2.3	32
1	Prevalence of hypertension in immigrants and Swedish-born individuals, a cross-sectional study of 60-year-old men and women in Sweden. <i>Journal of Hypertension</i> , 2008 , 26, 2295-302	1.9	31