

Masao Yamasaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5326857/publications.pdf>

Version: 2024-02-01

12
papers

129
citations

1684188

5
h-index

1372567

10
g-index

12
all docs

12
docs citations

12
times ranked

226
citing authors

#	ARTICLE	IF	CITATIONS
1	Asymptomatic Myocarditis with Mild Cardiac Marker Elevation Following Nivolumab-Induced Myositis. <i>International Heart Journal</i> , 2022, 63, 180-183.	1.0	9
2	Reliability and validity of D-dimer monitoring for pulmonary thromboembolism in patients with unresectable, advanced or recurrent colorectal cancer treated with bevacizumab. <i>Molecular and Clinical Oncology</i> , 2021, 15, 165.	1.0	1
3	Effect of Hinge Motion on Stent Edge-Related Restenosis After Right Coronary Artery Treatment in the Current Drug-Eluting Stent Era. <i>Circulation Journal</i> , 2021, 85, 1959-1968.	1.6	2
4	Emergent radiation therapy to cardiac Ewing's sarcoma with haemodynamic failure due to pulmonary artery compression. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 234-234.	1.2	0
5	Empagliflozin attenuates neointimal hyperplasia after drug-eluting-stent implantation in patients with type 2 diabetes. <i>Heart and Vessels</i> , 2020, 35, 1378-1389.	1.2	15
6	Repetitive restenosis in a biodegradable polymer sirolimus-eluting stent with hypersensitivity reaction: a case report. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-5.	0.6	7
7	Long-Term Clinical Outcomes After Filter Protection During Percutaneous Coronary Intervention in Patients With Attenuated Plaque: 1-Year Follow up of the VAMPIRE 3 (Vacuum Aspiration Thrombus) Trial. <i>Journal of Interventional Cardiology</i> , 2020, 33, 107-114.	0.784814	14
8	Stent Recoil in Overlapping Stent 18 Years After Wiktor Stent Implantation. <i>International Heart Journal</i> , 2019, 60, 178-180.	1.0	0
9	A Randomized Study of Distal Filter Protection Versus Conventional Treatment During Percutaneous Coronary Intervention in Patients With Attenuated Plaque Identified by Intravascular Ultrasound. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1545-1555.	2.9	60
10	Indications for suboptimal low-dose direct oral anticoagulants for non-valvular atrial fibrillation patients. <i>Journal of Arrhythmia</i> , 2017, 33, 475-482.	1.2	17
11	Prospective multi-center registry to evaluate efficacy and safety of the newly developed diamond-like carbon-coated cobalt-chromium coronary stent system. <i>Cardiovascular Intervention and Therapeutics</i> , 2017, 32, 225-232.	2.3	10
12	Pacemaker Dermatitis Induced by Backpack Strap Friction. <i>American Journal of Medicine</i> , 2015, 128, e1-e2.	1.5	2