

# Feng-Fei Li

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5328354/feng-fei-li-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36  
papers

239  
citations

9  
h-index

14  
g-index

39  
ext. papers

306  
ext. citations

4.2  
avg, IF

2.78  
L-index

#	Paper	IF	Citations
36	Blood Glucose Fluctuations in Type 2 Diabetes Patients Treated with Multiple Daily Injections. <i>Journal of Diabetes Research</i> , <b>2016</b> , 2016, 1028945	3.9	28
35	Influence of Acarbose on Plasma Glucose Fluctuations in Insulin-Treated Patients with Type 2 Diabetes: A Pilot Study. <i>International Journal of Endocrinology</i> , <b>2015</b> , 2015, 903524	2.7	22
34	Islet Stellate Cells Isolated from Fibrotic Islet of Goto-Kakizaki Rats Affect Biological Behavior of Beta-Cell. <i>Journal of Diabetes Research</i> , <b>2016</b> , 2016, 6924593	3.9	18
33	Influence of Dapagliflozin on Glycemic Variations in Patients with Newly Diagnosed Type 2 Diabetes Mellitus. <i>Journal of Diabetes Research</i> , <b>2016</b> , 2016, 5347262	3.9	17
32	Exenatide Add-on to Continuous Subcutaneous Insulin Infusion Therapy Reduces Bolus Insulin Doses in Patients with Type 2 Diabetes: A Randomized, Controlled, Open-Label Trial. <i>Diabetes Therapy</i> , <b>2017</b> , 8, 177-187	3.6	13
31	Effects of saxagliptin add-on therapy to insulin on blood glycemic fluctuations in patients with type 2 diabetes: A randomized, control, open-labeled trial. <i>Medicine (United States)</i> , <b>2016</b> , 95, e5229	1.8	13
30	Continuous Glucose Monitoring in Newly Diagnosed Type 2 Diabetes Patients Reveals a Potential Risk of Hypoglycemia in Older Men. <i>Journal of Diabetes Research</i> , <b>2017</b> , 2017, 2740372	3.9	12
29	Features of glycemic variations in drug naïve type 2 diabetic patients with different HbA values. <i>Scientific Reports</i> , <b>2017</b> , 7, 1583	4.9	10
28	Management of glycemic variation in diabetic patients receiving parenteral nutrition by continuous subcutaneous insulin infusion (CSII) therapy. <i>Scientific Reports</i> , <b>2018</b> , 8, 5888	4.9	9
27	Twenty Minute Moderate-Intensity Post-Dinner Exercise Reduces the Postprandial Glucose Response in Chinese Patients with Type 2 Diabetes. <i>Medical Science Monitor</i> , <b>2018</b> , 24, 7170-7177	3.2	9
26	Effects of Vildagliptin Add-on Insulin Therapy on Nocturnal Glycemic Variations in Uncontrolled Type 2 Diabetes. <i>Diabetes Therapy</i> , <b>2017</b> , 8, 1111-1122	3.6	8
25	Lipotoxicity reduces $\beta$ cell survival through islet stellate cell activation regulated by lipid metabolism-related molecules. <i>Experimental Cell Research</i> , <b>2019</b> , 380, 1-8	4.2	6
24	Analysis of the add-on effect of $\alpha$ -glucosidase inhibitor, acarbose in insulin therapy: A pilot study. <i>Biomedical Reports</i> , <b>2016</b> , 5, 461-466	1.8	6
23	Pre-exercise blood glucose affects glycemic variation of aerobic exercise in patients with type 2 diabetes treated with continuous subcutaneous insulin infusion. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 141, 98-105	7.4	6
22	Young onset type 2 diabetic patients might be more sensitive to metformin compared to late onset type 2 diabetic patients. <i>Scientific Reports</i> , <b>2017</b> , 7, 16382	4.9	6
21	Relationship Between Estimated Glycosylated Hemoglobin Using Flash Glucose Monitoring and Actual Measured Glycosylated Hemoglobin in a Chinese Population. <i>Diabetes Therapy</i> , <b>2020</b> , 11, 2019-2027	3.6	6
20	A Single-Blinded Trial Using Resting-State Functional Magnetic Resonance Imaging of Brain Activity in Patients with Type 2 Diabetes and Painful Neuropathy. <i>Diabetes Therapy</i> , <b>2019</b> , 10, 135-147	3.6	6

19	Insulin Injection Technique is Associated with Glycemic Variability in Patients with Type 2 Diabetes. <i>Diabetes Therapy</i> , <b>2018</b> , 9, 2347-2356	3.6	6
18	Male Patients with Longstanding Type 2 Diabetes Have a Higher Incidence of Hypoglycemia Compared with Female Patients. <i>Diabetes Therapy</i> , <b>2018</b> , 9, 1969-1977	3.6	5
17	Lipoprotein-associated phospholipase A2 is a risk factor for diabetic kidney disease. <i>Diabetes Research and Clinical Practice</i> , <b>2019</b> , 150, 194-201	7.4	4
16	Glucose metabolism before and after radioiodine therapy of a patient with Graves Disease: Assessment by continuous glucose monitoring. <i>Biomedical Reports</i> , <b>2017</b> , 7, 183-187	1.8	4
15	Vitamin A and Its Multi-Effects on Pancreas: Recent Advances and Prospects. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 620941	5.7	4
14	Rapid Changes in Serum Testosterone in Men With Newly Diagnosed Type 2 Diabetes With Intensive Insulin and Metformin. <i>Diabetes Care</i> , <b>2021</b> , 44, 1059-1061	14.6	4
13	Association of high circulating testosterone with increased glycaemic variability in type 2 diabetes: A cross-sectional study in China. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2019</b> , 35, e3126	7.5	3
12	Sexual Differences in response to Mid- or Low-Premixed Insulin Analogue in Patients with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , <b>2020</b> , 2020, 8152640	3.9	2
11	Fasting Glucose of 6.1 mmol/L as a Possible Optimal Target for Type 2 Diabetic Patients with Insulin Larginine: A Randomized Clinical Trial. <i>Journal of Diabetes Research</i> , <b>2021</b> , 2021, 5524313	3.9	2
10	Blood Glucagon Levels Predict the Hemoglobin A1c Response to Saxagliptin in Patients with Type 2 Diabetes Inadequately Controlled with Metformin. <i>Diabetes Therapy</i> , <b>2016</b> , 7, 743-753	3.6	2
9	Contributions of Fasting and Postprandial Glucose Concentrations to Haemoglobin A1c in Drug-Naïve Mal-Glucose Metabolism in Chinese Population Using Continuous Glucose Monitoring System. <i>International Journal of Endocrinology</i> , <b>2019</b> , 2019, 1267475	2.7	2
8	Metformin add-on continuous subcutaneous insulin infusion on precise insulin doses in patients with type 2 diabetes. <i>Scientific Reports</i> , <b>2018</b> , 8, 9713	4.9	2
7	Serum ErbB2 concentration positively correlated to the glycemic variations in newly diagnosed Type 2 diabetic patients.. <i>Scientific Reports</i> , <b>2022</b> , 12, 4940	4.9	2
6	The real world of blood glucose point-of-care testing (POCT) system running in China teaching hospital. <i>Expert Review of Medical Devices</i> , <b>2018</b> , 15, 445-451	3.5	1
5	Glycemic variation in uncontrolled Graves Disease patients with normal glucose metabolism: Assessment by continuous glucose monitoring. <i>Endocrine</i> , <b>2019</b> , 64, 265-270	4	1
4	Effects of Dapagliflozin Adjunct to Insulin on Glycemic Variations in Patients with Newly Diagnosed Type 2 Diabetes: A Randomized, Controlled, Open-Labelled Trial. <i>BioMed Research International</i> , <b>2021</b> , 2021, 6618257	3	0
3	Men with Latent Autoimmune Diabetes and Type 2 Diabetes May Have Different Change Patterns in Free Testosterone. <i>BioMed Research International</i> , <b>2020</b> , 2020, 6259437	3	
2	Comparison of Efficacy and Safety of Lispro and Aspart Evaluated by Continuous Glucose Monitoring System in Patients with Newly Diagnosed Type 2 Diabetes. <i>International Journal of Endocrinology</i> , <b>2018</b> , 2018, 2087960	2.7	

- 1 Comparative Evaluation of Chiglitazar and Sitagliptin on the Levels of Retinol-Binding Protein 4 and Its Correlation With Insulin Resistance in Patients With Type 2 Diabetes.. *Frontiers in Endocrinology*, **2022**, 13, 801271 5.7