
Luis V Portela

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/532994/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	BDNF Levels According to Variations in the CACNA1C Gene: Sex-Based Disparity. Cellular and Molecular Neurobiology, 2022, , 1.	3.3	1
2	Cerebrospinal fluid purinomics as a biomarker approach to predict outcome after severe traumatic brain injury. Journal of Neurochemistry, 2022, 161, 173-186.	3.9	5
3	Nandrolone Supplementation Promotes AMPK Activation and Divergent 18[FDG] PET Brain Connectivity in Adult and Aged Mice. Neurochemical Research, 2022, 47, 2032-2042.	3.3	1
4	Testosterone: Features and role in treating traumatic brain injury. , 2022, , 317-324.		0
5	Antibiotic therapy does not alter mitochondrial bioenergetics in lymphocytes of patients with septic shock $\hat{a} \in \hat{A}$ prospective cohort study. Mitochondrion, 2022, 66, 7-12.	3.4	2
6	Glutamate transporter-1 link astrocytes with heightened aggressive behavior induced by steroid abuse in male CF1 mice. Hormones and Behavior, 2021, 127, 104872.	2.1	7
7	Intermittent fasting promotes anxiolytic-like effects unrelated to synaptic mitochondrial function and BDNF support. Behavioural Brain Research, 2021, 404, 113163.	2.2	7
8	Mortality of septic shock patients is associated with impaired mitochondrial oxidative coupling efficiency in lymphocytes: a prospective cohort study. Intensive Care Medicine Experimental, 2021, 9, 39.	1.9	5
9	Anabolic-androgenic steroids impair mitochondrial function and redox status in the heart and liver of mice. Steroids, 2021, 172, 108861.	1.8	5
10	Association Between Hyperlactatemia, Perfusional Parameters and Lymphocyte Mitochondrial Dysfunction in Septic Shock Patients. Shock, 2021, Publish Ahead of Print, .	2.1	0
11	Caffeine and adenosine A2A receptors rescue neuronal development in vitro of frontal cortical neurons in a rat model of attention deficit and hyperactivity disorder. Neuropharmacology, 2020, 166, 107782.	4.1	12
12	S100B protein and neuron-specific enolase as predictors of postoperative cognitive dysfunction in aged dogs: a case-control study. Veterinary Anaesthesia and Analgesia, 2020, 47, 740-747.	0.6	6
13	Temperament traits moderate the relationship between Childhood Trauma and Interleukin 1β profile in young adults. Psychoneuroendocrinology, 2020, 116, 104671.	2.7	6
14	Insulin activates microglia and increases COX-2/IL-1β expression in young but not in aged hippocampus. Brain Research, 2020, 1741, 146884.	2.2	21
15	Interleukin-6 and Interleukin-10 in mood disorders: A population-based study. Psychiatry Research, 2019, 273, 685-689.	3.3	44
16	Anabolic-androgen steroids effects on bioenergetics responsiveness of synaptic and extrasynaptic mitochondria. Toxicology Letters, 2019, 307, 72-80.	0.8	9
17	Sustained elevation of cerebrospinal fluid glucose and lactate after a single seizure does not parallel with mitochondria energy production. Epilepsy Research, 2019, 152, 35-41.	1.6	11
18	Testosterone Administration after Traumatic Brain Injury Reduces Mitochondrial Dysfunction and Neurodegeneration. Journal of Neurotrauma, 2019, 36, 2246-2259.	3.4	39

#	Article	IF	CITATIONS
19	Memantine mediates astrocytic activity in response to excitotoxicity induced by PP2A inhibition. Neuroscience Letters, 2019, 696, 179-183.	2.1	8
20	Serum Biomarkers and Clinical Outcomes in Traumatic Spinal Cord Injury: Prospective Cohort Study. World Neurosurgery, 2019, 122, e1028-e1036.	1.3	15
21	Childhood trauma and increased peripheral cytokines in young adults with major depressive: Population-based study. Journal of Neuroimmunology, 2018, 319, 112-116.	2.3	30
22	Serum brain-derived neurotrophic factor levels in subjects with major depressive disorder with previous suicide attempt: A population-based study. Psychiatry Research, 2018, 262, 500-504.	3.3	13
23	Serum levels of interleukins IL-6 and IL-10 in individuals with posttraumatic stress disorder in a population-based sample. Psychiatry Research, 2018, 260, 111-115.	3.3	39
24	Serum GDNF levels and anxiety disorders in a population-based study of young adults. Clinica Chimica Acta, 2018, 485, 21-25.	1.1	9
25	Gender differences of cannabis smoking on serum leptin levels: population-based study. Revista Brasileira De Psiquiatria, 2018, 40, 216-219.	1.7	5
26	Mood disorder, anxiety, and suicide risk among subjects with alcohol abuse and/or dependence: a population-based study. Revista Brasileira De Psiquiatria, 2018, 40, 1-5.	1.7	25
27	Atorvastatin-induced osteoclast inhibition reduces orthodontic relapse. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 151, 528-538.	1.7	22
28	Cell Index in the Diagnosis of External Ventricular Drain-Related Infections. World Neurosurgery, 2017, 106, 504-508.	1.3	10
29	Hyperpalatable Diet and Physical Exercise Modulate the Expression of the Glial Monocarboxylate Transporters MCT1 and 4. Molecular Neurobiology, 2017, 54, 5807-5814.	4.0	10
30	Prior Exercise Training Prevent Hyperglycemia in STZ Mice by Increasing Hepatic Glycogen and Mitochondrial Function on Skeletal Muscle. Journal of Cellular Biochemistry, 2017, 118, 678-685.	2.6	6
31	Peripheral Oxidative Stress Biomarkers in Spinocerebellar Ataxia Type 3/Machado–Joseph Disease. Frontiers in Neurology, 2017, 8, 485.	2.4	47
32	Elevated glutamate and lactate predict brain death after severe head trauma. Annals of Clinical and Translational Neurology, 2017, 4, 392-402.	3.7	43
33	S100B protein and neuron-specific enolase as predictors of cognitive dysfunction after coronary artery bypass graft surgery. European Journal of Anaesthesiology, 2016, 33, 681-689.	1.7	50
34	Cocaine abuse and effects in the serum levels of cytokines IL-6 and IL-10. Drug and Alcohol Dependence, 2016, 158, 181-185.	3.2	72
35	Mechanisms involved in the antinociception induced by spinal administration of inosine or guanine in mice. European Journal of Pharmacology, 2016, 772, 71-82.	3.5	11
36	Cytokines in Machado Joseph Disease/Spinocerebellar Ataxia 3. Cerebellum, 2016, 15, 518-525.	2.5	27

#	Article	IF	CITATIONS
37	Brain Insulin Administration Triggers Distinct Cognitive and Neurotrophic Responses in Young and Aged Rats. Molecular Neurobiology, 2016, 53, 5807-5817.	4.0	38
38	Inhibition of Protein Phosphatase 2A: Focus on the Glutamatergic System. Molecular Neurobiology, 2016, 53, 3753-3755.	4.0	9
39	Effects of Single Low Dose of Dexamethasone before Noncardiac and Nonneurologic Surgery and General Anesthesia on Postoperative Cognitive Dysfunction—A Phase III Double Blind, Randomized Clinical Trial. PLoS ONE, 2016, 11, e0152308.	2.5	50
40	Changes in Purines Concentration in the Cerebrospinal Fluid of Pregnant Women Experiencing Pain During Active Labor. Neurochemical Research, 2015, 40, 2262-2269.	3.3	8
41	High Phosphate Serum Levels Correlate With the Severity of Experimental Severe Acute Pancreatitis. Pancreas, 2015, 44, 619-625.	1.1	5
42	Long-term NMDAR antagonism correlates reduced astrocytic glutamate uptake with anxiety-like phenotype. Frontiers in Cellular Neuroscience, 2015, 09, 219.	3.7	16
43	Progression rate of myelopathy in X-linked adrenoleukodystrophy heterozygotes. Metabolic Brain Disease, 2015, 30, 1279-1284.	2.9	10
44	Intracerebroventricular Metformin Decreases Body Weight But Has Pro-oxidant Effects and Decreases Survival. Neurochemical Research, 2015, 40, 514-523.	3.3	13
45	Increased Serum Neurotrophin Levels Related to Alcohol Use Disorder in a Young Population Sample. Alcoholism: Clinical and Experimental Research, 2015, 39, 30-35.	2.4	18
46	Regulation of leukocyte tricarboxylic acid cycle in drug-naÃ ⁻ ve Bipolar Disorder. Neuroscience Letters, 2015, 605, 65-68.	2.1	12
47	Serum NGF, BDNF and IL-6 Levels in Postpartum Mothers As Predictors of Infant Development: The Influence of Affective Disorders. PLoS ONE, 2014, 9, e94581.	2.5	18
48	Serum S100B level increases after running but not cycling exercise. Applied Physiology, Nutrition and Metabolism, 2014, 39, 340-344.	1.9	32
49	Neurological impairment among heterozygote women for X-linked Adrenoleukodystrophy: a case control study on a clinical, neurophysiological and biochemical characteristics. Orphanet Journal of Rare Diseases, 2014, 9, 6.	2.7	24
50	Prevalence of depression symptoms and serum levels of interleukinâ€6 in hemodialysis patients. Psychiatry and Clinical Neurosciences, 2014, 68, 275-282.	1.8	19
51	Nandrolone-induced aggressive behavior is associated with alterations in extracellular glutamate homeostasis in mice. Hormones and Behavior, 2014, 66, 383-392.	2.1	26
52	Antioxidant effects of JM-20 on rat brain mitochondria and synaptosomes: Mitoprotection against Ca2+-induced mitochondrial impairment. Brain Research Bulletin, 2014, 109, 68-76.	3.0	33
53	The Potential Therapeutic Effect of Guanosine after Cortical Focal Ischemia in Rats. PLoS ONE, 2014, 9, e90693.	2.5	45
54	High saturated fat and low carbohydrate diet decreases lifespan independent of body weight in mice. Longevity & Healthspan, 2013, 2, 10.	6.7	12

#	Article	IF	CITATIONS
55	Insulin prevents mitochondrial generation of H2O2 in rat brain. Experimental Neurology, 2013, 247, 66-72.	4.1	28
56	Long-Term Oral Administration ofCapsicum baccatumExtracts Does Not Alter Behavioral, Hematological, and Metabolic Parameters in CF1 Mice. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-9.	1.2	10
57	Pretreatment with Memantine Prevents Alzheimer-Like Alterations Induced by Intrahippocampal Okadaic Acid Administration in Rats. Current Alzheimer Research, 2012, 9, 1182-1190.	1.4	24
58	Physical Exercise Exacerbates Memory Deficits Induced by Intracerebroventricular STZ but Improves Insulin Regulation of H2O2 Production in Mice Synaptosomes. Journal of Alzheimer's Disease, 2012, 30, 889-898.	2.6	18
59	Treadmill running frequency on anxiety and hippocampal adenosine receptors density in adult and middle-aged rats. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 36, 198-204.	4.8	21
60	Reduced brain insulin-like growth factor I function during aging. Molecular and Cellular Neurosciences, 2012, 49, 9-12.	2.2	67
61	Serum S100B in pregnancy complicated by preeclampsia: A case-control study. Pregnancy Hypertension, 2012, 2, 101-105.	1.4	13
62	Brain-Derived Neurotrophic Factor Levels in Women with Postpartum Affective Disorder and Suicidality. Neurochemical Research, 2012, 37, 2229-2234.	3.3	36
63	Brain-Derived Neurotrophic Factor in Post-Partum Depressive Mothers. Neurochemical Research, 2012, 37, 583-587.	3.3	43
64	Impairment of the Organization of Locomotor and Exploratory Behaviors in Bile Duct-Ligated Rats. PLoS ONE, 2012, 7, e36322.	2.5	31
65	Distinctive effects of unpredictable subchronic stress on memory, serum corticosterone and hippocampal BDNF levels in high and low exploratory mice. Behavioural Brain Research, 2011, 218, 80-86.	2.2	5
66	Lithium increases plasma brain-derived neurotrophic factor in acute bipolar mania: A preliminary 4-week study. Neuroscience Letters, 2011, 494, 54-56.	2.1	125
67	Enriched environment effects on behavior, memory and BDNF in low and high exploratory mice. Physiology and Behavior, 2011, 102, 475-480.	2.1	67
68	Neuron-Specific Enolase, S100B, and Glial Fibrillary Acidic Protein Levels as Outcome Predictors in Patients With Severe Traumatic Brain Injury. Neurosurgery, 2011, 68, 1624-1631.	1.1	157
69	Synthesis of neurotransmitter GABA via the neuronal tricarboxylic acid cycle is elevated in rats with liver cirrhosis consistent with a high GABAergic tone in chronic hepatic encephalopathy. Journal of Neurochemistry, 2011, 117, 824-832.	3.9	37
70	Long-term cyclosporine treatment: Evaluation of serum biochemical parameters and histopathological alterations in Wistar rats. Experimental and Toxicologic Pathology, 2011, 63, 119-123.	2.1	12
71	Detoxification of Ammonia in Mouse Cortical GABAergic Cell Cultures Increases Neuronal Oxidative Metabolism and Reveals an Emerging Role for Release of Glucose-Derived Alanine. Neurotoxicity Research, 2011, 19, 496-510.	2.7	43
72	Serum insulinâ€like system alterations in patients with spinocerebellar ataxia type 3. Movement Disorders, 2011, 26, 731-735.	3.9	35

#	Article	IF	CITATIONS
73	Exercise increases insulin signaling in the hippocampus: Physiological effects and pharmacological impact of intracerebroventricular insulin administration in mice. Hippocampus, 2011, 21, 1082-1092.	1.9	66
74	Metabolic and behavioral effects of chronic olanzapine treatment and cafeteria diet in rats. Behavioural Pharmacology, 2010, 21, 668-675.	1.7	16
75	Long-term cyclosporine treatment in non-transplanted rats and metabolic risk factors of vascular diseases. Chemico-Biological Interactions, 2010, 185, 53-58.	4.0	9
76	Chronic treatment with cyclosporine affects systemic purinergic parameters, homocysteine levels and vascular disturbances in rats. Chemico-Biological Interactions, 2010, 188, 15-20.	4.0	5
77	Serum levels of S100B and NSE proteins in Alzheimer's disease patients. Journal of Neuroinflammation, 2010, 7, 6.	7.2	158
78	Changes in purines concentration in the cerebrospinal fluid of patients experiencing pain: A case-control study. Neuroscience Letters, 2010, 474, 69-73.	2.1	10
79	Guanosine Prevents Thermal Hyperalgesia in a Rat Model of Peripheral Mononeuropathy. Journal of Pain, 2010, 11, 131-141.	1.4	27
80	Interleukin-6 Serum Levels in Patients with Parkinson's Disease. Neurochemical Research, 2009, 34, 1401-1404.	3.3	75
81	The ischemic heart as an extracerebral source for S100B. Resuscitation, 2009, 80, 144.	3.0	11
82	Different Effect of High Fat Diet and Physical Exercise in the Hippocampal Signaling. Neurochemical Research, 2008, 33, 880-885.	3.3	22
83	Peripheral nucleotide hydrolysis in rats submitted to a model of electroconvulsive therapy. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1829-1833.	4.8	13
84	Highly palatable diet consumption increases protein oxidation in rat frontal cortex and anxiety-like behavior. Life Sciences, 2007, 81, 198-203.	4.3	142
85	Decreased Plasma Brain Derived Neurotrophic Factor Levels in Unmedicated Bipolar Patients During Manic Episode. Biological Psychiatry, 2007, 61, 142-144.	1.3	187
86	Pentylenetetrazol kindling alters adenine and guanine nucleotide catabolism in rat hippocampal slices and cerebrospinal fluid. Epilepsy Research, 2007, 75, 104-111.	1.6	23
87	Western Style Diet Impairs Entrance of Blood-Borne Insulin-like Growth Factor-1 into the Brain. NeuroMolecular Medicine, 2007, 9, 324-330.	3.4	30
88	Serum S100B levels in patients with neural tube defects. Clinica Chimica Acta, 2006, 364, 275-278.	1.1	9
89	Methotrexate induces seizure and decreases glutamate uptake in brain slices: Prevention by ionotropic glutamate receptors antagonists and adenosine. Life Sciences, 2006, 80, 1-8.	4.3	15
90	S100B and NSE serum levels in obstructive sleep apnea syndrome. Sleep Medicine, 2006, 7, 431-435.	1.6	35

#	Article	IF	CITATIONS
91	Ontogenetic changes in serum S100B in Down syndrome patients. Clinical Biochemistry, 2005, 38, 433-435.	1.9	22
92	Exercise affects glutamate receptors in postsynaptic densities from cortical mice brain. Brain Research, 2005, 1065, 20-25.	2.2	73
93	Effects of chronic administered guanosine on behavioral parameters and brain glutamate uptake in rats. Journal of Neuroscience Research, 2005, 79, 248-253.	2.9	52
94	Methylmercury increases S100B content in rat cerebrospinal fluid. Environmental Toxicology and Pharmacology, 2005, 19, 249-253.	4.0	19
95	Changes in S100B cerebrospinal fluid levels of rats subjected to predator stress. Brain Research, 2004, 1028, 213-218.	2.2	27
96	S100B content and SOD activity in amniotic fluid of pregnancies with Down syndrome. Clinical Biochemistry, 2004, 37, 134-137.	1.9	22
97	Biochemical brain markers and purinergic parameters in rat CSF after seizure induced by pentylenetetrazol. Brain Research Bulletin, 2004, 64, 237-242.	3.0	34
98	Ketogenic diet fed rats have low levels of S100B in cerebrospinal fluid. Neuroscience Research, 2004, 50, 375-379.	1.9	26
99	Increased cerebrospinal fluid levels of S100B protein in rat model of mania induced by ouabain. Life Sciences, 2004, 76, 805-811.	4.3	30
100	Specificity and sensitivity of S100B levels in amniotic fluid for Down syndrome diagnosis. Life Sciences, 2004, 76, 379-384.	4.3	7
101	Serum S100B Protein: What Does It Mean During Exercise?. Clinical Journal of Sport Medicine, 2004, 14, 368.	1.8	5
102	Neuropsychiatric Evaluation in Subjects Chronically Exposed to Organophosphate Pesticides. Toxicological Sciences, 2003, 72, 267-271.	3.1	157
103	Increase in Serum S100B Protein Level After a Swimming Race. Applied Physiology, Nutrition, and Metabolism, 2003, 28, 710-716.	1.7	81
104	Developmental changes in S100B content in brain tissue, cerebrospinal fluid, and astrocyte cultures of rats. Cellular and Molecular Neurobiology, 2002, 22, 373-378.	3.3	45
105	Increased serum S100B protein in schizophrenia: a study in medication-free patients. Journal of Psychiatric Research, 2001, 35, 11-14.	3.1	137
106	Serum S100B levels in patients with HTLV-l–associated myelopathy/tropical spastic paraparesis. Neurology, 2000, 54, 2021-2022.	1.1	23
107	Digitonin-permeabilization of astrocytes in culture monitored by trypan blue exclusion and loss of S100B by ELISA. Brain Research Protocols, 2000, 6, 86-90.	1.6	38
108	Decreased S100-beta protein in schizophrenia: preliminary evidence. Schizophrenia Research, 2000, 43, 91-95.	2.0	57