

Kang Yao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5330086/kang-yao-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

2,082

citations

23

h-index

43

g-index

93

ext. papers

2,828

ext. citations

4.7

avg, IF

5.08

L-index

#	Paper	IF	Citations
88	Dietary addition of fermented sorghum distiller's dried grains with soluble improves carcass traits and meat quality in growing-finishing pigs.. <i>Tropical Animal Health and Production</i> , 2022 , 54, 97	1.7	0
87	Dietary beta-hydroxy-beta-methyl butyrate supplementation improves meat quality of Bama Xiang mini-pigs through manipulation of muscle fiber characteristics. <i>Journal of Functional Foods</i> , 2022 , 88, 104885	5.1	1
86	Comparisons of carcass traits, meat quality, and serum metabolome between Shaziling and Yorkshire pigs.. <i>Animal Nutrition</i> , 2022 , 8, 125-134	4.8	2
85	Effects of Dietary Chlorogenic Acid Supplementation Derived from Hand-Mazz on Growth Performance, Free Amino Acid Profile, and Muscle Protein Synthesis in a Finishing Pig Model.. <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 6316611	6.7	2
84	Comparison of the Effects of Inorganic or Amino Acid-Chelated Zinc on Mouse Myoblast Growth and Growth Performance and Carcass Traits in Growing-Finishing Pigs.. <i>Frontiers in Nutrition</i> , 2022 , 9, 857393	6.2	1
83	Long-read assembly of the Chinese indigenous Ningxiang pig genome and identification of genetic variations in fat metabolism among different breeds. <i>Molecular Ecology Resources</i> , 2021 ,	8.4	2
82	Balanced Branched-Chain Amino Acids Modulate Meat Quality via Adjusting Muscle Fiber Type Conversion and Intramuscular Fat Deposition in Finishing Pigs.. <i>Journal of the Science of Food and Agriculture</i> , 2021 ,	4.3	4
81	Alterations of the Muscular Fatty Acid Composition and Serum Metabolome in Bama Xiang Mini-Pigs Exposed to Dietary Beta-Hydroxy Beta-Methyl Butyrate. <i>Animals</i> , 2021 , 11,	3.1	4
80	Insight into Liver lncRNA and mRNA Profiling at Four Developmental Stages in Ningxiang Pig. <i>Biology</i> , 2021 , 10,	4.9	2
79	Dietary Beta-Hydroxy Beta-Methyl Butyrate Supplementation Alleviates Liver Injury in Lipopolysaccharide-Challenged Piglets. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 5546843	6.7	0
78	Changes in carcass traits, meat quality, muscle fiber characteristics, and liver function of finishing pigs fed high level of fish oil. <i>Canadian Journal of Animal Science</i> , 2021 , 101, 342-352	0.9	0
77	Dietary supplementation with betaine or glycine improves the carcass trait, meat quality and lipid metabolism of finishing mini-pigs. <i>Animal Nutrition</i> , 2021 , 7, 376-383	4.8	8
76	Different Proportions of Branched-Chain Amino Acids Modulate Lipid Metabolism in a Finishing Pig Model. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 7037-7048	5.7	4
75	Roles of amino acid derivatives in the regulation of obesity. <i>Food and Function</i> , 2021 , 12, 6214-6225	6.1	3
74	Spatiotemporal Regulation and Functional Analysis of Circular RNAs in Skeletal Muscle and Subcutaneous Fat during Pig Growth. <i>Biology</i> , 2021 , 10,	4.9	3
73	HMB Improves Lipid Metabolism of Bama Xiang Mini-Pigs via Modulating the -Acetic Acid-AMPK Axis. <i>Frontiers in Microbiology</i> , 2021 , 12, 736997	5.7	1
72	L-Tryptophan activates the aryl hydrocarbon receptor and induces cell cycle arrest in porcine trophectoderm cells. <i>Theriogenology</i> , 2021 , 171, 137-146	2.8	3

71	Plant Extracts in Obesity: A Role of Gut Microbiota. <i>Frontiers in Nutrition</i> , 2021 , 8, 727951	6.2	1
70	Integrated Analysis of Liver Transcriptome, miRNA, and Proteome of Chinese Indigenous Breed Ningxiang Pig in Three Developmental Stages Uncovers Significant miRNA-mRNA-Protein Networks in Lipid Metabolism. <i>Frontiers in Genetics</i> , 2021 , 12, 709521	4.5	0
69	Dietary chicory powder supplementation affects growth performance, carcass traits, and muscular profiles of amino acids and fatty acids in growing-finishing Xiangcun Black pigs. <i>Journal of Applied Animal Research</i> , 2021 , 49, 46-52	1.7	
68	Leucine Supplementation: A Novel Strategy for Modulating Lipid Metabolism and Energy Homeostasis. <i>Nutrients</i> , 2020 , 12,	6.7	15
67	Protective effects of taurine against muscle damage induced by diquat in 35 days weaned piglets. <i>Journal of Animal Science and Biotechnology</i> , 2020 , 11, 56	6	7
66	Flavonoids from Mulberry Leaves Alleviate Lipid Dysmetabolism in High Fat Diet-Fed Mice: Involvement of Gut Microbiota. <i>Microorganisms</i> , 2020 , 8,	4.9	11
65	A selectively suppressing amino acid transporter: Sodium-coupled neutral amino acid transporter 2 inhibits cell growth and mammalian target of rapamycin complex 1 pathway in skeletal muscle cells. <i>Animal Nutrition</i> , 2020 , 6, 513-520	4.8	5
64	Antioxidant mechanism of tea polyphenols and its impact on health benefits. <i>Animal Nutrition</i> , 2020 , 6, 115-123	4.8	139
63	Gut microbiota and blood metabolomics in weaning multiparous sows: Associations with oestrous. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2020 , 104, 1155-1168	2.6	11
62	Oxidative stress, nutritional antioxidants and beyond. <i>Science China Life Sciences</i> , 2020 , 63, 866-874	8.5	40
61	Dietary β -hydroxy- β -methylbutyrate improves intestinal function in weaned piglets after lipopolysaccharide challenge. <i>Nutrition</i> , 2020 , 78, 110839	4.8	2
60	Dietary Supplementation With Promotes Growth and Gut Health of Weaned Piglets. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 600772	3.1	2
59	Effects of Dietary Isomaltooligosaccharide Levels on the Gut Microbiota, Immune Function of Sows, and the Diarrhea Rate of Their Offspring. <i>Frontiers in Microbiology</i> , 2020 , 11, 588986	5.7	4
58	Dietary Supplementation With Leucine or in Combination With Arginine Decreases Body Fat Weight and Alters Gut Microbiota Composition in Finishing Pigs. <i>Frontiers in Microbiology</i> , 2019 , 10, 1767	5.7	14
57	Dietary supplementation with the extract from <i>Eucommia ulmoides</i> leaves changed epithelial restitution and gut microbial community and composition of weanling piglets. <i>PLoS ONE</i> , 2019 , 14, e0223302	3.7	8
56	Dietary supplementation with arginine and glutamic acid alters the expression of amino acid transporters in skeletal muscle of growing pigs. <i>Amino Acids</i> , 2019 , 51, 1081-1092	3.5	6
55	Gut microbiota mediates the protective effects of dietary β -hydroxy- β -methylbutyrate (HMB) against obesity induced by high-fat diets. <i>FASEB Journal</i> , 2019 , 33, 10019-10033	0.9	32
54	Dietary xylo-oligosaccharide improves intestinal functions in weaned piglets. <i>Food and Function</i> , 2019 , 10, 2701-2709	6.1	33

53	Leucine alone or in combination with glutamic acid, but not with arginine, increases biceps femoris muscle and alters muscle AA transport and concentrations in fattening pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2019 , 103, 791-800	2.6	6
52	Oral administration of β -ketoglutarate enhances nitric oxide synthesis by endothelial cells and whole-body insulin sensitivity in diet-induced obese rats. <i>Experimental Biology and Medicine</i> , 2019 , 244, 1081-1088	3.7	7
51	The effects of dietary reduced mineral elements and coated cysteamine supplementation on bacterial diversity in the ileum of finishing pigs. <i>Animal Science Journal</i> , 2019 , 90, 1239-1247	1.8	1
50	Propionate alleviates high-fat diet-induced lipid dysmetabolism by modulating gut microbiota in mice. <i>Journal of Applied Microbiology</i> , 2019 , 127, 1546-1555	4.7	18
49	Beta-hydroxy beta-methyl butyrate decreases muscle protein degradation via increased Akt/FoxO3a signaling and mitochondrial biogenesis in weanling piglets after lipopolysaccharide challenge. <i>Food and Function</i> , 2019 , 10, 5152-5165	6.1	9
48	Suppression of protein degradation by leucine requires its conversion to β -hydroxy- β -methyl butyrate in C2C12 myotubes. <i>Aging</i> , 2019 , 11, 11922-11936	5.6	1
47	β -Ketoisocaproate and β -hydroxy- β -methyl butyrate regulate fatty acid composition and lipid metabolism in skeletal muscle of growing pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2019 , 103, 846-857	2.6	3
46	Negative effects on newborn piglets caused by excess dietary tryptophan in the morning in sows. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 3005-3016	4.3	4
45	β -hydroxy- β -methyl butyrate, but not β -ketoisocaproate and excess leucine, stimulates skeletal muscle protein metabolism in growing pigs fed low-protein diets. <i>Journal of Functional Foods</i> , 2019 , 52, 34-42	5.1	8
44	β -hydroxy- β -methylbutyrate (HMB) improves mitochondrial function in myocytes through pathways involving PPAR α and CDK4. <i>Nutrition</i> , 2019 , 60, 217-226	4.8	12
43	Dietary nutrient levels alter the metabolism of arginine family amino acids in the conceptus of Huanjiang mini-pigs. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 2132-2139	4.3	6
42	Taurine is Involved in Energy Metabolism in Muscles, Adipose Tissue, and the Liver. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1800536	5.9	48
41	β -hydroxy- β -methyl Butyrate Is More Potent Than Leucine in Inhibiting Starvation-Induced Protein Degradation in C2C12 Myotubes. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 170-176	5.7	14
40	Branched-chain amino acid ratios modulate lipid metabolism in adipose tissues of growing pigs. <i>Journal of Functional Foods</i> , 2018 , 40, 614-624	5.1	13
39	Branched-chain amino acid ratios in low-protein diets regulate the free amino acid profile and the expression of hepatic fatty acid metabolism-related genes in growing pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2018 , 102, e43-e51	2.6	5
38	Key factors involved in obesity development. <i>Eating and Weight Disorders</i> , 2018 , 23, 267-274	3.6	9
37	β -hydroxy- β -methyl butyrate promotes leucine metabolism and improves muscle fibre composition in growing pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2018 , 102, 1328-1339	2.6	13
36	Low-protein diet improves meat quality of growing and finishing pigs through changing lipid metabolism, fiber characteristics, and free amino acid profile of the muscle. <i>Journal of Animal Science</i> , 2018 , 96, 3221-3232	0.7	17

35	Extraction and identification of the chyme proteins in the digestive tract of growing pigs. <i>Science China Life Sciences</i> , 2018 , 61, 1396-1406	8.5	3
34	β-Hydroxy-β-methylbutyrate modulates lipid metabolism in adipose tissues of growing pigs. <i>Food and Function</i> , 2018 , 9, 4836-4846	6.1	11
33	Inflammatory Links Between High Fat Diets and Diseases. <i>Frontiers in Immunology</i> , 2018 , 9, 2649	8.4	142
32	Optimal branched-chain amino acid ratio improves cell proliferation and protein metabolism of porcine enterocytes in vivo and in vitro. <i>Nutrition</i> , 2018 , 54, 173-181	4.8	15
31	Reduced dietary protein level influences the free amino acid and gene expression profiles of selected amino acid transporters in skeletal muscle of growing pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2017 , 101, 96-104	2.6	18
30	Metabolic control of myofibers: promising therapeutic target for obesity and type 2 diabetes. <i>Obesity Reviews</i> , 2017 , 18, 647-659	10.6	29
29	Effects of Low-Protein Diets Supplemented with Branched-Chain Amino Acid on Lipid Metabolism in White Adipose Tissue of Piglets. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 2839-2848	5.7	19
28	Dietary supplementation with <i>Lonicera macranthoides</i> leaf powder enhances growth performance and muscle growth of Chinese Tibetan pigs. <i>Livestock Science</i> , 2017 , 206, 1-8	1.7	4
27	Alteration of muscle fiber characteristics and the AMPK-SIRT1-PGC-1α axis in skeletal muscle of growing pigs fed low-protein diets with varying branched-chain amino acid ratios. <i>Oncotarget</i> , 2017 , 8, 107011-107021	3.3	18
26	Mitochondrial pathway is involved in the protective effects of alpha-ketoglutarate on hydrogen peroxide induced damage to intestinal cells. <i>Oncotarget</i> , 2017 , 8, 74820-74835	3.3	15
25	The Protein and Energy Metabolic Response of Skeletal Muscle to the Low-Protein Diets in Growing Pigs. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 8544-8551	5.7	9
24	Myokines and adipokines: Involvement in the crosstalk between skeletal muscle and adipose tissue. <i>Cytokine and Growth Factor Reviews</i> , 2017 , 33, 73-82	17.9	139
23	Effect of branched-chain amino acid ratio on the proliferation, differentiation, and expression levels of key regulators involved in protein metabolism of myocytes. <i>Nutrition</i> , 2017 , 36, 8-16	4.8	28
22	Free Amino Acid Profile and Expression of Genes Implicated in Protein Metabolism in Skeletal Muscle of Growing Pigs Fed Low-Protein Diets Supplemented with Branched-Chain Amino Acids. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 9390-9400	5.7	29
21	Protein-Restricted Diet Regulates Lipid and Energy Metabolism in Skeletal Muscle of Growing Pigs. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 9412-9420	5.7	17
20	Effects of dietary protein restriction on muscle fiber characteristics and mTORC1 pathway in the skeletal muscle of growing-finishing pigs. <i>Journal of Animal Science and Biotechnology</i> , 2016 , 7, 47	6	22
19	Alpha-ketoglutarate enhances milk protein synthesis by porcine mammary epithelial cells. <i>Amino Acids</i> , 2016 , 48, 2179-88	3.5	17
18	β-Hydroxy-β-methylbutyrate, mitochondrial biogenesis, and skeletal muscle health. <i>Amino Acids</i> , 2016 , 48, 653-664	3.5	34

17	The role of leucine and its metabolites in protein and energy metabolism. <i>Amino Acids</i> , 2016 , 48, 41-51	3.5	124
16	Effects of dietary branched-chain amino acid ratio on growth performance and serum amino acid pool of growing pigs ¹ . <i>Journal of Animal Science</i> , 2016 , 94, 129-134	0.7	8
15	Supplementation of branched-chain amino acids in protein-restricted diets modulates the expression levels of amino acid transporters and energy metabolism associated regulators in the adipose tissue of growing pigs. <i>Animal Nutrition</i> , 2016 , 2, 24-32	4.8	16
14	Leucine in Obesity: Therapeutic Prospects. <i>Trends in Pharmacological Sciences</i> , 2016 , 37, 714-727	13.2	48
13	Effects of supplementation with branched-chain amino acids to low-protein diets on expression of genes related to lipid metabolism in skeletal muscle of growing pigs. <i>Amino Acids</i> , 2016 , 48, 2131-44	3.5	37
12	Is Leucine Restriction/Deprivation an Inducer of Adipose Browning? A Response to Jens Lund. <i>Trends in Pharmacological Sciences</i> , 2016 , 37, 807-808	13.2	1
11	Key mediators of intracellular amino acids signaling to mTORC1 activation. <i>Amino Acids</i> , 2015 , 47, 857-67	3.5	31
10	Effects of dietary n-6:n-3 PUFA ratio on fatty acid composition, free amino acid profile and gene expression of transporters in finishing pigs. <i>British Journal of Nutrition</i> , 2015 , 113, 739-48	3.6	87
9	Myokine interleukin-15 expression profile is different in suckling and weaning piglets. <i>Animal Nutrition</i> , 2015 , 1, 30-35	4.8	21
8	Nutritional and regulatory roles of leucine in muscle growth and fat reduction. <i>Frontiers in Bioscience - Landmark</i> , 2015 , 20, 796-813	2.8	41
7	Proteomic Analysis Reveals Cross-Talk of Adipocytes and Myotubes in Co-Culture. <i>FASEB Journal</i> , 2015 , 29, 742.5	0.9	
6	n-6:n-3 PUFA ratio is involved in regulating lipid metabolism and inflammation in pigs. <i>British Journal of Nutrition</i> , 2014 , 111, 445-51	3.6	71
5	Oral administration of interferon tau enhances oxidation of energy substrates and reduces adiposity in Zucker diabetic fatty rats. <i>BioFactors</i> , 2013 , 39, 552-63	6.1	24
4	Dietary L-arginine supplementation differentially regulates expression of lipid-metabolic genes in porcine adipose tissue and skeletal muscle. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 441-5	6.3	134
3	Effects of βketoglutarate on energy status in the intestinal mucosa of weaned piglets chronically challenged with lipopolysaccharide. <i>British Journal of Nutrition</i> , 2011 , 106, 357-63	3.6	65
2	Supplementing L-leucine to a low-protein diet increases tissue protein synthesis in weanling pigs. <i>Amino Acids</i> , 2010 , 39, 1477-86	3.5	147
1	Impaired translation initiation activation and reduced protein synthesis in weaned piglets fed a low-protein diet. <i>Journal of Nutritional Biochemistry</i> , 2009 , 20, 544-52	6.3	90