Stephen F Butler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5330730/publications.pdf

Version: 2024-02-01

108 papers	6,042 citations	36 h-index	7	76 g-index
111 all docs	111 docs citations	111 times ranked		3531 citing authors

#	Article	IF	CITATIONS
1	Clinical scoring algorithm for the prescription opioid misuse and abuse questionnaire (POMAQ). Current Medical Research and Opinion, 2022, 38, 971-980.	1.9	1
2	Characterizing the Experience of Tapentadol Nonmedical Use: Mixed Methods Study. JMIR Formative Research, 2022, 6, e16996.	1.4	2
3	Prescription Stimulant Nonmedical Use Among Adolescents Evaluated for Substance Use Disorder Treatment (CHATâ,,¢). Journal of Attention Disorders, 2021, 25, 1859-1870.	2.6	8
4	Real-World Data on Nonmedical Use of Tramadol from Patients Evaluated for Substance Abuse Treatment in the NAVIPPRO Addiction Severity Indexâ€"Multimedia Version (ASI-MV®) Network. Drug Safety, 2021, 44, 235-244.	3.2	6
5	Insight into chronic pain in the United States: descriptive results from the Prescription Opioid Misuse and Abuse Questionnaire (POMAQ) validation study. Current Medical Research and Opinion, 2021, 37, 483-492.	1.9	6
6	Construct validity and reproducibility of the Prescription Opioid Misuse And Abuse Questionnaire (POMAQ). Current Medical Research and Opinion, 2021, 37, 493-503.	1.9	5
7	Nonmedical Use of Xtampza® ER and Other Oxycodone Medications in Adults Evaluated for Substance Abuse Treatment: Real-World Data from the Addiction Severity Index-Multimedia Version (ASI-MV®). Journal of Pain Research, 2021, Volume 14, 1773-1783.	2.0	2
8	Non-medical Use of Prescription Stimulants Among College Students: Non-oral Routes of Administration, Risk Factors, Motivations, and Pathways. Frontiers in Psychiatry, 2021, 12, 667118.	2.6	9
9	Establishing the content validity of the Prescription Opioid Misuse and Abuse Questionnaire (POMAQ) among chronic pain patients. Current Medical Research and Opinion, 2021, 37, 505-514.	1.9	4
10	Evaluation of Abuse and Route of Administration of Extended-Release Tapentadol Among Treatment-Seeking Individuals, as Captured by the Addiction Severity Index–Multimedia Version (ASI-MV). Pain Medicine, 2020, 21, 1891-1901.	1.9	10
11	How Motivations for Using Buprenorphine Products Differ From Using Opioid Analgesics: Evidence from an Observational Study of Internet Discussions Among Recreational Users. JMIR Public Health and Surveillance, 2020, 6, e16038.	2.6	5
12	A Comparison of Short Forms of the Screener and Opioid Assessment for Patients With Pain – Revised (SOAPP-R). European Journal of Psychological Assessment, 2020, 36, 387-398.	3.0	0
13	Computerâ€based testing and the 12â€item Screener and Opioid Assessment for Patients with Painâ€Revised: A combined approach to improving efficiency. Journal of Applied Biobehavioral Research, 2019, 24, e12145.	2.0	3
14	Development of a Brief Version of the Current Opioid Misuse Measure (COMM): The COMM-9. Pain Medicine, 2019, 20, 113-118.	1.9	22
15	Psychometric evaluation of the PainCAS Interference with Daily Activities, Psychological/Emotional Distress, and Pain scales. Quality of Life Research, 2018, 27, 835-843.	3.1	3
16	Evaluation of the Relative Abuse of an OROS Extended-release Hydromorphone HCI Product. Clinical Journal of Pain, 2018, 34, 618-628.	1.9	8
17	Understanding abuse of buprenorphine/naloxone film versus tablet products using data from ASI-MV® substance use disorder treatment centers and RADARS® System Poison Centers. Journal of Substance Abuse Treatment, 2018, 84, 42-49.	2.8	13
18	Relative Abuse of Crush-Resistant Prescription Opioid Tablets via Alternative Oral Modes of Administration. Pain Medicine, 2018, 19, 1613-1627.	1.9	10

#	Article	IF	CITATIONS
19	Prevalence of nonmedical use and routes of administration for prescription stimulant medications among adults in a substance abuse treatment population. Journal of Addictive Diseases, 2018, 37, 34-45.	1.3	8
20	Development and Validation of an Eight-Item Brief Form of the SOAPP-R (SOAPP-8). Pain Medicine, 2018, 19, 1982-1987.	1.9	13
21	Burden of Schizophrenia or Psychosis-Related Symptoms in Adults Undergoing Substance Abuse Evaluation. Journal of Nervous and Mental Disease, 2018, 206, 528-536.	1.0	3
22	Cross-validation of short forms of the Screener and Opioid Assessment for Patients with Pain-Revised (SOAPP-R). Drug and Alcohol Dependence, 2017, 178, 94-100.	3.2	19
23	A computer adaptive testing version of the Addiction Severity Index—Multimedia Version (ASI–MV): The Addiction Severity CAT Psychology of Addictive Behaviors, 2017, 31, 265-275.	2.1	4
24	Abuse of reformulated OxyContin: Updated findings from a sentinel surveillance sample of individuals assessed for substance use disorder. Journal of Opioid Management, 2017, 13, 425-440.	0.5	4
25	An investigation of completion times on the Screener and Opioid Assessment for Patients with Pain & Earney; ndash; revised (SOAPP-R). Journal of Pain Research, 2016, Volume 9, 1163-1171.	2.0	7
26	Impact of an Electronic Pain and Opioid Risk Assessment Program: Are There Improvements in Patient Encounters and Clinic Notes?. Pain Medicine, 2016, 17, 2047-2060.	1.9	6
27	Development of Short-Form Versions of the Screener and Opioid Assessment for Patients with Pain-Revised (SOAPP-R): A Proof-of-Principle Study. Pain Medicine, 2016, 18, pnw210.	1.9	11
28	A comparison of an opioid abuse screening tool and prescription drug monitoring data in the emergency department. Drug and Alcohol Dependence, 2016, 159, 152-157.	3.2	22
29	Nonmedical Use and Diversion of ADHD Stimulants Among U.S. Adults Ages 18-49. Journal of Attention Disorders, 2015, 19, 630-640.	2.6	54
30	How did you know you got the right pill? Prescription opioid identification and measurement error in the abuse deterrent formulation era. Addiction Science & Practice, 2015, 10, .	2.6	1
31	Shortening the Screener and Opioid Assessment for Patients with Pain-Revised (SOAPP-R): A Proof-of-Principle Study for Customized Computer-Based Testing. Pain Medicine, 2015, 16, 2344-2356.	1.9	15
32	Feasibility of Tablet Computer Screening for Opioid Abuse in the Emergency Department. Western Journal of Emergency Medicine, 2015, 16, 18-23.	1.1	24
33	Assessing Abuse Potential of New Analgesic Medications Following Market Release: An Evaluation of Internet Discussion of Tapentadol Abuse. Pain Medicine, 2015, 16, 131-140.	1.9	28
34	Nonmedical Use of Prescription ADHD Stimulant Medications Among Adults in a Substance Abuse Treatment Population. Journal of Attention Disorders, 2015, 19, 275-283.	2.6	29
35	Tapentadol Abuse Potential: A Postmarketing Evaluation Using a Sample of Individuals Evaluated for Substance Abuse Treatment. Pain Medicine, 2015, 16, 119-130.	1.9	66
36	Response to Villarreal and Markman. Pain Medicine, 2014, 15, 877.1-877.	1.9	1

#	Article	IF	CITATIONS
37	Electronic Opioid Risk Assessment Program for Chronic Pain Patients: Barriers and Benefits of Implementation. Pain Practice, 2014, 14, E98-E105.	1.9	7
38	Changes in Prevalence of Prescription Opioid Abuse after Introduction of an Abuse-Deterrent Opioid Formulation. Pain Medicine, 2014, 15, 440-451.	1.9	79
39	Monitoring of Internet Forums to Evaluate Reactions to the Introduction of Reformulated OxyContin to Deter Abuse. Journal of Medical Internet Research, 2014, 16, e119.	4.3	29
40	Shortening the Current Opioid Misuse Measure via computer-based testing: a retrospective proof-of-concept study. BMC Medical Research Methodology, 2013, 13, 126.	3.1	13
41	Neglect-like signs and symptoms in CRPS. Pain, 2013, 154, 961-962.	4.2	16
42	Reply to Commentary. Journal of Pain, 2013, 14, 361-362.	1.4	1
43	Abuse Rates and Routes of Administration of Reformulated Extended-Release Oxycodone: Initial Findings From a Sentinel Surveillance Sample of Individuals Assessed for Substance Abuse Treatment. Journal of Pain, 2013, 14, 351-358.	1.4	166
44	Spanish Translation and Linguistic Validation of the Screener and Opioid Assessment for Patients with Pain-Revised (SOAPP-R). Pain Medicine, 2013, 14, 1032-1038.	1.9	10
45	Associations between public health indicators and injecting prescription opioids by prescription opioid abusers in substance abuse treatment. Journal of Opioid Management, 2013, 9, 5-17.	0.5	22
46	Using the GLIMMIX Procedure in SAS 9.3 to Fit a Standard Dichotomous Rasch and Hierarchical 1-PL IRT Model. Applied Psychological Measurement, 2012, 36, 237-248.	1.0	2
47	Measuring online endorsement of prescription opioids abuse: an integrative methodology. Pharmacoepidemiology and Drug Safety, 2012, 21, 1081-1092.	1.9	30
48	Development and Validation of the Post-Operative Recovery Index for Measuring Quality of Recovery after Surgery. Journal of Anesthesia & Clinical Research, 2012, 03, .	0.1	9
49	CHAT: Development and Validation of a Computer-Delivered, Self-Report, Substance Use Assessment for Adolescents. Substance Use and Misuse, 2011, 46, 781-794.	1.4	19
50	Typologies of Prescription Opioid Use in a Large Sample of Adults Assessed for Substance Abuse Treatment. PLoS ONE, 2011, 6, e27244.	2.5	62
51	Identifying prescription opioid use disorder in primary care: Diagnostic characteristics of the Current Opioid Misuse Measure (COMM). Pain, 2011, 152, 397-402.	4.2	118
52	Abuse risks and routes of administration of different prescription opioid compounds and formulations. Harm Reduction Journal, 2011, 8, 29.	3.2	148
53	Illustration of a Statistical Process Control Approach to Regional Prescription Opioid Abuse Surveillance. Journal of Addiction Medicine, 2011, 5, 99-109.	2.6	6
54	Cross Validation of the Current Opioid Misuse Measure to Monitor Chronic Pain Patients on Opioid Therapy. Clinical Journal of Pain, 2010, 26, 770-776.	1.9	167

#	Article	IF	CITATIONS
55	Geographic information systems and pharmacoepidemiology: using spatial cluster detection to monitor local patterns of prescription opioid abuse. Pharmacoepidemiology and Drug Safety, 2010, 19, 627-637.	1.9	69
56	Measuring Attractiveness for Abuse of Prescription Opioids. Pain Medicine, 2010, 11, 67-80.	1.9	47
57	Estimating Attractiveness for Abuse of a Not-Yet-Marketed "Abuse-Deterrent―Prescription Opioid Formulation. Pain Medicine, 2010, 11, 81-91.	1.9	23
58	Gender Differences in Risk Factors for Aberrant Prescription Opioid Use. Journal of Pain, 2010, 11, 312-320.	1.4	108
59	Characteristics of prescription opioid abusers in treatment: Prescription opioid use history, age, use patterns, and functional severity. Journal of Opioid Management, 2010, 6, 239-252.	0.5	27
60	Can abuse deterrent formulations make a difference? Expectation and speculation. Harm Reduction Journal, 2009, 6, 8.	3.2	56
61	Validation of the Spanish Addiction Severity Index Multimedia Version (S-ASI-MV). Drug and Alcohol Dependence, 2009, 99, 18-27.	3.2	19
62	Women who abuse prescription opioids: Findings from the Addiction Severity Index-Multimedia Version \hat{A}^{\otimes} Connect prescription opioid database. Drug and Alcohol Dependence, 2009, 103, 65-73.	3.2	123
63	Corrigendum to "Development and validation of the current opioid misuse measure―[Pain 130 (2007) 144–56]. Pain, 2009, 142, 169.	4.2	3
64	The Effect of Computer-Mediated Administration on Self-Disclosure of Problems on the Addiction Severity Index. Journal of Addiction Medicine, 2009, 3, 194-203.	2.6	28
65	Does Report of Craving Opioid Medication Predict Aberrant Drug Behavior Among Chronic Pain Patients?. Clinical Journal of Pain, 2009, 25, 193-198.	1.9	100
66	Cross-Validation of a Screener to Predict Opioid Misuse in Chronic Pain Patients (SOAPP-R). Journal of Addiction Medicine, 2009, 3, 66-73.	2.6	126
67	National addictions vigilance intervention and prevention program (NAVIPPROâ,,¢): a realâ€time, productâ€specific, public health surveillance system for monitoring prescription drug abuse. Pharmacoepidemiology and Drug Safety, 2008, 17, 1142-1154.	1.9	94
68	Validation of the Revised Screener and Opioid Assessment for Patients With Pain (SOAPP-R). Journal of Pain, 2008, 9, 360-372.	1.4	402
69	Retrospective accounts of initial subjective effects of opioids in patients treated for pain who do or do not develop opioid addiction: A pilot case-control study Experimental and Clinical Psychopharmacology, 2008, 16, 429-434.	1.8	42
70	Internet-based Survey of Nonmedical Prescription Opioid Use in the United States. Clinical Journal of Pain, 2008, 24, 528-535.	1.9	62
71	THE ADDICTION SEVERITY INDEX MULTIMEDIA VERSION. , 2008, , 141-159.		1
72	Six-Month Treatment Outcomes of Cocaine-Dependent Patients With and Without PTSD in a Multisite National Trial. Journal of Studies on Alcohol and Drugs, 2007, 68, 353-361.	1.0	97

#	Article	IF	CITATIONS
73	Internet Surveillance: Content Analysis and Monitoring of Product-specific Internet Prescription Opioid Abuse-related Postings. Clinical Journal of Pain, 2007, 23, 619-628.	1.9	37
74	Psychiatric History and Psychologic Adjustment as Risk Factors for Aberrant Drug-related Behavior Among Patients With Chronic Pain. Clinical Journal of Pain, 2007, 23, 307-315.	1.9	204
75	Development and validation of the Current Opioid Misuse Measure. Pain, 2007, 130, 144-156.	4.2	545
76	Development and Preliminary Experience with an Ease of Extractability Rating System for Prescription Opioids. Drug Development and Industrial Pharmacy, 2006, 32, 727-746.	2.0	25
77	Development and validation of an Opioid Attractiveness Scale: a novel measure of the attractiveness of opioid products to potential abusers. Harm Reduction Journal, 2006, 3, 5.	3.2	45
78	Validation and Clinical Application of the Screener and Opioid Assessment for Patients with Pain (SOAPP). Journal of Pain and Symptom Management, 2006, 32, 287-293.	1.2	172
79	Food, mood, and attitude: Reducing risk for eating disorders in college women Health Psychology, 2005, 24, 567-578.	1.6	44
80	Addiction severity assessment tool: Development of a self-report measure for clients in substance abuse treatment. Drug and Alcohol Dependence, 2005, 80, 349-360.	3.2	14
81	Working It Out: Development and Testing of a Multimedia, Vocational Education Program. Substance Use and Misuse, 2004, 39, 2525-2558.	1.4	8
82	The bath water or the baby?. Addiction, 2004, 99, 413-414.	3.3	6
82		3.3	6
	The bath water or the baby?. Addiction, 2004, 99, 413-414. Validation of a screener and opioid assessment measure for patients with chronic pain. Pain, 2004, 112,		
83	The bath water or the baby?. Addiction, 2004, 99, 413-414. Validation of a screener and opioid assessment measure for patients with chronic pain. Pain, 2004, 112, 65-75. Computer-Assisted Screening and Intervention for Alcohol Problems in Primary Care. Journal of	4.2	308
83	The bath water or the baby?. Addiction, 2004, 99, 413-414. Validation of a screener and opioid assessment measure for patients with chronic pain. Pain, 2004, 112, 65-75. Computer-Assisted Screening and Intervention for Alcohol Problems in Primary Care. Journal of Technology in Human Services, 2003, 21, 1-19. Personality Disorder Styles and Reciprocal Interpersonal Impacts During Outpatient Intake Interviews.	1.6	308
83 84 85	The bath water or the baby?. Addiction, 2004, 99, 413-414. Validation of a screener and opioid assessment measure for patients with chronic pain. Pain, 2004, 112, 65-75. Computer-Assisted Screening and Intervention for Alcohol Problems in Primary Care. Journal of Technology in Human Services, 2003, 21, 1-19. Personality Disorder Styles and Reciprocal Interpersonal Impacts During Outpatient Intake Interviews. Psychotherapy Research, 1999, 9, 216-231. The reliability and validity of a measure of self-understanding of interpersonal patterns Journal of	1.6 1.8	308
83 84 85 86	The bath water or the baby?. Addiction, 2004, 99, 413-414. Validation of a screener and opioid assessment measure for patients with chronic pain. Pain, 2004, 112, 65-75. Computer-Assisted Screening and Intervention for Alcohol Problems in Primary Care. Journal of Technology in Human Services, 2003, 21, 1-19. Personality Disorder Styles and Reciprocal Interpersonal Impacts During Outpatient Intake Interviews. Psychotherapy Research, 1999, 9, 216-231. The reliability and validity of a measure of self-understanding of interpersonal patterns Journal of Counseling Psychology, 1999, 46, 472-482. Psychosocial Treatments for Cocaine Dependence: National Institute on Drug Abuse Collaborative	1.6 1.8 2.0	308 18 9 39
83 84 85 86	The bath water or the baby?. Addiction, 2004, 99, 413-414. Validation of a screener and opioid assessment measure for patients with chronic pain. Pain, 2004, 112, 65-75. Computer-Assisted Screening and Intervention for Alcohol Problems in Primary Care. Journal of Technology in Human Services, 2003, 21, 1-19. Personality Disorder Styles and Reciprocal Interpersonal Impacts During Outpatient Intake Interviews. Psychotherapy Research, 1999, 9, 216-231. The reliability and validity of a measure of self-understanding of interpersonal patterns Journal of Counseling Psychology, 1999, 46, 472-482. Psychosocial Treatments for Cocaine Dependence: National Institute on Drug Abuse Collaborative Cocaine Treatment Study. Archives of General Psychiatry, 1999, 56, 493-502. Predicting Addiction Severity Index (ASI) interviewer severity ratings for a computer-administered ASI	4.2 1.6 1.8 2.0	308 18 9 39

#	Article	IF	Citations
91	Case reports and hypothesis: A neglect-like syndrome may be responsible for the motor disturbance in reflex sympathetic dystrophy (complex regional pain syndrome-1). Journal of Pain and Symptom Management, 1995, 10, 385-391.	1.2	182
92	Affective Comorbidity in Children and Adolescents with Attention Deficit Hyperactivity Disorder. Annals of Clinical Psychiatry, 1995, 7, 51-55.	0.6	50
93	Psychodynamic Psychotherapy., 1995,, 213-229.		0
94	Affective Comorbidity in Psychiatrically Hospitalized Adolescents with Conduct Disorder or Oppositional Defiant Disorder: Should Conduct Disorder Be Treated with Mood Stabilizers?. Journal of Child and Adolescent Psychopharmacology, 1994, 4, 151-158.	1.3	27
95	The assessment of outcome and value of psychiatric hospital treatment. New Directions for Mental Health Services, 1994, 1994, 83-94.	0.4	3
96	Effects of training in time-limited dynamic psychotherapy: Changes in therapist behavior Journal of Consulting and Clinical Psychology, 1993, 61, 434-440.	2.0	299
97	Effects of training in time-limited dynamic psychotherapy: Mediators of therapists' responses to training Journal of Consulting and Clinical Psychology, 1993, 61, 441-447.	2.0	166
98	Effects of training in time-limited dynamic psychotherapy: Changes in therapist behavior Journal of Consulting and Clinical Psychology, 1993, 61, 434-440.	2.0	132
99	Effects of training in time-limited dynamic psychotherapy: Mediators of therapists' responses to training Journal of Consulting and Clinical Psychology, 1993, 61, 441-447.	2.0	72
100	Assessment of Axis li Personality Disorders among Female Substance Abusers. Psychological Reports, 1991, 68, 1344-1346.	1.7	5
101	Training in psychodynamic therapy Journal of Consulting and Clinical Psychology, 1988, 56, 689-695.	2.0	62
102	Cyclical Psychodynamics and the Triangle of Insight. Psychiatry (New York), 1987, 50, 218-231.	0.7	5
103	Specific and nonspecific factors in psychotherapy: A problematic paradigm for psychotherapy research Psychotherapy, 1986, 23, 30-40.	1.2	159
104	Individual Differences in Memory for Dreams: The Role of Cognitive Skills. Perceptual and Motor Skills, 1985, 61, 823-828.	1.3	114
105	Psychotherapy versus placebo: Revisiting a pseudo issue. Behavioral and Brain Sciences, 1984, 7, 756-757.	0.7	2
106	Individual Differences in the Rorschach <i>M</i> Response and the Distribution of Phasic Integrated Potentials (PIPs) During Sleep. Perceptual and Motor Skills, 1983, 57, 507-514.	1.3	1
107	Brief, Dynamic Psychotherapy: Briefly. PsycCritiques, 1983, 28, 880-880.	0.0	О
108	The effects of thematic context and presentation mode on memory for sentence voice. Journal of Psycholinguistic Research, 1982, 11, 247-264.	1.3	5