
Stephen F Butler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5330730/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Clinical scoring algorithm for the prescription opioid misuse and abuse questionnaire (POMAQ). Current Medical Research and Opinion, 2022, 38, 971-980. | 0.9 | 1 |
| 2 | Characterizing the Experience of Tapentadol Nonmedical Use: Mixed Methods Study. JMIR Formative Research, 2022, 6, e16996. | 0.7 | 2 |
| 3 | Prescription Stimulant Nonmedical Use Among Adolescents Evaluated for Substance Use Disorder Treatment (CHATâ,,¢). Journal of Attention Disorders, 2021, 25, 1859-1870. | 1.5 | 8 |
| 4 | Real-World Data on Nonmedical Use of Tramadol from Patients Evaluated for Substance Abuse Treatment in the NAVIPPRO Addiction Severity Index—Multimedia Version (ASI-MV®) Network. Drug Safety, 2021, 44, 235-244. | 1.4 | 6 |
| 5 | Insight into chronic pain in the United States: descriptive results from the Prescription Opioid Misuse and Abuse Questionnaire (POMAQ) validation study. Current Medical Research and Opinion, 2021, 37, 483-492. | 0.9 | 6 |
| 6 | Construct validity and reproducibility of the Prescription Opioid Misuse And Abuse Questionnaire (POMAQ). Current Medical Research and Opinion, 2021, 37, 493-503. | 0.9 | 5 |
| 7 | Nonmedical Use of Xtampza® ER and Other Oxycodone Medications in Adults Evaluated for Substance Abuse Treatment: Real-World Data from the Addiction Severity Index-Multimedia Version (ASI-MV®). Journal of Pain Research, 2021, Volume 14, 1773-1783. | 0.8 | 2 |
| 8 | Non-medical Use of Prescription Stimulants Among College Students: Non-oral Routes of Administration, Risk Factors, Motivations, and Pathways. Frontiers in Psychiatry, 2021, 12, 667118. | 1.3 | 9 |
| 9 | Establishing the content validity of the Prescription Opioid Misuse and Abuse Questionnaire (POMAQ) among chronic pain patients. Current Medical Research and Opinion, 2021, 37, 505-514. | 0.9 | 4 |
| 10 | Evaluation of Abuse and Route of Administration of Extended-Release Tapentadol Among Treatment-Seeking Individuals, as Captured by the Addiction Severity Index–Multimedia Version (ASI-MV). Pain Medicine, 2020, 21, 1891-1901. | 0.9 | 10 |
| 11 | How Motivations for Using Buprenorphine Products Differ From Using Opioid Analgesics: Evidence from an Observational Study of Internet Discussions Among Recreational Users. JMIR Public Health and Surveillance, 2020, 6, e16038. | 1.2 | 5 |
| 12 | A Comparison of Short Forms of the Screener and Opioid Assessment for Patients With Pain – Revised (SOAPP-R). European Journal of Psychological Assessment, 2020, 36, 387-398. | 1.7 | 0 |
| 13 | Computerâ€based testing and the 12â€item Screener and Opioid Assessment for Patients with Painâ€Revised: A combined approach to improving efficiency. Journal of Applied Biobehavioral Research, 2019, 24, e12145. | 2.0 | 3 |
| 14 | Development of a Brief Version of the Current Opioid Misuse Measure (COMM): The COMM-9. Pain Medicine, 2019, 20, 113-118. | 0.9 | 22 |
| 15 | Psychometric evaluation of the PainCAS Interference with Daily Activities, Psychological/Emotional Distress, and Pain scales. Quality of Life Research, 2018, 27, 835-843. | 1.5 | 3 |
| 16 | Evaluation of the Relative Abuse of an OROS Extended-release Hydromorphone HCI Product. Clinical Journal of Pain, 2018, 34, 618-628. | 0.8 | 8 |
| 17 | Understanding abuse of buprenorphine/naloxone film versus tablet products using data from ASI-MV® substance use disorder treatment centers and RADARS® System Poison Centers. Journal of Substance Abuse Treatment, 2018, 84, 42-49. | 1.5 | 13 |
| 18 | Relative Abuse of Crush-Resistant Prescription Opioid Tablets via Alternative Oral Modes of Administration. Pain Medicine, 2018, 19, 1613-1627. | 0.9 | 10 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Prevalence of nonmedical use and routes of administration for prescription stimulant medications among adults in a substance abuse treatment population. Journal of Addictive Diseases, 2018, 37, 34-45. | 0.8 | 8 |
| 20 | Development and Validation of an Eight-Item Brief Form of the SOAPP-R (SOAPP-8). Pain Medicine, 2018, 19, 1982-1987. | 0.9 | 13 |
| 21 | Burden of Schizophrenia or Psychosis-Related Symptoms in Adults Undergoing Substance Abuse Evaluation. Journal of Nervous and Mental Disease, 2018, 206, 528-536. | 0.5 | 3 |
| 22 | Cross-validation of short forms of the Screener and Opioid Assessment for Patients with Pain-Revised (SOAPP-R). Drug and Alcohol Dependence, 2017, 178, 94-100. | 1.6 | 19 |
| 23 | A computer adaptive testing version of the Addiction Severity Index—Multimedia Version (ASI–MV): The Addiction Severity CAT Psychology of Addictive Behaviors, 2017, 31, 265-275. | 1.4 | 4 |
| 24 | Abuse of reformulated OxyContin: Updated findings from a sentinel surveillance sample of individuals assessed for substance use disorder. Journal of Opioid Management, 2017, 13, 425-440. | 0.2 | 4 |
| 25 | An investigation of completion times on the Screener and Opioid Assessment for Patients with Pain & amp;ndash; revised (SOAPP-R). Journal of Pain Research, 2016, Volume 9, 1163-1171. | 0.8 | 7 |
| 26 | Impact of an Electronic Pain and Opioid Risk Assessment Program: Are There Improvements in Patient Encounters and Clinic Notes?. Pain Medicine, 2016, 17, 2047-2060. | 0.9 | 6 |
| 27 | Development of Short-Form Versions of the Screener and Opioid Assessment for Patients with Pain-Revised (SOAPP-R): A Proof-of-Principle Study. Pain Medicine, 2016, 18, pnw210. | 0.9 | 11 |
| 28 | A comparison of an opioid abuse screening tool and prescription drug monitoring data in the emergency department. Drug and Alcohol Dependence, 2016, 159, 152-157. | 1.6 | 22 |
| 29 | Nonmedical Use and Diversion of ADHD Stimulants Among U.S. Adults Ages 18-49. Journal of Attention Disorders, 2015, 19, 630-640. | 1.5 | 54 |
| 30 | How did you know you got the right pill? Prescription opioid identification and measurement error in the abuse deterrent formulation era. Addiction Science & Clinical Practice, 2015, 10, . | 1.2 | 1 |
| 31 | Shortening the Screener and Opioid Assessment for Patients with Pain-Revised (SOAPP-R): A Proof-of-Principle Study for Customized Computer-Based Testing. Pain Medicine, 2015, 16, 2344-2356. | 0.9 | 15 |
| 32 | Feasibility of Tablet Computer Screening for Opioid Abuse in the Emergency Department. Western Journal of Emergency Medicine, 2015, 16, 18-23. | 0.6 | 24 |
| 33 | Assessing Abuse Potential of New Analgesic Medications Following Market Release: An Evaluation of Internet Discussion of Tapentadol Abuse. Pain Medicine, 2015, 16, 131-140. | 0.9 | 28 |
| 34 | Nonmedical Use of Prescription ADHD Stimulant Medications Among Adults in a Substance Abuse Treatment Population. Journal of Attention Disorders, 2015, 19, 275-283. | 1.5 | 29 |
| 35 | Tapentadol Abuse Potential: A Postmarketing Evaluation Using a Sample of Individuals Evaluated for Substance Abuse Treatment. Pain Medicine, 2015, 16, 119-130. | 0.9 | 66 |
| 36 | Response to Villarreal and Markman. Pain Medicine, 2014, 15, 877.1-877. | 0.9 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Electronic Opioid Risk Assessment Program for Chronic Pain Patients: Barriers and Benefits of Implementation. Pain Practice, 2014, 14, E98-E105. | 0.9 | 7 |
| 38 | Changes in Prevalence of Prescription Opioid Abuse after Introduction of an Abuse-Deterrent Opioid Formulation. Pain Medicine, 2014, 15, 440-451. | 0.9 | 79 |
| 39 | Monitoring of Internet Forums to Evaluate Reactions to the Introduction of Reformulated OxyContin to Deter Abuse. Journal of Medical Internet Research, 2014, 16, e119. | 2.1 | 29 |
| 40 | Shortening the Current Opioid Misuse Measure via computer-based testing: a retrospective proof-of-concept study. BMC Medical Research Methodology, 2013, 13, 126. | 1.4 | 13 |
| 41 | Neglect-like signs and symptoms in CRPS. Pain, 2013, 154, 961-962. | 2.0 | 16 |
| 42 | Reply to Commentary. Journal of Pain, 2013, 14, 361-362. | 0.7 | 1 |
| 43 | Abuse Rates and Routes of Administration of Reformulated Extended-Release Oxycodone: Initial Findings From a Sentinel Surveillance Sample of Individuals Assessed for Substance Abuse Treatment. Journal of Pain, 2013, 14, 351-358. | 0.7 | 166 |
| 44 | Spanish Translation and Linguistic Validation of the Screener and Opioid Assessment for Patients with Pain-Revised (SOAPP-R). Pain Medicine, 2013, 14, 1032-1038. | 0.9 | 10 |
| 45 | Associations between public health indicators and injecting prescription opioids by prescription opioid abusers in substance abuse treatment. Journal of Opioid Management, 2013, 9, 5-17. | 0.2 | 22 |
| 46 | Using the GLIMMIX Procedure in SAS 9.3 to Fit a Standard Dichotomous Rasch and Hierarchical 1-PL IRT Model. Applied Psychological Measurement, 2012, 36, 237-248. | 0.6 | 2 |
| 47 | Measuring online endorsement of prescription opioids abuse: an integrative methodology. Pharmacoepidemiology and Drug Safety, 2012, 21, 1081-1092. | 0.9 | 30 |
| 48 | Development and Validation of the Post-Operative Recovery Index for Measuring Quality of Recovery after Surgery. Journal of Anesthesia & Clinical Research, 2012, 03, . | 0.1 | 9 |
| 49 | CHAT: Development and Validation of a Computer-Delivered, Self-Report, Substance Use Assessment for Adolescents. Substance Use and Misuse, 2011, 46, 781-794. | 0.7 | 19 |
| 50 | Typologies of Prescription Opioid Use in a Large Sample of Adults Assessed for Substance Abuse Treatment. PLoS ONE, 2011, 6, e27244. | 1.1 | 62 |
| 51 | Identifying prescription opioid use disorder in primary care: Diagnostic characteristics of the Current Opioid Misuse Measure (COMM). Pain, 2011, 152, 397-402. | 2.0 | 118 |
| 52 | Abuse risks and routes of administration of different prescription opioid compounds and formulations. Harm Reduction Journal, 2011, 8, 29. | 1.3 | 148 |
| 53 | Illustration of a Statistical Process Control Approach to Regional Prescription Opioid Abuse Surveillance. Journal of Addiction Medicine, 2011, 5, 99-109. | 1.4 | 6 |
| 54 | Cross Validation of the Current Opioid Misuse Measure to Monitor Chronic Pain Patients on Opioid Therapy. Clinical Journal of Pain, 2010, 26, 770-776. | 0.8 | 167 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Geographic information systems and pharmacoepidemiology: using spatial cluster detection to monitor local patterns of prescription opioid abuse. Pharmacoepidemiology and Drug Safety, 2010, 19, 627-637. | 0.9 | 69 |
| 56 | Measuring Attractiveness for Abuse of Prescription Opioids. Pain Medicine, 2010, 11, 67-80. | 0.9 | 47 |
| 57 | Estimating Attractiveness for Abuse of a Not-Yet-Marketed "Abuse-Deterrent―Prescription Opioid Formulation. Pain Medicine, 2010, 11, 81-91. | 0.9 | 23 |
| 58 | Gender Differences in Risk Factors for Aberrant Prescription Opioid Use. Journal of Pain, 2010, 11, 312-320. | 0.7 | 108 |
| 59 | Characteristics of prescription opioid abusers in treatment: Prescription opioid use history, age, use patterns, and functional severity. Journal of Opioid Management, 2010, 6, 239-252. | 0.2 | 27 |
| 60 | Can abuse deterrent formulations make a difference? Expectation and speculation. Harm Reduction Journal, 2009, 6, 8. | 1.3 | 56 |
| 61 | Validation of the Spanish Addiction Severity Index Multimedia Version (S-ASI-MV). Drug and Alcohol Dependence, 2009, 99, 18-27. | 1.6 | 19 |
| 62 | Women who abuse prescription opioids: Findings from the Addiction Severity Index-Multimedia Version® Connect prescription opioid database. Drug and Alcohol Dependence, 2009, 103, 65-73. | 1.6 | 123 |
| 63 | Corrigendum to "Development and validation of the current opioid misuse measure―[Pain 130 (2007) 144–56]. Pain, 2009, 142, 169. | 2.0 | 3 |
| 64 | The Effect of Computer-Mediated Administration on Self-Disclosure of Problems on the Addiction Severity Index. Journal of Addiction Medicine, 2009, 3, 194-203. | 1.4 | 28 |
| 65 | Does Report of Craving Opioid Medication Predict Aberrant Drug Behavior Among Chronic Pain Patients?. Clinical Journal of Pain, 2009, 25, 193-198. | 0.8 | 100 |
| 66 | Cross-Validation of a Screener to Predict Opioid Misuse in Chronic Pain Patients (SOAPP-R). Journal of Addiction Medicine, 2009, 3, 66-73. | 1.4 | 126 |
| 67 | National addictions vigilance intervention and prevention program (NAVIPPROâ,,¢): a realâ€ŧime, productâ€specific, public health surveillance system for monitoring prescription drug abuse. Pharmacoepidemiology and Drug Safety, 2008, 17, 1142-1154. | 0.9 | 94 |
| 68 | Validation of the Revised Screener and Opioid Assessment for Patients With Pain (SOAPP-R). Journal of Pain, 2008, 9, 360-372. | 0.7 | 402 |
| 69 | Retrospective accounts of initial subjective effects of opioids in patients treated for pain who do or do not develop opioid addiction: A pilot case-control study Experimental and Clinical Psychopharmacology, 2008, 16, 429-434. | 1.3 | 42 |
| 70 | Internet-based Survey of Nonmedical Prescription Opioid Use in the United States. Clinical Journal of Pain, 2008, 24, 528-535. | 0.8 | 62 |
| 71 | THE ADDICTION SEVERITY INDEX MULTIMEDIA VERSION. , 2008, , 141-159. | | 1 |
| 72 | Six-Month Treatment Outcomes of Cocaine-Dependent Patients With and Without PTSD in a Multisite National Trial. Journal of Studies on Alcohol and Drugs, 2007, 68, 353-361. | 0.6 | 97 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Internet Surveillance: Content Analysis and Monitoring of Product-specific Internet Prescription Opioid Abuse-related Postings. Clinical Journal of Pain, 2007, 23, 619-628. | 0.8 | 37 |
| 74 | Psychiatric History and Psychologic Adjustment as Risk Factors for Aberrant Drug-related Behavior Among Patients With Chronic Pain. Clinical Journal of Pain, 2007, 23, 307-315. | 0.8 | 204 |
| 75 | Development and validation of the Current Opioid Misuse Measure. Pain, 2007, 130, 144-156. | 2.0 | 545 |
| 76 | Development and Preliminary Experience with an Ease of Extractability Rating System for Prescription Opioids. Drug Development and Industrial Pharmacy, 2006, 32, 727-746. | 0.9 | 25 |
| 77 | Development and validation of an Opioid Attractiveness Scale: a novel measure of the attractiveness of opioid products to potential abusers. Harm Reduction Journal, 2006, 3, 5. | 1.3 | 45 |
| 78 | Validation and Clinical Application of the Screener and Opioid Assessment for Patients with Pain (SOAPP). Journal of Pain and Symptom Management, 2006, 32, 287-293. | 0.6 | 172 |
| 79 | Food, mood, and attitude: Reducing risk for eating disorders in college women Health Psychology, 2005, 24, 567-578. | 1.3 | 44 |
| 80 | Addiction severity assessment tool: Development of a self-report measure for clients in substance abuse treatment. Drug and Alcohol Dependence, 2005, 80, 349-360. | 1.6 | 14 |
| 81 | Working It Out: Development and Testing of a Multimedia, Vocational Education Program. Substance Use and Misuse, 2004, 39, 2525-2558. | 0.7 | 8 |
| 82 | The bath water or the baby?. Addiction, 2004, 99, 413-414. | 1.7 | 6 |
| 83 | Validation of a screener and opioid assessment measure for patients with chronic pain. Pain, 2004, 112, 65-75. | 2.0 | 308 |
| 84 | Computer-Assisted Screening and Intervention for Alcohol Problems in Primary Care. Journal of Technology in Human Services, 2003, 21, 1-19. | 0.9 | 18 |
| 85 | Personality Disorder Styles and Reciprocal Interpersonal Impacts During Outpatient Intake Interviews. Psychotherapy Research, 1999, 9, 216-231. | 1.1 | 9 |
| 86 | The reliability and validity of a measure of self-understanding of interpersonal patterns Journal of Counseling Psychology, 1999, 46, 472-482. | 1.4 | 39 |
| 87 | Psychosocial Treatments for Cocaine Dependence: National Institute on Drug Abuse Collaborative Cocaine Treatment Study. Archives of General Psychiatry, 1999, 56, 493-502. | 13.8 | 472 |
| 88 | Predicting Addiction Severity Index (ASI) interviewer severity ratings for a computer-administered ASI Psychological Assessment, 1998, 10, 399-407. | 1.2 | 21 |
| 89 | A comprehensive system for value accounting in psychiatry. Journal of Mental Health Administration, 1996, 23, 479-491. | 1.1 | 3 |
| 90 | Measuring adherence in time-limited dynamic psychotherapy Psychotherapy, 1995, 32, 629-638. | 0.7 | 23 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Case reports and hypothesis: A neglect-like syndrome may be responsible for the motor disturbance in reflex sympathetic dystrophy (complex regional pain syndrome-1). Journal of Pain and Symptom Management, 1995, 10, 385-391. | 0.6 | 182 |
| 92 | Affective Comorbidity in Children and Adolescents with Attention Deficit Hyperactivity Disorder. Annals of Clinical Psychiatry, 1995, 7, 51-55. | 0.6 | 50 |
| 93 | Psychodynamic Psychotherapy. , 1995, , 213-229. | | 0 |
| 94 | Affective Comorbidity in Psychiatrically Hospitalized Adolescents with Conduct Disorder or Oppositional Defiant Disorder: Should Conduct Disorder Be Treated with Mood Stabilizers?. Journal of Child and Adolescent Psychopharmacology, 1994, 4, 151-158. | 0.7 | 27 |
| 95 | The assessment of outcome and value of psychiatric hospital treatment. New Directions for Mental Health Services, 1994, 1994, 83-94. | 0.4 | 3 |
| 96 | Effects of training in time-limited dynamic psychotherapy: Changes in therapist behavior Journal of Consulting and Clinical Psychology, 1993, 61, 434-440. | 1.6 | 299 |
| 97 | Effects of training in time-limited dynamic psychotherapy: Mediators of therapists' responses to training Journal of Consulting and Clinical Psychology, 1993, 61, 441-447. | 1.6 | 166 |
| 98 | Effects of training in time-limited dynamic psychotherapy: changes in therapist behavior. Journal of Consulting and Clinical Psychology, 1993, 61, 434-40. | 1.6 | 132 |
| 99 | Effects of training in time-limited dynamic psychotherapy: mediators of therapists' responses to training. Journal of Consulting and Clinical Psychology, 1993, 61, 441-7. | 1.6 | 72 |
| 100 | Assessment of Axis li Personality Disorders among Female Substance Abusers. Psychological Reports, 1991, 68, 1344-1346. | 0.9 | 5 |
| 101 | Training in psychodynamic therapy Journal of Consulting and Clinical Psychology, 1988, 56, 689-695. | 1.6 | 62 |
| 102 | Cyclical Psychodynamics and the Triangle of Insight. Psychiatry (New York), 1987, 50, 218-231. | 0.3 | 5 |
| 103 | Specific and nonspecific factors in psychotherapy: A problematic paradigm for psychotherapy research Psychotherapy, 1986, 23, 30-40. | 0.7 | 159 |
| 104 | Individual Differences in Memory for Dreams: The Role of Cognitive Skills. Perceptual and Motor Skills, 1985, 61, 823-828. | 0.6 | 114 |
| 105 | Psychotherapy versus placebo: Revisiting a pseudo issue. Behavioral and Brain Sciences, 1984, 7, 756-757. | 0.4 | 2 |
| 106 | Individual Differences in the Rorschach <i>M</i> Response and the Distribution of Phasic Integrated Potentials (PIPs) During Sleep. Perceptual and Motor Skills, 1983, 57, 507-514. | 0.6 | 1 |
| 107 | Brief, Dynamic Psychotherapy: Briefly. PsycCritiques, 1983, 28, 880-880. | 0.0 | 0 |
| 108 | The effects of thematic context and presentation mode on memory for sentence voice. Journal of Psycholinguistic Research, 1982, 11, 247-264. | 0.7 | 5 |