

Beny Lafer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5330904/beny-lafer-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172
papers

6,378
citations

38
h-index

75
g-index

193
ext. papers

7,600
ext. citations

4.7
avg, IF

5.34
L-index

#	Paper	IF	Citations
172	Neurological, Psychiatric, and Psychological Implications of the COVID-19 Pandemic: Protocol for a Large-Scale Umbrella Review of Observational Studies.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
171	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015-2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force.. <i>Bipolar Disorders</i> , 2022 ,	3.8	2
170	Parental age and the risk of bipolar disorder in the offspring: a systematic review and meta-analysis.. <i>Acta Psychiatrica Scandinavica</i> , 2022 ,	6.5	1
169	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
168	Brain areas involved with obsessive-compulsive disorder present different DNA methylation modulation. <i>BMC Genomic Data</i> , 2021 , 22, 45	0	0
167	Emotion regulation in pediatric bipolar disorder: A meta-analysis of published studies. <i>Journal of Affective Disorders</i> , 2021 , 285, 86-96	6.6	1
166	Altered brain creatine cycle metabolites in bipolar I disorder with childhood abuse: A H magnetic resonance spectroscopy study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110233	5.5	0
165	Commentary on Lewy body dementia in an elderly patient with bipolar disorder: Challenges and treatment options. <i>Bipolar Disorders</i> , 2021 , 23, 724-725	3.8	
164	Cognitive outcomes of the bipolar depression electrical treatment trial (BETTER): a randomized, double-blind, sham-controlled study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 93-100	5.1	4
163	Amyloid pathology is not associated with depression in a large community sample autopsy study. <i>Journal of Affective Disorders</i> , 2021 , 278, 372-381	6.6	5
162	Quality of life and clinical outcomes in bipolar disorder: An 8-year longitudinal study. <i>Journal of Affective Disorders</i> , 2021 , 278, 239-243	6.6	4
161	Effects of tDCS on neuroplasticity and inflammatory biomarkers in bipolar depression: Results from a sham-controlled study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 105, 110119	5.5	5
160	Evidence-based versus clinical expertise guidelines for Bipolar Disorders. <i>Bipolar Disorders</i> , 2021 , 23, 509-510	3.8	
159	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	0
158	Exploring machine learning to predict depressive relapses of bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2021 , 295, 681-687	6.6	1
157	Implications of the COVID-19 pandemic for people with bipolar disorders: A scoping review. <i>Journal of Affective Disorders</i> , 2021 , 295, 740-751	6.6	3
156	Impaired social cognition in bipolar disorder: A meta-analysis of Theory of Mind in euthymic patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 783-796	2.6	3

155	Differences in the immune-inflammatory profiles of unipolar and bipolar depression. <i>Journal of Affective Disorders</i> , 2020 , 262, 8-15	6.6	35
154	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
153	Psychological therapies and psychoeducational recommendations for bipolar disorder treatment during COVID-19 pandemic. <i>Bipolar Disorders</i> , 2020 , 22, 644-646	3.8	5
152	Differential levels of inflammatory and neuroendocrine markers in the hippocampus and anterior cingulate cortex of bipolar disorder subjects: A post-mortem study. <i>Brain, Behavior, and Immunity</i> , 2020 , 90, 286-293	16.6	1
151	Emotion Regulation and Bipolar Disorder: Strategies during the COVID-19 Pandemic. <i>Bipolar Disorders</i> , 2020 , 22, 879-882	3.8	
150	A review on shared clinical and molecular mechanisms between bipolar disorder and frontotemporal dementia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 93, 269-283	5.5	14
149	Cognitive behavioral rehabilitation for bipolar disorder patients: A randomized controlled trial. <i>Bipolar Disorders</i> , 2019 , 21, 621-633	3.8	4
148	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
147	Neuropsychiatric Inventory in Community-Dwelling Older Adults with Mild Cognitive Impairment and Dementia. <i>Journal of Alzheimer's Disease</i> , 2019 , 68, 669-678	4.3	12
146	Affective cognition in bipolar disorder: A systematic review by the ISBD targeting cognition task force. <i>Bipolar Disorders</i> , 2019 , 21, 686-719	3.8	36
145	Initial findings of striatum tripartite model in OCD brain samples based on transcriptome analysis. <i>Scientific Reports</i> , 2019 , 9, 3086	4.9	8
144	Predominant polarity classification and associated clinical variables in bipolar disorder: A machine learning approach. <i>Journal of Affective Disorders</i> , 2019 , 245, 279-282	6.6	10
143	Layer-specific reduced neuronal density in the orbitofrontal cortex of older adults with obsessive-compulsive disorder. <i>Brain Structure and Function</i> , 2019 , 224, 191-203	4	7
142	Anterior Cingulate Cortex Glutamatergic Metabolites and Mood Stabilizers in Euthymic Bipolar I Disorder Patients: A Proton Magnetic Resonance Spectroscopy Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 985-991	3.4	11
141	Cognitive outcomes of TMS treatment in bipolar depression: Safety data from a randomized controlled trial. <i>Journal of Affective Disorders</i> , 2018 , 235, 20-26	6.6	27
140	Assessing and addressing cognitive impairment in bipolar disorder: the International Society for Bipolar Disorders Targeting Cognition Task Force recommendations for clinicians. <i>Bipolar Disorders</i> , 2018 , 20, 184-194	3.8	87
139	Efficacy and Safety of Transcranial Direct Current Stimulation as an Add-on Treatment for Bipolar Depression: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2018 , 75, 158-166	14.5	71
138	Bipolar disorder and tobacco smoking: Categorical and dimensional clinical correlates in subjects from the Brazilian bipolar research network. <i>Comprehensive Psychiatry</i> , 2018 , 82, 14-21	7.3	9

137	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) 2018 guidelines for the management of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018 , 20, 97-170	3.8	639
136	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 932-942	15.1	340
135	Factors associated with brain volume in major depression in older adults without dementia: results from a large autopsy study. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 14-20	3.9	5
134	Are comorbid anxiety disorders a risk factor for suicide attempts in patients with mood disorders? A two-year prospective study. <i>European Psychiatry</i> , 2018 , 47, 19-24	6	16
133	Impact of predominant polarity on long-term outcome in bipolar disorder: A 7-year longitudinal cohort study. <i>Journal of Affective Disorders</i> , 2018 , 241, 37-40	6.6	11
132	Low brain-derived neurotrophic factor levels in post-mortem brains of older adults with depression and dementia in a large clinicopathological sample. <i>Journal of Affective Disorders</i> , 2018 , 241, 176-181	6.6	16
131	Lithium-associated anterior cingulate neurometabolic profile in euthymic Bipolar I disorder: A H-MRS study. <i>Journal of Affective Disorders</i> , 2018 , 241, 192-199	6.6	9
130	Maintenance use of ketamine for treatment-resistant depression: an open-label pilot study. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 110	2.6	5
129	A randomized, double-blind, placebo-controlled, proof-of-concept trial of creatine monohydrate as adjunctive treatment for bipolar depression. <i>Journal of Neural Transmission</i> , 2018 , 125, 247-257	4.3	19
128	Caregiver burden regarding elderly with bipolar disorder: An underrecognized problem. <i>General Hospital Psychiatry</i> , 2018 , 51, 134-135	5.6	2
127	2018 ,		2
126	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
125	Applying Association Rules to Study Bipolar Disorder and Premenstrual Dysphoric Disorder Comorbidity 2018 ,		2
124	Chronic mood instability: Bipolar, borderline, or both?. <i>Bipolar Disorders</i> , 2018 , 20, 669-671	3.8	1
123	Aerobic exercise program with or without motor complexity as an add-on to the pharmacological treatment of depression - study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 545	2.8	
122	Revising , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1173-1182	2.6	12
121	The association between social skills deficits and family history of mood disorder in bipolar I disorder. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 244-248	2.6	1
120	Treatment of Bipolar Depression with Deep TMS: Results from a Double-Blind, Randomized, Parallel Group, Sham-Controlled Clinical Trial. <i>Neuropsychopharmacology</i> , 2017 , 42, 2593-2601	8.7	48

119	Caregiver burden in older adults with bipolar disorder: relationship to functionality and neuropsychiatric symptoms. <i>Psychogeriatrics</i> , 2017 , 17, 317-323	1.8	10
118	The CACNA1C risk allele rs1006737 is associated with age-related prefrontal cortical thinning in bipolar I disorder. <i>Translational Psychiatry</i> , 2017 , 7, e1086	8.6	32
117	Cognitive impairments and predominant polarity in bipolar disorder: a cross-sectional study. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 15	5.4	7
116	Increased illness burden in women with comorbid bipolar and premenstrual dysphoric disorder: data from 1 099 women from STEP-BD study. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 473-482	6.5	27
115	Methodological recommendations for cognition trials in bipolar disorder by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2017 , 19, 614-626	3.8	103
114	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14
113	Sudden unexpected death in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 223, 8-9	6.6	1
112	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
111	Cognitive-behavioral rehabilitation vs. treatment as usual for bipolar patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 142	2.8	7
110	Cognitive effects of creatine monohydrate adjunctive therapy in patients with bipolar depression: Results from a randomized, double-blind, placebo-controlled trial. <i>Journal of Affective Disorders</i> , 2017 , 224, 69-75	6.6	17
109	[P3âV]: ALZHEIMERS DISEASE: THE SENSE OF CARE AND DIFFICULTIES EXPERIENCED BY CAREGIVERS 2017 , 13, P1161-P1162		
108	Optimal duration of risperidone or olanzapine adjunctive therapy to mood stabilizer following remission of a manic episode: A CANMAT randomized double-blind trial. <i>Molecular Psychiatry</i> , 2016 , 21, 1050-6	15.1	34
107	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
106	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
105	Neuropathological relationship between major depression and dementia: A hypothetical model and review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 67, 51-7	5.5	75
104	Association between history of suicide attempts and family functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 192, 28-33	6.6	14
103	Serum BDNF levels in unaffected first-degree relatives of patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 197-200	2.6	7
102	Psychiatric and clinical correlates of rapid cycling bipolar disorder: a cross-sectional study. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 270-274	2.6	16

101	Association between duration of untreated bipolar disorder and clinical outcome: data from a Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 6-10	2.6	18
100	Facial emotion recognition in euthymic patients with bipolar disorder and their unaffected first-degree relatives. <i>Comprehensive Psychiatry</i> , 2016 , 68, 18-23	7.3	22
99	Decreased Brain-Derived Neurotrophic Factor in Older Adults with Bipolar Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 596-601	6.5	15
98	Quality of life in youth with bipolar disorder and unaffected offspring of parents with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 202, 53-7	6.6	9
97	Glutathione-mediated effects of lithium in decreasing protein oxidation induced by mitochondrial complex I dysfunction. <i>Journal of Neural Transmission</i> , 2015 , 122, 741-6	4.3	6
96	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
95	Gray matter volumes in patients with bipolar disorder and their first-degree relatives. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 188-93	2.9	9
94	Attention-based classification pattern, a research domain criteria framework, in youths with bipolar disorder and attention-deficit/hyperactivity disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 255-65	2.6	16
93	Rapid cycling bipolar disorder is associated with a higher lifetime prevalence of migraine. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 308-9	6.5	6
92	Magnetic Seizure Therapy for Unipolar and Bipolar Depression: A Systematic Review. <i>Neural Plasticity</i> , 2015 , 2015, 521398	3.3	47
91	The bipolar depression electrical treatment trial (BETTER): design, rationale, and objectives of a randomized, sham-controlled trial and data from the pilot study phase. <i>Neural Plasticity</i> , 2015 , 2015, 684025	3.3	25
90	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
89	Association between family history of mood disorders and clinical characteristics of bipolar disorder: results from the Brazilian bipolar research network. <i>Journal of Affective Disorders</i> , 2014 , 161, 104-8	6.6	13
88	(1)H-MRS of hippocampus in patients after first manic episode. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 145-54	3.8	8
87	Preserved white matter in unmedicated pediatric bipolar disorder. <i>Neuroscience Letters</i> , 2014 , 579, 41-53	3.3	13
86	Prevalence and clinical correlates of alcohol use disorders among bipolar disorder patients: results from the Brazilian Bipolar Research Network. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1116-21	7.3	28
85	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
84	Success in publication by graduate students in psychiatry in Brazil: an empirical evaluation of the relative influence of English proficiency and advisor expertise. <i>BMC Medical Education</i> , 2014 , 14, 238	3.3	4

83	Depression and cardiovascular risk factors: evidence from a large postmortem sample. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 487-93	3.9	3
82	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
81	Bipolar mixed states: an international society for bipolar disorders task force report of symptom structure, course of illness, and diagnosis. <i>American Journal of Psychiatry</i> , 2013 , 170, 31-42	11.9	135
80	Negative expressed emotion best discriminates families with bipolar disorder children. <i>Journal of Affective Disorders</i> , 2013 , 148, 418-23	6.6	16
79	A sib-pair analysis of impulsivity in bipolar disorder type I. <i>Comprehensive Psychiatry</i> , 2013 , 54, 1148-52	7.3	3
78	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2013. <i>Bipolar Disorders</i> , 2013 , 15, 1-44	3.8	583
77	Gray matter abnormalities as brain structural vulnerability factors for bipolar disorder: A review of neuroimaging studies of individuals at high genetic risk for bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 1124-35	2.6	39
76	Dysfunctional family environment in affected versus unaffected offspring of parents with bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 1051-7	2.6	27
75	Cardiovascular risk factors in outpatients with bipolar disorder: a report from the Brazilian Research Network in Bipolar Disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 126-30	2.6	30
74	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
73	Brain glutamate levels measured by magnetic resonance spectroscopy in patients with bipolar disorder: a meta-analysis. <i>Bipolar Disorders</i> , 2012 , 14, 478-87	3.8	151
72	Abnormal resting state corticolimbic blood flow in depressed unmedicated patients with major depression: a (15)O-H(2)O PET study. <i>Human Brain Mapping</i> , 2012 , 33, 272-9	5.9	46
71	Metabolic syndrome and bipolar disorder: what should psychiatrists know?. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 160-6	6.8	35
70	Long-acting injectable antipsychotics for the maintenance treatment of bipolar disorder. <i>CNS Drugs</i> , 2012 , 26, 403-20	6.7	36
69	Suicide attempts are associated with worse quality of life in patients with bipolar disorder type I. <i>Comprehensive Psychiatry</i> , 2012 , 53, 125-9	7.3	39
68	Neither bipolar nor obsessive-compulsive disorder: compulsive buyers are impulsive acquirers. <i>Comprehensive Psychiatry</i> , 2012 , 53, 554-61	7.3	11
67	Impact of comorbid migraine on the clinical course of bipolar disorder. <i>Comprehensive Psychiatry</i> , 2012 , 53, 809-12	7.3	23
66	Brazilian psychiatric brain bank: a new contribution tool to network studies. <i>Cell and Tissue Banking</i> , 2012 , 13, 315-26	2.2	10

65	Lower N-acetyl-aspartate levels in prefrontal cortices in pediatric bipolar disorder: a ¹ H magnetic resonance spectroscopy study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011 , 50, 85-94	7.2	53
64	Therapeutic potential of interleukin-6 antagonism in bipolar disorder. <i>Medical Hypotheses</i> , 2011 , 76, 21-3,8		26
63	Association between prior alcohol use disorders and decreased prefrontal gray matter volumes in bipolar I disorder patients. <i>Neuroscience Letters</i> , 2011 , 503, 136-40	3.3	17
62	Decreased mRNA expression of uncoupling protein 2, a mitochondrial proton transporter, in post-mortem prefrontal cortex from patients with bipolar disorder and schizophrenia. <i>Neuroscience Letters</i> , 2011 , 505, 47-51	3.3	38
61	The role of Wnt signaling and its interaction with diverse mechanisms of cellular apoptosis in the pathophysiology of bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 11-7	5.5	14
60	Comorbidades m̃dicas em pacientes ambulatoriais com transtorno do humor bipolar tipo I. <i>Revista De Psiquiatria Clinica</i> , 2011 , 38, 227-230	0.8	3
59	Morphometric post-mortem studies in bipolar disorder: possible association with oxidative stress and apoptosis. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 1075-89	5.8	81
58	Personality traits in bipolar disorder type I: a sib-pair analysis. <i>Bipolar Disorders</i> , 2011 , 13, 662-9	3.8	11
57	Long-acting injectable risperidone in a bipolar patient submitted to bariatric surgery and intolerant to conventional mood stabilizers. <i>Psychiatry and Clinical Neurosciences</i> , 2011 , 65, 205	6.2	8
56	Childhood maltreatment and clinical outcomes of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 427-34	6.5	161
55	Clinical correlates of eating disorder comorbidity in women with bipolar disorder type I. <i>Journal of Affective Disorders</i> , 2011 , 130, 162-5	6.6	31
54	Cytokines in bipolar disorder: recent findings, deleterious effects but promise for future therapeutics. <i>CNS Spectrums</i> , 2011 , 16, 157-68	1.8	43
53	A randomized controlled trial of cognitive behavioral group therapy for bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 144-50	9.4	41
52	Longitudinal follow-up of bipolar disorder in women with premenstrual exacerbation: findings from STEP-BD. <i>American Journal of Psychiatry</i> , 2011 , 168, 386-94	11.9	44
51	Bipolar disorder and comorbid obsessive-compulsive disorder is associated with higher rates of anxiety and impulse control disorders. <i>Acta Neuropsychiatrica</i> , 2010 , 22, 81-6	3.9	15
50	A comparison of the symptomatic profile between two consecutive depressive episodes in patients with bipolar disorder type I. <i>Acta Neuropsychiatrica</i> , 2010 , 22, 280-3	3.9	1
49	Induction of manic switch by the tumour necrosis factor-alpha antagonist infliximab. <i>Psychiatry and Clinical Neurosciences</i> , 2010 , 64, 442-3	6.2	15
48	Bipolar disorder comorbid with alcoholism: a ¹ H magnetic resonance spectroscopy study. <i>Journal of Psychiatric Research</i> , 2010 , 44, 278-85	5.2	26

47	Lifetime history of suicide attempts is associated with poorer social skills in patients with bipolar disorder type I. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 200-1	2.6	3
46	Facial emotion recognition in bipolar disorder: a critical review. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 171-80	2.6	63
45	Suicidal ideation and suicide attempts in bipolar disorder type I: an update for the clinician. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 271-80	2.6	71
44	Suicidality induced by steroid treatment. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 484	2.6	9
43	Obesity and metabolic syndrome in Brazilian patients with bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2009 , 21, 84-8	3.9	11
42	Clinical significance of lifetime panic disorder in the course of bipolar disorder type I. <i>Comprehensive Psychiatry</i> , 2009 , 50, 9-12	7.3	13
41	RBP implementa um novo sistema de submissõ de manuscritos. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 295-295	2.6	
40	Rapid cycling bipolar disorder--diagnostic concepts. <i>Bipolar Disorders</i> , 2008 , 10, 153-62	3.8	63
39	Verbal fluency dysfunction in euthymic bipolar patients: a controlled study. <i>Journal of Affective Disorders</i> , 2008 , 107, 187-92	6.6	23
38	Social dysfunction in bipolar disorder: pilot study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 686-92	2.6	12
37	A clinical study comparing manic and mixed episodes in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2007 , 29, 130-3	2.6	6
36	Psicoterapia em grupo de pacientes com transtorno afetivo bipolar. <i>Revista De Psiquiatria Clinica</i> , 2007 , 34, 84-89	0.8	1
35	Comment on Tel et al., "The clinical impact of mood disorder comorbidity on obsessive-compulsive disorder" (Eur Arch Psychiatry Clin Neurosci, 256(4):240-245). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 183-4	5.1	
34	Medial temporal lobe abnormalities in pediatric unipolar depression. <i>Neuroscience Letters</i> , 2007 , 427, 142-7	3.3	80
33	Reply to Dr. Kauer-Sant'Anna and Dr. Yatham's letter "comment on Santidepressant treatment-emergent affective switch in bipolar disorder: a prospective case-control study of outcome". <i>Revista Brasileira De Psiquiatria</i> , 2007 , 29, 87-88	2.6	
32	A 1HMRS study of the anterior cingulate gyrus in euthymic bipolar patients. <i>Human Psychopharmacology</i> , 2006 , 21, 215-20	2.3	19
31	Treatment emergent affective switch with topiramate. <i>Revista Brasileira De Psiquiatria</i> , 2006 , 28, 158	2.6	2
30	Antidepressant treatment-emergent affective switch in bipolar disorder: a prospective case-control study of outcome. <i>Revista Brasileira De Psiquiatria</i> , 2006 , 28, 297-300	2.6	

29	Proton spectroscopy study of the left dorsolateral prefrontal cortex in pediatric depressed patients. <i>Neuroscience Letters</i> , 2005 , 384, 321-6	3.3	61
28	Efficacy of electroconvulsive therapy in treatment-resistant bipolar disorder: a case series. <i>Journal of ECT</i> , 2005 , 21, 31-4	2	22
27	Clinical expression of obsessive-compulsive disorder in women with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2005 , 27, 139-42	2.6	11
26	Treatment emergent affective switch: a controlled study. <i>Bipolar Disorders</i> , 2004 , 6, 333-7	3.8	18
25	Comorbidity of anorexia nervosa and bipolar disorder in early adolescence. <i>Bipolar Disorders</i> , 2004 , 6, 442-3	3.8	4
24	Apresentao - Transtorno bipolar: da gentica  reabilitao psicossocial. <i>Revista Brasileira De Psiquiatria</i> , 2004 , 26, 1-2	2.6	4
23	Effect of abrupt change from standard to low serum levels of lithium: a reanalysis of double-blind lithium maintenance data. <i>American Journal of Psychiatry</i> , 2002 , 159, 1155-9	11.9	58
22	A utilizao da espectroscopia de ltio por ressonncia magntica (7Li-MRS) no transtorno bipolar. <i>Revista Brasileira De Psiquiatria</i> , 2001 , 23, 55-57	2.6	
21	Analysis of the serotonin transporter polymorphism (5-HTTLPR) in Brazilian patients affected by dysthymia, major depression and bipolar disorder. <i>Molecular Psychiatry</i> , 2000 , 5, 348-9	15.1	29
20	Double-blind comparison of venlafaxine and amitriptyline in outpatients with major depression with or without melancholia. <i>Journal of Psychopharmacology</i> , 2000 , 14, 61-6	4.6	30
19	Hippocampal volume in primary unipolar major depression: a magnetic resonance imaging study. <i>Biological Psychiatry</i> , 2000 , 47, 1087-90	7.9	308
18	Gentica e fisiopatologia dos transtornos depressivos. <i>Revista Brasileira De Psiquiatria</i> , 1999 , 21, 12-17	2.6	9
17	Analysis of a novel functional polymorphism within the promoter region of the serotonin transporter gene (5-HTT) in Brazilian patients affected by bipolar disorder and schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 225-7		66
16	A quantitative magnetic resonance imaging study of caudate and lenticular nucleus gray matter volume in primary unipolar major depression: relationship to treatment response and clinical severity. <i>Psychiatry Research - Neuroimaging</i> , 1998 , 84, 61-74	2.9	61
15	Lower levels of nucleoside triphosphate in the basal ganglia of depressed subjects: a phosphorous-31 magnetic resonance spectroscopy study. <i>American Journal of Psychiatry</i> , 1997 , 154, 1168-8	11.9	137
14	Major depression and the basal ganglia. <i>Psychiatric Clinics of North America</i> , 1997 , 20, 885-96	3.1	32
13	Basal ganglia choline levels in depression and response to fluoxetine treatment: an in vivo proton magnetic resonance spectroscopy study. <i>Biological Psychiatry</i> , 1997 , 41, 837-43	7.9	96
12	A quantitative magnetic resonance imaging study of cerebral and cerebellar gray matter volume in primary unipolar major depression: relationship to treatment response and clinical severity. <i>Biological Psychiatry</i> , 1997 , 42, 79-84	7.9	55

11	Changes in regional cerebral blood flow following light treatment for seasonal affective disorder: responders versus nonresponders. <i>Biological Psychiatry</i> , 1997 , 42, 1000-5	7.9	18
10	Choline in the treatment of rapid-cycling bipolar disorder: clinical and neurochemical findings in lithium-treated patients. <i>Biological Psychiatry</i> , 1996 , 40, 382-8	7.9	65
9	Outpatients with DSM-III-R versus DSM-IV melancholic depression. <i>Comprehensive Psychiatry</i> , 1996 , 37, 37-9	7.3	24
8	Regional cerebral blood flow changes after light therapy in seasonal affective disorder. <i>Nuclear Medicine Communications</i> , 1996 , 17, 475-9	1.6	9
7	Paroxetine for bipolar depression: Outcome in patients failing prior antidepressant trials. <i>Depression</i> , 1995 , 3, 182-186		9
6	Variability of brain lithium levels during maintenance treatment: a magnetic resonance spectroscopy study. <i>Biological Psychiatry</i> , 1995 , 38, 422-8	7.9	47
5	Influence of phototherapy treatment duration for seasonal affective disorder: outcome at one vs. two weeks. <i>Biological Psychiatry</i> , 1995 , 38, 747-50	7.9	11
4	Lithium Monotherapy: Miracle, Myth and Misunderstanding. <i>Psychiatric Annals</i> , 1994 , 24, 299-306	0.5	24
3	The influence of DST and TRH test administration on depression assessments: a controlled study. <i>Biological Psychiatry</i> , 1993 , 34, 650-3	7.9	5
2	The human brain resonance of choline-containing compounds is similar in patients receiving lithium treatment and controls: an in vivo proton magnetic resonance spectroscopy study. <i>Biological Psychiatry</i> , 1992 , 32, 944-9	7.9	38
1	Nutrition and bipolar disorder: a systematic review. <i>Nutritional Neuroscience</i> , 1-15	3.6	0