

Erik Simonsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5331506/publications.pdf>

Version: 2024-02-01

263
papers

9,307
citations

44069

48
h-index

53230

85
g-index

280
all docs

280
docs citations

280
times ranked

6996
citing authors

#	ARTICLE	IF	CITATIONS
1	Alternative Dimensional Models of Personality Disorder: Finding a Common Ground. <i>Journal of Personality Disorders</i> , 2005, 19, 110-130.	1.4	560
2	Reducing the Duration of Untreated First-Episode Psychosis. <i>Archives of General Psychiatry</i> , 2004, 61, 143.	12.3	384
3	Long-Term Follow-Up of the TIPS Early Detection in Psychosis Study: Effects on 10-Year Outcome. <i>American Journal of Psychiatry</i> , 2012, 169, 374-380.	7.2	262
4	Early detection strategies for untreated first-episode psychosis. <i>Schizophrenia Research</i> , 2001, 51, 39-46.	2.0	208
5	Personality Disorder Research Agenda for the DSM-5. <i>Journal of Personality Disorders</i> , 2005, 19, 315-338.	1.4	203
6	Methylphenidate for children and adolescents with attention deficit hyperactivity disorder (ADHD). <i>The Cochrane Library</i> , 2016, 2016, CD009885.	2.8	203
7	Early Detection of the First Episode of Schizophrenia and Suicidal Behavior. <i>American Journal of Psychiatry</i> , 2006, 163, 800-804.	7.2	186
8	Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents - assessment of adverse events in non-randomised studies. <i>The Cochrane Library</i> , 2018, 5, CD012069.	2.8	185
9	Early detection and intervention in first-episode schizophrenia: a critical review. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 323-334.	4.5	177
10	The Key to Reducing Duration of Untreated First Psychosis: Information Campaigns. <i>Schizophrenia Bulletin</i> , 2007, 34, 466-472.	4.3	169
11	Prevention of Negative Symptom Psychopathologies in First-Episode Schizophrenia. <i>Archives of General Psychiatry</i> , 2008, 65, 634.	12.3	163
12	Neurocognitive Dysfunction in First-Episode Psychosis: Correlates With Symptoms, Premorbid Adjustment, and Duration of Untreated Psychosis. <i>American Journal of Psychiatry</i> , 2004, 161, 466-472.	7.2	158
13	Psychological therapies for people with borderline personality disorder. <i>The Cochrane Library</i> , 2020, 2020, CD012955.	2.8	158
14	Risk factors for violence among patients with schizophrenia. <i>Clinical Psychology Review</i> , 2011, 31, 711-726.	11.4	157
15	Methylphenidate for attention-deficit/hyperactivity disorder in children and adolescents: Cochrane systematic review with meta-analyses and trial sequential analyses of randomised clinical trials. <i>BMJ</i> , 2015, 351, h5203.	6.0	154
16	Shortened Duration of Untreated First Episode of Psychosis: Changes in Patient Characteristics at Treatment. <i>American Journal of Psychiatry</i> , 2001, 158, 1917-1919.	7.2	151
17	Premorbid adjustment in first-episode non-affective psychosis: Distinct patterns of pre-onset course. <i>British Journal of Psychiatry</i> , 2004, 185, 108-115.	2.8	140
18	Early detection of psychosis: positive effects on 5-year outcome. <i>Psychological Medicine</i> , 2011, 41, 1461-1469.	4.5	126

#	ARTICLE	IF	CITATIONS
19	The course of neurocognitive functioning in first-episode psychosis and its relation to premorbid adjustment, duration of untreated psychosis, and relapse. <i>Schizophrenia Research</i> , 2007, 91, 132-140.	2.0	122
20	Cost-effectiveness of early intervention in first-episode psychosis: economic evaluation of a randomised controlled trial (the OPUS study). <i>British Journal of Psychiatry</i> , 2013, 202, 35-41.	2.8	106
21	Childhood adversity specificity and dose-response effect in non-affective first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 165, 52-59.	2.0	94
22	Deriving ICD-11 personality disorder domains from DSM-5 traits: initial attempt to harmonize two diagnostic systems. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 108-117.	4.5	93
23	Early Detection of First-Episode Psychosis: The Effect on 1-Year Outcome. <i>Schizophrenia Bulletin</i> , 2005, 32, 758-764.	4.3	90
24	First empirical evaluation of outcomes for mentalization-based group therapy for adolescents with BPD. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017, 8, 396-401.	1.3	90
25	The alternative DSM-5 personality disorder traits criterion: A comparative examination of three self-report forms in a Danish population. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2016, 7, 124-135.	1.3	88
26	Attachment as a Core Feature of Resilience: A Systematic Review and Meta-Analysis. <i>Psychological Reports</i> , 2019, 122, 1259-1296.	1.7	85
27	Substance abuse in first-episode non-affective psychosis. <i>Schizophrenia Research</i> , 2006, 88, 55-62.	2.0	84
28	Personality disorder: a new global perspective. <i>World Psychiatry</i> , 2010, 9, 56-60.	10.4	82
29	Methodological pitfalls in early detection studies – the NAPE Lecture 2002. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 3-9.	4.5	81
30	First-Episode Psychosis: Diagnostic Stability over One and Two Years. <i>Psychopathology</i> , 2008, 41, 322-329.	1.5	79
31	Baseline profiles of adolescent vs. adult-onset first-episode psychosis in an early detection program. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 494-500.	4.5	79
32	ICD-11 and DSM-5 personality trait domains capture categorical personality disorders: Finding a common ground. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 425-434.	2.3	78
33	Neurocognition and Duration of Psychosis: A 10-year Follow-up of First-Episode Patients. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv083.	4.3	77
34	The Association Between ADHD and Antisocial Personality Disorder (ASPD). <i>Journal of Attention Disorders</i> , 2016, 20, 815-824.	2.6	74
35	Social skills training for Attention Deficit Hyperactivity Disorder (ADHD) in children aged 5 to 18 years. <i>The Cochrane Library</i> , 2011, , CD008223.	2.8	71
36	Hypermentalizing, attachment, and epistemic trust in adolescent BPD: Clinical illustrations. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017, 8, 172-182.	1.3	71

#	ARTICLE	IF	CITATIONS
37	Clinical epidemiologic first-episode psychosis: 1-year outcome and predictors. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 54-61.	4.5	69
38	Apathy in first episode psychosis patients: A ten year longitudinal follow-up study. <i>Schizophrenia Research</i> , 2012, 136, 19-24.	2.0	67
39	Clinical Utility of the DSM-5 Alternative Model of Personality Disorders. <i>Journal of Psychiatric Practice</i> , 2015, 21, 3-25.	0.7	62
40	Association Between Insecure Attachment and ADHD. <i>Journal of Attention Disorders</i> , 2016, 20, 187-196.	2.6	57
41	Pathways to care for first-episode psychosis in an early detection healthcare sector. <i>British Journal of Psychiatry</i> , 2005, 187, s24-s28.	2.8	56
42	Subjective quality of life in first-episode psychosis. A ten year follow-up study. <i>Schizophrenia Research</i> , 2016, 172, 23-28.	2.0	56
43	Reducing the duration of untreated first-episode psychosis - effects on baseline social functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 469-473.	4.5	55
44	Ten year neurocognitive trajectories in first-episode psychosis. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 643.	2.0	55
45	The Effect of Substance Use on 10-Year Outcome in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 843-851.	4.3	55
46	The Young Schema Questionnaire 3 Short Form (YSQ-S3). <i>European Journal of Psychological Assessment</i> , 2017, 33, 134-143.	3.0	55
47	Societal costs of Borderline Personality Disorders: a matchedâ€œcontrolled nationwide study of patients and spouses. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 458-467.	4.5	54
48	Social skills training for attention deficit hyperactivity disorder (ADHD) in children aged 5 to 18 years. <i>The Cochrane Library</i> , 2019, 2019, CD008223.	2.8	54
49	A 2â€œyear followâ€œup of involuntary admissionâ€™s influence upon adherence and outcome in firstâ€œepisode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 371-376.	4.5	53
50	Is there an optimal factor structure of the Positive and Negative Syndrome Scale in patients with firstâ€œepisode psychosis?. <i>Scandinavian Journal of Psychology</i> , 2013, 54, 160-165.	1.5	51
51	Effects of cognitive therapy <i>versus</i> interpersonal psychotherapy in patients with major depressive disorder: a systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. <i>Psychological Medicine</i> , 2012, 42, 1343-1357.	4.5	49
52	Walking pattern in adults with congenital hip dysplasia14 women examined by inverse dynamics. <i>Acta Orthopaedica</i> , 2004, 75, 2-9.	1.4	48
53	Introduction to the Special Section: The American Psychiatric Association's Research Agenda for the DSMâ€™V. <i>Journal of Personality Disorders</i> , 2005, 19, 103-109.	1.4	48
54	Impact of socioeconomic position and distance on mental health care utilization: a nationwide Danish follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1405-1413.	3.1	48

#	ARTICLE	IF	CITATIONS
55	Early Predictors of Ten-Year Course in First-Episode Psychosis. <i>Psychiatric Services</i> , 2016, 67, 438-443.	2.0	47
56	Personality Inventory for <i>DSM-5</i> (PID-5) in Clinical Versus Nonclinical Individuals: Generalizability of Psychometric Features. <i>Assessment</i> , 2018, 25, 815-825.	3.1	47
57	Mentalizationâ€based treatment in groups for adolescents with borderline personality disorder: a randomized controlled trial. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020, 61, 594-604.	5.2	47
58	Flat affect and social functioning: A 10year follow-up study of first episode psychosis patients. <i>Schizophrenia Research</i> , 2012, 139, 99-104.	2.0	45
59	Metacognition in first-episode psychosis and its association with positive and negative symptom profiles. <i>Psychiatry Research</i> , 2016, 238, 14-23.	3.3	45
60	Structure of DSMâ€5 and ICDâ€11 personality domains in Iranian community sample. <i>Personality and Mental Health</i> , 2018, 12, 155-169.	1.2	45
61	Development and initial evaluation of the ICDâ€11 personality disorder severity scale: PDSâ€ICDâ€11. <i>Personality and Mental Health</i> , 2021, 15, 223-236.	1.2	45
62	Early Detection of the First Episode of Schizophrenia and Suicidal Behavior. <i>American Journal of Psychiatry</i> , 2006, 163, 800.	7.2	45
63	Effect of an early detection programme on duration of untreated psychosis. <i>British Journal of Psychiatry</i> , 2005, 187, s29-s32.	2.8	43
64	Measuring quality of life in first-episode psychosis. <i>European Psychiatry</i> , 2005, 20, 474-483.	0.2	43
65	Does duration of untreated psychosis bias study samples of first-episode psychosis?. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 286-291.	4.5	42
66	Treatment and violent behavior in persons with first episode psychosis during a 10-year prospective follow-up study. <i>Schizophrenia Research</i> , 2014, 156, 272-276.	2.0	42
67	Is ADHD an early stage in the development of borderline personality disorder?. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 289-295.	1.3	42
68	Neurocognition and occupational functioning in patients with first-episode psychosis: A 2-year follow-up study. <i>Psychiatry Research</i> , 2011, 188, 334-342.	3.3	41
69	Early detection, early symptom progression and symptomatic remission after ten years in a first episode of psychosis study. <i>Schizophrenia Research</i> , 2013, 143, 337-343.	2.0	41
70	Neurocognitive development in first episode psychosis 5years follow-up: Associations between illness severity and cognitive course. <i>Schizophrenia Research</i> , 2013, 149, 63-69.	2.0	41
71	Lolland-Falster Health Study: Study protocol for a household-based prospective cohort study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 382-390.	2.3	41
72	Early identification of nonâ€remission in firstâ€episode psychosis in a twoâ€year outcome study. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 375-383.	4.5	40

#	ARTICLE	IF	CITATIONS
73	Reliability and Hierarchical Structure of DSM-5 Pathological Traits in a Danish Mixed Sample. <i>Journal of Personality Disorders</i> , 2016, 30, 112-129.	1.4	40
74	How Do DSM-5 Personality Traits Align With Schema Therapy Constructs?. <i>Journal of Personality Disorders</i> , 2016, 30, 502-529.	1.4	40
75	Personality Disorder in Childhood and Adolescence comes of Age: a Review of the Current Evidence and Prospects for Future Research. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2014, 3, 31-48.	0.6	40
76	Course and Predictors of Suicidality Over the First Two Years of Treatment in First-Episode Schizophrenia Spectrum Psychosis. <i>Archives of Suicide Research</i> , 2010, 14, 158-170.	2.3	39
77	Mental health professionals' perceived clinical utility of the ICD-10 vs. ICD-11 classification of personality disorders. <i>Personality and Mental Health</i> , 2019, 13, 84-95.	1.2	37
78	Depressive symptoms in first-episode psychosis: a 10-year follow-up study. <i>Microbial Biotechnology</i> , 2016, 10, 227-233.	1.7	35
79	Structure of clinician-reported ICD-11 personality disorder trait qualifiers.. <i>Psychological Assessment</i> , 2020, 32, 50-59.	1.5	35
80	Gastrointestinal adverse events during methylphenidate treatment of children and adolescents with attention deficit hyperactivity disorder: A systematic review with meta-analysis and Trial Sequential Analysis of randomised clinical trials. <i>PLoS ONE</i> , 2017, 12, e0178187.	2.5	34
81	Childhood adversities: Social support, premorbid functioning and social outcome in first-episode psychosis and a matched case-control group. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 770-782.	2.3	33
82	Psychotherapies for borderline personality disorder: a focused systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2022, 221, 538-552.	2.8	33
83	Methylphenidate for Attention-Deficit/Hyperactivity Disorder in Children and Adolescents. <i>JAMA - Journal of the American Medical Association</i> , 2016, 315, 2009.	7.4	32
84	Continuity between interview-rated personality disorders and self-reported DSM-5 traits in a Danish psychiatric sample.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017, 8, 261-267.	1.3	32
85	Assessment of personality-related levels of functioning: a pilot study of clinical assessment of the DSM-5 level of personality functioning based on a semi-structured interview. <i>BMC Psychiatry</i> , 2016, 16, 298.	2.6	31
86	Caregiver distress in first-episode psychosis: the role of subjective appraisal, over-involvement and symptomatology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 371-378.	3.1	30
87	Psychological therapies for adolescents with borderline personality disorder (BPD) or BPD features: A systematic review of randomized clinical trials with meta-analysis and Trial Sequential Analysis. <i>PLoS ONE</i> , 2021, 16, e0245331.	2.5	30
88	Screening for personality disorder in incarcerated adolescent boys: preliminary validation of an adolescent version of the standardised assessment of personality abbreviated scale (SAPAS-AV). <i>BMC Psychiatry</i> , 2012, 12, 94.	2.6	28
89	Service User Perspectives on the Experience of Illness and Pathway to Care in First-Episode Psychosis: A Qualitative Study Within the TOP Project. <i>Psychiatric Quarterly</i> , 2015, 86, 83-94.	2.1	28
90	Utility of DSM-5 section III personality traits in differentiating borderline personality disorder from comparison groups. <i>European Psychiatry</i> , 2016, 37, 22-27.	0.2	28

#	ARTICLE	IF	CITATIONS
91	Mentalization-based treatment in groups for adolescents with borderline personality disorder (BPD) or subthreshold BPD versus treatment as usual (M-GAB): study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 314.	1.6	28
92	Neurocognitive Deficits in Borderline Personality Disorder: Associations With Childhood Trauma and Dimensions of Personality Psychopathology. <i>Journal of Personality Disorders</i> , 2017, 31, 503-521.	1.4	28
93	The Effects of Cognitive Therapy versus "No Intervention"™ for Major Depressive Disorder. <i>PLoS ONE</i> , 2011, 6, e28299.	2.5	28
94	Subtypes of aggression in patients with schizophrenia: The role of personality disorders. <i>Criminal Behaviour and Mental Health</i> , 2013, 23, 124-137.	0.8	27
95	Positive and negative caregiver experiences in first-episode psychosis: Emotional overinvolvement, wellbeing and metacognition. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014, 87, 298-310.	2.5	27
96	Social-Skills and Parental Training plus Standard Treatment versus Standard Treatment for Children with ADHD " The Randomised SOSTRA Trial. <i>PLoS ONE</i> , 2012, 7, e37280.	2.5	26
97	Relation between premorbid adjustment, duration of untreated psychosis and close interpersonal trauma in first-episode psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 316-323.	1.7	26
98	Metacognitive capacity and negative symptoms in first episode psychosis: Evidence of a prospective relationship over a 3-year follow-up. <i>Journal of Experimental Psychopathology</i> , 2019, 10, 204380871882157.	0.8	26
99	Empirical Evidence for a Four Factor Framework of Personality Disorder Organization: Multigroup Confirmatory Factor Analysis of the Millon Clinical Multiaxial Inventory™III Personality Disorder Scales Across Belgian and Danish Data Samples. <i>Journal of Personality Disorders</i> , 2010, 24, 128-150.	1.4	25
100	A comparison of adolescent- and adult-onset first-episode, non-affective psychosis: 2-year follow-up. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 599-605.	3.2	25
101	Incidence and prevalence rates of personality disorders in Denmark" A register study. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 543-548.	1.3	24
102	Personality Pathology and Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 1180-1184.	4.3	24
103	Feasibility of trauma-focused Guided Imagery and Music with adult refugees diagnosed with PTSD: A pilot study. <i>Nordic Journal of Music Therapy</i> , 2018, 27, 67-86.	1.1	24
104	Introduction to "Early psychosis: abridge to the future"™. <i>British Journal of Psychiatry</i> , 2005, 187, s1-s3.	2.8	23
105	Innovations: Psychoeducation: Multifamily Group Treatment in a Program for Patients With First-Episode Psychosis: Experiences From the TIPS Project. <i>Psychiatric Services</i> , 2007, 58, 171-173.	2.0	23
106	Attachment Competences in Children With ADHD During the Social-Skills Training and Attachment (SOSTRA) Randomized Clinical Trial. <i>Journal of Attention Disorders</i> , 2015, 19, 865-871.	2.6	22
107	Mentalization-based treatment in groups for adolescents with Borderline Personality Disorder: 3- and 12-month follow-up of a randomized controlled trial. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 699-710.	4.7	22
108	Stability of medication in early psychosis: a comparison between second-generation and low-dose first-generation antipsychotics. <i>Microbial Biotechnology</i> , 2009, 3, 58-65.	1.7	21

#	ARTICLE	IF	CITATIONS
109	The Development of Subjective Quality of Life Over the First 2 Years in First-Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 864-869.	1.0	21
110	The effect of adding psychodynamic therapy to antidepressants in patients with major depressive disorder. A systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. <i>Journal of Affective Disorders</i> , 2012, 137, 4-14.	4.1	21
111	Causes and predictors of premature death in first-episode schizophrenia spectrum disorders. <i>World Psychiatry</i> , 2017, 16, 217-218.	10.4	21
112	Socio-economic determinants of participation in the Lolland-Falster health study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2020, 28, 657-664.	1.6	21
113	The Effects of Cognitive Therapy Versus "Treatment as Usual"™ in Patients with Major Depressive Disorder. <i>PLoS ONE</i> , 2011, 6, e22890.	2.5	20
114	Psychological Flexibility as a Buffer against Caregiver Distress in Families with Psychosis. <i>Frontiers in Psychology</i> , 2017, 8, 1625.	2.1	20
115	Societal Costs of Schizophrenia in Denmark: A Nationwide Matched Controlled Study of Patients and Spouses Before and After Initial Diagnosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 68-77.	4.3	20
116	Difficulties in Translation of Personality Scales. <i>Journal of Personality Disorders</i> , 1990, 4, 290-296.	1.4	19
117	Are multi family groups appropriate for patients with first episode psychosis? A 5-year naturalistic follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 384-394.	4.5	19
118	10 year course of IQ in first-episode psychosis: Relationship between duration of psychosis and long-term intellectual trajectories. <i>Psychiatry Research</i> , 2015, 225, 515-521.	3.3	19
119	The effect of Melatonin on Depressive symptoms, Anxiety, Circadian and Sleep disturbances in patients after acute coronary syndrome (MEDACIS): study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 81.	1.6	19
120	Psychological therapies for people with borderline personality disorder. <i>The Cochrane Library</i> , 0, , .	2.8	19
121	Music therapy versus treatment as usual for refugees diagnosed with posttraumatic stress disorder (PTSD): study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 301.	1.6	19
122	Perfectionism, Shame, and Aggression in Depressive Patients With Narcissistic Personality Disorder. <i>Journal of Personality Disorders</i> , 2020, 34, 25-41.	1.4	19
123	Personality disorders in first-episode psychosis. <i>Personality and Mental Health</i> , 2008, 2, 230-239.	1.2	18
124	Are perceived barriers to accessing mental healthcare associated with socioeconomic position among individuals with symptoms of depression? Questionnaire-results from the Lolland-Falster Health Study, a rural Danish population study. <i>BMJ Open</i> , 2019, 9, e023844.	1.9	18
125	Wellbeing and resilience: mechanisms of transmission of health and risk in parents with complex mental health problems and their offspring – The WARM Study. <i>BMC Psychiatry</i> , 2015, 15, 310.	2.6	16
126	Determinants of duration of untreated psychosis among first-episode psychosis patients in Denmark: A nationwide register-based study. <i>Schizophrenia Research</i> , 2018, 192, 154-158.	2.0	16

#	ARTICLE	IF	CITATIONS
127	One-year effect of changing duration of untreated psychosis in a single catchment area. <i>British Journal of Psychiatry</i> , 2007, 191, s128-s132.	2.8	15
128	The Experience of Childhood Trauma and Its Influence on the Course of Illness in First-Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 210-216.	1.0	15
129	The Jury Is Still Out on the Benefits and Harms of Methylphenidate for Children and Adolescents With Attentionâ€Deficit/Hyperactivity Disorder. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 606-609.	4.7	15
130	Parsing the impact of early detection on duration of untreated psychosis (DUP): Applying quantile regression to data from the Scandinavian TIPS study. <i>Schizophrenia Research</i> , 2019, 210, 128-134.	2.0	15
131	Mobile App Integration Into Dialectical Behavior Therapy for Persons With Borderline Personality Disorder: Qualitative and Quantitative Study. <i>JMIR Mental Health</i> , 2020, 7, e14913.	3.3	15
132	The Danish DAPP-BQ: Reliability, Factor Structure, and Convergence With SCID-II and IIP-C. <i>Journal of Personality Disorders</i> , 2009, 23, 629-646.	1.4	14
133	The Effect of Interpersonal Psychotherapy and other Psychodynamic Therapies versus â€Treatment as Usualâ€™™ in Patients with Major Depressive Disorder. <i>PLoS ONE</i> , 2011, 6, e19044.	2.5	14
134	Contrasting Monosymptomatic Patients with Hallucinations and Delusions in First-Episode Psychosis Patients: A Five-Year Longitudinal Follow-Up Study. <i>Psychopathology</i> , 2011, 44, 90-97.	1.5	14
135	Subtypes of aggression in patients with schizophrenia: the role of psychopathy. <i>Journal of Forensic Psychiatry and Psychology</i> , 2013, 24, 496-513.	1.0	14
136	The Role of Metacognitions in Expressed Emotion and Distress: A Study on Caregivers of Persons with Firstâ€Episode Psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2015, 22, 525-532.	2.7	14
137	Drug-related predictors of readmission for schizophrenia among patients admitted to treatment for drug use disorders. <i>Schizophrenia Research</i> , 2018, 195, 495-500.	2.0	14
138	Socioeconomic position, symptoms of depression and subsequent mental healthcare treatment: a Danish register-based 6-month follow-up study on a population survey. <i>BMJ Open</i> , 2018, 8, e020945.	1.9	14
139	Measuring Psychotic-Like Experiences in the General Population. <i>Psychopathology</i> , 2019, 52, 240-247.	1.5	14
140	Important first encounter: Service user experience of pathways to care and early detection in firstâ€Episode psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 169-176.	1.7	13
141	Methodological advantages and disadvantages of parallel and crossover randomised clinical trials on methylphenidate for attention deficit hyperactivity disorder: a systematic review and meta-analyses. <i>BMJ Open</i> , 2019, 9, e026478.	1.9	13
142	Welfare consequences for people diagnosed with attention deficit hyperactivity disorder (ADHD): A matched nationwide study in Denmark. <i>European Neuropsychopharmacology</i> , 2020, 37, 29-38.	0.7	13
143	Welfare consequences of early-onset Borderline Personality Disorder: a nationwide register-based case-control study. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 253-260.	4.7	13
144	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course, outcome and health service use during first 2 years. <i>Microbial Biotechnology</i> , 2007, 1, 40-48.	1.7	12

#	ARTICLE	IF	CITATIONS
145	Randomised social-skills training and parental training plus standard treatment versus standard treatment of children with attention deficit hyperactivity disorder - The SOSTRA trial protocol. <i>Trials</i> , 2011, 12, 18.	1.6	12
146	Autobiographical memory in borderline personality disorder – A systematic review. <i>Personality and Mental Health</i> , 2015, 9, 162-171.	1.2	12
147	Attachment Representations in Mothers and Their Children Diagnosed with ADHD: Distribution, Transmission and Impact on Treatment Outcome. <i>Journal of Child and Family Studies</i> , 2019, 28, 1018-1028.	1.3	12
148	Women With Borderline Personality Disorder Show Reduced Identification of Emotional Facial Expressions and a Heightened Negativity Bias. <i>Journal of Personality Disorders</i> , 2020, 34, 677-698.	1.4	12
149	Control interventions in randomised trials among people with mental health disorders. <i>The Cochrane Library</i> , 2022, 2022, MR000050.	2.8	12
150	Effects on referral patterns of reducing intensive informational campaigns about first-episode psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 340-345.	1.7	11
151	Patient satisfaction with treatment in first-episode psychosis. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 329-335.	1.3	11
152	The role of co-morbid personality pathology in predicting self-reported aggression in patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2013, 54, 423-431.	3.1	11
153	Third-wave cognitive therapy versus mentalisation-based treatment for major depressive disorder: a randomised clinical trial. <i>BMJ Open</i> , 2014, 4, e004903-e004903.	1.9	11
154	The effect of melatonin on depressive symptoms and anxiety in patients after acute coronary syndrome: The MEDACIS randomized clinical trial. <i>Journal of Psychiatric Research</i> , 2019, 119, 84-94.	3.1	11
155	Burden and Treatment Satisfaction among Caregivers of Adolescents with Borderline Personality Disorder. <i>Family Process</i> , 2020, 60, 772-787.	2.6	11
156	Trends in the Use of the Borderline Diagnosis in Denmark From 1975 to 1985. <i>Journal of Personality Disorders</i> , 1988, 2, 102-108.	1.4	10
157	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course and health service use during 5 years. <i>Microbial Biotechnology</i> , 2011, 5, 70-75.	1.7	10
158	Does childhood trauma predict poorer metacognitive abilities in people with first-episode psychosis?. <i>Psychiatry Research</i> , 2019, 273, 163-170.	3.3	10
159	Predictors of dropout among adolescents with borderline personality disorder attending mentalization-based group treatment. <i>Psychotherapy Research</i> , 2021, 31, 950-961.	1.8	10
160	Differences between ICD-11 PTSD and complex PTSD on DSM-5 section III personality traits. <i>HÅrgr Utbildning</i> , 2021, 12, 1894805.	3.0	10
161	Assessment of personality functioning in ICD-11 posttraumatic stress disorder and complex posttraumatic stress disorder.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2021, 12, 466-474.	1.3	10
162	Hallucinations and other psychotic symptoms in response to methylphenidate in children and adolescents with attention-deficit/hyperactivity disorder: a Cochrane systematic review with meta-analysis and trial sequential analysis [#] . <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2018, 6, 52-71.	0.6	10

#	ARTICLE	IF	CITATIONS
163	The impact of personality and personality disorders on the treatment of depression. <i>Personality and Mental Health</i> , 2007, 1, 161-175.	1.2	9
164	A synopsis of the WPA Educational Program on Personality Disorders. <i>World Psychiatry</i> , 2008, 7, 119-125.	10.4	9
165	Evidence on methylphenidate in children and adolescents with ADHD is in fact of "very low quality"™. <i>Evidence-Based Mental Health</i> , 2016, 19, 100-102.	4.5	9
166	The evidence base of methylphenidate for children and adolescents with attention-deficit hyperactivity disorder is in fact flawed. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1037-1038.	4.7	9
167	Changes in Neurocognitive Functioning After 6 Months of Mentalization-Based Treatment for Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 2017, 31, 306-324.	1.4	9
168	The neurobiology of social deficits in female patients with borderline personality disorder: The importance of oxytocin. <i>Personality and Mental Health</i> , 2017, 11, 91-100.	1.2	9
169	The mediating role of mentalizing capacity between parents and peer attachment and adolescent borderline personality disorder. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2017, 4, 23.	2.6	9
170	A 10-year follow-up study of violent victimization in first episode psychosis: Risk and protective factors. <i>Psychiatry Research</i> , 2018, 259, 545-549.	3.3	9
171	Music therapy was noninferior to verbal standard treatment of traumatized refugees in mental health care: Results from a randomized clinical trial. <i>HÅrgre Utbildning</i> , 2021, 12, 1930960.	3.0	9
172	Methylphenidate for Attention-Deficit/Hyperactivity Disorder"Reply. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 995.	7.4	8
173	Is going into stable symptomatic remission associated with a more positive development of life satisfaction? A 10-year follow-up study of first episode psychosis. <i>Schizophrenia Research</i> , 2018, 193, 364-369.	2.0	8
174	Childhood ADHD and treatment outcome: the role of maternal functioning. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2018, 12, 31.	2.5	8
175	Prevalence and structure of self-reported problems in SAPAS screening for personality disorder in a National Sample. <i>Personality and Mental Health</i> , 2020, 14, 175-185.	1.2	8
176	Does Methylphenidate Work in Children and Adolescents with Attention Deficit Hyperactivity Disorder?. <i>Pediatric Reports</i> , 2021, 13, 434-443.	1.3	8
177	Associations of positive and negative emotions with ego-resiliency and quality of life in borderline personality disorder: A daily diary study.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2020, 11, 13-23.	1.3	8
178	Assessment of the Affective Dimensions of Psychopathy with the Danish version of the Inventory of Callous-Unemotional Traits among Incarcerated Boys: A study of Reliability, Criterion Validity, and Construct Validity. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2014, 3, 80-96.	0.6	8
179	Prophylactic antidepressant treatment following acute coronary syndrome: A systematic review of randomized controlled trials. <i>Journal of Psychiatric Research</i> , 2017, 94, 186-193.	3.1	7
180	Preventing Poor Vocational Functioning in Psychosis Through Early Intervention. <i>Psychiatric Services</i> , 2017, 68, 100-103.	2.0	7

#	ARTICLE	IF	CITATIONS
181	Pharmacological interventions for people with borderline personality disorder. The Cochrane Library, 0, , .	2.8	7
182	The effect of implementation of an early detection team: A nationwide register-based study of characteristics and help-seeking behavior in first-episode schizophrenia in Denmark. Schizophrenia Research, 2018, 201, 337-342.	2.0	7
183	DSM-5 Personality Disorders and Traits in Patients With Severe Health Anxiety. Journal of Nervous and Mental Disease, 2020, 208, 108-117.	1.0	7
184	Placebo, usual care and wait-list interventions for all mental health disorders. The Cochrane Library, 0, , .	2.8	7
185	Psychometric properties of the Danish MCMI-II translation. Scandinavian Journal of Psychology, 1990, 31, 149-153.	1.5	6
186	Variation in duration of untreated psychosis in an 18-year perspective. Microbial Biotechnology, 2014, 8, 323-331.	1.7	6
187	Millon's Contributions to the International Society for the Study of Personality Disorders (ISSPD). Journal of Personality Assessment, 2015, 97, 591-596.	2.1	6
188	Depression and functioning are important to subjective quality of life after a first episode psychosis. Comprehensive Psychiatry, 2018, 86, 107-114.	3.1	6
189	Early Substance Use Cessation Improves Cognition 10 Years Outcome in First-Episode Psychosis Patients. Frontiers in Psychiatry, 2019, 10, 495.	2.6	6
190	Response to "Trust, but verify" by Banaschewski et al.. Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie, 2016, 44, 334-335.	0.7	6
191	Innovations: Psychoeducation: Multifamily Group Treatment in a Program for Patients With First-Episode Psychosis: Experiences From the TIPS Project. Psychiatric Services, 2007, 58, 171-173.	2.0	6
192	Introduction to Part Two of the Special Section on the Research Agenda for the Development of a Dimensional Classification of Personality Disorder. Journal of Personality Disorders, 2005, 19, 211-211.	1.4	5
193	A clinician's view of the proposed changes. Personality and Mental Health, 2011, 5, 286-295.	1.2	5
194	"Third wave" cognitive therapy versus mentalization-based therapy for major depressive disorder. A protocol for a randomised clinical trial. BMC Psychiatry, 2012, 12, 232.	2.6	5
195	Assessing psychosis in the general population: Self-rated versus clinician-rated. Schizophrenia Research, 2019, 206, 446-447.	2.0	5
196	Investigating personal and clinical recovery processes in people with first episode psychosis. Microbial Biotechnology, 2022, 16, 1102-1111.	1.7	5
197	Rasch analysis of the structural validity of the anxiety symptom scale in the lolland-falster health study. Journal of Affective Disorders, 2022, 303, 58-63.	4.1	5
198	Psychosis among the disconnected youth: A systematic review. Cogent Psychology, 2022, 9, .	1.3	5

#	ARTICLE	IF	CITATIONS
199	Maladaptive personality traits may link childhood trauma history to current internalizing symptoms. <i>Scandinavian Journal of Psychology</i> , 2022, 63, 468-475.	1.5	5
200	Similarities and differences in borderline and organic personality disorder. <i>Cognitive Neuropsychiatry</i> , 2014, 19, 1-16.	1.3	4
201	Contemporary Directions in Theories and Psychotherapeutic Strategies in Treatment of Personality Disorders: Relation to Level of Personality Functioning. <i>Journal of Contemporary Psychotherapy</i> , 2014, 44, 141-148.	1.2	4
202	Studies of Personality Disorders: Past, Present, and Future in Recognition of ISSPD's 25th Anniversary. <i>Journal of Personality Disorders</i> , 2014, 28, 611-628.	1.4	4
203	Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents - assessment of harmful effects in non-randomised studies. <i>The Cochrane Library</i> , 2016, , .	2.8	4
204	Unbalanced risk-benefit analysis of ADHD drugs. <i>Lancet Psychiatry</i> , the, 2018, 5, 870.	7.4	4
205	Characterological depression in patients with narcissistic personality disorder. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 539-545.	1.3	4
206	Personality and Psychopathology in Patients With Mixed Sensory-Motor Functional Neurological Disorder (Conversion Disorder). <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 546-554.	1.0	4
207	Dropout from mentalization-based group treatment for adolescents with borderline personality features: A qualitative study. <i>Psychotherapy Research</i> , 2021, 31, 619-631.	1.8	4
208	Personality Disorders in Adolescence: Introduction to the Special Issue. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2015, 3, 1-4.	0.6	4
209	Methylphenidate denied access to the WHO List of Essential Medicines for the second time. <i>BMJ Evidence-Based Medicine</i> , 2023, 28, 75-77.	3.5	4
210	Does one treatment benefit all? Patients's™ experiences of standardized group CBT for anxiety and depression. <i>Current Psychology</i> , 2023, 42, 16815-16829.	2.8	4
211	Personality Research in Denmark. <i>Journal of Personality Disorders</i> , 1993, 7, 187-195.	1.4	3
212	Treatment of obsessive-compulsive disorder in the context of an avoidant personality disorder. <i>Personality and Mental Health</i> , 2008, 2, 104-109.	1.2	3
213	Psychotherapeutic Treatment of Depressive Symptoms in Patients with Narcissistic Disturbances: A Review. <i>Journal of Contemporary Psychotherapy</i> , 2020, 50, 21-28.	1.2	3
214	Therapists's™ Perceptions of Individual Patient Characteristics that May Be Hindering to Group CBT for Anxiety and Depression. <i>Psychiatry (New York)</i> , 2020, 83, 344-357.	0.7	3
215	Socioeconomic position and mental health care use before and after first redeemed antidepressant and time until subsequent contact to psychologist or psychiatrists: a nationwide Danish follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 449-462.	3.1	3
216	Predictors of criminal offending in a clinical sample of patients diagnosed with schizophrenia: A 6-year follow-up study.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2021, 12, 216-227.	1.3	3

#	ARTICLE	IF	CITATIONS
217	Narrative coherence of autobiographical memories in women with borderline personality disorder and associations with childhood adversity. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021, 8, 18.	2.6	3
218	External validity of randomized clinical trial studying preventing depressive symptoms following acute coronary syndrome. <i>Brain and Behavior</i> , 2021, 11, e02132.	2.2	3
219	Personality disorder in psychiatric practice. <i>World Psychiatry</i> , 2003, 2, 41-4.	10.4	3
220	Mentalizing in Adolescents With and Without Prominent Borderline Features: Validation of the Reflective Functioning Questionnaire for Youths (RFQY) and an Investigation of the Factor Structure of Hypo- and Hypermentalizing. <i>Journal of Personality Assessment</i> , 2023, 105, 475-486.	2.1	3
221	Help-Seekers in an Early Detection of Psychosis Service: The Non-cases. <i>Frontiers in Psychiatry</i> , 2021, 12, 778785.	2.6	3
222	MBHI hos patienter med kroniske rygsmerter. <i>Nordic Journal of Psychiatry</i> , 1991, 45, 17-21.	0.1	2
223	The borderline conditions –an introduction from a Scandinavian perspective. <i>Acta Psychiatrica Scandinavica</i> , 1994, 89, 6-11.	4.5	2
224	WPA ISSPD Educational Program: Module II. Advances in research and understanding of personality disorders. <i>Personality and Mental Health</i> , 2009, 3, 1-11.	1.2	2
225	The TIPS study and bias: Replies to Dr Amos. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 905-907.	2.3	2
226	Perspective: Celebrating the 25th Anniversary of the International Society for the Study of Personality Disorders. <i>Journal of Personality Disorders</i> , 2012, 26, i-iii.	1.4	2
227	Current Trends in Research and Clinical Issues in the Study of Personality and Its Disorders: A Survey of the Presentations at the ISSPD Anniversary Congress. <i>Journal of Personality Disorders</i> , 2014, 28, 629-636.	1.4	2
228	Metacognitive mastery in persons with first-episode psychosis and their caregivers: Implications for timely help-seeking and caregiver experiences. Brief report. <i>Psychiatry Research</i> , 2017, 251, 54-57.	3.3	2
229	Multi-family group and single-family intervention in first-episode psychosis: A prospective, quasi-experimental cohort study. <i>Microbial Biotechnology</i> , 2020, 15, 983-992.	1.7	2
230	Ego-resiliency in borderline personality disorder and the mediating role of positive and negative affect on its associations with symptom severity and quality of life in daily life. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 939-949.	2.7	2
231	Patients' and psychiatrists' perspectives on clozapine treatment – a scoping review protocol. <i>BMJ Open</i> , 2021, 11, e054308.	1.9	2
232	Childhood trauma, antipsychotic medication, and symptom remission in first-episode psychosis. <i>Psychological Medicine</i> , 0, , 1-10.	4.5	2
233	Evaluering af et gruppeterapiforløb bedømt ud fra MMPI og interview. <i>Nordic Journal of Psychiatry</i> , 1985, 39, 455-462.	0.1	1
234	0191 TWO YEAR OUTCOME AND PREDICTORS IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S155-S156.	2.0	1

#	ARTICLE	IF	CITATIONS
235	Early Detection in Psychosis: 5 year Outcome in the Scandinavian Tips-Study. <i>European Psychiatry</i> , 2011, 26, 2010-2010.	0.2	1
236	Culture and diagnosis: Considering avoidant personality disorder: A commentary on the case by Toshimasa Maruta <i>et al.</i>. <i>Personality and Mental Health</i> , 2012, 6, 271-272.	1.2	1
237	Theodore Millon. <i>Journal of Personality Disorders</i> , 2014, 28, iii-iv.	1.4	1
238	Severity and persistence versus type of childhood adversity in non-affective first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 168, 573-574.	2.0	1
239	Prediction of Treatment Outcome of Adolescents With Borderline Personality Disorder: A 2-Year Follow-Up Study. <i>Journal of Personality Disorders</i> , 2021, 35, 111-130.	1.4	1
240	ISSPD: Past, Present, and Future. <i>Journal of Personality Disorders</i> , 2021, , 1-18.	1.4	1
241	Feasibility Study of Group Cognitive Behavioral Therapy for Severe Health Anxiety. <i>Journal of Cognitive Psychotherapy</i> , 2018, 32, 223-240.	0.4	1
242	IMPACHS: Feasibility and acceptability of an m-health solution integrated into routine clinical treatment for psychosis. <i>Schizophrenia Research</i> , 2022, 240, 150-152.	2.0	1
243	Forel�bige erfaringer med MCMI �" Et sp�rgeskema til wintering af akse 2-kategorier f DSM-III. <i>Nordic Journal of Psychiatry</i> , 1987, 41, 463-467.	0.1	0
244	Psykiatrisk konsulentarbejde ved Studenterr�dgivningen i K�benhavn. <i>Nordic Journal of Psychiatry</i> , 1989, 43, 225-231.	0.1	0
245	Tips: Early detection and treatment of first episode psychosis. <i>Schizophrenia Research</i> , 1998, 29, 159.	2.0	0
246	TC1A DRUG ABUSE IN FIRST EPISODE PSYCHOSIS. A 2-YEAR FOLLOW-UP. <i>Schizophrenia Research</i> , 2006, 86, S24.	2.0	0
247	TC1B DOES EARLY DETECTION REDUCE SUICIDALITY? A 2-YEAR FOLLOW-UP. <i>Schizophrenia Research</i> , 2006, 86, S24.	2.0	0
248	TC1D INFORMATION CAMPAIGNS: THE CRUCIAL ELEMENT IN AN EARLY DETECTION (ED) PROGRAM?. <i>Schizophrenia Research</i> , 2006, 86, S24-S25.	2.0	0
249	O209 IMPLEMENTING PSYCHOEDUCATIONAL MULTIFAMILY GROUP WORK IN A TREATMENT PROGRAM FOR PATIENTS WITH FIRST EPISODE PSYCHOSIS. EXPERIENCES FROM THE TIPS PROJECT. <i>Schizophrenia Research</i> , 2006, 86, S148-S149.	2.0	0
250	O198 PATIENTS RECRUITED BY A DETECTION TEAM. ARE THEY MORE SERIOUSLY ILL? A TWO-YEAR FOLLOW-UP. <i>Schizophrenia Research</i> , 2006, 86, S156.	2.0	0
251	O199 DOES EARLY DETECTION INFLUENCE SERVICE UTILIZATION? A 2-YEAR FOLLOW-UP. <i>Schizophrenia Research</i> , 2006, 86, S156.	2.0	0
252	Introduction 1: Susanne harder and Erik Simonsen. <i>Psychosis</i> , 2009, 1, S1-S1.	0.8	0

#	ARTICLE	IF	CITATIONS
253	DURATION OF UNTREATED PSYCHOSIS, EARLY INTERVENTION AND SYMPTOM DEVELOPMENT IN FIRST-EPIISODE PSYCHOSIS: EXPERIENCES FROM THE TIPS STUDY. Schizophrenia Research, 2010, 117, 151.	2.0	0
254	Response to Amos Letter. American Journal of Psychiatry, 2012, 169, 992-993.	7.2	0
255	Short-term Psychological Interventions for Bordeline Personality Disorderâ€œWhat Works?. European Psychiatry, 2017, 41, S46-S46.	0.2	0
256	Effectiveness of Antipsychotic Medication in the Treatment of BPD. European Psychiatry, 2017, 41, S47-S48.	0.2	0
257	Are Treatment Gains Maintained? Long-term Psychological Interventions for Bordeline Personality Disorder. European Psychiatry, 2017, 41, S47-S47.	0.2	0
258	Impact of socioeconomic position and distance on mental health care utilization by incident users of antidepressants. A Danish nationwide follow-up study. European Psychiatry, 2017, 41, S341-S341.	0.2	0
259	A Danish register-based cohort study on survey data on respondents with symptoms of depression. European Journal of Public Health, 2017, 27, .	0.3	0
260	Probable Post-traumatic Stress Disorder and Self-harming Behaviour: Potential Barriers to Employment?. Community Mental Health Journal, 2018, 54, 823-830.	2.0	0
261	A Tribute to John G. Gunderson: A Pioneer in Promoting Borderline Personality Disorder Research and Treatment. Journal of Personality Disorders, 2019, 33, i-iv.	1.4	0
262	S123. EARLY DETECTION OF PSYCHOSIS: DIAGNOSTIC TRAJECTORIES. Schizophrenia Bulletin, 2020, 46, S82-S82.	4.3	0
263	Patient Perspectives on Co-Therapistsâ€™ Behaviors in Group CBT. Journal of Contemporary Psychotherapy, 0, , 1.	1.2	0