

Erik Simonsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5331506/publications.pdf>

Version: 2024-02-01

263
papers

9,307
citations

44069

48
h-index

53230

85
g-index

280
all docs

280
docs citations

280
times ranked

6996
citing authors

#	ARTICLE	IF	CITATIONS
1	Methylphenidate denied access to the WHO List of Essential Medicines for the second time. <i>BMJ Evidence-Based Medicine</i> , 2023, 28, 75-77.	3.5	4
2	Does one treatment benefit all? Patients'™ experiences of standardized group CBT for anxiety and depression. <i>Current Psychology</i> , 2023, 42, 16815-16829.	2.8	4
3	Mentalizing in Adolescents With and Without Prominent Borderline Features: Validation of the Reflective Functioning Questionnaire for Youths (RFQY) and an Investigation of the Factor Structure of Hypo- and Hypermentalizing. <i>Journal of Personality Assessment</i> , 2023, 105, 475-486.	2.1	3
4	Welfare consequences of early-onset Borderline Personality Disorder: a nationwide register-based case-control study. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 253-260.	4.7	13
5	Investigating personal and clinical recovery processes in people with first episode psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 1102-1111.	1.7	5
6	IMPACHS: Feasibility and acceptability of an m-health solution integrated into routine clinical treatment for psychosis. <i>Schizophrenia Research</i> , 2022, 240, 150-152.	2.0	1
7	Psychotherapies for borderline personality disorder: a focused systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2022, 221, 538-552.	2.8	33
8	Rasch analysis of the structural validity of the anxiety symptom scale in the lolland-falster health study. <i>Journal of Affective Disorders</i> , 2022, 303, 58-63.	4.1	5
9	Control interventions in randomised trials among people with mental health disorders. <i>The Cochrane Library</i> , 2022, 2022, MR000050.	2.8	12
10	Psychosis among the disconnected youth: A systematic review. <i>Cogent Psychology</i> , 2022, 9, .	1.3	5
11	Maladaptive personality traits may link childhood trauma history to current internalizing symptoms. <i>Scandinavian Journal of Psychology</i> , 2022, 63, 468-475.	1.5	5
12	Mentalization-based treatment in groups for adolescents with Borderline Personality Disorder: 3- and 12-month follow-up of a randomized controlled trial. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 699-710.	4.7	22
13	Socioeconomic position and mental health care use before and after first redeemed antidepressant and time until subsequent contact to psychologist or psychiatrists: a nationwide Danish follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 449-462.	3.1	3
14	Dropout from mentalization-based group treatment for adolescents with borderline personality features: A qualitative study. <i>Psychotherapy Research</i> , 2021, 31, 619-631.	1.8	4
15	Music therapy was noninferior to verbal standard treatment of traumatized refugees in mental health care: Results from a randomized clinical trial. <i>HÅrgrre Utbildning</i> , 2021, 12, 1930960.	3.0	9
16	Predictors of dropout among adolescents with borderline personality disorder attending mentalization-based group treatment. <i>Psychotherapy Research</i> , 2021, 31, 950-961.	1.8	10
17	Differences between ICD-11 PTSD and complex PTSD on DSM-5 section III personality traits. <i>HÅrgrre Utbildning</i> , 2021, 12, 1894805.	3.0	10
18	Ego's resiliency in borderline personality disorder and the mediating role of positive and negative affect on its associations with symptom severity and quality of life in daily life. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 939-949.	2.7	2

#	ARTICLE	IF	CITATIONS
19	Development and initial evaluation of the ICD-11 personality disorder severity scale: PDS-ICD-11. <i>Personality and Mental Health</i> , 2021, 15, 223-236.	1.2	45
20	Predictors of criminal offending in a clinical sample of patients diagnosed with schizophrenia: A 6-year follow-up study. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2021, 12, 216-227.	1.3	3
21	Narrative coherence of autobiographical memories in women with borderline personality disorder and associations with childhood adversity. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021, 8, 18.	2.6	3
22	Prediction of Treatment Outcome of Adolescents With Borderline Personality Disorder: A 2-Year Follow-Up Study. <i>Journal of Personality Disorders</i> , 2021, 35, 111-130.	1.4	1
23	External validity of randomized clinical trial studying preventing depressive symptoms following acute coronary syndrome. <i>Brain and Behavior</i> , 2021, 11, e02132.	2.2	3
24	Does Methylphenidate Work in Children and Adolescents with Attention Deficit Hyperactivity Disorder?. <i>Pediatric Reports</i> , 2021, 13, 434-443.	1.3	8
25	Assessment of personality functioning in ICD-11 posttraumatic stress disorder and complex posttraumatic stress disorder. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2021, 12, 466-474.	1.3	10
26	ISSPD: Past, Present, and Future. <i>Journal of Personality Disorders</i> , 2021, , 1-18.	1.4	1
27	Psychological therapies for adolescents with borderline personality disorder (BPD) or BPD features—A systematic review of randomized clinical trials with meta-analysis and Trial Sequential Analysis. <i>PLoS ONE</i> , 2021, 16, e0245331.	2.5	30
28	Patients' and psychiatrists' perspectives on clozapine treatment—a scoping review protocol. <i>BMJ Open</i> , 2021, 11, e054308.	1.9	2
29	Help-Seekers in an Early Detection of Psychosis Service: The Non-cases. <i>Frontiers in Psychiatry</i> , 2021, 12, 778785.	2.6	3
30	Lolland-Falster Health Study: Study protocol for a household-based prospective cohort study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 382-390.	2.3	41
31	Societal Costs of Schizophrenia in Denmark: A Nationwide Matched Controlled Study of Patients and Spouses Before and After Initial Diagnosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 68-77.	4.3	20
32	Socio-economic determinants of participation in the Lolland-Falster health study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2020, 28, 657-664.	1.6	21
33	Psychotherapeutic Treatment of Depressive Symptoms in Patients with Narcissistic Disturbances: A Review. <i>Journal of Contemporary Psychotherapy</i> , 2020, 50, 21-28.	1.2	3
34	Mentalization-based treatment in groups for adolescents with borderline personality disorder: a randomized controlled trial. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020, 61, 594-604.	5.2	47
35	DSM-5 Personality Disorders and Traits in Patients With Severe Health Anxiety. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 108-117.	1.0	7
36	Prevalence and structure of self-other problems in SAPAS screening for personality disorder in a National Sample. <i>Personality and Mental Health</i> , 2020, 14, 175-185.	1.2	8

#	ARTICLE	IF	CITATIONS
37	Therapistsâ€™ Perceptions of Individual Patient Characteristics that May Be Hindering to Group CBT for Anxiety and Depression. <i>Psychiatry (New York)</i> , 2020, 83, 344-357.	0.7	3
38	Multi-family group and single-family intervention in first-episode psychosis: A prospective, quasi-experimental cohort study. <i>Microbial Biotechnology</i> , 2020, 15, 983-992.	1.7	2
39	S123. EARLY DETECTION OF PSYCHOSIS: DIAGNOSTIC TRAJECTORIES. <i>Schizophrenia Bulletin</i> , 2020, 46, S82-S82.	4.3	0
40	Welfare consequences for people diagnosed with attention deficit hyperactivity disorder (ADHD): A matched nationwide study in Denmark. <i>European Neuropsychopharmacology</i> , 2020, 37, 29-38.	0.7	13
41	Burden and Treatment Satisfaction among Caregivers of Adolescents with Borderline Personality Disorder. <i>Family Process</i> , 2020, 60, 772-787.	2.6	11
42	Psychological therapies for people with borderline personality disorder. <i>The Cochrane Library</i> , 2020, 2020, CD012955.	2.8	158
43	Perfectionism, Shame, and Aggression in Depressive Patients With Narcissistic Personality Disorder. <i>Journal of Personality Disorders</i> , 2020, 34, 25-41.	1.4	19
44	Structure of clinician-reported ICD-11 personality disorder trait qualifiers.. <i>Psychological Assessment</i> , 2020, 32, 50-59.	1.5	35
45	Associations of positive and negative emotions with ego-resiliency and quality of life in borderline personality disorder: A daily diary study.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2020, 11, 13-23.	1.3	8
46	Women With Borderline Personality Disorder Show Reduced Identification of Emotional Facial Expressions and a Heightened Negativity Bias. <i>Journal of Personality Disorders</i> , 2020, 34, 677-698.	1.4	12
47	Mobile App Integration Into Dialectical Behavior Therapy for Persons With Borderline Personality Disorder: Qualitative and Quantitative Study. <i>JMIR Mental Health</i> , 2020, 7, e14913.	3.3	15
48	Attachment as a Core Feature of Resilience: A Systematic Review and Meta-Analysis. <i>Psychological Reports</i> , 2019, 122, 1259-1296.	1.7	85
49	A Tribute to John G. Gunderson: A Pioneer in Promoting Borderline Personality Disorder Research and Treatment. <i>Journal of Personality Disorders</i> , 2019, 33, i-iv.	1.4	0
50	Parsing the impact of early detection on duration of untreated psychosis (DUP): Applying quantile regression to data from the Scandinavian TIPS study. <i>Schizophrenia Research</i> , 2019, 210, 128-134.	2.0	15
51	Early Substance Use Cessation Improves Cognitionâ€™10 Years Outcome in First-Episode Psychosis Patients. <i>Frontiers in Psychiatry</i> , 2019, 10, 495.	2.6	6
52	Societal costs of Borderline Personality Disorders: a matched-controlled nationwide study of patients and spouses. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 458-467.	4.5	54
53	Characterological depression in patients with narcissistic personality disorder. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 539-545.	1.3	4
54	The effect of melatonin on depressive symptoms and anxiety in patients after acute coronary syndrome: The MEDACIS randomized clinical trial. <i>Journal of Psychiatric Research</i> , 2019, 119, 84-94.	3.1	11

#	ARTICLE	IF	CITATIONS
55	Measuring Psychotic-Like Experiences in the General Population. <i>Psychopathology</i> , 2019, 52, 240-247.	1.5	14
56	Attachment Representations in Mothers and Their Children Diagnosed with ADHD: Distribution, Transmission and Impact on Treatment Outcome. <i>Journal of Child and Family Studies</i> , 2019, 28, 1018-1028.	1.3	12
57	Mental health professionals' perceived clinical utility of the <i>ICD-10</i> vs. <i>ICD-11</i> classification of personality disorders. <i>Personality and Mental Health</i> , 2019, 13, 84-95.	1.2	37
58	Are perceived barriers to accessing mental healthcare associated with socioeconomic position among individuals with symptoms of depression? Questionnaire-results from the Lolland-Falster Health Study, a rural Danish population study. <i>BMJ Open</i> , 2019, 9, e023844.	1.9	18
59	Metacognitive capacity and negative symptoms in first episode psychosis: Evidence of a prospective relationship over a 3-year follow-up. <i>Journal of Experimental Psychopathology</i> , 2019, 10, 204380871882157.	0.8	26
60	Methodological advantages and disadvantages of parallel and crossover randomised clinical trials on methylphenidate for attention deficit hyperactivity disorder: a systematic review and meta-analyses. <i>BMJ Open</i> , 2019, 9, e026478.	1.9	13
61	Social skills training for attention deficit hyperactivity disorder (ADHD) in children aged 5 to 18 years. <i>The Cochrane Library</i> , 2019, 2019, CD008223.	2.8	54
62	Personality and Psychopathology in Patients With Mixed Sensory-Motor Functional Neurological Disorder (Conversion Disorder). <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 546-554.	1.0	4
63	Assessing psychosis in the general population: Self-rated versus clinician-rated. <i>Schizophrenia Research</i> , 2019, 206, 446-447.	2.0	5
64	Does childhood trauma predict poorer metacognitive abilities in people with first-episode psychosis?. <i>Psychiatry Research</i> , 2019, 273, 163-170.	3.3	10
65	Personality Pathology and Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 1180-1184.	4.3	24
66	Structure of DSM-5 and ICD-11 personality domains in Iranian community sample. <i>Personality and Mental Health</i> , 2018, 12, 155-169.	1.2	45
67	The effect of implementation of an early detection team: A nationwide register-based study of characteristics and help-seeking behavior in first-episode schizophrenia in Denmark. <i>Schizophrenia Research</i> , 2018, 201, 337-342.	2.0	7
68	Important first encounter: Service user experience of pathways to care and early detection in first-episode psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 169-176.	1.7	13
69	Relation between premorbid adjustment, duration of untreated psychosis and close interpersonal trauma in first-episode psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 316-323.	1.7	26
70	Feasibility of trauma-focused Guided Imagery and Music with adult refugees diagnosed with PTSD: A pilot study. <i>Nordic Journal of Music Therapy</i> , 2018, 27, 67-86.	1.1	24
71	Personality Inventory for <i>DSM-5</i> (PID-5) in Clinical Versus Nonclinical Individuals: Generalizability of Psychometric Features. <i>Assessment</i> , 2018, 25, 815-825.	3.1	47
72	Determinants of duration of untreated psychosis among first-episode psychosis patients in Denmark: A nationwide register-based study. <i>Schizophrenia Research</i> , 2018, 192, 154-158.	2.0	16

#	ARTICLE	IF	CITATIONS
73	Is going into stable symptomatic remission associated with a more positive development of life satisfaction? A 10-year follow-up study of first episode psychosis. <i>Schizophrenia Research</i> , 2018, 193, 364-369.	2.0	8
74	Drug-related predictors of readmission for schizophrenia among patients admitted to treatment for drug use disorders. <i>Schizophrenia Research</i> , 2018, 195, 495-500.	2.0	14
75	ICD-11 and DSM-5 personality trait domains capture categorical personality disorders: Finding a common ground. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 425-434.	2.3	78
76	A 10-year follow-up study of violent victimization in first episode psychosis: Risk and protective factors. <i>Psychiatry Research</i> , 2018, 259, 545-549.	3.3	9
77	Socioeconomic position, symptoms of depression and subsequent mental healthcare treatment: a Danish register-based 6-month follow-up study on a population survey. <i>BMJ Open</i> , 2018, 8, e020945.	1.9	14
78	Unbalanced risk-benefit analysis of ADHD drugs. <i>Lancet Psychiatry</i> , 2018, 5, 870.	7.4	4
79	Childhood ADHD and treatment outcome: the role of maternal functioning. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2018, 12, 31.	2.5	8
80	Depression and functioning are important to subjective quality of life after a first episode psychosis. <i>Comprehensive Psychiatry</i> , 2018, 86, 107-114.	3.1	6
81	The Jury Is Still Out on the Benefits and Harms of Methylphenidate for Children and Adolescents With Attention-Deficit/Hyperactivity Disorder. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 606-609.	4.7	15
82	Music therapy versus treatment as usual for refugees diagnosed with posttraumatic stress disorder (PTSD): study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 301.	1.6	19
83	Probable Post-traumatic Stress Disorder and Self-harming Behaviour: Potential Barriers to Employment?. <i>Community Mental Health Journal</i> , 2018, 54, 823-830.	2.0	0
84	Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents - assessment of adverse events in non-randomised studies. <i>The Cochrane Library</i> , 2018, 5, CD012069.	2.8	185
85	Hallucinations and other psychotic symptoms in response to methylphenidate in children and adolescents with attention-deficit/hyperactivity disorder: a Cochrane systematic review with meta-analysis and trial sequential analysis. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2018, 6, 52-71.	0.6	10
86	Feasibility Study of Group Cognitive Behavioral Therapy for Severe Health Anxiety. <i>Journal of Cognitive Psychotherapy</i> , 2018, 32, 223-240.	0.4	1
87	Changes in Neurocognitive Functioning After 6 Months of Mentalization-Based Treatment for Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 2017, 31, 306-324.	1.4	9
88	Continuity between interview-rated personality disorders and self-reported DSM-5 traits in a Danish psychiatric sample. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017, 8, 261-267.	1.3	32
89	First empirical evaluation of outcomes for mentalization-based group therapy for adolescents with BPD. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017, 8, 396-401.	1.3	90
90	The effect of Melatonin on Depressive symptoms, Anxiety, Circadian and Sleep disturbances in patients after acute coronary syndrome (MEDACIS): study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 81.	1.6	19

#	ARTICLE	IF	CITATIONS
91	Metacognitive mastery in persons with first-episode psychosis and their caregivers: Implications for timely help-seeking and caregiver experiences. Brief report. <i>Psychiatry Research</i> , 2017, 251, 54-57.	3.3	2
92	The neurobiology of social deficits in female patients with borderline personality disorder: The importance of oxytocin. <i>Personality and Mental Health</i> , 2017, 11, 91-100.	1.2	9
93	Causes and predictors of premature death in first-episode schizophrenia spectrum disorders. <i>World Psychiatry</i> , 2017, 16, 217-218.	10.4	21
94	Deriving ICD-11 personality disorder domains from DSM-5 traits: initial attempt to harmonize two diagnostic systems. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 108-117.	4.5	93
95	The Effect of Substance Use on 10-Year Outcome in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 843-851.	4.3	55
96	Impact of socioeconomic position and distance on mental health care utilization: a nationwide Danish follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1405-1413.	3.1	48
97	Prophylactic antidepressant treatment following acute coronary syndrome: A systematic review of randomized controlled trials. <i>Journal of Psychiatric Research</i> , 2017, 94, 186-193.	3.1	7
98	Short-term Psychological Interventions for Borderline Personality Disorder – What Works?. <i>European Psychiatry</i> , 2017, 41, S46-S46.	0.2	0
99	Effectiveness of Antipsychotic Medication in the Treatment of BPD. <i>European Psychiatry</i> , 2017, 41, S47-S48.	0.2	0
100	Are Treatment Gains Maintained? Long-term Psychological Interventions for Borderline Personality Disorder. <i>European Psychiatry</i> , 2017, 41, S47-S47.	0.2	0
101	Impact of socioeconomic position and distance on mental health care utilization by incident users of antidepressants. A Danish nationwide follow-up study. <i>European Psychiatry</i> , 2017, 41, S341-S341.	0.2	0
102	Hypermentalizing, attachment, and epistemic trust in adolescent BPD: Clinical illustrations.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017, 8, 172-182.	1.3	71
103	Preventing Poor Vocational Functioning in Psychosis Through Early Intervention. <i>Psychiatric Services</i> , 2017, 68, 100-103.	2.0	7
104	Neurocognitive Deficits in Borderline Personality Disorder: Associations With Childhood Trauma and Dimensions of Personality Psychopathology. <i>Journal of Personality Disorders</i> , 2017, 31, 503-521.	1.4	28
105	Psychological Flexibility as a Buffer against Caregiver Distress in Families with Psychosis. <i>Frontiers in Psychology</i> , 2017, 8, 1625.	2.1	20
106	The mediating role of mentalizing capacity between parents and peer attachment and adolescent borderline personality disorder. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2017, 4, 23.	2.6	9
107	A Danish register-based cohort study on survey data on respondents with symptoms of depression. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
108	The Young Schema Questionnaire 3 Short Form (YSQ-S3). <i>European Journal of Psychological Assessment</i> , 2017, 33, 134-143.	3.0	55

#	ARTICLE	IF	CITATIONS
109	Gastrointestinal adverse events during methylphenidate treatment of children and adolescents with attention deficit hyperactivity disorder: A systematic review with meta-analysis and Trial Sequential Analysis of randomised clinical trials. PLoS ONE, 2017, 12, e0178187.	2.5	34
110	Methylphenidate for children and adolescents with attention deficit hyperactivity disorder (ADHD). The Cochrane Library, 2016, 2016, CD009885.	2.8	203
111	Neurocognition and Duration of Psychosis: A 10-year Follow-up of First-Episode Patients. Schizophrenia Bulletin, 2016, 42, sbv083.	4.3	77
112	Evidence on methylphenidate in children and adolescents with ADHD is in fact of "very low quality". Evidence-Based Mental Health, 2016, 19, 100-102.	4.5	9
113	Assessment of personality-related levels of functioning: a pilot study of clinical assessment of the DSM-5 level of personality functioning based on a semi-structured interview. BMC Psychiatry, 2016, 16, 298.	2.6	31
114	Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents - assessment of harmful effects in non-randomised studies. The Cochrane Library, 2016, , .	2.8	4
115	Metacognition in first-episode psychosis and its association with positive and negative symptom profiles. Psychiatry Research, 2016, 238, 14-23.	3.3	45
116	The evidence base of methylphenidate for children and adolescents with attention-deficit hyperactivity disorder is in fact flawed. European Child and Adolescent Psychiatry, 2016, 25, 1037-1038.	4.7	9
117	Methylphenidate for Attention-Deficit/Hyperactivity Disorder in Children and Adolescents. JAMA - Journal of the American Medical Association, 2016, 315, 2009.	7.4	32
118	Methylphenidate for Attention-Deficit/Hyperactivity Disorder"Reply. JAMA - Journal of the American Medical Association, 2016, 316, 995.	7.4	8
119	Utility of DSM-5 section III personality traits in differentiating borderline personality disorder from comparison groups. European Psychiatry, 2016, 37, 22-27.	0.2	28
120	Mentalization-based treatment in groups for adolescents with borderline personality disorder (BPD) or subthreshold BPD versus treatment as usual (M-GAB): study protocol for a randomized controlled trial. Trials, 2016, 17, 314.	1.6	28
121	The alternative DSM-5 personality disorder traits criterion: A comparative examination of three self-report forms in a Danish population.. Personality Disorders: Theory, Research, and Treatment, 2016, 7, 124-135.	1.3	88
122	The Experience of Childhood Trauma and Its Influence on the Course of Illness in First-Episode Psychosis. Journal of Nervous and Mental Disease, 2016, 204, 210-216.	1.0	15
123	Depressive symptoms in first-episode psychosis: a 10-year follow-up study. Microbial Biotechnology, 2016, 10, 227-233.	1.7	35
124	Childhood adversities: Social support, premorbid functioning and social outcome in first-episode psychosis and a matched case-control group. Australian and New Zealand Journal of Psychiatry, 2016, 50, 770-782.	2.3	33
125	Subjective quality of life in first-episode psychosis. A ten year follow-up study. Schizophrenia Research, 2016, 172, 23-28.	2.0	56
126	Early Predictors of Ten-Year Course in First-Episode Psychosis. Psychiatric Services, 2016, 67, 438-443.	2.0	47

#	ARTICLE	IF	CITATIONS
127	Reliability and Hierarchical Structure of DSM-5 Pathological Traits in a Danish Mixed Sample. <i>Journal of Personality Disorders</i> , 2016, 30, 112-129.	1.4	40
128	The Association Between ADHD and Antisocial Personality Disorder (ASPD). <i>Journal of Attention Disorders</i> , 2016, 20, 815-824.	2.6	74
129	How Do DSM-5 Personality Traits Align With Schema Therapy Constructs?. <i>Journal of Personality Disorders</i> , 2016, 30, 502-529.	1.4	40
130	Association Between Insecure Attachment and ADHD. <i>Journal of Attention Disorders</i> , 2016, 20, 187-196.	2.6	57
131	Response to "Trust, but verify" by Banaschewski et al.. <i>Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , 2016, 44, 334-335.	0.7	6
132	Wellbeing and resilience: mechanisms of transmission of health and risk in parents with complex mental health problems and their offspring – The WARM Study. <i>BMC Psychiatry</i> , 2015, 15, 310.	2.6	16
133	The Role of Metacognitions in Expressed Emotion and Distress: A Study on Caregivers of Persons with First-Episode Psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2015, 22, 525-532.	2.7	14
134	Methylphenidate for attention-deficit/hyperactivity disorder in children and adolescents: Cochrane systematic review with meta-analyses and trial sequential analyses of randomised clinical trials. <i>BMJ</i> , The, 2015, 351, h5203.	6.0	154
135	Attachment Competences in Children With ADHD During the Social-Skills Training and Attachment (SOSTRA) Randomized Clinical Trial. <i>Journal of Attention Disorders</i> , 2015, 19, 865-871.	2.6	22
136	Service User Perspectives on the Experience of Illness and Pathway to Care in First-Episode Psychosis: A Qualitative Study Within the TOP Project. <i>Psychiatric Quarterly</i> , 2015, 86, 83-94.	2.1	28
137	Caregiver distress in first-episode psychosis: the role of subjective appraisal, over-involvement and symptomatology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 371-378.	3.1	30
138	Autobiographical memory in borderline personality disorder – A systematic review. <i>Personality and Mental Health</i> , 2015, 9, 162-171.	1.2	12
139	Clinical Utility of the DSM-5 Alternative Model of Personality Disorders. <i>Journal of Psychiatric Practice</i> , 2015, 21, 3-25.	0.7	62
140	Millon's Contributions to the International Society for the Study of Personality Disorders (ISSPD). <i>Journal of Personality Assessment</i> , 2015, 97, 591-596.	2.1	6
141	Childhood adversity specificity and dose-response effect in non-affective first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 165, 52-59.	2.0	94
142	Severity and persistence versus type of childhood adversity in non-affective first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 168, 573-574.	2.0	1
143	10 year course of IQ in first-episode psychosis: Relationship between duration of psychosis and long-term intellectual trajectories. <i>Psychiatry Research</i> , 2015, 225, 515-521.	3.3	19
144	Personality Disorders in Adolescence: Introduction to the Special Issue. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2015, 3, 1-4.	0.6	4

#	ARTICLE	IF	CITATIONS
145	Incidence and prevalence rates of personality disorders in Denmark – A register study. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 543-548.	1.3	24
146	Third-wave cognitive therapy versus mentalisation-based treatment for major depressive disorder: a randomised clinical trial. <i>BMJ Open</i> , 2014, 4, e004903-e004903.	1.9	11
147	Positive and negative caregiver experiences in first-episode psychosis: Emotional overinvolvement, wellbeing and metacognition. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014, 87, 298-310.	2.5	27
148	Current Trends in Research and Clinical Issues in the Study of Personality and Its Disorders: A Survey of the Presentations at the ISSPD Anniversary Congress. <i>Journal of Personality Disorders</i> , 2014, 28, 629-636.	1.4	2
149	Variation in duration of untreated psychosis in an 18-year perspective. <i>Microbial Biotechnology</i> , 2014, 8, 323-331.	1.7	6
150	Treatment and violent behavior in persons with first episode psychosis during a 10-year prospective follow-up study. <i>Schizophrenia Research</i> , 2014, 156, 272-276.	2.0	42
151	Similarities and differences in borderline and organic personality disorder. <i>Cognitive Neuropsychiatry</i> , 2014, 19, 1-16.	1.3	4
152	Contemporary Directions in Theories and Psychotherapeutic Strategies in Treatment of Personality Disorders: Relation to Level of Personality Functioning. <i>Journal of Contemporary Psychotherapy</i> , 2014, 44, 141-148.	1.2	4
153	Studies of Personality Disorders: Past, Present, and Future in Recognition of ISSPD's 25th Anniversary. <i>Journal of Personality Disorders</i> , 2014, 28, 611-628.	1.4	4
154	Theodore Millon. <i>Journal of Personality Disorders</i> , 2014, 28, iii-iv.	1.4	1
155	Is ADHD an early stage in the development of borderline personality disorder?. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 289-295.	1.3	42
156	Personality Disorder in Childhood and Adolescence comes of Age: a Review of the Current Evidence and Prospects for Future Research. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2014, 3, 31-48.	0.6	40
157	Assessment of the Affective Dimensions of Psychopathy with the Danish version of the Inventory of Callous-Unemotional Traits among Incarcerated Boys: A study of Reliability, Criterion Validity, and Construct Validity. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2014, 3, 80-96.	0.6	8
158	Early detection, early symptom progression and symptomatic remission after ten years in a first episode of psychosis study. <i>Schizophrenia Research</i> , 2013, 143, 337-343.	2.0	41
159	Neurocognitive development in first episode psychosis 5years follow-up: Associations between illness severity and cognitive course. <i>Schizophrenia Research</i> , 2013, 149, 63-69.	2.0	41
160	The role of co-morbid personality pathology in predicting self-reported aggression in patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2013, 54, 423-431.	3.1	11
161	Subtypes of aggression in patients with schizophrenia: The role of personality disorders. <i>Criminal Behaviour and Mental Health</i> , 2013, 23, 124-137.	0.8	27
162	Subtypes of aggression in patients with schizophrenia: the role of psychopathy. <i>Journal of Forensic Psychiatry and Psychology</i> , 2013, 24, 496-513.	1.0	14

#	ARTICLE	IF	CITATIONS
163	Is there an optimal factor structure of the Positive and Negative Syndrome Scale in patients with first-episode psychosis?. <i>Scandinavian Journal of Psychology</i> , 2013, 54, 160-165.	1.5	51
164	Cost-effectiveness of early intervention in first-episode psychosis: economic evaluation of a randomised controlled trial (the OPUS study). <i>British Journal of Psychiatry</i> , 2013, 202, 35-41.	2.8	106
165	Ten year neurocognitive trajectories in first-episode psychosis. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 643.	2.0	55
166	The TIPS study and bias: Replies to Dr Amos. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 905-907.	2.3	2
167	Long-Term Follow-Up of the TIPS Early Detection in Psychosis Study: Effects on 10-Year Outcome. <i>American Journal of Psychiatry</i> , 2012, 169, 374-380.	7.2	262
168	Patient satisfaction with treatment in first-episode psychosis. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 329-335.	1.3	11
169	Perspective: Celebrating the 25th Anniversary of the International Society for the Study of Personality Disorders. <i>Journal of Personality Disorders</i> , 2012, 26, i-iii.	1.4	2
170	Response to Amos Letter. <i>American Journal of Psychiatry</i> , 2012, 169, 992-993.	7.2	0
171	Effects of cognitive therapy versus interpersonal psychotherapy in patients with major depressive disorder: a systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. <i>Psychological Medicine</i> , 2012, 42, 1343-1357.	4.5	49
172	A comparison of adolescent- and adult-onset first-episode, non-affective psychosis: 2-year follow-up. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 599-605.	3.2	25
173	Apathy in first episode psychosis patients: A ten year longitudinal follow-up study. <i>Schizophrenia Research</i> , 2012, 136, 19-24.	2.0	67
174	Flat affect and social functioning: A 10year follow-up study of first episode psychosis patients. <i>Schizophrenia Research</i> , 2012, 139, 99-104.	2.0	45
175	Third wave™ cognitive therapy versus mentalization-based therapy for major depressive disorder. A protocol for a randomised clinical trial. <i>BMC Psychiatry</i> , 2012, 12, 232.	2.6	5
176	Screening for personality disorder in incarcerated adolescent boys: preliminary validation of an adolescent version of the standardised assessment of personality abbreviated scale (SAPAS-AV). <i>BMC Psychiatry</i> , 2012, 12, 94.	2.6	28
177	Social-Skills and Parental Training plus Standard Treatment versus Standard Treatment for Children with ADHD – The Randomised SOSTRA Trial. <i>PLoS ONE</i> , 2012, 7, e37280.	2.5	26
178	Culture and diagnosis: Considering avoidant personality disorder: A commentary on the case by Toshimasa Maruta et al. <i>Personality and Mental Health</i> , 2012, 6, 271-272.	1.2	1
179	The effect of adding psychodynamic therapy to antidepressants in patients with major depressive disorder. A systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. <i>Journal of Affective Disorders</i> , 2012, 137, 4-14.	4.1	21
180	Early Detection in Psychosis: 5 year Outcome in the Scandinavian Tips-Study. <i>European Psychiatry</i> , 2011, 26, 2010-2010.	0.2	1

#	ARTICLE	IF	CITATIONS
181	Social skills training for Attention Deficit Hyperactivity Disorder (ADHD) in children aged 5 to 18 years. The Cochrane Library, 2011, , CD008223.	2.8	71
182	Randomised social-skills training and parental training plus standard treatment versus standard treatment of children with attention deficit hyperactivity disorder - The SOSTRA trial protocol. Trials, 2011, 12, 18.	1.6	12
183	Risk factors for violence among patients with schizophrenia. Clinical Psychology Review, 2011, 31, 711-726.	11.4	157
184	Neurocognition and occupational functioning in patients with first-episode psychosis: A 2-year follow-up study. Psychiatry Research, 2011, 188, 334-342.	3.3	41
185	The Effects of Cognitive Therapy Versus "Treatment as Usual"™ in Patients with Major Depressive Disorder. PLoS ONE, 2011, 6, e22890.	2.5	20
186	The Effect of Interpersonal Psychotherapy and other Psychodynamic Therapies versus "Treatment as Usual"™ in Patients with Major Depressive Disorder. PLoS ONE, 2011, 6, e19044.	2.5	14
187	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course and health service use during 5 years. Microbial Biotechnology, 2011, 5, 70-75.	1.7	10
188	A clinician's view of the proposed changes. Personality and Mental Health, 2011, 5, 286-295.	1.2	5
189	Contrasting Monosymptomatic Patients with Hallucinations and Delusions in First-Episode Psychosis Patients: A Five-Year Longitudinal Follow-Up Study. Psychopathology, 2011, 44, 90-97.	1.5	14
190	Early detection of psychosis: positive effects on 5-year outcome. Psychological Medicine, 2011, 41, 1461-1469.	4.5	126
191	The Effects of Cognitive Therapy versus "No Intervention"™ for Major Depressive Disorder. PLoS ONE, 2011, 6, e28299.	2.5	28
192	The Development of Subjective Quality of Life Over the First 2 Years in First-Episode Psychosis. Journal of Nervous and Mental Disease, 2010, 198, 864-869.	1.0	21
193	A 2-year follow-up of involuntary admission™s influence upon adherence and outcome in first-episode psychosis. Acta Psychiatrica Scandinavica, 2010, 121, 371-376.	4.5	53
194	Are multi family groups appropriate for patients with first episode psychosis? A 5-year naturalistic follow-up study. Acta Psychiatrica Scandinavica, 2010, 122, 384-394.	4.5	19
195	Early identification of non-remission in first-episode psychosis in a two-year outcome study. Acta Psychiatrica Scandinavica, 2010, 122, 375-383.	4.5	40
196	Personality disorder: a new global perspective. World Psychiatry, 2010, 9, 56-60.	10.4	82
197	Course and Predictors of Suicidality Over the First Two Years of Treatment in First-Episode Schizophrenia Spectrum Psychosis. Archives of Suicide Research, 2010, 14, 158-170.	2.3	39
198	Empirical Evidence for a Four Factor Framework of Personality Disorder Organization: Multigroup Confirmatory Factor Analysis of the Millon Clinical Multiaxial Inventory™III Personality Disorder Scales Across Belgian and Danish Data Samples. Journal of Personality Disorders, 2010, 24, 128-150.	1.4	25

#	ARTICLE	IF	CITATIONS
199	DURATION OF UNTREATED PSYCHOSIS, EARLY INTERVENTION AND SYMPTOM DEVELOPMENT IN FIRST-EPISEDE PSYCHOSIS: EXPERIENCES FROM THE TIPS STUDY. <i>Schizophrenia Research</i> , 2010, 117, 151.	2.0	0
200	The Danish DAPP-BQ: Reliability, Factor Structure, and Convergence With SCID-II and IIP-C. <i>Journal of Personality Disorders</i> , 2009, 23, 629-646.	1.4	14
201	Introduction 1: Susanne harder and Erik Simonsen. <i>Psychosis</i> , 2009, 1, S1-S1.	0.8	0
202	WPA ISSPD Educational Program: Module II. Advances in research and understanding of personality disorders. <i>Personality and Mental Health</i> , 2009, 3, 1-11.	1.2	2
203	Baseline profiles of adolescent vs. adult onset first episode psychosis in an early detection program. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 494-500.	4.5	79
204	Stability of medication in early psychosis: a comparison between second generation and low dose first generation antipsychotics. <i>Microbial Biotechnology</i> , 2009, 3, 58-65.	1.7	21
205	Treatment of obsessive compulsive disorder in the context of an avoidant personality disorder. <i>Personality and Mental Health</i> , 2008, 2, 104-109.	1.2	3
206	Personality disorders in first episode psychosis. <i>Personality and Mental Health</i> , 2008, 2, 230-239.	1.2	18
207	First-Episode Psychosis: Diagnostic Stability over One and Two Years. <i>Psychopathology</i> , 2008, 41, 322-329.	1.5	79
208	Prevention of Negative Symptom Psychopathologies in First-Episode Schizophrenia. <i>Archives of General Psychiatry</i> , 2008, 65, 634.	12.3	163
209	A synopsis of the WPA Educational Program on Personality Disorders. <i>World Psychiatry</i> , 2008, 7, 119-125.	10.4	9
210	Innovations: Psychoeducation: Multifamily Group Treatment in a Program for Patients With First-Episode Psychosis: Experiences From the TIPS Project. <i>Psychiatric Services</i> , 2007, 58, 171-173.	2.0	23
211	The Key to Reducing Duration of Untreated First Psychosis: Information Campaigns. <i>Schizophrenia Bulletin</i> , 2007, 34, 466-472.	4.3	169
212	One-year effect of changing duration of untreated psychosis in a single catchment area. <i>British Journal of Psychiatry</i> , 2007, 191, s128-s132.	2.8	15
213	The course of neurocognitive functioning in first-episode psychosis and its relation to premorbid adjustment, duration of untreated psychosis, and relapse. <i>Schizophrenia Research</i> , 2007, 91, 132-140.	2.0	122
214	The impact of personality and personality disorders on the treatment of depression. <i>Personality and Mental Health</i> , 2007, 1, 161-175.	1.2	9
215	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course, outcome and health service use during first 2 years. <i>Microbial Biotechnology</i> , 2007, 1, 40-48.	1.7	12
216	Effects on referral patterns of reducing intensive informational campaigns about first episode psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 340-345.	1.7	11

#	ARTICLE	IF	CITATIONS
217	Clinical epidemiologic first-episode psychosis: 1-year outcome and predictors. Acta Psychiatrica Scandinavica, 2007, 116, 54-61.	4.5	69
218	Innovations: Psychoeducation: Multifamily Group Treatment in a Program for Patients With First-Episode Psychosis: Experiences From the TIPS Project. Psychiatric Services, 2007, 58, 171-173.	2.0	6
219	TC1A DRUG ABUSE IN FIRST EPISODE PSYCHOSIS. A 2-YEAR FOLLOW-UP. Schizophrenia Research, 2006, 86, S24.	2.0	0
220	TC1B DOES EARLY DETECTION REDUCE SUICIDALITY? A 2-YEAR FOLLOW-UP. Schizophrenia Research, 2006, 86, S24.	2.0	0
221	TC1D INFORMATION CAMPAIGNS: THE CRUCIAL ELEMENT IN AN EARLY DETECTION (ED) PROGRAM?. Schizophrenia Research, 2006, 86, S24-S25.	2.0	0
222	O209 IMPLEMENTING PSYCHOEDUCATIONAL MULTIFAMILY GROUP WORK IN A TREATMENT PROGRAM FOR PATIENTS WITH FIRST EPISODE PSYCHOSIS. EXPERIENCES FROM THE TIPS PROJECT. Schizophrenia Research, 2006, 86, S148-S149.	2.0	0
223	O191 TWO YEAR OUTCOME AND PREDICTORS IN FIRST EPISODE PSYCHOSIS. Schizophrenia Research, 2006, 86, S155-S156.	2.0	1
224	O198 PATIENTS RECRUITED BY A DETECTION TEAM. ARE THEY MORE SERIOUSLY ILL? A TWO-YEAR FOLLOW-UP. Schizophrenia Research, 2006, 86, S156.	2.0	0
225	O199 DOES EARLY DETECTION INFLUENCE SERVICE UTILIZATION? A 2-YEAR FOLLOW-UP. Schizophrenia Research, 2006, 86, S156.	2.0	0
226	Substance abuse in first-episode non-affective psychosis. Schizophrenia Research, 2006, 88, 55-62.	2.0	84
227	Early Detection of the First Episode of Schizophrenia and Suicidal Behavior. American Journal of Psychiatry, 2006, 163, 800-804.	7.2	186
228	Early Detection of the First Episode of Schizophrenia and Suicidal Behavior. American Journal of Psychiatry, 2006, 163, 800.	7.2	45
229	Introduction to "Early psychosis: abridge to the future"™. British Journal of Psychiatry, 2005, 187, s1-s3.	2.8	23
230	Introduction to the Special Section: The American Psychiatric Association's Research Agenda for the DSM-IV. Journal of Personality Disorders, 2005, 19, 103-109.	1.4	48
231	Effect of an early detection programme on duration of untreated psychosis. British Journal of Psychiatry, 2005, 187, s29-s32.	2.8	43
232	Personality Disorder Research Agenda for the DSM-IV. Journal of Personality Disorders, 2005, 19, 315-338.	1.4	203
233	Reducing the duration of untreated first-episode psychosis - effects on baseline social functioning and quality of life. Acta Psychiatrica Scandinavica, 2005, 112, 469-473.	4.5	55
234	Introduction to Part Two of the Special Section on the Research Agenda for the Development of a Dimensional Classification of Personality Disorder. Journal of Personality Disorders, 2005, 19, 211-211.	1.4	5

#	ARTICLE	IF	CITATIONS
235	Pathways to care for first-episode psychosis in an early detection healthcare sector. <i>British Journal of Psychiatry</i> , 2005, 187, s24-s28.	2.8	56
236	Early Detection of First-Episode Psychosis: The Effect on 1-Year Outcome. <i>Schizophrenia Bulletin</i> , 2005, 32, 758-764.	4.3	90
237	Alternative Dimensional Models of Personality Disorder: Finding a Common Ground. <i>Journal of Personality Disorders</i> , 2005, 19, 110-130.	1.4	560
238	Measuring quality of life in first-episode psychosis. <i>European Psychiatry</i> , 2005, 20, 474-483.	0.2	43
239	Walking pattern in adults with congenital hip dysplasia 14 women examined by inverse dynamics. <i>Acta Orthopaedica</i> , 2004, 75, 2-9.	1.4	48
240	Neurocognitive Dysfunction in First-Episode Psychosis: Correlates With Symptoms, Premorbid Adjustment, and Duration of Untreated Psychosis. <i>American Journal of Psychiatry</i> , 2004, 161, 466-472.	7.2	158
241	Premorbid adjustment in first-episode non-affective psychosis: Distinct patterns of pre-onset course. <i>British Journal of Psychiatry</i> , 2004, 185, 108-115.	2.8	140
242	Reducing the Duration of Untreated First-Episode Psychosis. <i>Archives of General Psychiatry</i> , 2004, 61, 143.	12.3	384
243	Does duration of untreated psychosis bias study samples of first-episode psychosis?. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 286-291.	4.5	42
244	Methodological pitfalls in early detection studies – the NAPE Lecture 2002. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 3-9.	4.5	81
245	Personality disorder in psychiatric practice. <i>World Psychiatry</i> , 2003, 2, 41-4.	10.4	3
246	Early detection strategies for untreated first-episode psychosis. <i>Schizophrenia Research</i> , 2001, 51, 39-46.	2.0	208
247	Shortened Duration of Untreated First Episode of Psychosis: Changes in Patient Characteristics at Treatment. <i>American Journal of Psychiatry</i> , 2001, 158, 1917-1919.	7.2	151
248	Early detection and intervention in first-episode schizophrenia: a critical review. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 323-334.	4.5	177
249	Tips: Early detection and treatment of first episode psychosis. <i>Schizophrenia Research</i> , 1998, 29, 159.	2.0	0
250	The borderline conditions – an introduction from a Scandinavian perspective. <i>Acta Psychiatrica Scandinavica</i> , 1994, 89, 6-11.	4.5	2
251	Personality Research in Denmark. <i>Journal of Personality Disorders</i> , 1993, 7, 187-195.	1.4	3
252	MBHI hos patienter med kroniske rygmerter. <i>Nordic Journal of Psychiatry</i> , 1991, 45, 17-21.	0.1	2

#	ARTICLE	IF	CITATIONS
253	Difficulties in Translation of Personality Scales. <i>Journal of Personality Disorders</i> , 1990, 4, 290-296.	1.4	19
254	Psychometric properties of the Danish MCMI-I translation. <i>Scandinavian Journal of Psychology</i> , 1990, 31, 149-153.	1.5	6
255	Psykiatrisk konsulentarbejde ved StudenterrÅdsgivningen i KÅbenhavn. <i>Nordic Journal of Psychiatry</i> , 1989, 43, 225-231.	0.1	0
256	Trends in the Use of the Borderline Diagnosis in Denmark From 1975 to 1985. <i>Journal of Personality Disorders</i> , 1988, 2, 102-108.	1.4	10
257	ForelÅbige erfaringer med MCMI â€” Et spÅrgeskema til wintering af akse 2-kategorier f DSM-III. <i>Nordic Journal of Psychiatry</i> , 1987, 41, 463-467.	0.1	0
258	Evaluering af et gruppeterapiforløb bedømt ud fra MMPI og interview. <i>Nordic Journal of Psychiatry</i> , 1985, 39, 455-462.	0.1	1
259	Pharmacological interventions for people with borderline personality disorder. <i>The Cochrane Library</i> , 0, , .	2.8	7
260	Psychological therapies for people with borderline personality disorder. <i>The Cochrane Library</i> , 0, , .	2.8	19
261	Placebo, usual care and wait-list interventions for all mental health disorders. <i>The Cochrane Library</i> , 0, , .	2.8	7
262	Childhood trauma, antipsychotic medication, and symptom remission in first-episode psychosis. <i>Psychological Medicine</i> , 0, , 1-10.	4.5	2
263	Patient Perspectives on Co-Therapistsâ€™ Behaviors in Group CBT. <i>Journal of Contemporary Psychotherapy</i> , 0, , 1.	1.2	0