
## Jong-Lyul Ghim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5333207/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	First-in-Human, Double-Blind, Randomized Controlled Trial of an Oral Dose of GnRH Antagonist TU2670 in Healthy Women. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e1111-e1120.	1.8	2
2	Associations between HLA-A, -B, and -C alleles and iodinated contrast media–induced hypersensitivity in Koreans. Translational and Clinical Pharmacology, 2021, 29, 107.	0.3	1
3	Pharmacokinetic equivalence of CTâ€P17 to high oncentration (100Âmg/ml) reference adalimumab: A randomized phase I study in healthy subjects. Clinical and Translational Science, 2021, 14, 1280-1291.	1.5	11
4	Pharmacokinetic modeling analysis of cilostazol and its active metabolites (OPC-13015 and OPC-13213) after multiple oral doses of cilostazol in healthy Korean volunteers. Xenobiotica, 2020, 50, 288-296.	0.5	3
5	Antiepileptic drug-induced severe cutaneous adverse reactions and <i>HLA</i> alleles: A report of five cases with lymphocyte activation test. Translational and Clinical Pharmacology, 2019, 27, 64.	0.3	5
6	Physiologically Based Pharmacokinetic Modeling Approach to Predict Drugâ€Drug Interactions With Ethionamide Involving Impact of Genetic Polymorphism on FMO3. Journal of Clinical Pharmacology, 2019, 59, 880-889.	1.0	7
7	A Randomized, Double-Blind Trial Comparing the Pharmacokinetics of CT-P16, a Candidate Bevacizumab Biosimilar, with its Reference Product in Healthy Adult Males. BioDrugs, 2019, 33, 173-181.	2.2	14
8	Effect of Cilostazol on the Pharmacokinetics of Simvastatin in Healthy Subjects. BioMed Research International, 2019, 2019, 1-6.	0.9	5
9	Effects of Renal Impairment on the Pharmacokinetics and Safety of Udenafil. Journal of Clinical Pharmacology, 2018, 58, 905-912.	1.0	5
10	Pharmacokinetic comparison of a fixed-dose combination versus concomitant administration of fimasartan, amlodipine, and rosuvastatin using partial replicated design in healthy adult subjects. Drug Design, Development and Therapy, 2018, Volume 12, 1157-1164.	2.0	5
11	Development of a Physiologically Based Pharmacokinetic Model of Ethionamide in the Pediatric Population by Integrating Flavinâ€Containing Monooxygenase 3 Maturational Changes Over Time. Journal of Clinical Pharmacology, 2018, 58, 1347-1360.	1.0	6
12	THE EFFECTS OF CANDIDATE GENE IN PKPD PATHWAY ON ANTIPSYCHOTICS-INDUCED AMENORRHEA IN FEMALE SCHIZOPHRENIA PATIENTS. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO4-10-24.	0.0	0
13	Development of Next Generation Sequencing panel including cancer risk gene and drug-metabolizing enzymes. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO4-10-18.	0.0	0
14	Effects of cytochrome b5 expression and its genetic variant on the activity of CYP2C9, CYP2C19 and CYP3A4. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO3-14-15.	0.0	0
15	Inhibition of CYP2B6, CYP2C8, CYP2C9, and CYP3A4 by Sophorea Radix extracts in human liver microsomes. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO3-14-17.	0.0	0
16	Role of the <i>ABCB1</i> Drug Transporter Polymorphisms in the Pharmacokinetics of Oseltamivir in Humans: a Preliminary Report. Journal of Korean Medical Science, 2017, 32, 1542.	1.1	1
17	Comparative pharmacokinetics of a fixed-dose combination vs concomitant administration of telmisartan and S-amlodipine in healthy adult volunteers. Drug Design, Development and Therapy, 2017, Volume 11, 3543-3550.	2.0	7
18	Pharmacokinetics of atorvastatin and sustained-release metformin fixed-dose combination tablets: two randomized, open-label, 2-way crossover studies in healthy male subjects under fed conditions. Translational and Clinical Pharmacology, 2017, 25, 190.	0.3	0

Jong-Lyul Ghim

#	Article	IF	CITATIONS
19	Effects of mirodenafil on the hemodynamics in hypertensive patients taking amlodipine. Translational and Clinical Pharmacology, 2016, 24, 90.	0.3	0
20	Pharmacokinetics and relative bioavailability of fixed-dose combination of clopidogrel and aspirin versus coadministration of individual formulations in healthy Korean men. Drug Design, Development and Therapy, 2016, Volume 10, 3493-3499.	2.0	4
21	Population plasma and urine pharmacokinetics of ivabradine and its active metabolite S18982 in healthy Korean volunteers. Journal of Clinical Pharmacology, 2016, 56, 439-449.	1.0	5
22	Absolute bioavailability and pharmacokinetics of the angiotensin II receptor antagonist fimasartan in healthy subjects. Journal of Clinical Pharmacology, 2016, 56, 576-580.	1.0	16
23	The pharmacokinetic and pharmacodynamic interaction of clopidogrel and cilostazol in relation to <i>CYP2C19</i> and <i>CYP3A5</i> genotypes. British Journal of Clinical Pharmacology, 2016, 81, 301-312.	1.1	21
24	Population Pharmacokinetic–Pharmacodynamic Analysis to Compare the Effect of Moxifloxacin on QT Interval Prolongation Between Healthy Korean and Japanese Subjects. Clinical Therapeutics, 2016, 38, 2610-2621.	1.1	8
25	Population pharmacokinetics of levofloxacin in Korean patients. Journal of Chemotherapy, 2016, 28, 308-313.	0.7	12
26	Development of a validated liquid chromatography-tandem mass spectrometry assay for the quantification of simvastatin acid, the active metabolite of simvastatin, in human plasma. Translational and Clinical Pharmacology, 2016, 24, 22.	0.3	0
27	Impact of CYP2D6, CYP3A5, CYP2C19, CYP2A6, SLCO1B1, ABCB1, and ABCC2 gene polymorphisms on the pharmacokinetics of simvastatin and simvastatin acid. Pharmacogenetics and Genomics, 2015, 25, 595-608.	0.7	31
28	Pharmacokinetic comparison of sustained- and immediate-release formulations of cilostazol after multiple oral doses in fed healthy male Korean volunteers. Drug Design, Development and Therapy, 2015, 9, 3571.	2.0	7
29	Pharmacokinetic study of metformin to compare voglibose/metformin fixed-dose combination with coadministered voglibose and metformin. International Journal of Clinical Pharmacology and Therapeutics, 2015, 53, 147-153.	0.3	6
30	Pharmacokinetic comparison of amlodipine adipate/valsartan fixed-dose combination with amlodipine besylate/valsartan fixed-dose combination in healthy volunteers. International Journal of Clinical Pharmacology and Therapeutics, 2015, 53, 66-74.	0.3	0
31	Genetic polymorphisms of CYP2C9, CYP2C19, CYP2D6, CYP3A4, and CYP3A5 in Vietnamese-Koreans. Translational and Clinical Pharmacology, 2014, 22, 70.	0.3	8
32	Determination of major UDP-glucuronosyltransferase enzymes and their genotypes responsible for 20-HETE glucuronidation. Journal of Lipid Research, 2014, 55, 2334-2342.	2.0	21
33	The effect of <i>Ginkgo biloba</i> extracts on the pharmacokinetics and pharmacodynamics of cilostazol and its active metabolites in healthy <scp>K</scp> orean subjects. British Journal of Clinical Pharmacology, 2014, 77, 821-830.	1.1	17
34	The effect of CYP2C19 genotype on the time course of platelet aggregation inhibition after clopidogrel administration. Journal of Clinical Pharmacology, 2014, 54, 850-857.	1.0	9
35	Population Pharmacokinetic Analysis of Simvastatin and its Active Metabolite with the Characterization of Atypical Complex Absorption Kinetics. Pharmaceutical Research, 2014, 31, 1801-1812.	1.7	13
36	The effect of voglibose on the pharmacokinetics of metformin in healthy Korean subjects. International Journal of Clinical Pharmacology and Therapeutics, 2014, 52, 1005-1011.	0.3	5

Jong-Lyul Ghim

#	Article	IF	CITATIONS
37	Evaluation of Pharmacokinetic and Pharmacodynamic Profiles and Tolerability After Single (2.5, 5, or) Tj ETQq1 1 Korean Volunteers. Clinical Therapeutics, 2013, 35, 819-835.	0.784314 1.1	rgBT /Over 14
38	Effect of HNF4α genetic polymorphism G60D on the pharmacokinetics of CYP2D6 substrate tolterodine in healthy Korean individuals. Pharmacogenetics and Genomics, 2013, 23, 175-179.	0.7	6
39	Comparison of Pharmacokinetic Characteristics and Safety Between JW Amlodipine® Tablet 5 mg and Novarsc® Tablet 5 mg in Healthy Male Volunteers. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2013, 21, 95.	0.1	1
40	A Simple Dosing Scheme for Intravenous Busulfan Based on Retrospective Population Pharmacokinetic Analysis in Korean Patients. Korean Journal of Physiology and Pharmacology, 2012, 16, 273.	0.6	12
41	Comparison of Pharmacokinetics and Safety of Two Formulations of Letrozole (2.5 mg) in Healthy Male Volunteers. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2012, 20, 135.	0.1	0
42	Comparison of Pharmacokinetic Characteristics and the Safety between Amlodipine Maleate Tablet 5 mg and Amlodipine Besylate Tablet 5 mg. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2012, 20, 42.	0.1	0
43	Pharmacokinetic Comparison of 2 Formulations of Anastrozole (1 mg) in Healthy Korean Male Volunteers: A Randomized, Single-Dose, 2-Period, 2-Sequence, Crossover Study. Clinical Therapeutics, 2012, 34, 305-313.	1.1	7
44	The pharmacokinetics of letrozole – its association with key body mass metrics. International Journal of Clinical Pharmacology and Therapeutics, 2012, 50, 557-565.	0.3	8
45	Assessment of the influence of severe renal impairment on the pharmacokinetics of mirodenafil in Korean male volunteers. International Journal of Clinical Pharmacology and Therapeutics, 2012, 50, 880-888.	0.3	2
46	The Development of Automated Bed-allocation Expert System in Clinical Research Ward. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2012, 20, 51.	0.1	0
47	Pharmacokinetic Comparison of Controlled- and Immediate-Release Formulations of Dexibuprofen after Single and Multiple Oral Doses in Fasting Healthy Male Korean Volunteers. Clinical Therapeutics, 2011, 33, 1132-1141.	1.1	0
48	Tolerability and pharmacokinetics of avanafil, a phosphodiesterase type 5 inhibitor: A single- and multiple-dose, double-blind, randomized, placebo-controlled, dose-escalation study in healthy Korean male volunteers. Clinical Therapeutics, 2010, 32, 1178-1187.	1.1	62
49	Pharmacokinetic, tolerability, and bioequivalence comparison of three different intravenous formulations of recombinant human erythropoietin in healthy Korean adult male volunteers: An open-label, randomized-sequence, three-treatment, three-way crossover study. Clinical Therapeutics, 2009, 31, 1046-1053	1.1	8