

# Elías Delgado Álvarez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/533542/publications.pdf>

Version: 2024-02-01

134  
papers

11,806  
citations

117625

34  
h-index

27406

106  
g-index

153  
all docs

153  
docs citations

153  
times ranked

14217  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enfermedades cardiovasculares en personas con diabetes mellitus en España según la Base de Datos Clínicos de Atención Primaria (BDCAP) en 2017. Medicina Clínica, 2022, 158, 153-158.	0.6	3
2	Comprehensive management of risk factors in peripheral vascular disease. Expert consensus. Revista Clínica Española, 2022, 222, 82-90.	0.5	4
3	Thyroid hormone resistance index and mortality in euthyroid subjects: Diabet.es study. European Journal of Endocrinology, 2022, 186, 95-103.	3.7	11
4	Cardiovascular diseases in people with diabetes mellitus in Spain according to the Primary Care Clinical Database (BDCAP) in 2017. Medicina Clínica (English Edition), 2022, 158, 153-158.	0.2	1
5	Stem Cell Educator therapy in type 1 diabetes: From the bench to clinical trials. Autoimmunity Reviews, 2022, 21, 103058.	5.8	7
6	Low Percentage of Vegetable Fat in Red Blood Cells Is Associated with Worse Glucose Metabolism and Incidence of Type 2 Diabetes. Nutrients, 2022, 14, 1368.	4.1	2
7	Iodine Deficiency and Mortality in Spanish Adults: Diabet.es Study. Thyroid, 2021, 31, 106-114.	4.5	3
8	Prevalencia de diabetes mellitus en 2016 en España según la Base de Datos Clínicos de Atención Primaria (BDCAP). Endocrinología, Diabetes Y Nutrición, 2021, 68, 109-115.	0.3	9
9	Prevalence of diabetes mellitus in Spain in 2016 according to the Primary Care Clinical Database (BDCAP). Endocrinología Diabetes Y Nutrición (English Ed ), 2021, 68, 109-115.	0.2	3
10	Epidemiology and Economic Burden of Cardiovascular Disease in Patients with Type 2 Diabetes Mellitus in Spain: A Systematic Review. Diabetes Therapy, 2021, 12, 1631-1659.	2.5	16
11	Nutritional Iodine Status in Pregnant Women from Health Area IV in Asturias (Spain): Iodised Salt Is Enough. Nutrients, 2021, 13, 1816.	4.1	9
12	Fatty liver index as a predictor for type 2 diabetes in subjects with normoglycemia in a nationwide cohort study. Scientific Reports, 2021, 11, 16453.	3.3	5
13	Association between long term exposure to particulate matter and incident hypertension in Spain. Scientific Reports, 2021, 11, 19702.	3.3	10
14	Effectiveness and Safety of Insulin Glargine 300 U/ml in Comparison with Insulin Degludec 100 U/ml Evaluated with Continuous Glucose Monitoring in Adults with Type 1 Diabetes and Suboptimal Glycemic Control in Routine Clinical Practice: The OneCARE Study. Diabetes Therapy, 2021, 12, 2993-3009.	2.5	9
15	DNA Methylomes and Epigenetic Age Acceleration Associations with Poor Metabolic Control in T1D. Biomedicine, 2021, 9, 13.	3.2	1
16	Performance of the Eversense versus the Free Style Libre Flash glucose monitor during exercise and normal daily activities in subjects with type 1 diabetes mellitus. BMJ Open Diabetes Research and Care, 2020, 8, e001193.	2.8	22
17	Sodium-Glucose Cotransporter-2 Inhibitors at Discharge from Cardiology Hospitalization Department: Decoding A New Clinical Scenario. Journal of Clinical Medicine, 2020, 9, 2600.	2.4	4
18	Performance of continuous glucose monitoring devices during intensive exercise conditions in people with diabetes: the Mont Blanc experience. Diabetic Medicine, 2020, 37, 1204-1205.	2.3	4

#	ARTICLE	IF	CITATIONS
19	Incidence of diabetes mellitus in Spain as results of the nation-wide cohort di@bet.es study. Scientific Reports, 2020, 10, 2765.	3.3	71
20	Incidence and regression of metabolic syndrome in a representative sample of the Spanish population: results of the cohort di@bet.es study. BMJ Open Diabetes Research and Care, 2020, 8, .	2.8	1
21	Incidence and regression of metabolic syndrome in a representative sample of the Spanish population: results of the cohort di@bet.es study. BMJ Open Diabetes Research and Care, 2020, 8, e001715.	2.8	7
22	Efficacy of sodium glucose cotransporter 2 inhibitors as an adjunct treatment for patients with diabetes type 2. Medicina Clínica, 2019, 152, 438-441.	0.6	1
23	Dairy Product Consumption and Metabolic Diseases in the Di@bet.es Study. Nutrients, 2019, 11, 262.	4.1	10
24	Mortality risk in adults according to categories of impaired glucose metabolism after 18 years of follow-up in the North of Spain: The Asturias Study. PLoS ONE, 2019, 14, e0211070.	2.5	10
25	Cytoskeletal transgelin 2 contributes to gender-dependent adipose tissue expandability and immune function. FASEB Journal, 2019, 33, 9656-9671.	0.5	6
26	Take Control: A randomized trial evaluating the efficacy and safety of self- versus physician-managed titration of insulin glargine 300 U/mL in patients with uncontrolled type 2 diabetes. Diabetes, Obesity and Metabolism, 2019, 21, 1615-1624.	4.4	33
27	Estimación de grasa corporal según ecuación CUN-BAE e IMC y riesgo de mortalidad por sexos en la cohorte del Estudio Asturias. Endocrinología, Diabetes Y Nutrición, 2019, 66, 487-494.	0.3	2
28	Estimation of body fat mass using the CUN-BAE index and mortality risk by sex in the Asturias Study cohort. Endocrinología Diabetes Y Nutrición (English Ed ), 2019, 66, 487-494.	0.2	0
29	Experiencia tras el cambio de insulina glargina U100 a glargina U300 en pacientes con diabetes tipo 1. Estudio tras un año de tratamiento en vida real. Endocrinología, Diabetes Y Nutrición, 2019, 66, 210-216.	0.3	2
30	Dapagliflozin and Cardiovascular Outcomes in Type 2 Diabetes. New England Journal of Medicine, 2019, 380, 347-357.	27.0	4,159
31	Ambient temperature and prevalence of diabetes and insulin resistance in the Spanish population: Di@bet.es study. European Journal of Endocrinology, 2019, 180, 273-280.	3.7	18
32	925-P: Performance of Sensors for Continuous Glucose Monitoring (CGM) under Extreme Sports Conditions in People with Diabetes. Diabetes, 2019, 68, 925-P.	0.6	0
33	When metformin is not enough: Pros and cons of SGLT2 and DPP4 inhibitors as a second line therapy. Diabetes/Metabolism Research and Reviews, 2018, 34, e2981.	4.0	23
34	Iron deficiency is associated with Hypothyroxinemia and Hypotriiodothyroninemia in the Spanish general adult population: Di@bet.es study. Scientific Reports, 2018, 8, 6571.	3.3	17
35	Self- vs. Physician-Led Titration of Insulin Glargine 300 U/mL (Gla-300) Improved or Comparable Efficacy at Week 24 without Increased Risk of Hypoglycemia, Irrespective of Age (<65 or =65) Tj ETQq1 1 0.784314 rgt /Overdo	0.6	0
36	Self-Managed Titration with Insulin Glargine 300 U/mL (Gla-300) Can Achieve Similar Efficacy to Physician-Led Titration Regardless of Prior Insulin Status in People with T2DM Results from TAKE CONTROL. Diabetes, 2018, 67, 1028-P.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Mortality Risk in Adults With and Without Type 2 Diabetes after 18 Years of Follow-up in Northern Spain—The Asturias Study. <i>Diabetes</i> , 2018, 67, .	0.6	0
38	Gestational Diabetes Mellitus (GDM): Relationship Between Higher Cutoff Values for 100-Åg Oral Glucose Tolerance Test (OGTT) and Insulin Requirement During Pregnancy. <i>Maternal and Child Health Journal</i> , 2017, 21, 1488-1492.	1.5	8
39	Reference values for TSH may be inadequate to define hypothyroidism in persons with morbid obesity: Di@bet.es study. <i>Obesity</i> , 2017, 25, 788-793.	3.0	36
40	Epigenetic modulators of thyroid cancer. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017, 64, 44-56.	0.3	16
41	Epigenetic modulators of thyroid cancer. <i>Endocrinología y Nutrición (English Ed)</i> , 2017, 64, 44-56.	0.2	2
42	Estado nutricional de yodo en la población escolar asturiana. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017, 64, 491-497.	0.3	7
43	Platelet-Derived Mitochondria Display Embryonic Stem Cell Markers and Improve Pancreatic Islet $\beta$ -cell Function in Humans. <i>Stem Cells Translational Medicine</i> , 2017, 6, 1684-1697.	3.3	38
44	Iodine nutritional status in Asturian schoolchildren. <i>Endocrinología y Nutrición (English)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.2	0
45	Population-Based National Prevalence of Thyroid Dysfunction in Spain and Associated Factors: Di@bet.es Study. <i>Thyroid</i> , 2017, 27, 156-166.	4.5	50
46	Altered intragenic DNA methylation of HOOK2 gene in adipose tissue from individuals with obesity and type 2 diabetes. <i>PLoS ONE</i> , 2017, 12, e0189153.	2.5	20
47	Low Physical Activity and Its Association with Diabetes and Other Cardiovascular Risk Factors: A Nationwide, Population-Based Study. <i>PLoS ONE</i> , 2016, 11, e0160959.	2.5	53
48	Genetic variations of the bitter taste receptor TAS2R38 are associated with obesity and impact on single immune traits. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 1673-1683.	3.3	37
49	Prevalence, Diagnosis, Treatment, and Control of Hypertension in Spain. Results of the Di@bet.es Study. <i>Revista Española De Cardiología (English Ed)</i> , 2016, 69, 572-578.	0.6	41
50	KCNQ1 gene variants in the risk for type 2 diabetes and impaired renal function in the Spanish Renastur cohort. <i>Molecular and Cellular Endocrinology</i> , 2016, 427, 86-91.	3.2	19
51	Prevalence of thyroid dysfunction in women in early pregnancy: does it increase with maternal age?. <i>Clinical Endocrinology</i> , 2016, 84, 121-126.	2.4	35
52	Prevalencia, diagnóstico, tratamiento y control de la hipertensión arterial en España. Resultados del estudio Di@bet.es. <i>Revista Española De Cardiología</i> , 2016, 69, 572-578.	1.2	91
53	Rationale, design, and baseline characteristics in Evaluation of Lixisenatide in Acute Coronary Syndrome, a long-term cardiovascular end point trial of lixisenatide versus placebo. <i>American Heart Journal</i> , 2015, 169, 631-638.e7.	2.7	88
54	Modulation of Autoimmune T-Cell Memory by Stem Cell Educator Therapy: Phase 1/2 Clinical Trial. <i>EBioMedicine</i> , 2015, 2, 2024-2036.	6.1	37

#	ARTICLE	IF	CITATIONS
55	Control de factores de riesgo cardiovascular en pacientes diabéticos revascularizados: un subanálisis del estudio ICP-Bypass. Revista Espanola De Cardiologia, 2015, 68, 115-120.	1.2	9
56	Control of Cardiovascular Risk Factors in Revascularized Patients With Diabetes: A Subanalysis of the ICP-Bypass Study. Revista Espanola De Cardiologia (English Ed ), 2015, 68, 115-120.	0.6	2
57	Diabetes y cribado de enfermedad coronaria: ¿dónde centramos el esfuerzo?. Revista Espanola De Cardiologia, 2015, 68, 830-833.	1.2	5
58	Comparison of Basal-Bolus and Premixed Insulin Regimens in Hospitalized Patients With Type 2 Diabetes. Diabetes Care, 2015, 38, 2211-2216.	8.6	87
59	Diabetes and Screening for Coronary Heart Disease: Where Should We Focus our Efforts?. Revista Espanola De Cardiologia (English Ed ), 2015, 68, 830-833.	0.6	5
60	Estimating Cardiovascular Risk in Spain by the European Guidelines on Cardiovascular Disease Prevention in Clinical Practice. Revista Espanola De Cardiologia (English Ed ), 2015, 68, 417-425.	0.6	9
61	Circulating irisin levels and coronary heart disease: association with future acute coronary syndrome and major adverse cardiovascular events. International Journal of Obesity, 2015, 39, 156-161.	3.4	95
62	Circulating Irisin Levels Are Positively Associated with Metabolic Risk Factors in Sedentary Subjects. PLoS ONE, 2015, 10, e0124100.	2.5	62
63	Serum sCD163 Levels Are Associated with Type 2 Diabetes Mellitus and Are Influenced by Coffee and Wine Consumption: Results of the Di@bet.es Study. PLoS ONE, 2014, 9, e101250.	2.5	14
64	Epigenetic alterations in endocrine-related cancer. Endocrine-Related Cancer, 2014, 21, R319-R330.	3.1	24
65	Ambient temperature and prevalence of obesity in the Spanish population: The Di@bet.es study. Obesity, 2014, 22, 2328-2332.	3.0	32
66	Nutrición de yodo en mujeres embarazadas del Área de Oviedo. ¿Es necesaria la suplementación con yodo?. Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion, 2014, 61, 404-409.	0.8	15
67	Tiempo de evolución de la diabetes mellitus como factor determinante en la modificación de la reactividad plaquetaria. Revista Espanola De Cardiologia, 2014, 67, 243.	1.2	0
68	Comments on the ESC Guidelines on Diabetes, Prediabetes, and Cardiovascular Diseases Developed in Collaboration with the European Society for the Study of Diabetes. Revista Espanola De Cardiologia (English Ed ), 2014, 67, 87-93.	0.6	4
69	Prevalence of plasma lipid abnormalities and its association with glucose metabolism in Spain: The di@bet.es study. Clínica E Investigación En Arteriosclerosis, 2014, 26, 107-114.	0.8	15
70	Iodine nutrition in pregnant women in the Oviedo area. Is iodine supplementation required?. Endocrinología Y Nutrición (English Edition), 2014, 61, 404-409.	0.5	10
71	Modifications of the homeostasis model assessment of insulin resistance index with age. Acta Diabetologica, 2014, 51, 917-925.	2.5	12
72	Comentarios a la guía de práctica clínica de la ESC sobre diabetes, prediabetes y enfermedad cardiovascular. Revista Espanola De Cardiologia, 2014, 67, 87-93.	1.2	15

#	ARTICLE	IF	CITATIONS
73	Prevalence of Obesity, Diabetes and Other Cardiovascular Risk Factors in Andalusia (Southern Spain). Comparison With National Prevalence Data. The Di@bet.es Study. Revista Espanola De Cardiologia (English Ed ), 2014, 67, 442-448.	0.6	36
74	Time Since Diabetes Onset as a Determining Factor in Platelet Reactivity. Revista Espanola De Cardiologia (English Ed ), 2014, 67, 243.	0.6	0
75	Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. Lancet Diabetes and Endocrinology,the, 2014, 2, 634-647.	11.4	591
76	Variable patterns of obesity and cardiometabolic phenotypes and their association with lifestyle factors in the Di@bet.es study. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 947-955.	2.6	26
77	Targeting the association of calgranulin B (S100A9) with insulin resistance and type 2 diabetes. Journal of Molecular Medicine, 2013, 91, 523-534.	3.9	15
78	Saxagliptin and Cardiovascular Outcomes in Patients with Type 2 Diabetes Mellitus. New England Journal of Medicine, 2013, 369, 1317-1326.	27.0	3,017
79	Prevalence of the metabolic syndrome in Spain using regional cutoff points for waist circumference: the di@bet.es study. Acta Diabetologica, 2013, 50, 615-623.	2.5	34
80	Thyroid hormone receptor alpha gene variants increase the risk of developing obesity and show gene-diet interactions. International Journal of Obesity, 2013, 37, 1499-1505.	3.4	16
81	Factors determining weight gain in adults and relation with glucose tolerance. Clinical Endocrinology, 2013, 78, 858-864.	2.4	3
82	Olive oil has a beneficial effect on impaired glucose regulation and other cardiometabolic risk factors. Di@bet.es study. European Journal of Clinical Nutrition, 2013, 67, 911-916.	2.9	32
83	Use of Drugs Related to the Treatment of Diabetes Mellitus and Other Cardiovascular Risk Factors in the Spanish Population. The Di@bet.es Study. Revista Espanola De Cardiologia (English Ed ), 2013, 66, 854-863.	0.6	5
84	Real Incidence of Diabetes Mellitus in a Coronary Disease Population. American Journal of Cardiology, 2013, 111, 333-338.	1.6	14
85	Mediterranean Diet Adherence in Individuals with Prediabetes and Unknown Diabetes: The Di@bet.es Study. Annals of Nutrition and Metabolism, 2013, 62, 339-346.	1.9	21
86	Factors determining high-sensitivity C-reactive protein values in the Spanish population. Di@bet.es study. European Journal of Clinical Investigation, 2013, 43, 1-10.	3.4	16
87	DNA Methylation Signatures Identify Biologically Distinct Thyroid Cancer Subtypes. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 2811-2821.	3.6	100
88	The Global Cardiovascular Risk Transition. Circulation, 2013, 127, 1493-1502.	1.6	205
89	Factors affecting levels of urinary albumin excretion in the general population of Spain: the Di@bet.es study. Clinical Science, 2013, 124, 269-277.	4.3	10
90	Common Genetic Variants of Surfactant Protein-D (SP-D) Are Associated with Type 2 Diabetes. PLoS ONE, 2013, 8, e60468.	2.5	19

#	ARTICLE	IF	CITATIONS
91	Evaluation of Health-Related Quality of Life according to Carbohydrate Metabolism Status: A Spanish Population-Based Study (Di@bet.es Study). <i>International Journal of Endocrinology</i> , 2012, 2012, 1-6.	1.5	16
92	Sobrecarga oral de glucosa como herramienta para la mejora tras intervencionismo coronario percutáneo. <i>Revista Espanola De Cardiologia</i> , 2012, 65, 1054-1056.	1.2	2
93	Falso incremento de la hormona estimulante del tiroides asociado a la presencia de macro-TSH. <i>Revista Del Laboratorio Clínico</i> , 2012, 5, 151-154.	0.1	0
94	Oral Glucose Tolerance Test as a Tool for Patient Improvement After Percutaneous Coronary Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 1054-1056.	0.6	0
95	Iodine intake in the adult population. Di@bet.es study. <i>Clinical Nutrition</i> , 2012, 31, 882-888.	5.0	48
96	Serum and urinary concentrations of calprotectin as markers of insulin resistance and type 2 diabetes. <i>European Journal of Endocrinology</i> , 2012, 167, 569-578.	3.7	58
97	Outcomes with insulin glargine in patients with type 2 diabetes previously on NPH insulin: evidence from clinical practice in Spain. <i>International Journal of Clinical Practice</i> , 2012, 66, 281-288.	1.7	11
98	Prevalence of diabetes mellitus and impaired glucose regulation in Spain: the Di@bet.es Study. <i>Diabetologia</i> , 2012, 55, 88-93.	6.3	812
99	Glucose tolerance and plasma testosterone concentrations in men. Results of the Asturias Study. <i>Endocrinología Y Nutrición (English Edition)</i> , 2011, 58, 3-8.	0.5	2
100	HbA1c in the prediction of type 2 diabetes compared with fasting and 2-h post-challenge plasma glucose: The Asturias study (1998-2005). <i>Diabetes and Metabolism</i> , 2011, 37, 27-32.	2.9	85
101	Performance of Glycated Hemoglobin and a Risk Model for Detection of Unknown Diabetes in Coronary Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 759-765.	0.6	9
102	Carotid and femoral plaque burden is inversely associated with the $\omega$ -3-linolenic acid proportion of serum phospholipids in Spanish subjects with primary dyslipidemia. <i>Atherosclerosis</i> , 2011, 214, 209-214.	0.8	17
103	Vitamin D deficiency in Spain: a population-based cohort study. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 321-328.	2.9	90
104	Manejo de la masa suprarrenal: lo que el urólogo debe saber. <i>Actas Urológicas Españolas</i> , 2010, 34, 586-591.	0.7	2
105	Environmental and Genetic Factors Influence the Relationship Between Circulating IL-10 and Obesity Phenotypes. <i>Obesity</i> , 2010, 18, 611-618.	3.0	19
106	Surfactant Protein D, a Marker of Lung Innate Immunity, Is Positively Associated With Insulin Sensitivity. <i>Diabetes Care</i> , 2010, 33, 847-853.	8.6	38
107	Upper airway obstruction in patients with endothoracic goiter enlargement: no relationship between flow-volume loops and radiological tests. <i>European Journal of Endocrinology</i> , 2010, 163, 665-669.	3.7	17
108	Effect of Rosiglitazone on Progression of Coronary Atherosclerosis in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease. <i>Circulation</i> , 2010, 121, 1176-1187.	1.6	95

#	ARTICLE	IF	CITATIONS
109	Diabetes mellitus y riesgo cardiovascular. Recomendaciones del grupo de trabajo Diabetes Mellitus y Enfermedad Cardiovascular de la Sociedad Española de Diabetes 2009†. Clínica E Investigaci3n En Arteriosclerosis, 2010, 22, 115-121.	0.8	3
110	Prevalence and outcome of newly detected diabetes in patients who undergo percutaneous coronary intervention. European Heart Journal, 2009, 30, 2614-2621.	2.2	49
111	Val1483Ile in <i>FASN</i> Gene Is Linked to Central Obesity and Insulin Sensitivity in Adult White Men. Obesity, 2009, 17, 1755-1761.	3.0	15
112	Clinical dilemmas arising from the increased intake of iodine in the Spanish population and the recommendation for systematic prescription of potassium iodide in pregnant and lactating women (Consensus of the TDY Working Group of SEEN). Journal of Endocrinological Investigation, 2009, 32, 184-191.	3.3	12
113	Mortality Risk in Spanish Adults With Diagnosed Diabetes, Undiagnosed Diabetes, or Pre-Diabetes. The Asturias Study 1998-2004. Revista Espanola De Cardiologia (English Ed ), 2009, 62, 528-534.	0.6	14
114	Association of <i>ADIPOR2</i> With Liver Function Tests in Type 2 Diabetic Subjects. Obesity, 2008, 16, 2308-2313.	3.0	11
115	Does the new American Diabetes Association definition for impaired fasting glucose improve its ability to predict type 2 diabetes mellitus in Spanish persons? The Asturias Study. Metabolism: Clinical and Experimental, 2008, 57, 399-403.	3.4	18
116	PDB66 INSULIN GLARGINE UTILIZATION IN REAL-LIFE” EFFICACY OF A REGIMEN BASED ON INSULIN GLARGINE IN PATIENTS WITH TYPE 2 DIABETES PREVIOUSLY ON NPH INSULIN IN CLINICAL PRACTICE IN SPAIN. Value in Health, 2008, 11, A517.	0.3	0
117	Population-Based Incidence of Type 2 Diabetes in Northern Spain. Diabetes Care, 2007, 30, 2258-2263.	8.6	111
118	Soluble TNF-Î± receptor 2 produced by alternative splicing is paradoxically associated with markers of liver injury. Clinical Immunology, 2007, 123, 89-94.	3.2	5
119	Functional analysis of human glucokinase gene mutations causing MODY2: exploring the regulatory mechanisms of glucokinase activity. Diabetologia, 2007, 50, 325-333.	6.3	55
120	GuÃa clÃnica del diagn3stico y tratamiento de la apoplejÃa hipofisaria. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2006, 53, 19-24.	0.8	8
121	Detection of ketonemia and its relationship with hyperglycemia in type 1 diabetic patients. Diabetes Research and Clinical Practice, 2006, 72, 292-297.	2.8	10
122	Effects of novel maturity-onset diabetes of the young (MODY)-associated mutations on glucokinase activity and protein stability. Biochemical Journal, 2006, 393, 389-396.	3.7	45
123	Efficacy of lanreotide Autogel;1/2 administered every 4?8;1/2 weeks in patients with acromegaly previously responsive to lanreotide microparticles 30;1/2mg: a phase III trial. Clinical Endocrinology, 2006, 65, 320-326.	2.4	51
124	An alternatively spliced soluble TNF-Î± receptor is associated with metabolic disorders A replication study. Clinical Immunology, 2006, 121, 236-241.	3.2	9
125	Feocromocitoma. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2005, 52, 309-320.	0.8	1
126	Adiponectin is independently associated with glycosylated haemoglobin. European Journal of Endocrinology, 2004, 150, 201-205.	3.7	18



#	ARTICLE	IF	CITATIONS
127	Adiponectin, hepatocellular dysfunction and insulin sensitivity. <i>Clinical Endocrinology</i> , 2004, 60, 256-263.	2.4	97
128	Comparison of the diagnostic criteria for diabetes mellitus, WHO-1985, ADA-1997 and WHO-1999 in the adult population of Asturias (Spain). <i>Diabetic Medicine</i> , 2003, 20, 904-908.	2.3	40
129	Preoperative lanreotide treatment for GH-secreting pituitary adenomas: effect on tumour volume and predictive factors of significant tumour shrinkage. <i>Clinical Endocrinology</i> , 2003, 58, 471-481.	2.4	61
130	Nitric oxide contamination of hospital compressed air improves gas exchange in patients with acute lung injury. <i>Intensive Care Medicine</i> , 2002, 28, 1064-1072.	8.2	7
131	Monitoring and humidification during tracheal gas insufflation. <i>Respiratory Care</i> , 2001, 46, 185-92.	1.6	3
132	Effects of continuous, expiratory, reverse, and bi-directional tracheal gas insufflation in conjunction with a flow relief valve on delivered tidal volume, total positive end-expiratory pressure, and carbon dioxide elimination: a bench study. <i>Respiratory Care</i> , 2001, 46, 577-85.	1.6	2
133	Contamination of Hospital Compressed Air with Nitric Oxide. <i>Chest</i> , 1997, 111, 1759-1763.	0.8	17
134	Low levels of nitric oxide as contaminant in hospital compressed air. <i>Critical Care Medicine</i> , 1997, 25, 1143-1146.	0.9	19