

Daniel F.R. Cleary

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5335799/publications.pdf>

Version: 2024-02-01

139
papers

4,485
citations

94269

37
h-index

138251

58
g-index

142
all docs

142
docs citations

142
times ranked

5873
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Denaturing Gradient Gel Electrophoresis and Barcoded Pyrosequencing Reveal Unprecedented Archaeal Diversity in Mangrove Sediment and Rhizosphere Samples. <i>Applied and Environmental Microbiology</i> , 2012, 78, 5520-5528. | 1.4 | 204 |
| 2 | The database of the <sc>PREDICTS</sc> (Projecting Responses of Ecological Diversity In Changing Tj ETQq0 0 0 rgBT /Overlock 10 Tr | 0.8 | 186 |
| 3 | The <sc>PREDICTS</sc> database: a global database of how local terrestrial biodiversity responds to human impacts. <i>Ecology and Evolution</i> , 2014, 4, 4701-4735. | 0.8 | 178 |
| 4 | Taking Root: Enduring Effect of Rhizosphere Bacterial Colonization in Mangroves. <i>PLoS ONE</i> , 2010, 5, e14065. | 1.1 | 121 |
| 5 | Bacterial community composition and predicted functional ecology of sponges, sediment and seawater from the thousand islands reef complex, West Java, Indonesia. <i>FEMS Microbiology Ecology</i> , 2015, 91, . | 1.3 | 109 |
| 6 | An examination of scale of assessment, logging and ENSO-induced fires on butterfly diversity in Borneo. <i>Oecologia</i> , 2003, 135, 313-321. | 0.9 | 107 |
| 7 | Polycyclic aromatic hydrocarbons in deep sea sediments: Microbeâ€“pollutant interactions in a remote environment. <i>Science of the Total Environment</i> , 2015, 526, 312-328. | 3.9 | 99 |
| 8 | BIRD SPECIES AND TRAITS ASSOCIATED WITH LOGGED AND UNLOGGED FOREST IN BORNEO. , 2007, 17, 1184-1197. | | 97 |
| 9 | Variation in the diversity and composition of benthic taxa as a function of distance offshore, depth and exposure in the Spermonde Archipelago, Indonesia. <i>Estuarine, Coastal and Shelf Science</i> , 2005, 65, 557-570. | 0.9 | 94 |
| 10 | Molecular Analysis of Bacterial Communities and Detection of Potential Pathogens in a Recirculating Aquaculture System for <i>Scophthalmus maximus</i> and <i>Solea senegalensis</i> . <i>PLoS ONE</i> , 2013, 8, e80847. | 1.1 | 90 |
| 11 | Assessment of Variation in Bacterial Composition among Microhabitats in a Mangrove Environment Using DGGE Fingerprints and Barcoded Pyrosequencing. <i>PLoS ONE</i> , 2012, 7, e29380. | 1.1 | 88 |
| 12 | Habitat- and host-related variation in sponge bacterial symbiont communities in Indonesian waters. <i>FEMS Microbiology Ecology</i> , 2013, 85, 465-482. | 1.3 | 87 |
| 13 | The sponge microbiome within the greater coral reef microbial metacommunity. <i>Nature Communications</i> , 2019, 10, 1644. | 5.8 | 86 |
| 14 | Changes in rain forest butterfly diversity following major ENSO-induced fires in Borneo. <i>Global Ecology and Biogeography</i> , 2004, 13, 129-140. | 2.7 | 78 |
| 15 | Sponge beta diversity in the Spermonde Archipelago, SW Sulawesi, Indonesia. <i>Marine Ecology - Progress Series</i> , 2006, 309, 131-142. | 0.9 | 78 |
| 16 | RANGE-RESTRICTED, SPECIALIST BORNEAN BUTTERFLIES ARE LESS LIKELY TO RECOVER FROM ENSO-INDUCED DISTURBANCE. <i>Ecology</i> , 2006, 87, 2330-2337. | 1.5 | 76 |
| 17 | Beta diversity of tropical marine benthic assemblages in the Spermonde Archipelago, Indonesia. <i>Marine Ecology</i> , 2006, 27, 76-88. | 0.4 | 67 |
| 18 | How does the taxonomic status of allopatric populations influence species richness within African cichlid fish assemblages?. <i>Journal of Biogeography</i> , 2004, 31, 93-102. | 1.4 | 65 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Relating coral species traits to environmental conditions in the Jakarta Bay/Pulau Seribu reef system, Indonesia. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 73, 816-826. | 0.9 | 65 |
| 20 | Diversity and community composition of butterflies and odonates in an ENSO-induced fire affected habitat mosaic: a case study from East Kalimantan, Indonesia. <i>Oikos</i> , 2004, 105, 426-448. | 1.2 | 64 |
| 21 | Parallel responses of species and genetic diversity to El Niño Southern Oscillation-induced environmental destruction. <i>Ecology Letters</i> , 2006, 9, 304-310. | 3.0 | 63 |
| 22 | Composition and Predictive Functional Analysis of Bacterial Communities in Seawater, Sediment and Sponges in the Spermonde Archipelago, Indonesia. <i>Microbial Ecology</i> , 2015, 70, 889-903. | 1.4 | 59 |
| 23 | Variation in the composition of corals, fishes, sponges, echinoderms, ascidians, molluscs, foraminifera and macroalgae across a pronounced in-to-offshore environmental gradient in the Jakarta Bay "Thousand Islands coral reef complex. <i>Marine Pollution Bulletin</i> , 2016, 110, 701-717. | 2.3 | 59 |
| 24 | Coral diversity across a disturbance gradient in the Pulau Seribu reef complex off Jakarta, Indonesia. <i>Biodiversity and Conservation</i> , 2006, 15, 3653-3674. | 1.2 | 58 |
| 25 | Sponge diversity and community composition in Irish bathyal coral reefs. <i>Contributions To Zoology</i> , 2007, 76, 121-142. | 0.2 | 56 |
| 26 | An analysis of sponge diversity and distribution at three taxonomic levels in the Thousand Islands/Jakarta Bay reef complex, West Java, Indonesia. <i>Marine Ecology</i> , 2008, 29, 205-215. | 0.4 | 53 |
| 27 | Composition and predicted functional ecology of mussel-associated bacteria in Indonesian marine lakes. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 821-834. | 0.7 | 53 |
| 28 | Composition of Archaea in Seawater, Sediment, and Sponges in the Kepulauan Seribu Reef System, Indonesia. <i>Microbial Ecology</i> , 2014, 67, 553-567. | 1.4 | 51 |
| 29 | Sponge community composition in the Derawan Islands, NE Kalimantan, Indonesia. <i>Marine Ecology - Progress Series</i> , 2009, 396, 169-180. | 0.9 | 50 |
| 30 | Diversity patterns in butterfly communities of the Greek nature reserve Dadia. <i>Biological Conservation</i> , 2003, 114, 427-436. | 1.9 | 48 |
| 31 | Butterfly, spider, and plant communities in different land-use types in Sardinia, Italy. <i>Biodiversity and Conservation</i> , 2005, 14, 1281-1300. | 1.2 | 47 |
| 32 | Relating variation in species composition to environmental variables: a multi-taxon study in an Indonesian coral reef complex. <i>Aquatic Sciences</i> , 2008, 70, 419-431. | 0.6 | 47 |
| 33 | Associations of Bird Species Richness and Community Composition with Local and Landscape-scale Environmental Factors in Borneo. <i>Landscape Ecology</i> , 2005, 20, 989-1001. | 1.9 | 45 |
| 34 | "Blue Carbon" and Nutrient Stocks of Salt Marshes at a Temperate Coastal Lagoon (Ria de Aveiro, Portugal). <i>Estuarine, Coastal and Shelf Science</i> , 2010, 85, 1-11. | 1.6 | 45 |
| 35 | The putative functional ecology and distribution of archaeal communities in sponges, sediment and seawater in a coral reef environment. <i>Molecular Ecology</i> , 2015, 24, 409-423. | 2.0 | 44 |
| 36 | Assessing the Use of Butterflies as Indicators of Logging in Borneo at Three Taxonomic Levels. <i>Journal of Economic Entomology</i> , 2004, 97, 429-435. | 0.8 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Habitat and water quality variables as predictors of community composition in an Indonesian coral reef: a multi-taxon study in the Spermonde Archipelago. <i>Science of the Total Environment</i> , 2015, 537, 139-151. | 3.9 | 43 |
| 38 | Coral reefs next to a major conurbation: a study of temporal change (1985-2011) in coral cover and composition in the reefs of Jakarta, Indonesia. <i>Marine Ecology - Progress Series</i> , 2014, 501, 89-98. | 0.9 | 40 |
| 39 | The effect of natural disturbances on forest biodiversity: an ecological synthesis. <i>Biological Reviews</i> , 2022, 97, 1930-1947. | 4.7 | 40 |
| 40 | Interactive effects of global climate change and pollution on marine microbes: the way ahead. <i>Ecology and Evolution</i> , 2013, 3, 1808-1818. | 0.8 | 39 |
| 41 | Sponge species composition, abundance, and cover in marine lakes and coastal mangroves in Berau, Indonesia. <i>Marine Ecology - Progress Series</i> , 2013, 481, 105-120. | 0.9 | 39 |
| 42 | Beta diversity of rock-restricted cichlid fishes in Lake Malawi: importance of environmental and spatial factors. <i>Ecography</i> , 2004, 27, 601-610. | 2.1 | 36 |
| 43 | Relating species traits to environmental variables in Indonesian coral reef sponge assemblages. <i>Marine and Freshwater Research</i> , 2007, 58, 240. | 0.7 | 36 |
| 44 | Mangrove bacterial richness. <i>Communicative and Integrative Biology</i> , 2011, 4, 419-423. | 0.6 | 35 |
| 45 | ARES: software to compare allelic richness between uneven samples. <i>Molecular Ecology Notes</i> , 2007, 7, 579-582. | 1.7 | 34 |
| 46 | The coral-killing sponge <i>Terpios hoshinota</i> invades Indonesia. <i>Coral Reefs</i> , 2013, 32, 755-755. | 0.9 | 34 |
| 47 | Butterfly response to severe ENSO-induced forest fires in Borneo. <i>Ecological Entomology</i> , 2004, 29, 666-676. | 1.1 | 33 |
| 48 | Jellyfish-associated bacterial communities and bacterioplankton in Indonesian Marine lakes. <i>FEMS Microbiology Ecology</i> , 2016, 92, fiw064. | 1.3 | 32 |
| 49 | Prokaryote composition and predicted metagenomic content of two <i>Cinachyrella</i> Morphospecies and water from West Papuan Marine Lakes. <i>FEMS Microbiology Ecology</i> , 2018, 94, . | 1.3 | 32 |
| 50 | Compositional analysis of bacterial communities in seawater, sediment, and sponges in the Misool coral reef system, Indonesia. <i>Marine Biodiversity</i> , 2018, 48, 1889-1901. | 0.3 | 32 |
| 51 | Environmental associations of sponges in the Spermonde Archipelago, Indonesia. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 1669-1676. | 0.4 | 31 |
| 52 | A mowing experiment to evaluate the influence of management on the activity of host ants of <i>Maculinea</i> butterflies. <i>Journal of Insect Conservation</i> , 2008, 12, 617-627. | 0.8 | 31 |
| 53 | Assessing variation in bacterial composition between the rhizospheres of two mangrove tree species. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 139, 40-45. | 0.9 | 30 |
| 54 | Relating species traits of foraminifera to environmental variables in the Spermonde Archipelago, Indonesia. <i>Marine Ecology - Progress Series</i> , 2007, 334, 73-82. | 0.9 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Burning and logging differentially affect endemic vs. widely distributed butterfly species in Borneo. <i>Diversity and Distributions</i> , 2006, 12, 409-416. | 1.9 | 29 |
| 56 | Bacterial and microeukaryotic plankton communities in a semi-intensive aquaculture system of sea bass (<i>Dicentrarchus labrax</i>): A seasonal survey. <i>Aquaculture</i> , 2019, 503, 59-69. | 1.7 | 29 |
| 57 | Unraveling the interactive effects of climate change and oil contamination on laboratory-simulated estuarine benthic communities. <i>Global Change Biology</i> , 2015, 21, 1871-1886. | 4.2 | 28 |
| 58 | A global database for metacommunity ecology, integrating species, traits, environment and space. <i>Scientific Data</i> , 2020, 7, 6. | 2.4 | 28 |
| 59 | Lock, Stock and Two Different Barrels: Comparing the Genetic Composition of Morphotypes of the Indo-Pacific Sponge <i>Xestospongia testudinaria</i> . <i>PLoS ONE</i> , 2013, 8, e74396. | 1.1 | 27 |
| 60 | Vegetation responses to burning in a rain forest in Borneo. <i>Plant Ecology</i> , 2005, 177, 145-163. | 0.7 | 26 |
| 61 | Prokaryotic communities of Indo-Pacific giant barrel sponges are more strongly influenced by geography than host phylogeny. <i>FEMS Microbiology Ecology</i> , 2018, 94, . | 1.3 | 26 |
| 62 | Butterfly species richness and community composition in forests affected by ENSO-induced burning and habitat isolation in Borneo. <i>Journal of Tropical Ecology</i> , 2004, 20, 359-367. | 0.5 | 25 |
| 63 | Sediment depth and habitat as predictors of the diversity and composition of sediment bacterial communities in an intertidal estuarine environment. <i>Marine Ecology</i> , 2017, 38, e12411. | 0.4 | 25 |
| 64 | Globally intertwined evolutionary history of giant barrel sponges. <i>Coral Reefs</i> , 2017, 36, 933-945. | 0.9 | 24 |
| 65 | Ecology and conservation status of endemic freshwater crabs in Lake Tanganyika, Africa. <i>Biodiversity and Conservation</i> , 2009, 18, 1555-1573. | 1.2 | 23 |
| 66 | Halophyte plant colonization as a driver of the composition of bacterial communities in salt marshes chronically exposed to oil hydrocarbons. <i>FEMS Microbiology Ecology</i> , 2014, 90, 647-662. | 1.3 | 23 |
| 67 | Integrated analysis of bacterial and microeukaryotic communities from differentially active mud volcanoes in the Gulf of Cadiz. <i>Scientific Reports</i> , 2016, 6, 35272. | 1.6 | 23 |
| 68 | Bacterial Communities Inhabiting the Sponge <i>Biemna fortis</i> , Sediment and Water in Marine Lakes and the Open Sea. <i>Microbial Ecology</i> , 2018, 76, 610-624. | 1.4 | 23 |
| 69 | Multitaxon activity profiling reveals differential microbial response to reduced seawater pH and oil pollution. <i>Molecular Ecology</i> , 2016, 25, 4645-4659. | 2.0 | 20 |
| 70 | Comparison of archaeal and bacterial communities in two sponge species and seawater from an Indonesian coral reef environment. <i>Marine Genomics</i> , 2016, 29, 69-80. | 0.4 | 20 |
| 71 | Diversity Patterns of Bornean Butterfly Assemblages. <i>Biodiversity and Conservation</i> , 2006, 15, 517-538. | 1.2 | 19 |
| 72 | Ecological correlates of species differences in the Lake Tanganyika crab radiation. <i>Hydrobiologia</i> , 2008, 615, 81-94. | 1.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Development and validation of an experimental life support system for assessing the effects of global climate change and environmental contamination on estuarine and coastal marine benthic communities. <i>Global Change Biology</i> , 2013, 19, 2584-2595. | 4.2 | 18 |
| 74 | Assessing the bacterial communities of sponges inhabiting the remote western Indian Ocean island of Mayotte. <i>Marine Ecology</i> , 2018, 39, e12517. | 0.4 | 18 |
| 75 | Archaeal and bacterial communities of <i>Xestospongia testudinaria</i> and sediment differ in diversity, composition and predicted function in an Indonesian coral reef environment. <i>Journal of Sea Research</i> , 2017, 119, 37-53. | 0.6 | 17 |
| 76 | Seasonal patterns of bacterioplankton composition in a semi-intensive European seabass (<i>Dicentrarchus labrax</i>) aquaculture system. <i>Aquaculture</i> , 2018, 490, 240-250. | 1.7 | 17 |
| 77 | Sponge Prokaryote Communities in Taiwanese Coral Reef and Shallow Hydrothermal Vent Ecosystems. <i>Microbial Ecology</i> , 2018, 75, 239-254. | 1.4 | 17 |
| 78 | Butterfly, seedling, sapling and tree diversity and composition in a fire-affected Bornean rainforest. <i>Austral Ecology</i> , 2006, 31, 46-57. | 0.7 | 16 |
| 79 | Impact of sampling depth and plant species on local environmental conditions, microbiological parameters and bacterial composition in a mercury contaminated salt marsh. <i>Marine Pollution Bulletin</i> , 2012, 64, 263-271. | 2.3 | 16 |
| 80 | Richness and composition of sediment bacterial assemblages in an Atlantic port environment. <i>Science of the Total Environment</i> , 2013, 452-453, 172-180. | 3.9 | 16 |
| 81 | Short-Term Impact of 1997/1998 ENSO-Induced Disturbance on Abundance and Genetic Variation in a Tropical Butterfly. <i>Journal of Heredity</i> , 2006, 97, 367-380. | 1.0 | 15 |
| 82 | Providing a common diet to different marine decapods does not standardize the fatty acid profiles of their larvae: a warning sign for experimentation using invertebrate larvae produced in captivity. <i>Marine Biology</i> , 2010, 157, 2427-2434. | 0.7 | 15 |
| 83 | Effect of light, temperature and diet on the fatty acid profile of the tropical sea anemone <i>Aiptasia pallida</i> . <i>Aquaculture Nutrition</i> , 2013, 19, 818-826. | 1.1 | 15 |
| 84 | Effect of spatio-temporal shifts in salinity combined with other environmental variables on the ecological processes provided by <i>Zostera noltei</i> meadows. <i>Scientific Reports</i> , 2017, 7, 1336. | 1.6 | 15 |
| 85 | Characterization of bacterioplankton communities from a hatchery recirculating aquaculture system (RAS) for juvenile sole (<i>Solea senegalensis</i>) production. <i>PLoS ONE</i> , 2019, 14, e0211209. | 1.1 | 15 |
| 86 | Short-term impact of disturbance on genetic diversity and structure of Indonesian populations of the butterfly <i>Drupadia thedai</i> in East Kalimantan. <i>Molecular Ecology</i> , 2006, 15, 2069-2081. | 2.0 | 14 |
| 87 | Bacterial and archaeal communities inhabiting mussels, sediment and water in Indonesian anchialine lakes. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 237-257. | 0.7 | 14 |
| 88 | Prokaryote Communities Inhabiting Endemic and Newly Discovered Sponges and Octocorals from the Red Sea. <i>Microbial Ecology</i> , 2020, 80, 103-119. | 1.4 | 14 |
| 89 | The Sudden Death of a Coral Reef. <i>Science</i> , 2004, 303, 1293b-1294. | 6.0 | 13 |
| 90 | Ecological differentiation between the Sardinian endemic <i>Maniola cf. nurag</i> and the pan-European <i>M. cf. jurtina</i> . <i>Biological Journal of the Linnean Society</i> , 2006, 89, 561-574. | 0.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Temporal dynamics of sediment bacterial communities in monospecific stands of <i>Juncus maritimus</i> and <i>Spartina maritima</i> . <i>Plant Biology</i> , 2016, 18, 824-834. | 1.8 | 13 |
| 92 | Butterfly species and traits associated with selectively logged forest in Borneo. <i>Basic and Applied Ecology</i> , 2009, 10, 237-245. | 1.2 | 12 |
| 93 | Biodiversity pattern of subtidal sponges (Porifera: Demospongiae) in the Penghu Archipelago (Pescadores), Taiwan. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2016, 96, 417-427. | 0.4 | 12 |
| 94 | Mangrove bacterial richness. <i>Communicative and Integrative Biology</i> , 2011, 4, 419-23. | 0.6 | 12 |
| 95 | The impact of logging on the abundance, species richness and community composition of butterfly guilds in Borneo. <i>Journal of Applied Entomology</i> , 2005, 129, 52-59. | 0.8 | 11 |
| 96 | A comparison of prokaryote communities inhabiting sponges, bacterial mats, sediment and seawater in Southeast Asian coral reefs. <i>FEMS Microbiology Ecology</i> , 2019, 95, . | 1.3 | 11 |
| 97 | Humic substances modulate fish bacterial communities in a marine recirculating aquaculture system. <i>Aquaculture</i> , 2021, 544, 737121. | 1.7 | 11 |
| 98 | Archaeal communities of low and high microbial abundance sponges inhabiting the remote western Indian Ocean island of Mayotte. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 95-112. | 0.7 | 11 |
| 99 | Assessing the Use of Butterflies as Indicators of Logging in Borneo at Three Taxonomic Levels. <i>Journal of Economic Entomology</i> , 2004, 97, 429-435. | 0.8 | 11 |
| 100 | Indonesia: Threats to the Country's Biodiversity. , 2011, , 187-197. | | 10 |
| 101 | Micro-eukaryotic plankton diversity in an intensive aquaculture system for production of <i>Scophthalmus maximus</i> and <i>Solea senegalensis</i> . <i>Aquaculture</i> , 2018, 490, 321-328. | 1.7 | 10 |
| 102 | Compositional analysis of archaeal communities in high and low microbial abundance sponges in the Misool coral reef system, Indonesia. <i>Marine Biology Research</i> , 2018, 14, 537-550. | 0.3 | 10 |
| 103 | Linking fish species traits to environmental conditions in the Jakarta Bay-Pulau Seribu coral reef system. <i>Marine Pollution Bulletin</i> , 2017, 122, 259-262. | 2.3 | 9 |
| 104 | Microcosm evaluation of the impact of oil contamination and chemical dispersant addition on bacterial communities and sediment remediation of an estuarine port environment. <i>Journal of Applied Microbiology</i> , 2019, 127, 134-149. | 1.4 | 9 |
| 105 | Aquaponics using a fish farm effluent shifts bacterial communities profile in halophytes rhizosphere and endosphere. <i>Scientific Reports</i> , 2020, 10, 10023. | 1.6 | 9 |
| 106 | Interannual variability in the biochemical composition of newly hatched larvae of the spider crab <i>Maja brachydactyla</i> (Decapoda, Majidae). <i>Marine Ecology</i> , 2014, 35, 298-307. | 0.4 | 8 |
| 107 | Environmental controls on estuarine nitrifying communities along a salinity gradient. <i>Aquatic Microbial Ecology</i> , 2017, 80, 167-180. | 0.9 | 8 |
| 108 | Effects of Host Species and Size on Brood Size and Larval Mortality of the Parasitoid, <i>Ageniaspis fuscicollis</i> (Dalman) (Hymenoptera, Encyrtidae). <i>Environmental Entomology</i> , 2004, 33, 528-534. | 0.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Morphometric variation in two intertidal littorinid gastropods. <i>Contributions To Zoology</i> , 2011, 80, 201-211. | 0.2 | 7 |
| 110 | Impact of logging on tree, liana and herb assemblages in a Bornean forest. <i>Journal of Sustainable Forestry</i> , 2017, 36, 806-817. | 0.6 | 7 |
| 111 | Archaeal communities in sponge, sediment and water from marine lakes and open water habitats. <i>Marine Biology Research</i> , 2019, 15, 259-274. | 0.3 | 7 |
| 112 | A comparison of microeukaryote communities inhabiting sponges and seawater in a Taiwanese coral reef system. <i>Annals of Microbiology</i> , 2019, 69, 861-866. | 1.1 | 7 |
| 113 | Analysis of evolutionary, biogeographical and taxonomic patterns of nucleotide composition in demosponge rRNA. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 1607-1614. | 0.4 | 6 |
| 114 | Independent and interactive effects of reduced seawater pH and oil contamination on subsurface sediment bacterial communities. <i>Environmental Science and Pollution Research</i> , 2018, 25, 32756-32766. | 2.7 | 6 |
| 115 | Bacterial composition of sponges, sediment and seawater in enclosed and open marine lakes in Ha Long Bay Vietnam. <i>Marine Biology Research</i> , 2020, 16, 18-31. | 0.3 | 6 |
| 116 | Characterization of putative circular plasmids in sponge-associated bacterial communities using a selective multiply-primed rolling circle amplification. <i>Molecular Ecology Resources</i> , 2021, 21, 110-121. | 2.2 | 6 |
| 117 | Genetic and ecological differentiation between the butterfly sisterspecies <i>Colias alfacariensis</i> and <i>Colias hyale</i> . <i>Contributions To Zoology</i> , 2002, 71, 131-139. | 0.2 | 5 |
| 118 | Composition and diversity of prokaryotic communities sampled from sponges and soft corals in Maldivian waters. <i>Marine Ecology</i> , 2021, 42, e12638. | 0.4 | 5 |
| 119 | Molecular Analysis of Skin Bacterial Assemblages from Codfish and Pollock after Dry-Salted Fish Production. <i>Journal of Food Protection</i> , 2015, 78, 983-989. | 0.8 | 4 |
| 120 | Diversity patterns of Bornean butterfly assemblages. , 2006, , 503-524. | | 4 |
| 121 | Community composition and species richness of parasitoids infesting <i>Yponomeuta</i> species in the Netherlands. <i>Contributions To Zoology</i> , 2004, 73, 255-261. | 0.2 | 3 |
| 122 | Diversity and composition of plants, butterflies and odonates in an <i>Imperata cylindrica</i> grassland landscape in East Kalimantan, Indonesia. <i>Journal of Tropical Ecology</i> , 2016, 32, 555-560. | 0.5 | 3 |
| 123 | Baseline information on prokaryotic and microeukaryotic plankton communities inside and outside of Indonesian marine lakes. <i>Journal of Sea Research</i> , 2019, 148-149, 23-32. | 0.6 | 3 |
| 124 | Comparison of bacterial communities associated with <i>Xestospongia testudinaria</i> , sediment and seawater in a Singaporean coral reef ecosystem. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 331-342. | 0.4 | 3 |
| 125 | Marine lake populations of jellyfish, mussels and sponges host compositionally distinct prokaryotic communities. <i>Hydrobiologia</i> , 2020, 847, 3409-3425. | 1.0 | 3 |
| 126 | A comparison of the prokaryotic communities associated with seven seaweed species, sediment, and seawater from the Penghu archipelago, Taiwan. <i>Marine Biology Research</i> , 2020, 16, 744-761. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Ragworm fatty acid profiles reveals habitat and trophic interactions with halophytes and with mercury. <i>Marine Pollution Bulletin</i> , 2012, 64, 2528-2534. | 2.3 | 2 |
| 128 | Contrasting habitats occupied by sibling spider crabs <i>Maja squinado</i> and <i>Maja brachydactyla</i> (Brachyura, Majidae) can influence the biochemical variability displayed by newly hatched larvae. <i>Journal of Plankton Research</i> , 2013, 35, 684-688. | 0.8 | 2 |
| 129 | Assessment of fish community structure along the Jakarta Bay–Pulau Seribu reef complex. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 503-516. | 0.4 | 2 |
| 130 | El Niño and Biodiversity. , 2013, , 155-163. | | 1 |
| 131 | Compositional variation between high and low prokaryotic diversity coral reef biotopes translates to different predicted metagenomic gene content. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 563-587. | 0.7 | 1 |
| 132 | Geographical location and habitat predict variation in prokaryotic community composition of <i>Suberites diversicolor</i> . <i>Annals of Microbiology</i> , 2020, 70, . | 1.1 | 1 |
| 133 | Bacterial composition and putative functions associated with sponges, sediment and seawater from the Tioman coral reef system, Peninsular Malaysia. <i>Marine Biology Research</i> , 2020, 16, 729-743. | 0.3 | 1 |
| 134 | Microeukaryotic communities of golf-ball sponges inside and outside of marine lakes. <i>Journal of Sea Research</i> , 2022, 180, 102151. | 0.6 | 1 |
| 135 | El Niño and Biodiversity. , 2007, , 1-11. | | 0 |
| 136 | Sea surface temperature and ocean colour (MODIS/AQUA) space and time variability in Indonesian Sea coral reef systems from 2002 to 2011. <i>Proceedings of SPIE</i> , 2011, , . | 0.8 | 0 |
| 137 | Variation in the composition and diversity of ground-layer herbs and shrubs in unburnt and burnt landscapes. <i>Journal of Tropical Ecology</i> , 2018, 34, 243-256. | 0.5 | 0 |
| 138 | Indonesia: Threats to the Country's Biodiversity. , 2019, , 622-632. | | 0 |
| 139 | Draft Genome Sequence of <i>Vibrio mediterranei</i> Strain CyArs1. <i>Microbiology Resource Announcements</i> , 2022, , e0015522. | 0.3 | 0 |