Adrian Bachtold

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5336689/adrian-bachtold-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

13,784 46 103 94 h-index g-index citations papers 6.15 9.8 103 15,479 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|----|---|--------------------------|-----------|
| 94 | Phonon-Induced Pairing in Quantum Dot Quantum Simulator. <i>Nano Letters</i> , 2021 , 21, 9661-9667 | 11.5 | O |
| 93 | Interrelation of Elasticity and Thermal Bath in Nanotube Cantilevers. <i>Physical Review Letters</i> , 2021 , 126, 175502 | 7.4 | О |
| 92 | Proposal for a Nanomechanical Qubit. <i>Physical Review X</i> , 2021 , 11, | 9.1 | 5 |
| 91 | Fabry-Pflot Oscillations in Correlated Carbon Nanotubes. <i>Physical Review Letters</i> , 2020 , 125, 187701 | 7.4 | 3 |
| 90 | Cooling and self-oscillation in a nanotube electromechanical resonator. <i>Nature Physics</i> , 2020 , 16, 32-37 | 16.2 | 23 |
| 89 | Mass Sensing for the Advanced Fabrication of Nanomechanical Resonators. <i>Nano Letters</i> , 2019 , 19, 698 | 716992 | . 11 |
| 88 | Electrical Control of Lifetime-Limited Quantum Emitters Using 2D Materials. <i>Nano Letters</i> , 2019 , 19, 37 | 8 9 13 7 9 | 521 |
| 87 | Layering Transition in Superfluid Helium Adsorbed on a Carbon Nanotube Mechanical Resonator. <i>Physical Review Letters</i> , 2019 , 122, 165301 | 7.4 | 13 |
| 86 | Optomechanical Measurement of Thermal Transport in Two-Dimensional MoSe Lattices. <i>Nano Letters</i> , 2019 , 19, 3143-3150 | 11.5 | 21 |
| 85 | Electrostatically Induced Phononic Crystal. <i>Physical Review Applied</i> , 2019 , 11, | 4.3 | 12 |
| 84 | Superconductors, orbital magnets and correlated states in magic-angle bilayer graphene. <i>Nature</i> , 2019 , 574, 653-657 | 50.4 | 490 |
| 83 | Optomechanics with a hybrid carbon nanotube resonator. <i>Nature Communications</i> , 2018 , 9, 662 | 17.4 | 28 |
| 82 | Ultrasensitive Displacement Noise Measurement of Carbon Nanotube Mechanical Resonators. <i>Nano Letters</i> , 2018 , 18, 5324-5328 | 11.5 | 25 |
| 81 | Improving the read-out of the resonance frequency of nanotube mechanical resonators. <i>Applied Physics Letters</i> , 2018 , 113, 063104 | 3.4 | 1 |
| 80 | Environmental Electrometry with Luminescent Carbon Nanotubes. <i>Nano Letters</i> , 2018 , 18, 4136-4140 | 11.5 | 14 |
| 79 | Landau Velocity for Collective Quantum Hall Breakdown in Bilayer Graphene. <i>Physical Review Letters</i> , 2018 , 121, 136804 | 7.4 | 5 |
| 78 | Real-Time Measurement of Nanotube Resonator Fluctuations in an Electron Microscope. <i>Nano Letters</i> , 2017 , 17, 1748-1755 | 11.5 | 21 |

(2012-2017)

| 77 | Energy-dependent path of dissipation in nanomechanical resonators. <i>Nature Nanotechnology</i> , 2017 , 12, 631-636 | 28.7 | 80 |
|----|---|---------------|------|
| 76 | High Quality Factor Graphene-Based Two-Dimensional Heterostructure Mechanical Resonator. <i>Nano Letters</i> , 2017 , 17, 5950-5955 | 11.5 | 49 |
| 75 | High Quality Factor Mechanical Resonators Based on WSe2 Monolayers. <i>Nano Letters</i> , 2016 , 16, 5102-8 | 11.5 | 80 |
| 74 | Electromechanical control of nitrogen-vacancy defect emission using graphene NEMS. <i>Nature Communications</i> , 2016 , 7, 10218 | 17.4 | 46 |
| 73 | Force sensitivity of multilayer graphene optomechanical devices. <i>Nature Communications</i> , 2016 , 7, 1249 | 6 17.4 | 79 |
| 72 | Silicon-Based Chemical Motors: An Efficient Pump for Triggering and Guiding Fluid Motion Using Visible Light. <i>ACS Nano</i> , 2015 , 9, 11234-40 | 16.7 | 47 |
| 71 | Science and technology roadmap for graphene, related two-dimensional crystals, and hybrid systems. <i>Nanoscale</i> , 2015 , 7, 4598-810 | 7.7 | 2015 |
| 70 | Coupling graphene mechanical resonators to superconducting microwave cavities. <i>Nano Letters</i> , 2014 , 14, 2854-60 | 11.5 | 109 |
| 69 | Sequential tasks performed by catalytic pumps for colloidal crystallization. <i>Langmuir</i> , 2014 , 30, 11841-5 | 4 | 18 |
| 68 | Nanotube mechanical resonators with quality factors of up to 5 million. <i>Nature Nanotechnology</i> , 2014 , 9, 1007-11 | 28.7 | 146 |
| 67 | Atomic monolayer deposition on the surface of nanotube mechanical resonators. <i>Physical Review Letters</i> , 2014 , 112, 196103 | 7.4 | 17 |
| 66 | Harnessing vacuum forces for quantum sensing of graphene motion. <i>Physical Review Letters</i> , 2014 , 112, 223601 | 7.4 | 39 |
| 65 | Interplay of driving and frequency noise in the spectra of vibrational systems. <i>Physical Review Letters</i> , 2014 , 113, 255502 | 7.4 | 34 |
| 64 | Symmetry breaking in a mechanical resonator made from a carbon nanotube. <i>Nature Communications</i> , 2013 , 4, 2843 | 17.4 | 35 |
| 63 | Controlled assembly of graphene sheets and nanotubes: Fabrication of suspended multi-element all-carbon vibrational structures. <i>Journal of Applied Physics</i> , 2013 , 114, 104310 | 2.5 | 2 |
| 62 | Ultrasensitive force detection with a nanotube mechanical resonator. <i>Nature Nanotechnology</i> , 2013 , 8, 493-6 | 28.7 | 253 |
| 61 | Imaging the proton concentration and mapping the spatial distribution of the electric field of catalytic micropumps. <i>Physical Review Letters</i> , 2013 , 111, 168301 | 7.4 | 42 |
| 60 | A nanomechanical mass sensor with yoctogram resolution. <i>Nature Nanotechnology</i> , 2012 , 7, 301-4 | 28.7 | 683 |

| 59 | Strong coupling between mechanical modes in a nanotube resonator. <i>Physical Review Letters</i> , 2012 , 109, 025503 | 7.4 | 84 |
|----|--|------|-----|
| 58 | Nonlinear damping in mechanical resonators made from carbon nanotubes and graphene. <i>Nature Nanotechnology</i> , 2011 , 6, 339-42 | 28.7 | 458 |
| 57 | Structured graphene devices for mass transport. Small, 2011, 7, 775-80 | 11 | 15 |
| 56 | Parametric amplification and self-oscillation in a nanotube mechanical resonator. <i>Nano Letters</i> , 2011 , 11, 2699-703 | 11.5 | 65 |
| 55 | High-frequency nanotube mechanical resonators. <i>Applied Physics Letters</i> , 2011 , 99, 213502 | 3.4 | 43 |
| 54 | Damaging graphene with ozone treatment: a chemically tunable metal-insulator transition. <i>ACS Nano</i> , 2010 , 4, 4033-8 | 16.7 | 126 |
| 53 | Current-voltage characteristics of graphene devices: Interplay between Zener-Klein tunneling and defects. <i>Physical Review B</i> , 2010 , 82, | 3.3 | 67 |
| 52 | Probing the electron-phonon coupling in ozone-doped graphene by Raman spectroscopy. <i>Physical Review B</i> , 2010 , 82, | 3.3 | 30 |
| 51 | Ground-state-cooling vibrations of suspended carbon nanotubes with constant electron current. <i>Physical Review B</i> , 2010 , 81, | 3.3 | 21 |
| 50 | Magnetotransport in disordered graphene exposed to ozone: From weak to strong localization. <i>Physical Review B</i> , 2010 , 81, | 3.3 | 122 |
| 49 | Carbon nanotube electromechanical resonator for ultrasensitive mass/force sensing. <i>Comptes Rendus Physique</i> , 2010 , 11, 355-361 | 1.4 | 16 |
| 48 | Electron counting spectroscopy of CdSe quantum dots. <i>Physical Review Letters</i> , 2009 , 102, 226804 | 7.4 | 13 |
| 47 | Cooling carbon nanotubes to the phononic ground state with a constant electron current. <i>Physical Review Letters</i> , 2009 , 102, 096804 | 7.4 | 73 |
| 46 | Fabrication of large addition energy quantum dots in graphene. <i>Applied Physics Letters</i> , 2009 , 95, 17350 | 06.4 | 48 |
| 45 | Charging and discharging of graphene in ambient conditions studied with scanning probe microscopy. <i>Applied Physics Letters</i> , 2009 , 94, 233105 | 3.4 | 52 |
| 44 | Thermal probing of energy dissipation in current-carrying carbon nanotubes. <i>Journal of Applied Physics</i> , 2009 , 105, 104306 | 2.5 | 86 |
| 43 | Influence of the macroscopic shape of the tip on the contrast in scanning polarization force microscopy images. <i>Nanotechnology</i> , 2009 , 20, 285704 | 3.4 | 12 |
| 42 | Coupling mechanics to charge transport in carbon nanotube mechanical resonators. <i>Science</i> , 2009 , 325, 1107-10 | 33.3 | 274 |

| 41 | Transport properties of graphene in the high-current limit. <i>Physical Review Letters</i> , 2009 , 103, 076601 | 7.4 | 177 |
|----|---|-------------------|-----|
| 40 | Using Thermal Gradients for Actuation in the Nanoscale. <i>IUTAM Symposium on Cellular, Molecular and Tissue Mechanics</i> , 2009 , 141-150 | 0.3 | |
| 39 | Imaging mechanical vibrations in suspended graphene sheets. <i>Nano Letters</i> , 2008 , 8, 1399-403 | 11.5 | 291 |
| 38 | The environment of graphene probed by electrostatic force microscopy. <i>Applied Physics Letters</i> , 2008 , 92, 123507 | 3.4 | 152 |
| 37 | Subnanometer motion of cargoes driven by thermal gradients along carbon nanotubes. <i>Science</i> , 2008 , 320, 775-8 | 33.3 | 279 |
| 36 | Mechanical detection and mode shape imaging of vibrational modes of micro and nanomechanical resonators by dynamic force microscopy. <i>Journal of Physics: Conference Series</i> , 2008 , 100, 052009 | 0.3 | 2 |
| 35 | Ultrasensitive mass sensing with a nanotube electromechanical resonator. <i>Nano Letters</i> , 2008 , 8, 3735-8 | 311.5 | 305 |
| 34 | Mechanical detection of carbon nanotube resonator vibrations. <i>Physical Review Letters</i> , 2007 , 99, 08550 | 7.4 | 163 |
| 33 | Control of the single-wall carbon nanotube mean diameter in sulphur promoted aerosol-assisted chemical vapour deposition. <i>Carbon</i> , 2007 , 45, 55-61 | 10.4 | 40 |
| 32 | Response of carbon nanotube transistors to electron beam exposure. <i>Microelectronic Engineering</i> , 2007 , 84, 1596-1600 | 2.5 | 8 |
| 31 | Current-induced cleaning of graphene. Applied Physics Letters, 2007, 91, 163513 | 3.4 | 508 |
| 30 | Detecting Individual Electrons Using a Carbon Nanotube Field-Effect Transistor. <i>Nano Letters</i> , 2007 , 7, 3766-3769 | 11.5 | 40 |
| 29 | Cotunneling and one-dimensional localization in individual disordered single-wall carbon nanotubes: Temperature dependence of the intrinsic resistance. <i>Physical Review B</i> , 2006 , 74, | 3.3 | 29 |
| 28 | Beyond the linearity of currentNoltage characteristics in multiwalled carbon nanotubes. <i>Semiconductor Science and Technology</i> , 2006 , 21, S33-S37 | 1.8 | 8 |
| 27 | Thermal decomposition of ferrocene as a method for production of single-walled carbon nanotubes without additional carbon sources. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 20973-7 | 3.4 | 86 |
| 26 | Four-terminal measurements of SWNTs using MWNTs as voltage electrodes. <i>Physica Status Solidi</i> (B): Basic Research, 2006 , 243, 3399-3402 | 1.3 | |
| 25 | Four-point resistance of individual single-wall carbon nanotubes. <i>Physical Review Letters</i> , 2005 , 95, 1968 | 8 9 24 | 99 |
| 24 | Evidence for Luttinger-liquid behavior in crossed metallic single-wall nanotubes. <i>Physical Review Letters</i> , 2004 , 92, 216804 | 7.4 | 113 |

| 23 | Geometrical dependence of high-bias current in multiwalled carbon nanotubes. <i>Physical Review Letters</i> , 2004 , 92, 026804 | 7·4 | 81 |
|----|---|------|------|
| 22 | Bachtold and Bourlon Reply:. <i>Physical Review Letters</i> , 2004 , 93, | 7.4 | 1 |
| 21 | Determination of the intershell conductance in multiwalled carbon nanotubes. <i>Physical Review Letters</i> , 2004 , 93, 176806 | 7.4 | 171 |
| 20 | Carbon Nanotube Based Bearing for Rotational Motions. <i>Nano Letters</i> , 2004 , 4, 709-712 | 11.5 | 192 |
| 19 | Logic circuits based on carbon nanotubes. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2003 , 16, 42-46 | 3 | 34 |
| 18 | Multiwall carbon nanotubes as quantum dots. <i>Physical Review Letters</i> , 2002 , 88, 156801 | 7.4 | 157 |
| 17 | Electronic and Mechanical Properties of Carbon Nanotubes 2002 , 297-320 | | 7 |
| 16 | Transport through the interface between a semiconducting carbon nanotube and a metal electrode. <i>Physical Review B</i> , 2002 , 66, | 3.3 | 81 |
| 15 | Comment on Magnetoresistance and differential conductance in mutliwalled carbon nanotubes Physical Review B, 2001 , 64, | 3.3 | 10 |
| 14 | Suppression of tunneling into multiwall carbon nanotubes. <i>Physical Review Letters</i> , 2001 , 87, 166801 | 7.4 | 157 |
| 13 | Logic circuits with carbon nanotube transistors. <i>Science</i> , 2001 , 294, 1317-20 | 33.3 | 2204 |
| 12 | Luttinger Liquid Behavior in Metallic Carbon Nanotubes. <i>Lecture Notes in Physics</i> , 2001 , 125-146 | 0.8 | 7 |
| 11 | Interference and interactions in multiwall nanotubes. <i>Physica B: Condensed Matter</i> , 2000 , 280, 384-385 | 2.8 | 3 |
| 10 | Scanning thermal microscopy of carbon nanotubes using batch-fabricated probes. <i>Applied Physics Letters</i> , 2000 , 77, 4295-4297 | 3.4 | 141 |
| 9 | Scanned probe microscopy of electronic transport in carbon nanotubes. <i>Physical Review Letters</i> , 2000 , 84, 6082-5 | 7.4 | 493 |
| 8 | Aharonov B ohm oscillations in carbon nanotubes. <i>Nature</i> , 1999 , 397, 673-675 | 50.4 | 659 |
| 7 | Interference and Interaction in multi-wall carbon nanotubes. <i>Applied Physics A: Materials Science and Processing</i> , 1999 , 69, 283-295 | 2.6 | 254 |
| 6 | Contacting single template synthesized nanowires for electric measurements. <i>Microelectronic Engineering</i> , 1998 , 41-42, 571-574 | 2.5 | 9 |

LIST OF PUBLICATIONS

| 5 | Contacting carbon nanotubes selectively with low-ohmic contacts for four-probe electric measurements. <i>Applied Physics Letters</i> , 1998 , 73, 274-276 | 3.4 | 267 |
|---|---|-----|-----|
| 4 | Electrical properties of single carbon nanotubes 1998, | | 3 |
| 3 | Electron heating effects in diffusive metal wires. <i>Applied Physics Letters</i> , 1997 , 71, 773-775 | 3.4 | 41 |
| 2 | Template Synthesis of Nanowires in Porous Polycarbonate Membranes: Electrochemistry and Morphology. <i>Journal of Physical Chemistry B</i> , 1997 , 101, 5497-5505 | 3.4 | 436 |
| 1 | Electromechanical control of nitrogen-vacancy defect emission using graphene NEMS | | 1 |