

# Algimantas KeÅ¾ionis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5337355/publications.pdf>

Version: 2024-02-01

101  
papers

1,024  
citations

430874

18  
h-index

552781

26  
g-index

101  
all docs

101  
docs citations

101  
times ranked

774  
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrochemical Performance of Highly Conductive Nanocrystallized Glassy Alluaudite-Type Cathode Materials for NIBs. <i>Energies</i> , 2022, 15, 2567.	3.1	2
2	Ag <sub>3</sub> AsS <sub>3</sub> -As <sub>2</sub> S <sub>3</sub> composite: Detailed impedance spectroscopy study. <i>Solid State Ionics</i> , 2022, 383, 115971.	2.7	0
3	Aqueous sol-gel synthesis, structural, thermoanalytical studies, and conductivity properties of lithium lanthanum titanate. <i>Thermochimica Acta</i> , 2022, 715, 179268.	2.7	1
4	Conductivity and oxygen diffusion in bixbyites and fluorites Ln <sub>6</sub> MoO <sub>12</sub> (Ln = Er, Tm; x = 0, 0.5). <i>International Journal of Hydrogen Energy</i> , 2021, 46, 16965-16976.	7.1	7
5	Dielectric properties and infrared spectra of Ag <sub>0.92</sub> Li <sub>0.08</sub> NbO <sub>3</sub> ceramics. <i>Solid State Communications</i> , 2021, 332, 114338.	1.9	1
6	Charge carrier relaxation in YSZ and CaSZ single crystals: In search of the analytic representation of DRT. <i>Solid State Ionics</i> , 2021, 372, 115788.	2.7	2
7	Temperature-Dependent Structural Changes of Na <sub>2</sub> Mn <sub>3</sub> (P <sub>2</sub> O <sub>7</sub> ) <sub>2</sub> Phase in NaLiMnP <sub>2</sub> O <sub>7</sub> Mixed Phase Compound. <i>Integrated Ferroelectrics</i> , 2021, 220, 100-109.	0.7	0
8	Changes in properties of scandia-stabilised ceria-doped zirconia ceramics caused by silver migration in the electric field. <i>Electrochimica Acta</i> , 2020, 338, 135866.	5.2	5
9	Aqueous sol-gel synthesis, thermal analysis, characterization and electrical properties of V <sub>2</sub> O <sub>5</sub> doped Bi <sub>2</sub> O <sub>3</sub> system. <i>Thermochimica Acta</i> , 2020, 685, 178511.	2.7	4
10	Samples of Ba <sub>1-x</sub> Sr <sub>x</sub> Ce <sub>0.9</sub> Y <sub>0.1</sub> O <sub>3</sub> , 0 < x < 0.1, with Improved Chemical Stability in CO <sub>2</sub> -H <sub>2</sub> Gas-Involving Atmospheres as Potential Electrolytes for a Proton Ceramic Fuel Cell. <i>Materials</i> , 2020, 13, 1874.	2.9	6
11	Revision of the freezing concept in relaxor ferroelectrics: the case of Na <sub>0.5</sub> Bi <sub>0.5</sub> Ti <sub>3</sub> -Sr <sub>0.7</sub> Bi <sub>0.2</sub> Ti <sub>3</sub> solid solutions. <i>Ferroelectrics</i> , 2020, 569, 266-279.	0.6	1
12	Preparation and Characterization of Large Area Li-NASICON Electrolyte Thick Films. <i>Inorganics</i> , 2019, 7, 107.	2.7	6
13	Metal-like temperature dependent conductivity in fast Li <sup>+</sup> ionic conductor Lithium Lanthanum Titanate. <i>Solid State Ionics</i> , 2019, 342, 115060.	2.7	10
14	Effect of Sodium and Fluorine Co-Doping on the Properties of Fluorite-Like Rare-Earth Molybdates of Nd <sub>5</sub> Mo <sub>3</sub> O <sub>16</sub> Type. <i>European Journal of Inorganic Chemistry</i> , 2019, 1250-1256.	2.0	7
15	Phase transformations in La <sub>2-x</sub> Y <sub>x</sub> Mo <sub>2</sub> O <sub>9</sub> (x = 0.05, x = 0.075): Temperature cycling and DRT analysis. <i>Solid State Ionics</i> , 2019, 339, 114989.	2.7	5
16	Ba <sub>0.95</sub> Ca <sub>0.05</sub> Ce <sub>0.9</sub> Y <sub>0.1</sub> O <sub>3</sub> as an electrolyte for proton-conducting ceramic fuel cells. <i>Electrochimica Acta</i> , 2019, 304, 70-79.	5.2	16
17	Crystal growth, structural and electrical properties of (Cu <sub>1-x</sub> Ag <sub>x</sub> ) <sub>7</sub> Ge <sub>5</sub> S <sub>1</sub> superionic solid solutions. <i>Solid State Ionics</i> , 2019, 329, 119-123.	2.7	13
18	Ferroelastic phase transition in Cu <sub>6</sub> PS <sub>5</sub> Br <sub>1-x</sub> Cl <sub>x</sub> mixed crystals. <i>Phase Transitions</i> , 2019, 92, 461-466.	1.3	2

#	ARTICLE	IF	CITATIONS
19	Peculiarities of charge carrier relaxation in grain boundary of gadolinium-doped ceria ceramics. Lithuanian Journal of Physics, 2019, 59, .	0.4	2
20	Aqueous sol-gel synthesis, thermoanalytical study and electrical properties of La <sub>2</sub> Mo <sub>2</sub> O <sub>9</sub> . Journal of Thermal Analysis and Calorimetry, 2018, 132, 1499-1511.	3.6	9
21	High frequency impedance spectroscopy study on Gd-doped CeO <sub>2</sub> thin films. Ionics, 2018, 24, 1153-1159.	2.4	3
22	Ferroelectric, dielectric and optic properties of Mn and Cr-doped Na <sub>0.5</sub> Bi <sub>0.5</sub> TiO <sub>3</sub> single crystals. Ferroelectrics, 2018, 532, 38-49.	0.6	5
23	Preparation and Physical Properties of Superionic Cu <sub>7</sub> -GeS <sub>5</sub> I-based Nano-ceramic and Thin Film. , 2018, , .		0
24	Composite cathode material LSCF-Ag for solid oxide fuel cells obtained in one step sintering procedure. Electrochimica Acta, 2018, 282, 427-436.	5.2	14
25	Structural and electrical properties of argyrodite-type Cu <sub>7</sub> PS <sub>6</sub> crystals. Lithuanian Journal of Physics, 2018, 57, .	0.4	4
26	Anomalous temperature-dependent electrical properties of Na <sub>2</sub> MnP <sub>2</sub> O <sub>7</sub> . Solid State Ionics, 2017, 302, 72-76.	2.7	8
27	Peculiarities of ionic conduction in Li <sub>0.5</sub> Na <sub>y</sub> La <sub>0.5</sub> Nb <sub>2</sub> O <sub>6</sub> system at high temperatures. Solid State Ionics, 2017, 300, 86-90.	2.7	5
28	Synthesis, structure and impedance spectroscopy of NaCsZn <sub>0.5</sub> Mn <sub>0.5</sub> P <sub>2</sub> O <sub>7</sub> pyrophosphate ceramics. Solid State Ionics, 2017, 302, 92-97.	2.7	3
29	Electrical properties of scandia- and ceria-stabilized zirconia ceramics. Solid State Ionics, 2017, 310, 143-147.	2.7	9
30	Preparation, structure, surface and impedance analysis of Na <sub>2</sub> Zn <sub>0.5</sub> Mn <sub>0.5</sub> P <sub>2</sub> O <sub>7</sub> ceramics. Lithuanian Journal of Physics, 2017, 57, .	0.4	3
31	Charge carrier relaxation phenomena and phase transition in La <sub>2</sub> Mo <sub>2</sub> O <sub>9</sub> ceramics investigated by broadband impedance spectroscopy. Electrochimica Acta, 2016, 213, 306-313.	5.2	12
32	Synthesis of nanocrystalline gadolinium doped ceria via sol-gel combustion and sol-gel synthesis routes. Ceramics International, 2016, 42, 3972-3988.	4.8	46
33	Characterization of Na <sub>1.3</sub> Al <sub>0.3</sub> Zr <sub>1.7</sub> (PO <sub>4</sub> ) <sub>3</sub> solid electrolyte ceramics by impedance spectroscopy. Solid State Ionics, 2015, 271, 128-133.	2.7	5
34	Effect of sintering temperature on electrical properties of gadolinium-doped ceria ceramics. Journal of Materials Science, 2015, 50, 3246-3251.	3.7	21
35	Preparation and Characterization of Solid Electrolytes Based on TiP <sub>2</sub> O <sub>7</sub> Pyrophosphate. Ferroelectrics, 2015, 479, 101-109.	0.6	6
36	XRD, impedance, and MÄssbauer spectroscopy study of the Li <sub>3</sub> Fe <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> +Fe <sub>2</sub> O <sub>3</sub> composite for Li ion batteries. Ionics, 2015, 21, 2127-2136.	2.4	7

#	ARTICLE	IF	CITATIONS
37	Some aspects of charge transport in $\text{Li}_{0.5-x}\text{Na}_x\text{La}_{0.5}\text{TiO}_3$ ( $x = 0, 0.25$ ) ceramics. <i>Functional Materials Letters</i> , 2015, 08, 1550076.	1.2	3
38	Relationship between charge carrier relaxation and peculiarities of electric response in some solid oxygen ion conductors. <i>Solid State Ionics</i> , 2015, 279, 25-31.	2.7	9
39	Preparation and investigation of $\text{Bi}_2\text{WO}_6$ , $\text{Bi}_2\text{MoO}_6$ and $\text{ZnWO}_4$ ceramics. <i>Solid State Ionics</i> , 2015, 271, 73-78.	2.7	7
40	Characterization of NASICON-type $\text{Na}$ solid electrolyte ceramics by impedance spectroscopy. <i>Functional Materials Letters</i> , 2014, 07, 1440002.	1.2	7
41	Electrical conductivity studies in $(\text{Ag}_3\text{AsS}_3)_x(\text{As}_2\text{S}_3)_{1-x}$ superionic glasses and composites. <i>Journal of Applied Physics</i> , 2014, 115, .	2.5	13
42	XRD, XPS, SEM/EDX and broadband impedance spectroscopy study of pyrophosphate $(\text{LiFeP}_2\text{O}_7)$ and $\text{Tj ETQqO O O rgBT /Overlock 10 Tf 50 542 Td (Li}_{0.9}\text{Fe}_{0.9}\text{Tj}_{0.1}$ Transitions, 2014, 87, 438-451.	1.3	12
43	Charge carrier relaxation in solid $\text{VO}$ conductors. <i>Solid State Ionics</i> , 2014, 262, 593-596.	2.7	12
44	Broadband Method for the Determination of Small Sample's Electrical and Dielectric Properties at High Temperatures. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2014, 62, 2456-2461.	4.6	35
45	Electrical conductivity and dielectric permittivity of $\text{Cu}_6\text{As}_5\text{S}_1$ superionic crystals. <i>Solid State Ionics</i> , 2014, 262, 582-584.	2.7	1
46	Charge carrier relaxation and phase transition in scandium stabilized zirconia ceramics. <i>Electrochimica Acta</i> , 2014, 134, 176-181.	5.2	14
47	SEM/EDX, XPS, and impedance spectroscopy of $\text{LiFePO}_4$ and $\text{LiFePO}_4/\text{C}$ ceramics. <i>Lithuanian Journal of Physics</i> , 2014, 54, 106-113.	0.4	21
48	Electrical conductivity of superionic composites based on $\text{Cu}_6\text{P}_{1-x}\text{As}_x\text{S}_5$ solid solutions. <i>Solid State Ionics</i> , 2013, 251, 83-86.	2.7	2
49	Impedance spectroscopy study of $\text{Cu}_6\text{PS}_5\text{As}_2\text{S}_3$ nanocomposites. <i>Ionics</i> , 2013, 19, 1387-1391.	2.4	1
50	Electrical properties of YSZ and CaSZ single crystals. <i>Solid State Ionics</i> , 2013, 231, 37-42.	2.7	31
51	Four-electrode impedance spectrometer for investigation of solid ion conductors. <i>Review of Scientific Instruments</i> , 2013, 84, 013902.	1.3	36
52	Preparation of superionic ceramics by spark plasma method. <i>Medziagotyra</i> , 2013, 19, .	0.2	0
53	X-ray photoelectron and broadband impedance spectroscopy of $\text{Li}_{1+4x}\text{Ti}_{2-x}(\text{PO}_4)_3$ solid electrolyte ceramics. <i>Lithuanian Journal of Physics</i> , 2013, 53, 244-254.	0.4	1
54	Ionic conductivity of $\text{Li}_{1.3}\text{Al}_{0.3}\text{Sc}_x\text{Ti}_{1.7}(\text{PO}_4)_3$ ( $x=0, 0.1, 0.15, 0.2, 0.3$ ) solid electrolytes prepared by Pechini process. <i>Solid State Ionics</i> , 2012, 225, 615-619.	2.7	26

#	ARTICLE	IF	CITATIONS
55	Electrical and dielectrical studies of Cu <sub>6</sub> PS <sub>5</sub> I <sub>1-x</sub> Cl <sub>x</sub> superionic composites. Solid State Ionics, 2012, 225, 685-689.	2.7	0
56	Structure and broadband impedance spectroscopy of Li <sub>1.3</sub> Al <sub>y</sub> Y <sub>x</sub> Y <sub>1.7</sub> Ti <sub>1.7</sub> (PO <sub>4</sub> ) <sub>3</sub> (x=0.3; y=0.1, 0.2) solid electrolyte ceramics. Solid State Ionics, 2012, 225, 620-625.	2.7	24
57	Structural and electrical investigation of (Ag <sub>3</sub> AsS <sub>3</sub> ) <sub>x</sub> (As <sub>2</sub> S <sub>3</sub> ) <sub>1-x</sub> superionic glasses. Open Physics, 2012, 10, .	1.7	8
58	Sintering of oxygen ion conductive ceramics and their electrical properties. Lithuanian Journal of Physics, 2012, 52, 231-237.	0.4	6
59	Broadband impedance spectroscopy of some Li <sup>+</sup> and V <sup>o</sup> ** conducting solid electrolytes. Advanced Electromagnetics, 2012, 1, 70.	1.0	1
60	Structure and Electrical Properties of Li <sub>3-3x</sub> Sc <sub>2x</sub> Zr <sub>x</sub> (PO <sub>4</sub> ) <sub>3</sub> (x = 0, 0.1, 0.2) Ceramics. Ferroelectrics, 2011, 418, 34-44.	0.6	1
61	Broadband high frequency impedance spectrometer with working temperatures up to 1200K. Solid State Ionics, 2011, 188, 110-113.	2.7	44
62	Determination of the non-Arrhenius behaviour of the bulk conductivity of fast ionic conductors LLTO at high temperature. Solid State Ionics, 2011, 188, 69-72.	2.7	34
63	XPS and impedance spectroscopy of some oxygen vacancy conducting solid electrolyte ceramics. Solid State Ionics, 2011, 188, 36-40.	2.7	18
64	Preparation and characterization of Li <sub>1+x</sub> Al <sub>y</sub> Sc <sub>x</sub> Y <sub>1.7</sub> Ti <sub>1.7</sub> (PO <sub>4</sub> ) <sub>3</sub> (x=0.3, y=0.1, 0.15, 0.2) ceramics. Solid State Ionics, 2011, 188, 73-77.	2.7	7
65	XPS and ionic conductivity studies on Li <sub>1.3</sub> Al <sub>0.15</sub> Y <sub>0.15</sub> Ti <sub>1.7</sub> (PO <sub>4</sub> ) <sub>3</sub> ceramics. Ionics, 2010, 16, 631-637.	2.4	19
66	Surface and impedance spectroscopy studies of Li <sub>2.8</sub> Sc <sub>1.8</sub> Y <sub>y</sub> Zr <sub>0.2</sub> (PO <sub>4</sub> ) <sub>3</sub> (where y=0, 0.1) solid electrolyte ceramics. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2010, 172, 156-162.	3.5	12
67	Temperature and compositional behaviour of electrical conductivity and optical absorption edge in Cu <sub>7</sub> Ge(S <sub>1-x</sub> Se <sub>x</sub> ) <sub>5</sub> I mixed superionic crystals. Solid State Ionics, 2010, 181, 1596-1600.	2.7	16
68	Preparation and characterization of Li <sub>2.9</sub> Sc <sub>1.9</sub> Y <sub>y</sub> Zr <sub>0.1</sub> (PO <sub>4</sub> ) <sub>3</sub> (where y=0, 0.1) solid electrolyte ceramics. Solid State Ionics, 2010, 181, 1596-1600.	2.7	16
69	Preparation, structure and electrical properties of Li <sub>1+4x</sub> Ti <sub>2-x</sub> Nb <sub>x</sub> P <sub>3-y</sub> O <sub>12</sub> (x=0, 0.1, 0.2; y=0, 0.1, 0.2) TJ ET		
70	Peculiarities of ionic transport in Li <sub>1.3</sub> Al <sub>0.15</sub> Y <sub>0.15</sub> Ti <sub>1.7</sub> (PO <sub>4</sub> ) <sub>3</sub> ceramics. Journal of Physics Condensed Matter, 2009, 21, 185502.	1.8	15
71	Peculiarities of ionic transport in LLTO solid electrolytes. Physica Status Solidi C: Current Topics in Solid State Physics, 2009, 6, 2756-2758.	0.8	4
72	Preparation, electric conductivity and dielectrical properties of Cu <sub>6</sub> PS <sub>5</sub> I-based superionic composites. Solid State Ionics, 2009, 180, 183-186.	2.7	27

#	ARTICLE	IF	CITATIONS
73	Temperature variation of electrical conductivity and absorption edge in Cu <sub>7</sub> Ge <sub>5</sub> I advanced superionic conductor. Journal of Physics and Chemistry of Solids, 2009, 70, 1478-1481.	4.0	19
74	Electrical conductivity, electrochemical and optical properties of Cu <sub>7</sub> Ge <sub>5</sub> I-Cu <sub>7</sub> Ge <sub>5</sub> I superionic solid solutions. Lithuanian Journal of Physics, 2009, 49, 203-208.	0.4	6
75	XPS and impedance spectroscopy of Gd doped CeO <sub>2</sub> superionic ceramics. Lithuanian Journal of Physics, 2009, 49, 311-316.	0.4	3
76	Peculiarities of ionic transport of oxygen vacancy conducting superionic ceramics. Lithuanian Journal of Physics, 2009, 49, 317-322.	0.4	2
77	La-doped LiTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> ceramics. Solid State Ionics, 2008, 179, 51-51.	2.7	12
78	Synthesis, structure and electrical properties of Li <sub>1+x</sub> Sc <sub>y</sub> Ti <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> (x=0.15-0.3, y=0.01-0.15) ceramics. Solid State Ionics, 2008, 179, 159-163.	2.7	12
79	Conductivity investigations of Cu <sub>7</sub> Ge <sub>5</sub> I family fast-ion conductors. Solid State Ionics, 2008, 179, 168-171.	2.7	8
80	Synthesis and characterization of Li <sub>1/3</sub> Ce <sub>2/3</sub> PO <sub>4</sub> and LiCe <sub>2/3</sub> PO <sub>4</sub> ceramics. Journal of Physics Condensed Matter, 2007, 19, 106204.	1.8	0
81	Lithium ion conductors in the system Li <sub>1+y</sub> Ge <sub>2</sub> Ti <sub>x</sub> Al <sub>y</sub> (PO <sub>4</sub> ) <sub>3</sub> (x=0.1-0.3, y=0.07-0.21). Solid State Ionics, 2007, 178, 1282-1287.	2.7	19
82	Electrical properties of Li <sub>1.3</sub> Ge <sub>1.4</sub> Ti <sub>0.3</sub> Al <sub>0.3</sub> (PO <sub>4</sub> ) <sub>3</sub> superionic ceramics. Electrochimica Acta, 2006, 51, 6199-6202.	5.2	14
83	Synthesis and peculiarities of electric properties of Li <sub>1.3</sub> Zr <sub>1.4</sub> Ti <sub>0.3</sub> Al <sub>0.3</sub> (PO <sub>4</sub> ) <sub>3</sub> solid electrolyte ceramics. Electrochimica Acta, 2006, 51, 6194-6198.	5.2	14
84	CHARACTERIZATION AND IMPEDANCE SPECTROSCOPY OF Li <sub>3</sub> Sc <sub>2-x</sub> B <sub>x</sub> (PO <sub>4</sub> ) <sub>3</sub> (WHERE x=0-2) SOLID ELECTROLYTE CERAMICS. Phosphorus Research Bulletin, 2005, 19, 124-129.	0.6	1
85	Impedance spectroscopy of solid electrolytes in the radio frequency range. Solid State Ionics, 2005, 176, 2037-2043.	2.7	25
86	Impedance spectra of LiScYTi(PO) solid electrolyte ceramics in a broad frequency range. Solid State Ionics, 2005, 176, 1743-1746.	2.7	4
87	Fabrication and electrical properties of Li <sub>3</sub> Sc <sub>2-x</sub> B <sub>x</sub> (PO <sub>4</sub> ) <sub>3</sub> superionic materials. Lithuanian Journal of Physics, 2005, 45, 257-262.	0.4	3
88	Formation and Characteristics of Thin Films of ZrO <sub>2</sub> -8 mol % Y <sub>2</sub> O <sub>3</sub> Solid Electrolytes. Solid State Phenomena, 2004, 97-98, 153-158.	0.3	1
89	Synthesis and electrical properties of Li <sub>1+x</sub> M <sub>x</sub> Ti <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> (where M=Sc, Al, Fe, Y; x=0.3) superionic ceramics. Journal of Solid State Electrochemistry, 2003, 7, 113-117.	2.5	14
90	RELATIONSHIPS BETWEEN THE SUBSTITUTIONS Ti <sup>4+</sup> Sc <sup>3+</sup> (B <sup>3+</sup> ) <sup>+</sup> Li <sup>+</sup> AND IONIC CONDUCTIVITY OF Li <sub>1+x</sub> Sc <sub>x</sub> B <sub>y</sub> Ti <sub>2-x-y</sub> (PO <sub>4</sub> ) <sub>3</sub> (WHERE x, y = 0 - 0.3) CERAMICS. Phosphorus Research Bulletin, 2002, 13, 107-110.	0.6	3

#	ARTICLE	IF	CITATIONS
91	Electrical Conductivity Dispersion in Co-Doped NASICON Samples. <i>Physica Status Solidi A</i> , 2001, 183, 323-330.	1.7	28
92	Electrical properties of $\text{Li}_{1+x}\text{Y}_y\text{Ti}_{2-y}(\text{PO}_4)_3$ (where $x, y=0.3; 0.4$ ) ceramics at high frequencies. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2000, 76, 184-192.	3.5	38
93	Relaxation dispersion of ionic conductivity of BICOVOX. <i>Solid State Ionics</i> , 1999, 119, 145-150.	2.7	31
94	SYNTHESIS AND IONIC CONDUCTIVITY OF PHOSPHATE MATERIALS OBTAINED IN THE SYSTEMS $\text{Li}_2\text{O}-\text{Sc}(\text{Ti, Al, Si})_2\text{O}_3-\text{P}_2\text{O}_5$ . <i>Phosphorus Research Bulletin</i> , 1999, 10, 387-392.	0.6	5
95	Electric properties of $\text{NH}_4\text{Sn}_2\text{F}_5$ polycrystals in the frequency range from 20 to $3.2 \cdot 10^{10}$ Hz. <i>Solid State Ionics</i> , 1996, 86-88, 247-250.	2.7	5
96	Dielectric properties of superionic conductors in RF and microwave electric fields.. <i>Journal of Advanced Science</i> , 1991, 3, 60-63.	0.1	2
97	Electrical and acoustical relaxation in fast ionic conductors. <i>Solid State Ionics</i> , 1990, 40-41, 922-925.	2.7	9
98	Peculiarities of charge transfer mechanism and dielectric properties of glasses $\text{Ag-Sb-S-I}$ . <i>Solid State Ionics</i> , 1985, 17, 155-156.	2.7	1
99	Microwave electrophysical properties of superionic crystals $\text{Ag}_2\text{HgI}_4$ . <i>Solid State Ionics</i> , 1984, 13, 63-64.	2.7	5
100	Peculiarities of phase transitions in $\hat{1}\pm$ and $\hat{1}^2-\text{AgSbS}_2$ single crystals. <i>Ferroelectrics</i> , 1981, 38, 897-900.	0.6	8
101	Methods for Determination of Electrical and Acoustic Properties of Superionics and Mixed Ionic-Electronic Conductors. <i>Materials Science Forum</i> , 0, 76, 229-232.	0.3	10