Enrique Del Castillo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5338299/enrique-del-castillo-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers2,381
citations26
h-index44
g-index132
ext. papers2,675
ext. citations2.7
avg, IF5.22
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 121 | A registration-free approach for statistical process control of 3D scanned objects via FEM. <i>Precision Engineering</i> , 2021 , 74, 247-247 | 2.9 | |
| 120 | Artificial intelligence and statistics for quality technology: an introduction to the special issue. <i>Journal of Quality Technology</i> , 2021 , 53, 443-453 | 1.4 | 4 |
| 119 | An Intrinsic Geometrical Approach for Statistical Process Control of Surface and Manifold Data. <i>Technometrics</i> , 2021 , 63, 295-312 | 1.4 | 5 |
| 118 | Bayesian predictive optimization of multiple and profile response systems in the process industry: A review and extensions. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2020 , 206, 104121 | 3.8 | 2 |
| 117 | On active learning methods for manifold data. <i>Test</i> , 2020 , 29, 1-33 | 1.1 | 4 |
| 116 | Rejoinder on: In active learning methods for manifold data ITest, 2020 , 29, 42-49 | 1.1 | |
| 115 | Industrial statistics and manifold data. <i>Quality Engineering</i> , 2020 , 32, 155-167 | 1.4 | 3 |
| 114 | Computing confidence intervals from massive data via penalized quantile smoothing splines. <i>Computational Statistics and Data Analysis</i> , 2020 , 144, 106885 | 1.6 | |
| 113 | Multivariate stabilizing sexual selection and the evolution of male and female genital morphology in the red flour beetle. <i>Evolution; International Journal of Organic Evolution</i> , 2020 , 74, 883-896 | 3.8 | 1 |
| 112 | Process control via random forest classification of profile signals: An application to a tapping process. <i>Journal of Manufacturing Processes</i> , 2020 , 58, 736-748 | 5 | 5 |
| 111 | Confidence regions for the location of response surface optima: the R package OptimaRegion. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2020 , 1-21 | 0.6 | 2 |
| 110 | Exponential random graph modeling of a faculty hiring network: The IEOR case. <i>IISE Transactions</i> , 2020 , 52, 43-60 | 3.3 | О |
| 109 | An adaptive two-stage Bayesian model averaging approach to planning and analyzing accelerated life tests under model uncertainty. <i>Journal of Quality Technology</i> , 2019 , 51, 181-197 | 1.4 | 6 |
| 108 | The Geometry of Nutrient Space-Based Life-History Trade-Offs: Sex-Specific Effects of Macronutrient Intake on the Trade-Off between Encapsulation Ability and Reproductive Effort in Decorated Crickets. <i>American Naturalist</i> , 2018 , 191, 452-474 | 3.7 | 32 |
| 107 | Multivariate bounded process adjustment schemes. <i>Quality Technology and Quantitative Management</i> , 2018 , 15, 253-273 | 1.9 | 2 |
| 106 | Statistical metamodeling of dynamic network loading. <i>Transportation Research Part B: Methodological</i> , 2018 , 117, 740-756 | 7.2 | 5 |
| 105 | Query-by-committee improvement with diversity and density in batch active learning. <i>Information Sciences</i> , 2018 , 454-455, 401-418 | 7.7 | 25 |

| 104 | Statistical metamodeling of dynamic network loading. Transportation Research Procedia, 2017, 23, 263- | -2824 | 11 |
|----------------------------|--|-------------------|-------------|
| 103 | Optimal setup of a multihead weighing machine. <i>European Journal of Operational Research</i> , 2017 , 259, 384-393 | 5.6 | 6 |
| 102 | On the Multihead Weigher Machine Setup Problem. Packaging Technology and Science, 2016, 29, 175-18 | 8& .3 | 2 |
| 101 | A Bayesian Approach to Sequential Optimization based on Computer Experiments. <i>Quality and Reliability Engineering International</i> , 2015 , 31, 1001-1012 | 2.6 | 4 |
| 100 | Geodesic Gaussian Processes for the Parametric Reconstruction of a Free-Form Surface. <i>Technometrics</i> , 2015 , 57, 87-99 | 1.4 | 33 |
| 99 | Setup Adjustment for Asymmetric Cost Functions Under Unknown Process Parameters. <i>Quality Technology and Quantitative Management</i> , 2014 , 11, 471-489 | 1.9 | 2 |
| 98 | An overview of George Box's contributions to process monitoring and feedback adjustment. <i>Applied Stochastic Models in Business and Industry</i> , 2014 , 30, 53-61 | 1.1 | 2 |
| 97 | Gaussian Process Modeling and Optimization of Profile Response Experiments. <i>Quality and Reliability Engineering International</i> , 2014 , 30, 449-462 | 2.6 | 11 |
| 96 | Monitoring of thread quality when tapping nodular cast iron with TiN-coated HSS cutting taps. <i>International Journal of Advanced Manufacturing Technology</i> , 2013 , 69, 1273-1282 | 3.2 | 10 |
| | | | |
| 95 | Robustness of three-level response surface designs against missing data. <i>IIE Transactions</i> , 2013 , 45, 54 | 4-553 | 6 |
| 95 94 | Robustness of three-level response surface designs against missing data. <i>IIE Transactions</i> , 2013 , 45, 544 Fuzzy numbers from raw discrete data using linear regression. <i>Information Sciences</i> , 2013 , 233, 1-14 | 4-553 7·7 | 7 |
| | | | |
| 94 | Fuzzy numbers from raw discrete data using linear regression. <i>Information Sciences</i> , 2013 , 233, 1-14 Statistical performance of tests for factor effects on the shape of objects with application in | | 7 |
| 94 | Fuzzy numbers from raw discrete data using linear regression. <i>Information Sciences</i> , 2013 , 233, 1-14 Statistical performance of tests for factor effects on the shape of objects with application in manufacturing. <i>IIE Transactions</i> , 2013 , 45, 121-131 Model-robust designs for split-plot experiments. <i>Computational Statistics and Data Analysis</i> , 2012 , | 7.7 | 7 |
| 94 93 92 | Fuzzy numbers from raw discrete data using linear regression. <i>Information Sciences</i> , 2013 , 233, 1-14 Statistical performance of tests for factor effects on the shape of objects with application in manufacturing. <i>IIE Transactions</i> , 2013 , 45, 121-131 Model-robust designs for split-plot experiments. <i>Computational Statistics and Data Analysis</i> , 2012 , 56, 4111-4121 Model-Robust Two-Level Designs Using Coordinate Exchange Algorithms and a Maximin Criterion. | 7.7 | 7 1 5 |
| 94 93 92 91 | Fuzzy numbers from raw discrete data using linear regression. <i>Information Sciences</i> , 2013 , 233, 1-14 Statistical performance of tests for factor effects on the shape of objects with application in manufacturing. <i>IIE Transactions</i> , 2013 , 45, 121-131 Model-robust designs for split-plot experiments. <i>Computational Statistics and Data Analysis</i> , 2012 , 56, 4111-4121 Model-Robust Two-Level Designs Using Coordinate Exchange Algorithms and a Maximin Criterion. <i>Technometrics</i> , 2012 , 54, 367-375 Bayesian Modeling and Optimization of Functional Responses Affected by Noise Factors. <i>Journal of</i> | 7·7 1.6 | 7 1 5 |
| 94 93 92 91 90 | Fuzzy numbers from raw discrete data using linear regression. <i>Information Sciences</i> , 2013 , 233, 1-14 Statistical performance of tests for factor effects on the shape of objects with application in manufacturing. <i>IIE Transactions</i> , 2013 , 45, 121-131 Model-robust designs for split-plot experiments. <i>Computational Statistics and Data Analysis</i> , 2012 , 56, 4111-4121 Model-Robust Two-Level Designs Using Coordinate Exchange Algorithms and a Maximin Criterion. <i>Technometrics</i> , 2012 , 54, 367-375 Bayesian Modeling and Optimization of Functional Responses Affected by Noise Factors. <i>Journal of Quality Technology</i> , 2012 , 44, 117-135 | 7.7 1.6 1.4 | 7 1 5 11 17 |

| 86 | Improved design of a three roll tube bending process under geometrical uncertainties 2011, | | 5 |
|----|--|---------------------|----|
| 85 | Statistical Shape Analysis of Manufacturing Data 2011 , 215-234 | | 5 |
| 84 | A matrix-T approach to the sequential design of optimization experiments. <i>IIE Transactions</i> , 2010 , 43, 54-68 | | 5 |
| 83 | Optimal multivariate bounded adjustment. <i>IIE Transactions</i> , 2010 , 42, 746-752 | | 7 |
| 82 | Announcement from the Editor. <i>Journal of Quality Technology</i> , 2009 , 41, 1-1 | 1.4 | 10 |
| 81 | Bayesian approaches for on-line robust parameter design. <i>IIE Transactions</i> , 2009 , 41, 359-371 | | 15 |
| 80 | Statistical testing of optimality conditions in multiresponse simulation-based optimization. <i>European Journal of Operational Research</i> , 2009 , 199, 448-458 | 5.6 | 29 |
| 79 | D-optimal design of artifacts used in-machine software error compensation. <i>International Journal of Production Research</i> , 2009 , 47, 1895-1912 | 7.8 | 1 |
| 78 | A Bayesian Reliability Approach to Multiple Response Optimization with Seemingly Unrelated Regression Models. <i>Quality Technology and Quantitative Management</i> , 2009 , 6, 353-369 | 1.9 | 42 |
| 77 | Closed-Loop System Identification for Small Samples With Constraints. <i>Technometrics</i> , 2007 , 49, 382-39 | 4 1.4 | 5 |
| 76 | Optimal Monitoring of Multivariate Data for Fault Patterns. <i>Journal of Quality Technology</i> , 2007 , 39, 159 | 9-11.72 | 23 |
| 75 | Announcements from the Editor. <i>Journal of Quality Technology</i> , 2007 , 39, 1-2 | 1.4 | 2 |
| 74 | Adaptive deadband control of a drifting process with unknown parameters. <i>Statistics and Probability Letters</i> , 2007 , 77, 843-852 | 0.6 | 2 |
| 73 | A heuristic algorithm for minimax sensor location in the plane. <i>European Journal of Operational Research</i> , 2007 , 183, 42-55 | 5.6 | 14 |
| 72 | Model Context Selection for Run-to-Run Control. <i>IEEE Transactions on Semiconductor Manufacturing</i> , 2007 , 20, 506-516 | 2.6 | 8 |
| 71 | A Bayesian approach for multiple criteria decision making with applications in Design for Six Sigma. <i>Journal of the Operational Research Society</i> , 2007 , 58, 779-790 | 2 | 9 |
| 70 | A New Design Criterion for Robust Parameter Experiments. <i>Journal of Quality Technology</i> , 2007 , 39, 279 | 9 - 2.95 | 7 |
| 69 | Process Optimization. Profiles in Operations Research, 2007, | 1 | 95 |

(2004-2006)

| 68 | Setup Adjustment of Multiple Lots Using a Sequential Monte Carlo Method. <i>Technometrics</i> , 2006 , 48, 373-385 | 1.4 | 4 |
|----|--|-----|----|
| 67 | A Bayesian method for robust tolerance control and parameter design. <i>IIE Transactions</i> , 2006 , 38, 685-6 | 97 | 4 |
| 66 | Setup Error Adjustment: Sensitivity Analysis and a New MCMC Control Rule. <i>Quality and Reliability Engineering International</i> , 2006 , 22, 403-418 | 2.6 | 9 |
| 65 | Statistical process adjustment: a brief retrospective, current status, and some opportunities for further work. <i>Statistica Neerlandica</i> , 2006 , 60, 309-326 | 0.9 | 19 |
| 64 | Setup adjustment under unknown process parameters and fixed adjustment cost. <i>Journal of Statistical Planning and Inference</i> , 2006 , 136, 1039-1060 | 0.8 | 16 |
| 63 | A SEARCH METHOD FOR THE EXPLORATION OF NEW REGIONS IN ROBUST PARAMETER DESIGN 2006 , 89-121 | | |
| 62 | Model-Robust Process Optimization Using Bayesian Model Averaging. <i>Technometrics</i> , 2005 , 47, 152-163 | 1.4 | 36 |
| 61 | A research modelforecasting incident rates from optimized safety program intervention strategies. <i>Journal of Safety Research</i> , 2005 , 36, 341-51 | 4 | 12 |
| 60 | Model and Distribution-Robust Process Optimization with Noise Factors. <i>Journal of Quality Technology</i> , 2005 , 37, 210-222 | 1.4 | 21 |
| 59 | Setup adjustment for discrete-part manufacturing processes with asymmetric cost functions. <i>International Journal of Production Research</i> , 2005 , 43, 3837-3854 | 7.8 | 8 |
| 58 | A unified framework for probabilistic sequential tolerance control. <i>International Journal of Production Research</i> , 2004 , 42, 1443-1453 | 7.8 | 2 |
| 57 | An Enhanced Recursive Stopping Rule for Steepest Ascent Searches in Response Surface Methodology. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2004 , 33, 201-228 | 0.6 | 5 |
| 56 | Scheduling methods for the statistical setup adjustment problem: a correction and clarification. <i>International Journal of Production Research</i> , 2004 , 42, 211-212 | 7.8 | 1 |
| 55 | Intervention Effectiveness Research: Understanding and Optimizing Industrial Safety Programs Using Leading Indicators. <i>Chemical Health & Safety American Chemical Society, Division of Chemical Health and Safety</i> , 2004 , 11, 9-19 | | 13 |
| 54 | A Dual-Response Approach to the Multivariate Robust Parameter Design Problem. <i>Technometrics</i> , 2004 , 46, 176-187 | 1.4 | 23 |
| 53 | A Sequential Markov Chain Monte Carlo Approach to Set-up Adjustment of a Process over a Set of Lots. <i>Journal of Applied Statistics</i> , 2004 , 31, 499-520 | 1 | 7 |
| 52 | A Bayesian Approach for Multiple Response Surface Optimization in the Presence of Noise Variables. <i>Journal of Applied Statistics</i> , 2004 , 31, 251-270 | 1 | 63 |
| 51 | Computation of Confidence Regions for Optimal Factor Levels in Constrained Response Surface Problems. <i>Journal of Computational and Graphical Statistics</i> , 2004 , 13, 499-518 | 1.4 | 6 |

| 50 | Two Approaches for Improving the Dual Response Method in Robust Parameter Design. <i>Journal of Quality Technology</i> , 2004 , 36, 154-168 | 1.4 | 41 |
|----|--|-------------------|----|
| 49 | Small Sample Performance of Some Statistical Setup Adjustment Methods. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2003 , 32, 923-941 | 0.6 | 7 |
| 48 | Scheduling methods for the statistical setup adjustment problem. <i>International Journal of Production Research</i> , 2003 , 41, 1467-1481 | 7.8 | 5 |
| 47 | A Unifying View of Some Process Adjustment Methods. <i>Journal of Quality Technology</i> , 2003 , 35, 286-29 | 93 _{1.4} | 29 |
| 46 | Integration of Sequential Process Adjustment and Process Monitoring Techniques. <i>Quality and Reliability Engineering International</i> , 2003 , 19, 371-386 | 2.6 | 17 |
| 45 | AN ANALYSIS AND MIMO EXTENSION OF A DOUBLE EWMA RUN-TO-RUN CONTROLLER FOR NON-SQUARED SYSTEMS. <i>International Journal of Reliability, Quality and Safety Engineering</i> , 2003 , 10, 417-428 | 0.6 | 24 |
| 44 | A multivariate double EWMA process adjustment scheme for drifting processes. <i>IIE Transactions</i> , 2002 , 34, 1055-1068 | | 15 |
| 43 | Four-parameter beta distribution estimation and skewness test. <i>Quality and Reliability Engineering International</i> , 2002 , 18, 395-402 | 2.6 | 3 |
| 42 | A general approach to confidence regions for optimal factor levels of response surfaces. <i>Biometrics</i> , 2002 , 58, 422-31 | 1.8 | 26 |
| 41 | A multivariate double EWMA process adjustment scheme for drifting processes. <i>IIE Transactions</i> , 2002 , 34, 1055-1068 | | 64 |
| 40 | An adaptive sphere-fitting method for sequential tolerance control. <i>International Journal of Production Research</i> , 2002 , 40, 2757-2767 | 7.8 | 1 |
| 39 | Closed-Loop Disturbance Identification and Controller Tuning for Discrete Manufacturing Processes. <i>Technometrics</i> , 2002 , 44, 134-141 | 1.4 | 7 |
| 38 | RUN LENGTH COMPARISONS OF SHEWHART CHARTS AND MOST POWERFUL TEST CHARTS FOR THE DETECTION OF TRENDS AND SHIFTS. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2001 , 30, 355-376 | 0.6 | 8 |
| 37 | Some Properties of EWMA Feedback Quality Adjustment Schemes for Drifting Disturbances. Journal of Quality Technology, 2001 , 33, 153-166 | 1.4 | 42 |
| 36 | Identification and fine tuning of closed-loop processes under discrete EWMA and PI adjustments. <i>Quality and Reliability Engineering International</i> , 2001 , 17, 419-427 | 2.6 | 13 |
| 35 | On the frequency and location of set point adjustments in sequential tolerance control. <i>International Journal of Production Research</i> , 2001 , 39, 2659-2674 | 7.8 | 3 |
| 34 | On the monitoring of trended and regularly adjusted processes. <i>International Journal of Production Research</i> , 2001 , 39, 3641-3650 | 7.8 | 5 |
| 33 | A Tool for Computing Confidence Regions on the Stationary Point of a Response Surface. <i>American Statistician</i> , 2001 , 55, 358-365 | 5 | 21 |

(1996-2000)

| 32 | A variance-constrained proportionalIntegral feedback controller that tunes itself. <i>IIE Transactions</i> , 2000 , 32, 479-491 | | 1 |
|----|--|------|-----|
| 31 | A variance-constrained proportional-integral feedback controller that tunes itself. <i>IIE Transactions</i> , 2000 , 32, 479-491 | | 3 |
| 30 | Optimization of dual response systems: A comprehensive procedure for degenerate and nondegenerate problems. <i>European Journal of Operational Research</i> , 1999 , 112, 174-186 | 5.6 | 27 |
| 29 | Long run and transient analysis of a double EWMA feedback controller. <i>IIE Transactions</i> , 1999 , 31, 1157- | 1169 | 1 |
| 28 | Run length analysis of Shewhart charts applied to drifting processes under an integrative SPC/EPC model. <i>Metrika</i> , 1999 , 50, 0137-0161 | 0.8 | 1 |
| 27 | Long run and transient analysis of a double EWMA feedback controller. <i>IIE Transactions</i> , 1999 , 31, 1157- | 1169 | 67 |
| 26 | Calculation of an optimal region of operation for dual response systems fitted from experimental data. <i>Journal of the Operational Research Society</i> , 1999 , 50, 826-836 | 2 | 8 |
| 25 | A note on two process adjustment models. <i>Quality and Reliability Engineering International</i> , 1998 , 14, 23-28 | 2.6 | 11 |
| 24 | An adaptive run-to-run optimizing controller for linear and nonlinear semiconductor processes. <i>IEEE Transactions on Semiconductor Manufacturing</i> , 1998 , 11, 285-295 | 2.6 | 63 |
| 23 | Optimal constrained adjustments for quality control. <i>International Journal of Production Research</i> , 1997 , 35, 2445-2458 | 7.8 | |
| 22 | The Computation of Global Optima in Dual Response Systems. <i>Journal of Quality Technology</i> , 1997 , 29, 347-353 | 1.4 | 34 |
| 21 | Run-to-Run Process Control: Literature Review and Extensions. <i>Journal of Quality Technology</i> , 1997 , 29, 184-196 | 1.4 | 171 |
| 20 | Economic Modeling for Statistical Process Control. <i>Journal of Quality Technology</i> , 1997 , 29, 144-147 | 1.4 | 62 |
| 19 | A review of statistical process control techniques for short run manufacturing systems. <i>Communications in Statistics - Theory and Methods</i> , 1996 , 25, 2723-2737 | 0.5 | 35 |
| 18 | Evaluation of Run Length Distribution for X Charts with Unknown Variance. <i>Journal of Quality Technology</i> , 1996 , 28, 116-122 | 1.4 | 25 |
| 17 | Multiresponse Process Optimization via Constrained Confidence Regions. <i>Journal of Quality Technology</i> , 1996 , 28, 61-70 | 1.4 | 40 |
| 16 | Modified Desirability Functions for Multiple Response Optimization. <i>Journal of Quality Technology</i> , 1996 , 28, 337-345 | 1.4 | 235 |
| 15 | Response by the authors to Dr. Quesenberry's comments. <i>Quality and Reliability Engineering International</i> , 1996 , 12, 163-164 | 2.6 | |

| 14 | A Multivariate Self-Tuning Controller for Run-To-Run Process Control under Shift and Trend Disturbances. <i>IIE Transactions</i> , 1996 , 28, 1011-1021 | | 28 |
|----|--|------|-----|
| 13 | Short-run statistical process control: Q-Chart enhancements and alternative methods. <i>Quality and Reliability Engineering International</i> , 1996 , 12, 157-157 | 2.6 | 3 |
| 12 | Run length distributions and economic design of(bar X) charts with unknown process variance. <i>Metrika</i> , 1996 , 43, 189-201 | 0.8 | 25 |
| 11 | A general model for the optimal economic design of XII charts used to control short or long run processes. <i>IIE Transactions</i> , 1996 , 28, 193-201 | | 42 |
| 10 | Multiple-criteria optimal design of X□ control charts. <i>IIE Transactions</i> , 1996 , 28, 467-474 | | 17 |
| 9 | Optimal Short Horizon Distribution Operations in Reusable Container Systems. <i>Journal of the Operational Research Society</i> , 1996 , 47, 48-60 | 2 | 30 |
| 8 | A kalman filtering process control scheme with an application in semiconductor short run manufacturing. <i>Quality and Reliability Engineering International</i> , 1995 , 11, 101-105 | 2.6 | 9 |
| 7 | Relations between control chart design variables and production control. <i>International Journal of Production Research</i> , 1995 , 33, 2709-2721 | 7.8 | 6 |
| 6 | Short-run statistical process control: Q-chart enhancements and alternative methods. <i>Quality and Reliability Engineering International</i> , 1994 , 10, 87-97 | 2.6 | 40 |
| 5 | A Nonlinear Programming Solution to the Dual Response Problem. <i>Journal of Quality Technology</i> , 1993 , 25, 199-204 | 1.4 | 222 |
| 4 | An application of network scheduling optimization in a pharmaceutical firm. <i>Computers in Industry</i> , 1992 , 18, 279-287 | 11.6 | 1 |
| 3 | Adaptation of the stochastic formulation of the surface rejuvenation model to turbulent convection heat transfer. <i>Chemical Engineering Science</i> , 1974 , 29, 1639-1644 | 4.4 | 13 |
| 2 | | | 7 |
| 1 | Statistical Process Monitoring for Manifold Data1-8 | | 1 |