

# Maciej Krzywiecki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5339883/publications.pdf>

Version: 2024-02-01

59  
papers

792  
citations

516710

16  
h-index

642732

23  
g-index

59  
all docs

59  
docs citations

59  
times ranked

1066  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Assessment of encrustation and physicochemical properties of poly(lactide- $\epsilon$ -glycolide) <math>\langle scp \rangle \hat{=}\langle scp \rangle</math> Papaverine hydrochloride coating on ureteral <math>\langle scp \rangle \text{double} \hat{=}\langle scp \rangle</math> stents after long-term flow of artificial urine. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2022, 110, 367-381. | 3.4 | 4         |
| 2  | Thermal characterization of morphologically diverse copper phthalocyanine thin layers by scanning thermal microscopy. Ultramicroscopy, 2022, 233, 113435.   | 1.9 | 2         |
| 3  | Singlet oxygen formation from photoexcited P3HT:PCBM films applied in oxidation reactions. Materials Advances, 2022, 3, 2063-2069.  | 5.4 | 4         |
| 4  | C<sub>60</sub>/ThSe<sub>2</sub>/ITO interface formation: photoemission $\hat{=}$ based charge transfer recognition for organic electronics application. Physical Chemistry Chemical Physics, 2022, , .  | 2.8 | 0         |
| 5  | Doping of carbon nanotubes by halogenated solvents. Scientific Reports, 2022, 12, 7004.   | 3.3 | 9         |
| 6  | Toward Effective CO<sub>2</sub> Reduction in an Acid Medium: Electrocatalysis at Cu<sub>2</sub>-O-Derived Polycrystalline Cu Sites Immobilized within the Network of WO<sub>3</sub> Nanowires. ACS Measurement Science Au, 2022, 2, 553-567.  | 4.4 | 1         |
| 7  | Influence of catalyst zeta potential on the activation of persulfate. Chemical Communications, 2021, 57, 7814-7817.   | 4.1 | 13        |
| 8  | Enhancing thermoelectric properties of single-walled carbon nanotubes using halide compounds at room temperature and above. Scientific Reports, 2021, 11, 8649.   | 3.3 | 35        |
| 9  | Correlations of thermal properties with grain structure, morphology, and defect balance in nanoscale polycrystalline ZnO films. Applied Surface Science, 2021, 546, 149095.   | 6.1 | 11        |
| 10 | Chemical and Electronic Structure Characterization of Electrochemically Deposited Nickel Tetraamino-phthalocyanine: A Step toward More Efficient Deposition Techniques for Organic Electronics Application. Journal of Physical Chemistry C, 2021, 125, 13542-13550.  | 3.1 | 5         |
| 11 | Covalent Immobilization of Organic Photosensitizers on the Glass Surface: Toward the Formation of the Light-Activated Antimicrobial Nanocoating. Materials, 2021, 14, 3093.   | 2.9 | 6         |
| 12 | Convenient but powerful method to dope single-walled carbon nanotube films with iodonium salts. Applied Nanoscience (Switzerland), 2020, 10, 529-539.   | 3.1 | 14        |
| 13 | &lt;p>&gt;Oxygen Functional Groups on MWCNT Surface as Critical Factor Boosting T2 Relaxation Rate of Water Protons: Towards Improved CNT-Based Contrast Agents&lt;p>&gt;. International Journal of Nanomedicine, 2020, Volume 15, 7433-7450.   | 6.7 | 13        |
| 14 | Enhancing near-infrared photoluminescence from single-walled carbon nanotubes by defect-engineering using benzoyl peroxide. Scientific Reports, 2020, 10, 19877.  | 3.3 | 5         |
| 15 | Toward Efficient Toxic-Gas Detectors: Exploring Molecular Interactions of Sarin and Dimethyl Methylphosphonate with Metal-Centered Phthalocyanine Structures. Journal of Physical Chemistry C, 2020, 124, 6090-6102.  | 3.1 | 18        |
| 16 | Low-Noble-Metal-Loading Hybrid Catalytic System for Oxygen Reduction Utilizing Reduced-Graphene-Oxide-Supported Platinum Aligned with Carbon-Nanotube-Supported Iridium. Catalysts, 2020, 10, 689.  | 3.5 | 9         |
| 17 | Surface properties of SnO2 nanolayers prepared by spin-coating and thermal oxidation. Nanotechnology, 2020, 31, 315714.   | 2.6 | 9         |
| 18 | Surface Properties of SnO2 Nanolayers Deposited by Rheotaxial Growth and Vacuum Oxidation for Potential Gas Sensor Applications. Proceedings (mdpi), 2019, 14, 25.  | 0.2 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Electrochemically Polymerized Terthiophene- $C_{60}$ Dyads for the Photochemical Generation of Singlet Oxygen. <i>Journal of Physical Chemistry C</i> , 2019, 123, 25915-25924.   | 3.1 | 23        |
| 20 | Carbohydrate Ionic Liquids and Salts as All-in-One Precursors for N-Doped Carbon. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 19880-19888.  | 6.7 | 37        |
| 21 | Interface and surface properties of oxide-organic hybrid nanostructures. <i>Frontiers of Nanoscience</i> , 2019, , 215-256.   | 0.6 | 2         |
| 22 | Thermoelectric properties of composite films from multi-walled carbon nanotubes and ethyl cellulose doped with heteroatoms. <i>Synthetic Metals</i> , 2019, 257, 116190.  | 3.9 | 16        |
| 23 | Carbon-Sulfur Bond Cleavage During Adsorption of Octadecane Thiol to Copper in Ethanol. <i>Langmuir</i> , 2019, 35, 6888-6897.  | 3.5 | 13        |
| 24 | The Use of Lanthanum Ions and Chitosan for Boron Elimination from Aqueous Solutions. <i>Polymers</i> , 2019, 11, 718.   | 4.5 | 9         |
| 25 | Ullmann Reactions of Carbon Nanotubes-Advantageous and Unexplored Functionalization toward Tunable Surface Chemistry. <i>Nanomaterials</i> , 2019, 9, 1619.   | 4.1 | 9         |
| 26 | Cyclodextrin inhibits zinc corrosion by destabilizing point defect formation in the oxide layer. <i>Beilstein Journal of Nanotechnology</i> , 2018, 9, 936-944.   | 2.8 | 13        |
| 27 | Chirality-sorted carbon nanotube films as high capacity electrode materials. <i>RSC Advances</i> , 2018, 8, 30600-30609.  | 3.6 | 9         |
| 28 | Oxide-organic heterostructures: a case study of charge transfer disturbance at a $SnO_2$ -copper phthalocyanine buried interface. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 16092-16101.                                   | 2.8 | 8         |
| 29 | Sarin-simulant detection by phthalocyanine/palladium structures: From modeling to real sensor response. <i>Sensors and Actuators B: Chemical</i> , 2018, 273, 771-777.  | 7.8 | 9         |
| 30 | Formation of poly(Azure A)- $C_{60}$ photoactive layer as a novel approach in the heterogeneous photogeneration of singlet oxygen. <i>Applied Surface Science</i> , 2018, 457, 221-228.   | 6.1 | 12        |
| 31 | Detection of intra-band gap defects states in spin-coated sol-gel $SnO_x$ nanolayers by photoelectron spectroscopies. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 315301.   | 2.8 | 25        |
| 32 | Charge transfer quantification in a $SnO_x/CuPc$ semiconductor heterostructure: investigation of buried interface energy structure by photoelectron spectroscopies. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 11816-11824. | 2.8 | 13        |
| 33 | Effect of order and disorder on degradation processes of copper phthalocyanine nanolayers. <i>Synthetic Metals</i> , 2017, 223, 199-204.  | 3.9 | 12        |
| 34 | Impact of air exposure and annealing on the chemical and electronic properties of the surface of $SnO_2$ nanolayers deposited by rheotaxial growth and vacuum oxidation. <i>Beilstein Journal of Nanotechnology</i> , 2017, 8, 514-521. | 2.8 | 32        |
| 35 | Study of Sensing Mechanisms in Nerve Agent Sensors Based on Phthalocyanine-palladium Structures. <i>Procedia Engineering</i> , 2016, 168, 586-589.  | 1.2 | 6         |
| 36 | Theoretical analysis of acoustoelectrical sensitivity in SAW gas sensors with single and bi-layer structures. <i>Sensors and Actuators B: Chemical</i> , 2016, 236, 1069-1074.  | 7.8 | 18        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Towards monomaterial p-n junctions: Single-step fabrication of tin oxide films and their non-destructive characterisation by angle-dependent X-ray photoelectron spectroscopy. Applied Physics Letters, 2015, 107, 231601.  | 3.3 | 7         |
| 38 | Ambience-related adsorbates on CuPc surface – Photoemission and thermal desorption spectroscopy studies for control of organic electronics degradation processes. Synthetic Metals, 2015, 210, 141-147.   | 3.9 | 10        |
| 39 | Self-assembled monolayers of partially fluorinated alcohols on Si(001): XPS and UV-photoemission study. Journal of Fluorine Chemistry, 2015, 180, 248-256.  | 1.7 | 8         |
| 40 | Theoretical Analysis of Acoustoelectrical Sensitivity in SAW Gas Sensors. Procedia Engineering, 2015, 120, 1261-1264.   | 1.2 | 2         |
| 41 | Zinc oxide as a defect-dominated material in thin films for photovoltaic applications – experimental determination of defect levels, quantification of composition, and construction of band diagram. Physical Chemistry Chemical Physics, 2015, 17, 10004-10013. | 2.8 | 63        |
| 42 | Experimental and computational evidence for hydrogen bonding interaction between 2'-deoxyadenosine conjugate adduct and amino-terminated organic film on Si(001). Thin Solid Films, 2015, 588, 78-84.   | 1.8 | 2         |
| 43 | Rheotaxial growth and vacuum oxidation – Novel technique of tin oxide deposition – In situ monitoring of oxidation process. Materials Letters, 2015, 154, 1-4.  | 2.6 | 15        |
| 44 | Correlation between morphology and local thermal properties of iron (II) phthalocyanine thin layers. Journal Physics D: Applied Physics, 2014, 47, 335304.  | 2.8 | 14        |
| 45 | Surface states and space charge layer electronic parameters specification for long term air-exposed copper phthalocyanine thin films. Thin Solid Films, 2014, 550, 361-366.   | 1.8 | 10        |
| 46 | Electrochemical and photoelectronic studies on C60-pyrrolidine-functionalised poly(terthiophene). Electrochimica Acta, 2014, 141, 51-60.  | 5.2 | 13        |
| 47 | Energy level alignment at the Si(111)/RCA – SiO <sub>2</sub> /copper(II) phthalocyanine ultra-thin film interface. Applied Surface Science, 2014, 311, 740-748.   | 6.1 | 17        |
| 48 | Application of scanning microscopy to study correlation between thermal properties and morphology of BaTiO <sub>3</sub> thin films. Thin Solid Films, 2013, 545, 217-221.   | 1.8 | 21        |
| 49 | Application of scanning thermal microscopy for investigation of thermal boundaries in multilayered photonic structures. Ultramicroscopy, 2013, 135, 95-98.  | 1.9 | 11        |
| 50 | Fluorinated saccharides on the Si(001) surface. Applied Surface Science, 2013, 274, 221-230.  | 6.1 | 13        |
| 51 | Photoemission study of the Si(111)-native SiO <sub>2</sub> /copper phthalocyanine (CuPc) ultra-thin film interface. Organic Electronics, 2012, 13, 1873-1880.   | 2.6 | 32        |
| 52 | Bi-layer nanostructures of CuPc and Pd for resistance-type and SAW-type hydrogen gas sensors. Sensors and Actuators B: Chemical, 2012, 175, 255-262.  | 7.8 | 26        |
| 53 | Comparative study of surface morphology of copper phthalocyanine ultra thin films deposited on Si (111) native and RCA-cleaned substrates. Thin Solid Films, 2012, 520, 3965-3970.  | 1.8 | 20        |
| 54 | Bi-layer nanostructures of CuPc and Pd in SAW and resistance hydrogen sensor. Procedia Engineering, 2011, 25, 252-255.  | 1.2 | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Influence of ambient air exposure on surface chemistry and electronic properties of thin copper phthalocyanine sensing layers. <i>Thin Solid Films</i> , 2011, 519, 2187-2192.  | 1.8 | 22        |
| 56 | X-ray Photoelectron Spectroscopy characterization of native and RCA-treated Si (111) substrates and their influence on surface chemistry of copper phthalocyanine thin films. <i>Thin Solid Films</i> , 2010, 518, 2688-2694. | 1.8 | 20        |
| 57 | Influence of substrate doping on the surface chemistry and morphology of Copper Phthalocyanine ultra thin films on Si (111) substrates. <i>Thin Solid Films</i> , 2009, 517, 1630-1635.                                       | 1.8 | 23        |
| 58 | Analysis of mechanism of carbon removal from GaAs(100) surface by atomic hydrogen. <i>Applied Surface Science</i> , 2008, 254, 8035-8040.   | 6.1 | 11        |
| 59 | N-Doped carbon as a solid base catalyst for continuous flow Knoevenagel condensation. <i>Reaction Chemistry and Engineering</i> , 0, , .  | 3.7 | 7         |