

Hee Nam Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5340557/publications.pdf>

Version: 2024-02-01

40
papers

1,241
citations

304602

22
h-index

360920

35
g-index

41
all docs

41
docs citations

41
times ranked

2437
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between Plasma Pentraxin 3 Levels and Bone Mineral Density in Elderly Koreans: the Dong-gu Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e165.	1.1	5
2	Association of APOE Genotype with Bone Mineral Density in Men and Women: The Dong-gu and Namwon Studies. <i>Chonnam Medical Journal</i> , 2016, 52, 59.	0.5	2
3	Genetic susceptibility to diffuse large B-cell lymphoma in a pooled study of three Eastern Asian populations. <i>European Journal of Haematology</i> , 2015, 95, 442-448.	1.1	30
4	APOE Polymorphism Is Associated with C-reactive Protein Levels but Not with White Blood Cell Count: Dong-gu Study and Namwon Study. <i>Journal of Korean Medical Science</i> , 2015, 30, 860.	1.1	10
5	Methylenetetrahydrofolate Reductase 677 Genotype-Specific Reference Values for Plasma Homocysteine and Serum Folate Concentrations in Korean Population Aged 45 to 74 Years: The Namwon Study. <i>Journal of Korean Medical Science</i> , 2014, 29, 743.	1.1	4
6	Common genetic variants at 1q22 and 10q23 and gastric cancer susceptibility in a Korean population. <i>Tumor Biology</i> , 2014, 35, 3133-3137.	0.8	30
7	APOE polymorphism and carotid atherosclerosis in Korean population: The Dong-gu Study and the Namwon Study. <i>Atherosclerosis</i> , 2014, 232, 180-185.	0.4	17
8	Association between Apolipoprotein E Polymorphism and Chronic Kidney Disease in the Korean General Population: Dong-gu Study. <i>Korean Journal of Family Medicine</i> , 2014, 35, 276.	0.4	1
9	IL10 and TNF variants and risk of non-Hodgkin lymphoma among three Asian populations. <i>International Journal of Hematology</i> , 2013, 97, 793-799.	0.7	25
10	Sex-specific differences in the association between ABO genotype and gastric cancer risk in a Korean population. <i>Gastric Cancer</i> , 2013, 16, 254-260.	2.7	30
11	Improved Therapeutic Effect against Leukemia by a Combination of the Histone Methyltransferase Inhibitor Chaetocin and the Histone Deacetylase Inhibitor Trichostatin A. <i>Journal of Korean Medical Science</i> , 2013, 28, 237.	1.1	31
12	Association between Methylenetetrahydrofolate Reductase C677T Polymorphism and Bone Mineral Density: The Dong-gu Study and the Namwon Study. <i>Journal of Korean Medical Science</i> , 2013, 28, 965.	1.1	4
13	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. <i>Nature Genetics</i> , 2012, 44, 1330-1335.	9.4	286
14	Association of GSTT1 polymorphism with acute myeloid leukemia risk is dependent on smoking status. <i>Leukemia and Lymphoma</i> , 2012, 53, 681-687.	0.6	26
15	Folate metabolism-related gene polymorphisms and susceptibility to primary liver cancer in North China. <i>Medical Oncology</i> , 2012, 29, 1837-1842.	1.2	27
16	p53 codon 72 polymorphism and the risk of lung cancer in a Korean population. <i>Lung Cancer</i> , 2011, 73, 264-267.	0.9	36
17	DNA Methylation Changes Following 5-azacitidine Treatment in Patients with Myelodysplastic Syndrome. <i>Journal of Korean Medical Science</i> , 2011, 26, 207.	1.1	25
18	p53 codon 72 polymorphism in patients with gastric and colorectal cancer in a Korean population. <i>Gastric Cancer</i> , 2011, 14, 242-247.	2.7	38

#	ARTICLE	IF	CITATIONS
19	Methylenetetrahydrofolate reductase C677T polymorphism in patients with lung cancer in a Korean population. <i>BMC Medical Genetics</i> , 2011, 12, 28.	2.1	27
20	Association of a common genetic variant in prostate stem cell antigen with gastric cancer susceptibility in a Korean population. <i>Molecular Carcinogenesis</i> , 2011, 50, 871-875.	1.3	43
21	H2AFX Polymorphisms Are Associated with Decreased Risk of Diffuse Large B Cell Lymphoma in Koreans. <i>DNA and Cell Biology</i> , 2011, 30, 1039-1044.	0.9	3
22	Methylenetetrahydrofolate reductase C677T polymorphism in patients with gastric and colorectal cancer in a Korean population. <i>BMC Cancer</i> , 2010, 10, 236.	1.1	47
23	Association with TP53 codon 72 polymorphism and the risk of non-Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2010, 85, 822-824.	2.0	8
24	PARP-1 Val762Ala polymorphism is associated with reduced risk of non-Hodgkin lymphoma in Korean males. <i>BMC Medical Genetics</i> , 2010, 11, 38.	2.1	17
25	BRCA1 and XRCC1 polymorphisms associated with survival in advanced gastric cancer treated with taxane and cisplatin. <i>Cancer Science</i> , 2010, 101, 1247-1254.	1.7	68
26	Prognostic Impact of DNA Repair and MDR-1 Gene Polymorphisms In De Novo Acute Myeloid Leukemia with t(8;21) or Inv(16). <i>Blood</i> , 2010, 116, 1714-1714.	0.6	2
27	Polymorphisms of drug-metabolizing genes and risk of non-Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2009, 84, 821-825.	2.0	14
28	Association between polymorphisms of folate-metabolizing enzymes and hematological malignancies. <i>Leukemia Research</i> , 2009, 33, 82-87.	0.4	66
29	Glutathione-S-transferase (GSTM1, GSTT1) and the risk of gastrointestinal cancer in a Korean population. <i>World Journal of Gastroenterology</i> , 2009, 15, 5716.	1.4	44
30	Association between folate-metabolizing pathway polymorphism and non-Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2008, 140, 287-294.	1.2	77
31	Polymorphisms involved in the folate metabolizing pathway and risk of multiple myeloma. <i>American Journal of Hematology</i> , 2007, 82, 798-801.	2.0	23
32	No Reversal of Demethylation after Azacitidine Treatment in Concordance with Poor Clinical Response.. <i>Blood</i> , 2007, 110, 4629-4629.	0.6	0
33	Polymorphisms of Thymidylate Synthase in the 5'- and 3'-Untranslated Regions Associated with Risk of Non-Hodgkin's Lymphoma.. <i>Blood</i> , 2006, 108, 2394-2394.	0.6	0
34	High-Sensitivity Mutational Analysis of BCR-ABL Mutations in the Kinase Domain Using Pyrosequencing Could Provides Alternative Methodology for Monitoring the Proportion of Mutant Alleles in Patient with Chronic Myelogenous Leukemia.. <i>Blood</i> , 2006, 108, 4801-4801.	0.6	0
35	Association of cis-Acting rs530 of the ETS2 Transcriptional Factor Gene with High-Risk Acute Myelogenous Leukemia (AML) and Allelic Expression Imbalance Assessment.. <i>Blood</i> , 2006, 108, 2230-2230.	0.6	0
36	The Effect of Apolipoprotein E Polymorphism on Lipid Levels in Korean Adults. <i>Journal of Korean Medical Science</i> , 2005, 20, 361.	1.1	32

#	ARTICLE	IF	CITATIONS
37	Two Single Nucleotide Polymorphisms of the ETS2 Transcriptional Factor Gene Predispose Individuals to High-Risk Acute Myelogenous Leukemia (AML).. <i>Blood</i> , 2005, 106, 2729-2729.	0.6	0
38	Design of novel analogues with potent antibiotic activity based on the antimicrobial peptide, HP(2-9)-ME(1-12). <i>Biotechnology Letters</i> , 2004, 26, 493-498.	1.1	14
39	Antifungal Mechanism of an Antimicrobial Peptide, HP (2-20), Derived from N-Terminus of Helicobacter pylori Ribosomal Protein L1 against <i>Candida albicans</i> . <i>Biochemical and Biophysical Research Communications</i> , 2002, 291, 1006-1013.	1.0	56
40	Design of novel analogue peptides with potent antibiotic activity based on the antimicrobial peptide, HP (2-20), derived from N-terminus of Helicobacter pylori ribosomal protein L1. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2002, 1598, 185-194.	1.1	71