Joan Domingo Gispert

List of Publications by Citations

Source: https://exaly.com/author-pdf/5341458/joan-domingo-gispert-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179 4,033 33 57 g-index

224 5,095 4.7 4.92 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
179	Etatenin confers resistance to PI3K and AKT inhibitors and subverts FOXO3a to promote metastasis in colon cancer. <i>Nature Medicine</i> , 2012 , 18, 892-901	50.5	281
178	sTREM2 cerebrospinal fluid levels are a potential biomarker for microglia activity in early-stage Alzheimer's disease and associate with neuronal injury markers. <i>EMBO Molecular Medicine</i> , 2016 , 8, 466-	- 1 6	256
177	Global and regional gray matter reductions in ADHD: a voxel-based morphometric study. <i>Neuroscience Letters</i> , 2005 , 389, 88-93	3.3	199
176	The expression of GLP-1 receptor mRNA and protein allows the effect of GLP-1 on glucose metabolism in the human hypothalamus and brainstem. <i>Journal of Neurochemistry</i> , 2005 , 92, 798-806	6	183
175	Imaging brain inflammation with [(11)C]PK11195 by PET and induction of the peripheral-type benzodiazepine receptor after transient focal ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 1975-86	7:3	130
174	Biodistribution of amino-functionalized diamond nanoparticles. In vivo studies based on 18F radionuclide emission. <i>ACS Nano</i> , 2011 , 5, 5552-9	16.7	120
173	Influence of the normalization template on the outcome of statistical parametric mapping of PET scans. <i>NeuroImage</i> , 2003 , 19, 601-12	7.9	113
172	Synthesis and in vivo evaluation of the biodistribution of a 18F-labeled conjugate gold-nanoparticle-peptide with potential biomedical application. <i>Bioconjugate Chemistry</i> , 2012 , 23, 399-	408	82
171	Pediatric OCD structural brain deficits in conflict monitoring circuits: a voxel-based morphometry study. <i>Neuroscience Letters</i> , 2007 , 421, 218-23	3.3	77
170	Ventro-striatal reductions underpin symptoms of hyperactivity and impulsivity in attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2009 , 66, 972-7	7.9	70
169	Cerebrospinal fluid sTREM2 levels are associated with gray matter volume increases and reduced diffusivity in early Alzheimer's disease. <i>Alzheimer</i> and Dementia, 2016 , 12, 1259-1272	1.2	67
168	Novel tau biomarkers phosphorylated at T181, T217 or T231 rise in the initial stages of the preclinical Alzheimer's continuum when only subtle changes in Alþathology are detected. <i>EMBO Molecular Medicine</i> , 2020 , 12, e12921	12	67
167	Effects of APOE-A allele load on brain morphology in a cohort of middle-aged healthy individuals with enriched genetic risk for Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2018 , 14, 902-912	1.2	64
166	A personalized preclinical model to evaluate the metastatic potential of patient-derived colon cancer initiating cells. <i>Clinical Cancer Research</i> , 2013 , 19, 6787-801	12.9	63
165	The ALFA project: A research platform to identify early pathophysiological features of Alzheimer's disease. <i>Alzheimer</i> and <i>Dementia: Translational Research and Clinical Interventions</i> , 2016 , 2, 82-92	6	63
164	Cerebral metabolic changes induced by clozapine in schizophrenia and related to clinical improvement. <i>Psychopharmacology</i> , 2005 , 178, 17-26	4.7	58
163	Brain and cognitive correlates of subjective cognitive decline-plus features in a population-based cohort. <i>Alzheimer Research and Therapy</i> , 2018 , 10, 123	9	57

(2003-2010)

162	Enhanced neural activity in frontal and cerebellar circuits after cognitive training in children with attention-deficit/hyperactivity disorder. <i>Human Brain Mapping</i> , 2010 , 31, 1942-50	5.9	56	
161	Method for bias field correction of brain T1-weighted magnetic resonance images minimizing segmentation error. <i>Human Brain Mapping</i> , 2004 , 22, 133-44	5.9	53	
160	In vivo evaluation of amyloid deposition and brain glucose metabolism of 5XFAD mice using positron emission tomography. <i>Neurobiology of Aging</i> , 2013 , 34, 1790-8	5.6	52	
159	N-acetyl-aspartate levels in the dorsolateral prefrontal cortex in the early years of schizophrenia are inversely related to disease duration. <i>Schizophrenia Research</i> , 2005 , 73, 209-19	3.6	51	
158	In vivo biodistribution of amino-functionalized ceria nanoparticles in rats using positron emission tomography. <i>Molecular Pharmaceutics</i> , 2012 , 9, 3543-50	5.6	47	
157	Centiloid cut-off values for optimal agreement between PET and CSF core AD biomarkers. <i>Alzheimer Research and Therapy</i> , 2019 , 11, 27	9	45	
156	Amyloid beta, tau, synaptic, neurodegeneration, and glial biomarkers in the preclinical stage of the Alzheimer's continuum. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, 1358-1371	1.2	44	
155	The AD-CSF-index discriminates Alzheimer's disease patients from healthy controls: a validation study. <i>Journal of Alzheimer Disease</i> , 2013 , 36, 67-77	4.3	43	
154	CSF YKL-40 and pTau181 are related to different cerebral morphometric patterns in early AD. <i>Neurobiology of Aging</i> , 2016 , 38, 47-55	5.6	42	
153	Fronto-limbic dysfunction in borderline personality disorder: a 18F-FDG positron emission tomography study. <i>Journal of Affective Disorders</i> , 2011 , 131, 260-7	6.6	42	
152	Cerebral metabolic patterns in chronic and recent-onset schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2003 , 122, 125-35	2.9	42	
151	Gaba and serotonin molecular neuroimaging in essential tremor: a clinical correlation study. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 876-80	3.6	39	
150	Ventricular enlargement in schizophrenia is associated with a genetic polymorphism at the interleukin-1 receptor antagonist gene. <i>NeuroImage</i> , 2005 , 27, 1002-6	7.9	39	
149	Nonlinear cerebral atrophy patterns across the Alzheimer's disease continuum: impact of APOE4 genotype. <i>Neurobiology of Aging</i> , 2015 , 36, 2687-701	5.6	35	
148	Differences in response to food stimuli in a rat model of obesity: in-vivo assessment of brain glucose metabolism. <i>International Journal of Obesity</i> , 2008 , 32, 1171-9	5.5	35	
147	A whole-brain computational modeling approach to explain the alterations in resting-state functional connectivity during progression of Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2017 , 16, 343-3	5 2 7 ³	34	
146	Cerebral metabolism and risperidone treatment in schizophrenia. Schizophrenia Research, 2003, 60, 1-7	3.6	32	
145	Anatomical and functional cerebral variables associated with basal symptoms but not risperidone response in minimally treated schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2003 , 124, 163-75	2.9	30	

144	The A genotype modulates CSF YKL-40 levels and their structural brain correlates in the continuum of Alzheimer's disease but not those of sTREM2. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring,</i> 2017 , 6, 50-59	5.2	29
143	Differential abnormalities of the head and body of the caudate nucleus in attention deficit-hyperactivity disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 163, 270-8	2.9	29
142	Impact of urban environmental exposures on cognitive performance and brain structure of healthy individuals at risk for Alzheimer's dementia. <i>Environment International</i> , 2020 , 138, 105546	12.9	28
141	Hypofrontality in men with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2005 , 186, 203-8	5.4	28
140	White matter microstructure is altered in cognitively normal middle-aged APOE-4 homozygotes. <i>Alzheimer Research and Therapy</i> , 2018 , 10, 48	9	27
139	New method for routine production of L-[methyl-11C]methionine: in loop synthesis. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2008 , 51, 83-86	1.9	27
138	Secondary prevention of Alzheimer's dementia: neuroimaging contributions. <i>Alzheimer Research and Therapy</i> , 2018 , 10, 112	9	27
137	Automated method for small-animal PET image registration with intrinsic validation. <i>Molecular Imaging and Biology</i> , 2009 , 11, 107-13	3.8	26
136	Relationships between serotonergic and cannabinoid system in depressive-like behavior: a PET study with [11C]-DASB. <i>Journal of Neurochemistry</i> , 2014 , 130, 126-35	6	25
135	Cerebellar neurometabolite abnormalities in pediatric attention/deficit hyperactivity disorder: a proton MR spectroscopic study. <i>Neuroscience Letters</i> , 2010 , 470, 60-4	3.3	25
134	Spatial patterns of white matter hyperintensities associated with Alzheimer's disease risk factors in a cognitively healthy middle-aged cohort. <i>Alzheimeros Research and Therapy</i> , 2019 , 11, 12	9	24
133	Differential clinical, structural and P300 parameters in schizophrenia patients resistant to conventional neuroleptics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 257-66	5.5	24
132	Association between insomnia and cognitive performance, gray matter volume, and white matter microstructure in cognitively unimpaired adults. <i>Alzheimera Research and Therapy</i> , 2020 , 12, 4	9	24
131	Dopaminergic deficiency in mice with reduced levels of the dual-specificity tyrosine-phosphorylated and regulated kinase 1A, Dyrk1A(+/-). <i>Genes, Brain and Behavior</i> , 2007 , 6, 569-7	7 8 .6	23
130	Multimodality image quantification using the Talairach grid 2001,		23
129	Central and peripheral consequences of the chronic blockade of CB1 cannabinoid receptor with rimonabant or taranabant. <i>Journal of Neurochemistry</i> , 2010 , 112, 1338-13351	6	22
128	Dopamine D4 receptors modulate brain metabolic activity in the prefrontal cortex and cerebellum at rest and in response to methylphenidate. <i>European Journal of Neuroscience</i> , 2010 , 32, 668-76	3.5	22
127	Depressed glucose consumption at reperfusion following brain ischemia does not correlate with mitochondrial dysfunction and development of infarction: an in vivo positron emission tomography study. Current Neurovascular Research 2009, 6, 82-8	1.8	22

126	Psychometric Properties of the Memory Binding Test: Test-Retest Reliability and Convergent Validity. <i>Journal of Alzheimera Disease</i> , 2016 , 50, 999-1010	4.3	22
125	Episodic memory and executive functions in cognitively healthy individuals display distinct neuroanatomical correlates which are differentially modulated by aging. <i>Human Brain Mapping</i> , 2018 , 39, 4565-4579	5.9	22
124	Incidental findings on brain MRI of cognitively normal first-degree descendants of patients with Alzheimer's disease: a cross-sectional analysis from the ALFA (Alzheimer and Families) project. <i>BMJ Open</i> , 2017 , 7, e013215	3	21
123	Positron emission tomography with 11C-flumazenil in the rat shows preservation of binding sites during the acute phase after 2 h-transient focal ischemia. <i>Neuroscience</i> , 2011 , 182, 208-16	3.9	21
122	A III-fluorodeoxyglucose MicroPET imaging study to assess changes in brain glucose metabolism in a rat model of surgery-induced latent pain sensitization. <i>Anesthesiology</i> , 2011 , 115, 1072-83	4.3	21
121	Structural Connectivity Alterations Along the Alzheimer's Disease Continuum: Reproducibility Across Two Independent Samples and Correlation with Cerebrospinal Fluid Amyloid-land Tau. <i>Journal of Alzheimer</i> Disease, 2018 , 61, 1575-1587	4.3	20
120	Association between relative temporal and prefrontal sulcal cerebrospinal fluid and illness duration in schizophrenia. <i>Schizophrenia Research</i> , 2002 , 58, 305-12	3.6	20
119	Multitracer model for staging cortical amyloid deposition using PET imaging. <i>Neurology</i> , 2020 , 95, e153	86e5155	32 0
118	Optimized dual-time-window protocols for quantitative [F]flutemetamol and [F]florbetaben PET studies. <i>EJNMMI Research</i> , 2019 , 9, 32	3.6	19
117	Differences Between Plasma and Cerebrospinal Fluid Glial Fibrillary Acidic Protein Levels Across the Alzheimer Disease Continuum. <i>JAMA Neurology</i> , 2021 , 78, 1471-1483	17.2	18
116	Mechanisms of functional compensation, delineated by eigenvector centrality mapping, across the pathophysiological continuum of Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2019 , 22, 101777	5.3	17
115	CSF glial biomarkers YKL40 and sTREM2 are associated with longitudinal volume and diffusivity changes in cognitively unimpaired individuals. <i>NeuroImage: Clinical</i> , 2019 , 23, 101801	5.3	17
114	Higher prevalence of cerebral white matter hyperintensities in homozygous APOE-e4 allele carriers aged 45-75: Results from the ALFA study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018 , 38, 250-	263	17
113	The effects of aging on dopaminergic neurotransmission: a microPET study of [11C]-raclopride binding in the aged rodent brain. <i>Neuroscience</i> , 2010 , 171, 1283-6	3.9	17
112	Impact of ventricular enlargement on the measurement of metabolic activity in spatially normalized PET. <i>NeuroImage</i> , 2007 , 35, 748-58	7.9	17
111	Olanzapine-induced cerebral metabolic changes related to symptom improvement in schizophrenia. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 13-8	2.2	17
110	Patterns of white matter hyperintensities associated with cognition in middle-aged cognitively healthy individuals. <i>Brain Imaging and Behavior</i> , 2020 , 14, 2012-2023	4.1	17
109	Reference Data of the Spanish Memory Binding Test in a Midlife Population from the ALFA STUDY (Alzheimer's and Family). <i>Journal of Alzheimer Disease</i> , 2015 , 48, 613-25	4.3	16

108	The Memory Binding Test: Development of Two Alternate Forms into Spanish and Catalan. <i>Journal of Alzheimer</i> Disease, 2016 , 52, 283-93	4.3	16
107	Longitudinal structural cerebral changes related to core CSF biomarkers in preclinical Alzheimer's disease: A study of two independent datasets. <i>NeuroImage: Clinical</i> , 2018 , 19, 190-201	5.3	15
106	The Rationale Behind the New Alzheimer's Disease Conceptualization: Lessons Learned During the Last Decades. <i>Journal of Alzheimer</i> Disease, 2018 , 62, 1067-1077	4.3	15
105	Monitoring gene therapy by external imaging of mRNA: pilot study on murine erythropoietin. <i>Therapeutic Drug Monitoring</i> , 2007 , 29, 612-8	3.2	15
104	White matter hyperintensities mediate gray matter volume and processing speed relationship in cognitively unimpaired participants. <i>Human Brain Mapping</i> , 2020 , 41, 1309-1322	5.9	13
103	Randomized Phase III Trial of Prophylactic Cranial Irradiation With or Without Hippocampal Avoidance for Small-Cell Lung Cancer (PREMER): A GICOR-GOECP-SEOR Study. <i>Journal of Clinical Oncology</i> , 2021 , 39, 3118-3127	2.2	13
102	Phase III Trial of Prophylactic Cranial Irradiation with or without Hippocampal Avoidance for SMALL-CELL LUNG Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, S35-S	3 6	12
101	Learning non-linear patch embeddings with neural networks for label fusion. <i>Medical Image Analysis</i> , 2018 , 44, 143-155	15.4	12
100	Simultaneous dual-tracer PET imaging of the rat brain and its application in the study of cerebral ischemia. <i>Molecular Imaging and Biology</i> , 2011 , 13, 500-510	3.8	12
99	Biodistribution and radiation dosimetry of the glycine transporter-1 ligand 11C-GSK931145 determined from primate and human whole-body PET. <i>Molecular Imaging and Biology</i> , 2011 , 13, 776-84	3.8	12
98	Variations in the shape of the frontobasal brain region in obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2011 , 32, 1100-8	5.9	12
97	Distinct Cognitive and Brain Morphological Features in Healthy Subjects Unaware of Informant-Reported Cognitive Decline. <i>Journal of Alzheimera Disease</i> , 2018 , 65, 181-191	4.3	11
96	MRI-Based Screening of Preclinical Alzheimer's Disease for Prevention Clinical Trials. <i>Journal of Alzheimer Disease</i> , 2018 , 64, 1099-1112	4.3	11
95	Prediction of amyloid pathology in cognitively unimpaired individuals using voxel-wise analysis of longitudinal structural brain MRI. <i>Alzheimer Research and Therapy</i> , 2019 , 11, 72	9	11
94	In vivo molecular imaging of the GABA/benzodiazepine receptor complex in the aged rat brain. <i>Neurobiology of Aging</i> , 2012 , 33, 1457-65	5.6	11
93	Rapid and high-yielding cysteine labelling of peptides with N-succinimidyl 4-[18F]fluorobenzoate. <i>Chemical Communications</i> , 2012 , 48, 6118-20	5.8	11
92	Quantitative amyloid PET in Alzheimer's disease: the AMYPAD prognostic and natural history study. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, 750-758	1.2	11
91	APOE-A risk variant for Alzheimer's disease modifies the association between cognitive performance and cerebral morphology in healthy middle-aged individuals. <i>NeuroImage: Clinical</i> , 2010, 23, 101919	5.3	10

(2021-2019)

90	Multipurpose Virtual Reality Environment for Biomedical and Health Applications. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019 , 27, 1511-1520	4.8	10
89	Assessment of SPM in perfusion brain SPECT studies. A numerical simulation study using bootstrap resampling methods. <i>IEEE Transactions on Biomedical Engineering</i> , 2008 , 55, 1849-53	5	9
88	Effect of anatomical variability, reconstruction algorithms and scattered photons on the SPM output of brain PET studies. <i>NeuroImage</i> , 2008 , 39, 1121-8	7.9	9
87	Application of the ATN classification scheme in a population without dementia: Findings from the EPAD cohort. <i>Alzheimer</i> and <i>Dementia</i> , 2021 , 17, 1189-1204	1.2	9
86	Changes in cerebral [F]-FDG uptake induced by acute alcohol administration in a rat model of alcoholism. <i>Behavioural Brain Research</i> , 2017 , 327, 29-33	3.4	8
85	Diazepam and Jacobson's progressive relaxation show similar attenuating short-term effects on stress-related brain glucose consumption. <i>European Psychiatry</i> , 2015 , 30, 187-92	6	8
84	Earliest amyloid and tau deposition modulate the influence of limbic networks during closed-loop hippocampal downregulation. <i>Brain</i> , 2020 , 143, 976-992	11.2	8
83	[(11)C]-DASB microPET imaging in the aged rat: frontal and meso-thalamic increases in serotonin transporter binding. <i>Experimental Gerontology</i> , 2011 , 46, 1020-5	4.5	8
82	Comparison of the Performance Evaluation of the MicroPET R4 Scanner According to NEMA Standards NU 4-2008 and NU 2-2001. <i>IEEE Transactions on Nuclear Science</i> , 2012 , 59, 1879-1886	1.7	8
81	Comparison of positron emission tomography (PET) and computed tomography (CT) for better target volume definition in radiation therapy planning. <i>Clinical and Translational Oncology</i> , 2010 , 12, 36	7 ³ 1 ³ 3	8
80	Improved Cerebrospinal Fluid-Based Discrimination between Alzheimer's Disease Patients and Controls after Correction for Ventricular Volumes. <i>Journal of Alzheimer Disease</i> , 2017 , 56, 543-555	4.3	7
79	Erythrocytes labeled with [(18) F]SFB as an alternative to radioactive CO for quantification of blood volume with PET. <i>Contrast Media and Molecular Imaging</i> , 2013 , 8, 375-81	3.2	7
78	Evaluation of hypoxic tissue dynamics with 18F-FMISO PET in a rat model of permanent cerebral ischemia. <i>Molecular Imaging and Biology</i> , 2011 , 13, 558-564	3.8	7
77	Comparative Analysis of Different Definitions of Amyloid-Positivity to Detect Early Downstream Pathophysiological Alterations in Preclinical Alzheimer. <i>journal of prevention of Alzheimera disease, The</i> , 2021 , 8, 68-77	3.8	7
76	Simulating the effect of cerebral blood flow changes on regional quantification of [F]flutemetamol and [F]florbetaben studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 579-589	7.3	7
75	Associations between air pollution and biomarkers of Alzheimer's disease in cognitively unimpaired individuals. <i>Environment International</i> , 2021 , 157, 106864	12.9	7
74	Interactive effect of age and APOE-A allele load on white matter myelin content in cognitively normal middle-aged subjects. <i>NeuroImage: Clinical</i> , 2019 , 24, 101983	5.3	6
73	Differential associations of APOE-II and APOE-II alleles with PET-measured amyloid-II and tau deposition in older individuals without dementia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2212-2224	8.8	6

72	Novel methodology for labelling mesoporous silica nanoparticles using the 18F isotope and their in vivo biodistribution by positron emission tomography. <i>Journal of Nanoparticle Research</i> , 2015 , 17, 1	2.3	5
71	Assessing lung inflammation after nanoparticle inhalation using 2-deoxy-2-[18F]fluoro-D-glucose positron emission tomography imaging. <i>Molecular Imaging and Biology</i> , 2014 , 16, 264-73	3.8	5
70	Multimodal neuroimaging studies and neurodevelopment and neurodegeneration hypotheses of schizophrenia. <i>Neurotoxicity Research</i> , 2002 , 4, 437-451	4.3	5
69	Visual assessment of [F]flutemetamol PET images can detect early amyloid pathology and grade its extent. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2169-2182	8.8	5
68	The relation between APOE genotype and cerebral microbleeds in cognitively unimpaired middle-and old-aged individuals. <i>Neurobiology of Aging</i> , 2020 , 95, 104-114	5.6	4
67	Comparison of NEMA NU 4-2008 vs NEMA NU 2-2001 for the performance evaluation of the microPET R4 system 2009 ,		4
66	ROC evaluation of statistical wavelet-based analysis of brain activation in [150]-H2O PET scans. <i>NeuroImage</i> , 2005 , 24, 763-70	7.9	4
65	Statistical segmentation of multidimensional brain datasets 2001 ,		4
64	P-tau235: a novel biomarker for staging preclinical Alzheimer's disease. <i>EMBO Molecular Medicine</i> , 2021 , 13, e15098	12	4
63	Management and Quality Control of Large Neuroimaging Datasets: Developments From the Barcelona@ta Brain Research Center. <i>Frontiers in Neuroscience</i> , 2021 , 15, 633438	5.1	4
62	Cognitively unimpaired individuals with a low burden of Alpathology have a distinct CSF biomarker profile. <i>Alzheimera Research and Therapy</i> , 2021 , 13, 134	9	4
61	Nonlinear interaction between APOE A allele load and age in the hippocampal surface of cognitively intact individuals. <i>Human Brain Mapping</i> , 2021 , 42, 47-64	5.9	4
60	Subclinical Atherosclerosis and Brain Metabolism in Middle-Aged Individuals: The PESA Study. Journal of the American College of Cardiology, 2021 , 77, 888-898	15.1	4
59	The protective gene dose effect of the APOE I allele on gray matter volume in cognitively unimpaired individuals. <i>Alzheimer</i> and <i>Dementia</i> , 2021 ,	1.2	4
58	Quantitative informant- and self-reports of subjective cognitive decline predict amyloid beta PET outcomes in cognitively unimpaired individuals independently of age and. <i>Alzheimera and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12127	5.2	3
57	Efficient cysteine labelling of peptides with N-succinimidyl 4-[18F]fluorobenzoate: stability study and in vivo biodistribution in rats by positron emission tomography (PET). RSC Advances, 2013 , 3, 8028	3.7	3
56	Positron Emission Tomographic Imaging of the Cannabinoid Type 1 Receptor System with [11C]OMAR ([11C]JHU75528): Improvements in Image Quantification Using Wild-Type and Knockout Mice. <i>Molecular Imaging</i> , 2011 , 10, 7290.2011.00019	3.7	3
55	Effect of BDNF Val66Met on hippocampal subfields volumes and compensatory interaction with APOE-4 in middle-age cognitively unimpaired individuals from the ALFA study. <i>Brain Structure and Eunction</i> 2020, 225, 2331-2345	4	3

(2020-2021)

54	Cerebral amyloid-load is associated with neurodegeneration and gliosis: Mediation by p-tau and interactions with risk factors early in the Alzheimer's continuum. <i>Alzheimer's and Dementia</i> , 2021 , 17, 788-800	1.2	3
53	A multisite analysis of the concordance between visual image interpretation and quantitative analysis of [F]flutemetamol amyloid PET images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2183-2199	8.8	3
52	Strategies to reduce sample sizes in Alzheimer's disease primary and secondary prevention trials using longitudinal amyloid PET imaging. <i>Alzheimer Research and Therapy</i> , 2021 , 13, 82	9	3
51	Modeling practice effects in healthy middle-aged participants of the Alzheimer and Families parent cohort. <i>Alzheimer</i> and <i>Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016 , 4, 149-158	5.2	3
50	APOE-A Shapes the Cerebral Organization in Cognitively Intact Individuals as Reflected by Structural Gray Matter Networks. <i>Cerebral Cortex</i> , 2020 , 30, 4110-4120	5.1	2
49	The Crus exhibits stronger functional connectivity with executive network nodes than with the default mode network. <i>Brain</i> , 2018 , 141, e24	11.2	2
48	Characterization of the Biodistribution and Systemic Absorption of TT-173, a New Hemostatic Agent of Recombinant Human Tissue Factor, Using Radiolabeling with 18F. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2017 , 42, 583-592	2.7	2
47	Single-cell Transcriptional Changes in Neurodegenerative Diseases. <i>Neuroscience</i> , 2021 , 479, 192-205	3.9	2
46	The effect of APOE genotype and streamline density volume, on hippocampal CA1 down-regulation: a real-time fMRI virtual reality neurofeedback study		2
45	Distinct effects of amyloid and tau deposition on eigenvector centrality during hippocampal down-regulation: a real-time fMRI virtual reality closed-loop neurofeedback study with CSF biomarkers		2
44			2
43	Projection to Latent Spaces Disentangles Pathological Effects on Brain Morphology in the Asymptomatic Phase of Alzheimer's Disease. <i>Frontiers in Neurology</i> , 2020 , 11, 648	4.1	2
42	Parametric imaging of dual-time window [F]flutemetamol and [F]florbetaben studies. <i>NeuroImage</i> , 2021 , 234, 117953	7.9	2
41	Association of weight change with cerebrospinal fluid biomarkers and amyloid positron emission	0	2
	tomography in preclinical Alzheimer's disease. <i>Alzheimer Research and Therapy</i> , 2021 , 13, 46	9	
40	tomography in preclinical Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2021 , 13, 46 Amyloid-[positive individuals with subjective cognitive decline present increased CSF neurofilament light levels that relate to lower hippocampal volume. <i>Neurobiology of Aging</i> , 2021 , 104, 24-31	5.6	2
40	Amyloid-[positive individuals with subjective cognitive decline present increased CSF neurofilament light levels that relate to lower hippocampal volume. <i>Neurobiology of Aging</i> , 2021 ,		2
	Amyloid-[positive individuals with subjective cognitive decline present increased CSF neurofilament light levels that relate to lower hippocampal volume. <i>Neurobiology of Aging</i> , 2021 , 104, 24-31 CSF Synaptic Biomarkers in the Preclinical Stage of Alzheimer Disease and Their Association With	5.6	

36	[P1B95]: AMYPAD: A EUROPEAN PUBLIC-PRIVATE PARTNERSHIP TO INVESTIGATE THE VALUE OF EAMYLOID BRAIN SCANS AS A DIAGNOSTIC AND THERAPEUTIC MARKER FOR ALZHEIMER'S DISEASE 2017 , 13, P420-P420		1
35	Optimization of [11C]Raclopride Positron Emission Tomographic Rat Studies: Comparison of Methods for Image Quantification. <i>Molecular Imaging</i> , 2013 , 12, 7290.2012.00040	3.7	1
34	Sex Differences of Longitudinal Brain Changes in Cognitively Unimpaired Adults. <i>Journal of Alzheimera Disease</i> , 2020 , 76, 1413-1422	4.3	1
33	Association of years to parent's sporadic onset and risk factors with neural integrity and Alzheimer biomarkers. <i>Neurology</i> , 2020 , 95, e2065-e2074	6.5	1
32	Uncertainty analysis of MR-PET image registration for precision neuro-PET imaging. <i>NeuroImage</i> , 2021 , 232, 117821	7.9	1
31	Genetic Influences on Hippocampal Subfields: An Emerging Area of Neuroscience Research. <i>Neurology: Genetics</i> , 2021 , 7, e591	3.8	1
30	Genetic Predisposition to Alzheimer's Disease Is Associated with Enlargement of Perivascular Spaces in Centrum Semiovale Region. <i>Genes</i> , 2021 , 12,	4.2	1
29	P2-505: REGIONAL DISTRIBUTION OF WHITE MATTER HYPERINTENSITY CORRELATES WITH COGNITION IN THE ALFA COHORT 2018 , 14, P925-P925		1
28	Shared Latent Structures Between Imaging Features and Biomarkers in Early Stages of Alzheimer Disease. <i>Lecture Notes in Computer Science</i> , 2018 , 60-67	0.9	1
27	Enhancing the Sensitivity of Memory Tests: Reference Data for the Free and Cued Selective Reminding Test and the Logical Memory Task from Cognitively Healthy Subjects with Normal Alzheimer's Disease Cerebrospinal Fluid Biomarker Levels. <i>Journal of Alzheimer Disease</i> , 2021 , 84, 119	4·3 9-128	1
26	Quantification of amyloid PET for future clinical use: a state-of-the-art review <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022 , 1	8.8	1
25	Cognitive function and neuroimaging correlates in a subjective cognitive decline population within a multimodal intervention supplemented with green tea extract (PENSA Study): Preliminary results of a voxel-based morphometry study <i>Alzheimero</i> s and Dementia, 2021 , 17 Suppl 7, e055894	1.2	1
24	Evaluating robustness of the Centiloid scale against variations in amyloid PET image resolution. <i>Alzheimer</i> and Dementia, 2021 , 17,	1.2	1
23	Emerging beta-amyloid pathology is associated with tau, synaptic, neurodegeneration and gray matter volume differences. <i>Alzheimera</i> and <i>Dementia</i> , 2020 , 16, e044466	1.2	O
22	Shared Latent Structures Between Imaging Features and Biomarkers in Early Stages of Alzheimer's Disease: A Predictive Study. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2020 , 24, 365-376	7.2	O
21	Brain correlates of urban environmental exposures in cognitively unimpaired individuals at increased risk for Alzheimer's disease: A study on Barcelona's population. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12205	5.2	O
20	Perivascular spaces are associated with tau pathophysiology and synaptic dysfunction in early Alzheimer's continuum. <i>Alzheimer's Research and Therapy</i> , 2021 , 13, 135	9	O
19	Impact of cerebral blood flow and amyloid load on SUVR bias <i>EJNMMI Research</i> , 2022 , 12, 29	3.6	O

(2018-2020)

18	Subjective cognitive decline correlates with medial temporal lobe and hippocampal subfield volumetry in cognitively unimpaired participants. <i>Alzheimer</i> and Dementia, 2020 , 16, e043520	1.2
17	Amyloid-🏻 tau, synaptic dysfunction, neurodegeneration, glial and vascular biomarkers in the preclinical stage of the Alzheimer Continuum. <i>Alzheimer and Dementia</i> , 2020 , 16, e044444	1.2
16	Genetically predicted telomere length and Alzheimer disease endophenotypes: A Mendelian randomization study. <i>Alzheimer and Dementia</i> , 2020 , 16, e044720	1.2
15	The effect of physical activity on CSF biomarkers of Alzheimer disease differs between men and women. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, e044722	1.2
14	Multiple biological pathways associate with cerebral amyloid load in the early Alzheimer's continuum. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, e044733	1.2
13	Higher fronto-parietal metabolism parallels a greater impact of amyloid and anxiety on medial temporal areas in women versus men. <i>Alzheimer</i> and Dementia, 2020 , 16, e044780	1.2
12	Multiple pathophysiological biomarkers are associated with gray matter volume and cerebral glucose metabolism in the early preclinical Alzheimer's continuum. <i>Alzheimer</i> and Dementia, 2020 , 16, e044808	1.2
11	PENSA study: Study design, recruitment profiles and participant inclusion in multimodal intervention studies. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, e045074	1.2
10	APOE-4 shapes temporo-parietal network properties in middle-aged, cognitively unimpaired individuals: A graph theory analysis. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, e045092	1.2
9	Weight loss predicts Alzheimer disease biomarker positivity in cognitively unimpaired middle-aged adults. <i>Alzheimer and Dementia</i> , 2020 , 16, e045137	1.2
8	Proximity to parental age at onset exacerbates amyloid burden while mental conditions exacerbate neural loss during midlife. <i>Alzheimero</i> and <i>Dementia</i> , 2020 , 16, e045171	1.2
7	Incidence of subjective cognitive decline is associated with amyloid-pathology, whereas stability relates to neurodegeneration. <i>Alzheimera and Dementia</i> , 2020 , 16, e045293	1.2
6	Amyloid-positive individuals with subjective cognitive decline present increased CSF neurofilament light levels that relate to hippocampal volume. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, e045715	1.2
5	The Barcelonabeta dementia prevention research clinic: Study design, recruitment profiles and inclusion in prevention studies [An update. <i>Alzheimer</i> and Dementia, 2020 , 16, e045800	1.2
4	ALFA+: A cohort study to understand and model the preclinical stage of Alzheimer disease. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, e045935	1.2
3	NeAT: a Nonlinear Analysis Toolbox for Neuroimaging. <i>Neuroinformatics</i> , 2020 , 18, 517-530	3.2
2	Soundtrack of life: An fMRI study. Behavioural Brain Research, 2022, 418, 113634	3.4
1	Neuroimaging Methods for MRI Analysis in CSF Biomarkers Studies. <i>Methods in Molecular Biology</i> , 2018 , 1750, 165-184	1.4