

# Mark A Eiteman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5341738/publications.pdf>

Version: 2024-02-01

97  
papers

4,601  
citations

109321  
35  
h-index

106344  
65  
g-index

100  
all docs

100  
docs citations

100  
times ranked

4593  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Isolation and Characterization of Levoglucosan-Metabolizing Bacteria. Applied and Environmental Microbiology, 2022, 88, AEM0186821.  | 3.1 | 6         |
| 2  | Pyruvate Production by Escherichia coli by Use of Pyruvate Dehydrogenase Variants. Applied and Environmental Microbiology, 2021, 87, e0048721.   | 3.1 | 18        |
| 3  | Characterization of the Furfural and 5-Hydroxymethylfurfural (HMF) Metabolic Pathway in the Novel Isolate Pseudomonas putida ALS1267. Applied Biochemistry and Biotechnology, 2020, 190, 918-930.      | 2.9 | 18        |
| 4  | In vivo interpretation of model predicted inhibition in acrylate pathway engineered Lactococcus lactis. Biotechnology and Bioengineering, 2020, 117, 3785-3798.  | 3.3 | 1         |
| 5  | Pretreatment and Detoxification of Acid-Treated Wood Hydrolysates for Pyruvate Production by an Engineered Consortium of Escherichia coli. Applied Biochemistry and Biotechnology, 2020, 192, 243-256. | 2.9 | 10        |
| 6  | Engineered citrate synthase improves citramalic acid generation in Escherichia coli. Biotechnology and Bioengineering, 2020, 117, 2781-2790.   | 3.3 | 18        |
| 7  | Engineered citrate synthase alters Acetate Accumulation in Escherichia coli. Metabolic Engineering, 2020, 61, 171-180.   | 7.0 | 21        |
| 8  | Acetate formation during recombinant protein production in Escherichia coli K12 with an elevated NAD(H) pool. Engineering in Life Sciences, 2019, 19, 770-780.   | 3.6 | 8         |
| 9  | Removal of aromatic inhibitors produced from lignocellulosic hydrolysates by Acinetobacter baylyi ADP1 with formation of ethanol by Kluyveromyces marxianus. Biotechnology for Biofuels, 2019, 12, 91. | 6.2 | 25        |
| 10 | Conversion of glucose-xylulose mixtures to pyruvate using a consortium of metabolically engineered Escherichia coli. Engineering in Life Sciences, 2018, 18, 40-47.                                    | 3.6 | 17        |
| 11 | Enhancement of NAD(H) pool for formation of oxidized biochemicals in Escherichia coli. Journal of Industrial Microbiology and Biotechnology, 2018, 45, 939-950.  | 3.0 | 8         |
| 12 | Accelerating pathway evolution by increasing the gene dosage of chromosomal segments. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 7105-7110.           | 7.1 | 52        |
| 13 | Glucose can be transported and utilized in Escherichia coli by an altered or overproduced N-acetylglucosamine phosphotransferase system (PTS). Microbiology (United Kingdom), 2018, 164, 163-172.      | 1.8 | 15        |
| 14 | Phosphatases and phosphate affect the formation of glucose from pentoses in Escherichia coli. Engineering in Life Sciences, 2017, 17, 579-584.   | 3.6 | 5         |
| 15 | Quercetin Glucoside Production by Engineered Escherichia coli. Applied Biochemistry and Biotechnology, 2017, 182, 1358-1370.   | 2.9 | 14        |
| 16 | Synthesis of citramalic acid from glycerol by metabolically engineered Escherichia coli. Journal of Industrial Microbiology and Biotechnology, 2017, 44, 1483-1490.                                    | 3.0 | 13        |
| 17 | Coupling xylitol dehydrogenase with NADH oxidase improves l-xylulose production in Escherichia coli culture. Enzyme and Microbial Technology, 2017, 106, 106-113.                                      | 3.2 | 13        |
| 18 | Eliminating acetate formation improves citramalate production by metabolically engineered Escherichia coli. Microbial Cell Factories, 2017, 16, 114.   | 4.0 | 26        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Recent Progress in the Microbial Production of Pyruvic Acid. <i>Fermentation</i> , 2017, 3, 8.  | 3.0  | 53        |
| 20 | Glucose consumption in carbohydrate mixtures by phosphotransferase-system mutants of <i>Escherichia coli</i> . <i>Microbiology (United Kingdom)</i> , 2017, 163, 866-877.   | 1.8  | 10        |
| 21 | Production of citramalate by metabolically engineered <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2016, 113, 2670-2675.   | 3.3  | 25        |
| 22 | Detection of methyl salicylate using bi-enzyme electrochemical sensor consisting salicylate hydroxylase and tyrosinase. <i>Biosensors and Bioelectronics</i> , 2016, 85, 603-610.                                   | 10.1 | 36        |
| 23 | Transcriptional analysis and adaptive evolution of <i>Escherichia coli</i> strains growing on acetate. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 7777-7785.  | 3.6  | 38        |
| 24 | Isolation and Characterization of Bacteria That Use Furans as the Sole Carbon Source. <i>Applied Biochemistry and Biotechnology</i> , 2016, 178, 76-90.   | 2.9  | 10        |
| 25 | Microbial production of lactic acid. <i>Biotechnology Letters</i> , 2015, 37, 955-972.  | 2.2  | 79        |
| 26 | Succinate production from xylose-glucose mixtures using a consortium of engineered <i>Escherichia coli</i> . <i>Engineering in Life Sciences</i> , 2015, 15, 65-72.   | 3.6  | 28        |
| 27 | Accumulation of $\gamma$ -Glucose from Pentoses by Metabolically Engineered <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2015, 81, 3387-3394.  | 3.1  | 10        |
| 28 | Adaptation of <i>Escherichia coli</i> to Elevated Sodium Concentrations Increases Cation Tolerance and Enables Greater Lactic Acid Production. <i>Applied and Environmental Microbiology</i> , 2014, 80, 2880-2888. | 3.1  | 32        |
| 29 | Production of biomass and filamentous hemagglutinin by <i>Bordetella bronchiseptica</i> . <i>Bioprocess and Biosystems Engineering</i> , 2014, 37, 115-123.   | 3.4  | 1         |
| 30 | Effect of overexpressing <i>nhaA</i> and <i>nhaR</i> on sodium tolerance and lactate production in <i>Escherichia coli</i> . <i>Journal of Biological Engineering</i> , 2013, 7, 3.                                 | 4.7  | 11        |
| 31 | Differential sensitivities of the growth of <i>Escherichia coli</i> to acrylate under aerobic and anaerobic conditions and its effect on product formation. <i>Biotechnology Letters</i> , 2013, 35, 1839-1843.     | 2.2  | 10        |
| 32 | Lactate and Acrylate Metabolism by <i>Megasphaera elsdenii</i> under Batch and Steady-State Conditions. <i>Applied and Environmental Microbiology</i> , 2012, 78, 8564-8570.  | 3.1  | 121       |
| 33 | Continuous-flow ferrohydrodynamic sorting of particles and cells in microfluidic devices. <i>Microfluidics and Nanofluidics</i> , 2012, 13, 645-654.  | 2.2  | 99        |
| 34 | Simultaneous utilization of glucose, xylose and arabinose in the presence of acetate by a consortium of <i>Escherichia coli</i> strains. <i>Microbial Cell Factories</i> , 2012, 11, 77.                            | 4.0  | 75        |
| 35 | Microbial removal of acetate selectively from sugar mixtures. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011, 38, 1477-1484.  | 3.0  | 12        |
| 36 | Evaluation of nitrogen retention and microbial populations in poultry litter treated with chemical, biological or adsorbent amendments. <i>Journal of Environmental Management</i> , 2011, 92, 1760-1766.           | 7.8  | 28        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Conversion of glycerol to pyruvate by <i>Escherichia coli</i> using acetate- and acetate/glucose-limited fed-batch processes. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2010, 37, 307-312.                | 3.0 | 10        |
| 38 | Effect of flue gas components on succinate production and CO <sub>2</sub> fixation by metabolically engineered <i>Escherichia coli</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 429-435.          | 3.6 | 4         |
| 39 | Microbial Mineralization of Organic Nitrogen Forms in Poultry Litters. <i>Journal of Environmental Quality</i> , 2010, 39, 1848-1857.   | 2.0 | 45        |
| 40 | A substrate-selective co-fermentation strategy with <i>Escherichia coli</i> produces lactate by simultaneously consuming xylose and glucose. <i>Biotechnology and Bioengineering</i> , 2009, 102, 822-827.                    | 3.3 | 70        |
| 41 | DNA plasmid production in different host strains of <i>Escherichia coli</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2009, 36, 521-530.  | 3.0 | 31        |
| 42 | pH and base counterion affect succinate production in dual-phase <i>Escherichia coli</i> fermentations. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2009, 36, 1101-1109.                                    | 3.0 | 17        |
| 43 | Effect of CO <sub>2</sub> on succinate production in dual-phase <i>Escherichia coli</i> fermentations. <i>Journal of Biotechnology</i> , 2009, 143, 213-223.  | 3.8 | 58        |
| 44 | Indirect monitoring of acetate exhaustion and cell recycle improve lactate production by non-growing <i>Escherichia coli</i> . <i>Biotechnology Letters</i> , 2008, 30, 1943-1946.  | 2.2 | 4         |
| 45 | Hydrolysis of Tifton 85 bermudagrass in a pressurized batch hot water reactor. <i>Journal of Chemical Technology and Biotechnology</i> , 2008, 83, 505-512.   | 3.2 | 20        |
| 46 | Synthesis of organic osmolytes and salt tolerance mechanisms in <i>Paspalum vaginatum</i> . <i>Environmental and Experimental Botany</i> , 2008, 63, 19-27.   | 4.2 | 121       |
| 47 | A co-fermentation strategy to consume sugar mixtures effectively. <i>Journal of Biological Engineering</i> , 2008, 2, 3.  | 4.7 | 137       |
| 48 | High Glycolytic Flux Improves Pyruvate Production by a Metabolically Engineered <i>Escherichia coli</i> Strain. <i>Applied and Environmental Microbiology</i> , 2008, 74, 6649-6655.  | 3.1 | 100       |
| 49 | Increasing NADH oxidation reduces overflow metabolism in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2402-2407.                     | 7.1 | 302       |
| 50 | Homolactate Fermentation by Metabolically Engineered <i>Escherichia coli</i> Strains. <i>Applied and Environmental Microbiology</i> , 2007, 73, 456-464.  | 3.1 | 93        |
| 51 | Fed-batch two-phase production of alanine by a metabolically engineered <i>Escherichia coli</i> . <i>Biotechnology Letters</i> , 2006, 28, 1695-1700.   | 2.2 | 26        |
| 52 | Overcoming acetate in <i>Escherichia coli</i> recombinant protein fermentations. <i>Trends in Biotechnology</i> , 2006, 24, 530-536.  | 9.3 | 330       |
| 53 | Increased recombinant protein production in <i>Escherichia coli</i> strains with overexpressed water-forming NADH oxidase and a deleted ArcA regulatory protein. <i>Biotechnology and Bioengineering</i> , 2006, 94, 538-542. | 3.3 | 60        |
| 54 | Overflow Metabolism in <i>Escherichia coli</i> during Steady-State Growth: Transcriptional Regulation and Effect of the Redox Ratio. <i>Applied and Environmental Microbiology</i> , 2006, 72, 3653-3661.                     | 3.1 | 303       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Physiological response of central metabolism in <i>Escherichia coli</i> to deletion of pyruvate oxidase and introduction of heterologous pyruvate carboxylase. <i>Biotechnology and Bioengineering</i> , 2005, 90, 64-76.           | 3.3 | 28        |
| 56 | Aerobic production of alanine by <i>Escherichia coli</i> aceF IdhA mutants expressing the <i>Bacillus sphaericus</i> alaD gene. <i>Applied Microbiology and Biotechnology</i> , 2004, 65, 56-60.                                    | 3.6 | 40        |
| 57 | Bioprocessing Research. <i>Applied Biochemistry and Biotechnology</i> , 2003, 106, 317-318.   | 2.9 | 0         |
| 58 | Production of 5-aminolevulinic acid by an <i>Escherichia coli</i> aminolevulinate dehydratase mutant that overproduces <i>Rhodobacter sphaeroides</i> aminolevulinate synthase. <i>Biotechnology Letters</i> , 2003, 25, 1751-1755. | 2.2 | 11        |
| 59 | The effect of acetate pathway mutations on the production of pyruvate in <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2003, 62, 76-82.   | 3.6 | 66        |
| 60 | Effect of redox potential on stationary-phase xylitol fermentations using <i>Candida tropicalis</i> . <i>Applied Microbiology and Biotechnology</i> , 2003, 63, 96-100.   | 3.6 | 23        |
| 61 | Optimization of recombinant aminolevulinate synthase production in <i>Escherichia coli</i> using factorial design. <i>Applied Microbiology and Biotechnology</i> , 2003, 63, 267-273.   | 3.6 | 62        |
| 62 | Comparison Of Synthetic and Natural Bulking Agents In Food Waste Composting. <i>Compost Science and Utilization</i> , 2003, 11, 27-35.  | 1.2 | 20        |
| 63 | Expression of an Anaplerotic Enzyme, Pyruvate Carboxylase, Improves Recombinant Protein Production in <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2002, 68, 5620-5624.                                | 3.1 | 57        |
| 64 | Effects of Growth Mode and Pyruvate Carboxylase on Succinic Acid Production by Metabolically Engineered Strains of <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2002, 68, 1715-1727.                   | 3.1 | 233       |
| 65 | Succinate production in dual-phase <i>Escherichia coli</i> fermentations depends on the time of transition from aerobic to anaerobic conditions. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2002, 28, 325-332.   | 3.0 | 217       |
| 66 | The physiological effects and metabolic alterations caused by the expression of <i>Rhizobium etli</i> pyruvate carboxylase in <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2001, 56, 188-195.          | 3.6 | 63        |
| 67 | Anaerobic fermentation of <i>Salmonella typhimurium</i> with and without pyruvate carboxylase. <i>Biotechnology Letters</i> , 2001, 23, 111-117.  | 2.2 | 3         |
| 68 | Glucose repression of xylitol production in <i>Candida tropicalis</i> mixed-sugar fermentations. <i>Biotechnology Letters</i> , 2001, 23, 1663-1667.  | 2.2 | 23        |
| 69 | Metabolic Flux Analysis of <i>Clostridium thermosuccinogenes</i> . <i>Applied Biochemistry and Biotechnology</i> , 2001, 94, 51-70.   | 2.9 | 48        |
| 70 | Ground kenaf core as a filtration aid. <i>Industrial Crops and Products</i> , 2001, 13, 155-161.  | 5.2 | 21        |
| 71 | Predicting Partition Coefficients of Small Solutes Based on Hydrophobicity. , 2000, , 107-118.  |     | 1         |
| 72 | Elucidation of Enzymes in Fermentation Pathways Used by <i>Clostridium thermosuccinogenes</i> Growing on Inulin. <i>Applied and Environmental Microbiology</i> , 2000, 66, 246-251.   | 3.1 | 51        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Metabolic Analysis of <i>Escherichia coli</i> in the Presence and Absence of the Carboxylating Enzymes Phosphoenolpyruvate Carboxylase and Pyruvate Carboxylase. Applied and Environmental Microbiology, 2000, 66, 1844-1850. | 3.1 | 87        |
| 74 | Influence of Redox Potential on Product Distribution in <i>Clostridium thermosuccinogenes</i> . Applied Biochemistry and Biotechnology, 1999, 82, 91-102.   | 2.9 | 22        |
| 75 | Pressure Drop through Raw Food Waste Compost containing Synthetic Bulking Agents. Biosystems Engineering, 1999, 72, 375-384.  | 0.4 | 29        |
| 76 | Changes in the S-alk(en)yl Cysteine Sulfoxides and their Biosynthetic Intermediates during Onion Storage. Journal of the American Society for Horticultural Science, 1999, 124, 177-183.                                      | 1.0 | 43        |
| 77 | Evaluation of Membrane Filtration and Ozonation Processes for Treatment of Reactive-Dye Wastewater. Journal of Environmental Engineering, ASCE, 1998, 124, 272-277.   | 1.4 | 216       |
| 78 | Optimization of the ion-exchange analysis of organic acids from fermentation. Analytica Chimica Acta, 1997, 338, 69-75.   | 5.4 | 100       |
| 79 | Physical properties of low molecular weight triglycerides for the development of bio-diesel fuel models. Bioresource Technology, 1996, 56, 55-60.   | 9.6 | 69        |
| 80 | A Model to Predict the Partition Coefficients of Amino Acids in PEG/Salt Aqueous Two-Phase Systems. Separation Science and Technology, 1995, 30, 225-237.   | 2.5 | 10        |
| 81 | The pH Difference in Poly(Ethylene Glycol)/Citrate Aqueous Two-Phase Systems and the Influence of Sodium Chloride. Separation Science and Technology, 1995, 30, 2509-2518.  | 2.5 | 1         |
| 82 | Hydrophobic and Charge Effects in the Partitioning of Solutes in Aqueous Two-Phase Systems. , 1995, , 31-48.  |     | 4         |
| 83 | Partitioning of Charged Solutes in Poly(Ethylene Glycol)/Potassium Phosphate Aqueous Two-Phase Systems. Separation Science and Technology, 1994, 29, 685-700.   | 2.5 | 8         |
| 84 | Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf, 50 302 To   | 3.7 | 22        |
| 85 | Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems. Journal of Chromatography A, 1994, 668, 21-30.   | 3.7 | 15        |
| 86 | Analysis of oxonic acid, uric acid, creatine, allantoin, xanthine and hypoxanthine in poultry litter by reverse phase HPLC. Fresenius' Journal of Analytical Chemistry, 1994, 348, 680-683.                                   | 1.5 | 12        |
| 87 | Density and viscosity of low-molecular weight triglycerides and their mixtures. JAOCS, Journal of the American Oil Chemists' Society, 1994, 71, 1261-1265.  | 1.9 | 38        |
| 88 | Heat capacity of the triglycerides: Tricaproin, tricaprylin and tricaprln. JAOCS, Journal of the American Oil Chemists' Society, 1994, 71, 549-550.   | 1.9 | 6         |
| 89 | A Mathematical Model To Predict the Partitioning of Peptides and Peptide-Modified Proteins in Aqueous Two-Phase Systems. Biotechnology Progress, 1994, 10, 513-519.   | 2.6 | 21        |
| 90 | A Correlation for Predicting Partition Coefficients in Aqueous Two-Phase Systems. Separation Science and Technology, 1992, 27, 313-324.   | 2.5 | 23        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | Partition of isomeric dipeptides in poly(ethylene glycol)/magnesium sulfate aqueous two-phase systems. Biochimica Et Biophysica Acta - General Subjects, 1991, 1073, 451-455.                 | 2.4 | 19        |
| 92 | THE EFFECT OF THE pH DIFFERENCE BETWEEN PHASES ON PARTITIONING IN POLY(ETHYLENE) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 171-183.   | 2.6 | 18        |
| 93 | Predicting partition coefficients in polyethylene glycol-potassium phosphate aqueous two-phase systems. Journal of Chromatography A, 1991, 586, 341-346.                                      | 3.7 | 38        |
| 94 | Peptide hydrophobicity and partitioning in poly(ethylene glycol)/magnesium sulfate aqueous two-phase systems. Biotechnology Progress, 1990, 6, 479-484.                                       | 2.6 | 63        |
| 95 | Determination of monoclonal antibody concentration in cell culture by capture ELISA. Biotechnology Letters, 1989, 3, 401-406.   | 0.5 | 6         |
| 96 | In situ extraction versus the use of an external column in fermentation. Applied Microbiology and Biotechnology, 1989, 30, 614.   | 3.6 | 38        |
| 97 | The effect of free-volume changes on partitioning in magnesium sulfate-poly(ethylene glycol) aqueous two-phase systems. Biochimica Et Biophysica Acta - General Subjects, 1989, 992, 125-127. | 2.4 | 25        |