

# Sami-Ramzi Leyh-Bannurah

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5342005/publications.pdf>

Version: 2024-02-01

39  
papers

1,059  
citations

567144

15  
h-index

414303

32  
g-index

40  
all docs

40  
docs citations

40  
times ranked

2022  
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimizing Combined Magnetic Resonance Imaging (MRI)-Targeted and Systematic Biopsy Strategies: Sparing the Multiparametric MRI-Negative Transitional Zone in Presence of Exclusively Peripheral Multiparametric MRI-Suspect Lesions. <i>Journal of Urology</i> , 2022, 207, 333-340.	0.2	8
2	The impact of age on pathological insignificant prostate cancer rates in contemporary robot-assisted prostatectomy patients despite active surveillance eligibility. <i>Minerva Urology and Nephrology</i> , 2022, 74, .	1.3	7
3	Two-year quality of life after robot-assisted radical prostatectomy according to pentafecta criteria and cancer of the prostate risk assessment (CAPRA-S). <i>Scientific Reports</i> , 2022, 12, 244.	1.6	5
4	Oncologic impact of concomitant prostate cancer characteristics at the time of radical cystoprostatectomy for bladder cancer: a population-based analysis. <i>Aging Male</i> , 2022, 25, 54-61.	0.9	1
5	The Dilemma of Misclassification Rates in Senior Patients With Prostate Cancer, Who Were Treated With Robot-Assisted Radical Prostatectomy: Implications for Patient Counseling and Diagnostics. <i>Frontiers in Surgery</i> , 2022, 9, 838477.	0.6	1
6	Impact of obesity on perioperative, functional and oncological outcomes after robotic-assisted radical prostatectomy in a high-volume center. <i>World Journal of Urology</i> , 2022, 40, 1419-1425.	1.2	6
7	Feasibility of robot-assisted radical prostatectomy in men at senior age ≥75 years: perioperative, functional, and oncological outcomes of a high-volume center. <i>Aging Male</i> , 2022, 25, 8-16.	0.9	10
8	Pan-segmental intraprostatic lesions involving mid-gland and apex of prostate (mid-apical lesions): assessing the true value of extreme apical biopsy cores. <i>World Journal of Urology</i> , 2022, .	1.2	1
9	Combined systematic versus stand-alone multiparametric MRI-guided targeted fusion biopsy: nomogram prediction of non-organ-confined prostate cancer. <i>World Journal of Urology</i> , 2021, 39, 81-88.	1.2	11
10	Triggers and oncologic outcome of salvage radical prostatectomy, salvage radiotherapy and active surveillance after focal therapy of prostate cancer. <i>World Journal of Urology</i> , 2021, 39, 3747-3754.	1.2	5
11	Improvement of quality of life and symptom burden after robot-assisted radical prostatectomy in patients with moderate to severe LUTS. <i>Scientific Reports</i> , 2021, 11, 16757.	1.6	11
12	Reply By Authors. <i>Journal of Urology</i> , 2021, 206, 317-318.	0.2	0
13	Perioperative and Postoperative Outcomes of Robot-Assisted Radical Prostatectomy in Prostate Cancer Patients with Prior Transurethral Subvesical Deobstruction: Results of a High-Volume Center. <i>Journal of Urology</i> , 2021, 206, 308-318.	0.2	9
14	Inverse stage migration patterns in North American patients undergoing local prostate cancer treatment: a contemporary population-based update in light of the 2012 USPSTF recommendations. <i>World Journal of Urology</i> , 2019, 37, 469-479.	1.2	25
15	Live surgery in reconstructive urology: evaluation of the surgical outcome and educational benefit of the international meeting on reconstructive urology (IMORU). <i>World Journal of Urology</i> , 2019, 37, 2533-2539.	1.2	2
16	Assessment of Oncological Outcomes After Radical Prostatectomy According to Preoperative and Postoperative Cancer of the Prostate Risk Assessment Scores: Results from a Large, Two-center Experience. <i>European Urology Focus</i> , 2019, 5, 568-576.	1.6	5
17	Obesity paradox in prostate cancer: increased body mass index was associated with decreased risk of metastases after surgery in 13,667 patients. <i>World Journal of Urology</i> , 2018, 36, 1067-1072.	1.2	18
18	Survival benefit of local versus no local treatment for metastatic prostate cancer—Impact of baseline PSA and metastatic substages. <i>Prostate</i> , 2018, 78, 753-757.	1.2	27

#	ARTICLE	IF	CITATIONS
19	External beam radiotherapy with or without androgen deprivation therapy in elderly patients with high metastatic risk prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 239.e9-239.e15.	0.8	6
20	Adherence to pelvic lymph node dissection recommendations according to the National Comprehensive Cancer Network pelvic lymph node dissection guideline and the D'Amico lymph node invasion risk stratification. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 81.e17-81.e24.	0.8	18
21	Comparison of 11 Active Surveillance Protocols in Contemporary European Men Treated With Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e141-e149.	0.9	10
22	Deep Learning for Natural Language Processing in Urology: State-of-the-Art Automated Extraction of Detailed Pathologic Prostate Cancer Data From Narratively Written Electronic Health Records. <i>JCO Clinical Cancer Informatics</i> , 2018, 2, 1-9.	1.0	150
23	Radical prostatectomy after previous TUR-P: Oncological, surgical, and functional outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 527.e21-527.e28.	0.8	16
24	Anterior Localization of Prostate Cancer Suspicious Lesions in 1,161 Patients Undergoing Magnetic Resonance Imaging/Ultrasound Fusion Guided Targeted Biopsies. <i>Journal of Urology</i> , 2018, 200, 1035-1040.	0.2	21
25	A proposal of a new nomogram for predicting upstaging in contemporary Dâ€™Amico low-risk prostate cancer patients. <i>World Journal of Urology</i> , 2017, 35, 189-197.	1.2	15
26	North American Populationâ€Based Validation of the National Comprehensive Cancer Network Practice Guideline Recommendation of Pelvic Lymphadenectomy in Contemporary Prostate Cancer. <i>Prostate</i> , 2017, 77, 542-548.	1.2	15
27	Population-Based Validation of the 2014 ISUP Gleason Grade Groups in Patients Treated With Radical Prostatectomy, Brachytherapy, External Beam Radiation, or no Local Treatment. <i>Prostate</i> , 2017, 77, 686-693.	1.2	33
28	Radical prostatectomy neutralizes obesity-driven risk of prostate cancer progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 243-249.	0.8	11
29	Impact of preoperative risk on metastatic progression and cancerâ€™specific mortality in patients with adverse pathology at radical prostatectomy. <i>BJU International</i> , 2017, 120, 666-672.	1.3	7
30	External Beam Radiotherapy Affects Serum Testosterone in Patients with Localized Prostate Cancer. <i>Journal of Sexual Medicine</i> , 2017, 14, 876-882.	0.3	16
31	Effect of Hospital and Surgeon Case Volume on Perioperative Quality of Care and Short-term Outcomes After Radical Cystectomy for Muscle-invasive Bladder Cancer: Results From a European Tertiary Care Center Cohort. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e809-e817.	0.9	21
32	Local Therapy Improves Survival in Metastatic Prostate Cancer. <i>European Urology</i> , 2017, 72, 118-124.	0.9	100
33	Populationâ€Based External Validation of the Updated 2012 Partin Tables in Contemporary North American Prostate Cancer Patients. <i>Prostate</i> , 2017, 77, 105-113.	1.2	21
34	Primary Gleason pattern upgrading in contemporary patients with D'Amico lowâ€™risk prostate cancer: implications for future biomarkers and imaging modalities. <i>BJU International</i> , 2017, 119, 692-699.	1.3	16
35	Limitations of Elastography Based Prostate Biopsy. <i>Journal of Urology</i> , 2016, 195, 1731-1736.	0.2	20
36	Assessment of the Rate of Adherence to International Guidelines for Androgen Deprivation Therapy with External-beam Radiation Therapy: A Population-based Study. <i>European Urology</i> , 2016, 70, 429-435.	0.9	16

#	ARTICLE	IF	CITATIONS
37	Initial Experience of 68Ga-PSMA PET/CT Imaging in High-risk Prostate Cancer Patients Prior to Radical Prostatectomy. <i>European Urology</i> , 2016, 69, 393-396.	0.9	368
38	Controversial evidence for the use of HistoScanning <sup>®</sup> in the detection of prostate cancer. <i>World Journal of Urology</i> , 2015, 33, 1993-1999.	1.2	14
39	Adherence of the indication to European Association of Urology guideline recommended pelvic lymph node dissection at a high-volume center: Differences between open and robot-assisted radical prostatectomy. <i>European Journal of Surgical Oncology</i> , 2015, 41, 1547-1553.	0.5	13