

# Ferenc István Nagy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5342823/publications.pdf>

Version: 2024-02-01

174  
papers

18,796  
citations

12303

69  
h-index

12558

132  
g-index

181  
all docs

181  
docs citations

181  
times ranked

11112  
citing authors

#	ARTICLE	IF	CITATIONS
1	SUMOylation of PHYTOCHROME INTERACTING FACTOR 3 promotes photomorphogenesis in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2021, 229, 2050-2061.	3.5	15
2	SUMOylation of different targets fine-tunes phytochrome signaling. <i>New Phytologist</i> , 2021, 232, 1201-1211.	3.5	5
3	Editorial: Plant Phytochromes: From Structure to Signaling and Beyond. <i>Frontiers in Plant Science</i> , 2021, 12, 811379.	1.7	0
4	Light Triggers the miRNA-Biogenetic Inconsistency for De-etiolated Seedling Survivability in <i>Arabidopsis thaliana</i> . <i>Molecular Plant</i> , 2020, 13, 431-445.	3.9	30
5	Differential phosphorylation of the N-terminal extension regulates phytochrome B signaling. <i>New Phytologist</i> , 2020, 225, 1635-1650.	3.5	24
6	Thermal Reversion of Plant Phytochromes. <i>Molecular Plant</i> , 2020, 13, 386-397.	3.9	61
7	Differential UVR8 Signal across the Stem Controls UV-B-Induced Inflorescence Phototropism. <i>Plant Cell</i> , 2019, 31, 2070-2088.	3.1	35
8	A Deep Learning-Based Approach for High-Throughput Hypocotyl Phenotyping. <i>Plant Physiology</i> , 2019, 181, 1415-1424.	2.3	18
9	ELONGATED HYPOCOTYL 5 mediates blue light signalling to the <i>Arabidopsis</i> circadian clock. <i>Plant Journal</i> , 2018, 96, 1242-1254.	2.8	51
10	Expression of the UVR8 photoreceptor in different tissues reveals tissue-autonomous features of UV signalling. <i>Plant, Cell and Environment</i> , 2017, 40, 1104-1114.	2.8	26
11	Expression of the eRF1 translation termination factor is controlled by an autoregulatory circuit involving readthrough and nonsense-mediated decay in plants. <i>Nucleic Acids Research</i> , 2017, 45, gkw1303.	6.5	21
12	New insights of red light-induced development. <i>Plant, Cell and Environment</i> , 2017, 40, 2457-2468.	2.8	44
13	Characterization of photomorphogenic responses and signaling cascades controlled by phytochrome A expressed in different tissues. <i>New Phytologist</i> , 2016, 211, 584-598.	3.5	20
14	High-level expression and phosphorylation of phytochrome B modulates flowering time in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2015, 83, 794-805.	2.8	33
15	Red Light-Regulated Reversible Nuclear Localization of Proteins in Mammalian Cells and Zebrafish. <i>ACS Synthetic Biology</i> , 2015, 4, 951-958.	1.9	105
16	Molecular mechanisms for mediating light-dependent nucleo/cytoplasmic partitioning of phytochrome photoreceptors. <i>New Phytologist</i> , 2015, 206, 965-971.	3.5	83
17	SUMOylation of phytochrome-B negatively regulates light-induced signaling in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11108-11113.	3.3	69
18	Natural variation reveals that intracellular distribution of ELF3 protein is associated with function in the circadian clock. <i>ELife</i> , 2014, 3, .	2.8	69

#	ARTICLE	IF	CITATIONS
19	UV-B-Responsive Association of the <i>Arabidopsis</i> bZIP Transcription Factor ELONGATED HYPOCOTYL5 with Target Genes, Including Its Own Promoter. <i>Plant Cell</i> , 2014, 26, 4200-4213.	3.1	171
20	Deconvoluting the interactions of phytochrome isoforms in regulating growth and development. <i>Plant, Cell and Environment</i> , 2014, 37, 2649-2651.	2.8	0
21	UVB-dependent changes in the expression of fast-responding early genes is modulated by huCOP1 in keratinocytes. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2014, 140, 215-222.	1.7	3
22	Synthesis of phycocyanobilin in mammalian cells. <i>Chemical Communications</i> , 2013, 49, 8970.	2.2	67
23	A red/far-red light-responsive bi-stable toggle switch to control gene expression in mammalian cells. <i>Nucleic Acids Research</i> , 2013, 41, e77-e77.	6.5	161
24	Comparative functional analysis of full-length and N-terminal fragments of phytochrome C, D and E in red light-induced signaling. <i>New Phytologist</i> , 2013, 200, 86-96.	3.5	25
25	Phosphorylation of Phytochrome B Inhibits Light-Induced Signaling via Accelerated Dark Reversion in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 535-544.	3.1	116
26	Intramolecular uncoupling of chromophore photoconversion from structural signaling determinants drive mutant phytochrome B photoreceptor to far-red light perception. <i>Plant Signaling and Behavior</i> , 2012, 7, 904-906.	1.2	2
27	The Circadian Clock-Associated Small GTPase LIGHT INSENSITIVE PERIOD1 Suppresses Light-Controlled Endoreplication and Affects Tolerance to Salt Stress in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2012, 161, 278-290.	2.3	8
28	Light-Regulated Gene Expression in Yeast. <i>Methods in Molecular Biology</i> , 2012, 813, 187-193.	0.4	4
29	Missense Mutation in the Amino Terminus of Phytochrome A Disrupts the Nuclear Import of the Photoreceptor. <i>Plant Physiology</i> , 2012, 158, 107-118.	2.3	11
30	A Short Amino-Terminal Part of <i>Arabidopsis</i> Phytochrome A Induces Constitutive Photomorphogenic Response. <i>Molecular Plant</i> , 2012, 5, 629-641.	3.9	22
31	Interaction with plant transcription factors can mediate nuclear import of phytochrome B. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 5892-5897.	3.3	76
32	Functional interaction of the circadian clock and UV RESISTANCE LOCUS8-controlled UV-B signaling pathways in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2011, 67, 37-48.	2.8	109
33	Perception of UV-B by the <i>Arabidopsis</i> UVR8 Protein. <i>Science</i> , 2011, 332, 103-106.	6.0	943
34	Environmental Memory from a Circadian Oscillator: The <i>Arabidopsis thaliana</i> Clock Differentially Integrates Perception of Photic vs. Thermal Entrainment. <i>Genetics</i> , 2011, 189, 655-664.	1.2	45
35	Light-Regulated Nuclear Import and Degradation of <i>Arabidopsis</i> Phytochrome-A N-Terminal Fragments. <i>Plant and Cell Physiology</i> , 2011, 52, 361-372.	1.5	20
36	A DELLA in Disguise: SPATULA Restrains the Growth of the Developing <i>Arabidopsis</i> Seedling. <i>Plant Cell</i> , 2011, 23, 1337-1351.	3.1	77

#	ARTICLE	IF	CITATIONS
37	A Reduced-Function Allele Reveals That <i>EARLY FLOWERING3</i> Repressive Action on the Circadian Clock Is Modulated by Phytochrome Signals in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2011, 23, 3230-3246.	3.1	95
38	Altered Dark- and Photoconversion of Phytochrome B Mediate Extreme Light Sensitivity and Loss of Photoreversibility of the phyB-401 Mutant. <i>PLoS ONE</i> , 2011, 6, e27250.	1.1	33
39	Quantitative analysis of regulatory flexibility under changing environmental conditions. <i>Molecular Systems Biology</i> , 2010, 6, 424.	3.2	99
40	COP1 Contributes to UVB-Induced Signaling in Human Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2010, 130, 541-545.	0.3	6
41	An Integrative Model for Phytochrome B Mediated Photomorphogenesis: From Protein Dynamics to Physiology. <i>PLoS ONE</i> , 2010, 5, e10721.	1.1	84
42	Genetic Analyses of Interactions among Gibberellin, Abscisic Acid, and Brassinosteroids in the Control of Flowering Time in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2010, 5, e14012.	1.1	110
43	Functional Analysis of Amino-Terminal Domains of the Photoreceptor Phytochrome B. <i>Plant Physiology</i> , 2010, 153, 1834-1845.	2.3	39
44	A cell-free system for light-dependent nuclear import of phytochrome. <i>Plant Journal</i> , 2009, 57, 680-689.	2.8	28
45	Interaction of COP1 and UVR8 regulates UV-B-induced photomorphogenesis and stress acclimation in <i>Arabidopsis</i> . <i>EMBO Journal</i> , 2009, 28, 591-601.	3.5	559
46	Integrating <i>ELF4</i> into the circadian system through combined structural and functional studies. <i>HFSP Journal</i> , 2009, 3, 350-366.	2.5	99
47	A switchable light-input, light-output system modelled and constructed in yeast. <i>Journal of Biological Engineering</i> , 2009, 3, 15.	2.0	38
48	Inter-kingdom conservation of mechanism of nonsense-mediated mRNA decay. <i>EMBO Journal</i> , 2008, 27, 1585-1595.	3.5	156
49	Identification of a novel cis-regulatory element for UV-B-induced transcription in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2008, 54, 402-414.	2.8	51
50	A New Gene for Auxin Synthesis. <i>Cell</i> , 2008, 133, 31-32.	13.5	20
51	Attenuation of brassinosteroid signaling enhances <i>FLC</i> expression and delays flowering. <i>Development (Cambridge)</i> , 2007, 134, 2841-2850.	1.2	138
52	<i>ELF4</i> Is Required for Oscillatory Properties of the Circadian Clock. <i>Plant Physiology</i> , 2007, 144, 391-401.	2.3	133
53	Light-regulated nucleo-cytoplasmic partitioning of phytochromes. <i>Journal of Experimental Botany</i> , 2007, 58, 3113-3124.	2.4	57
54	Functional cross-talk between two-component and phytochrome B signal transduction in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2007, 58, 2595-2607.	2.4	64

#	ARTICLE	IF	CITATIONS
55	Arabidopsis thaliana Circadian Clock Is Regulated by the Small GTPase LIP1. <i>Current Biology</i> , 2007, 17, 1456-1464.	1.8	36
56	Mössbauer and XRD study of pulse plated Fe <sup>57</sup> P and Fe <sup>57</sup> Ni thin layers. <i>Hyperfine Interactions</i> , 2007, 165, 195-201.	0.2	3
57	Experimental validation of a predicted feedback loop in the multi-oscillator clock of Arabidopsis thaliana. <i>Molecular Systems Biology</i> , 2006, 2, 59.	3.2	379
58	Multiple phytohormones influence distinct parameters of the plant circadian clock. <i>Genes To Cells</i> , 2006, 11, 1381-1392.	0.5	177
59	Diurnal Regulation of the Brassinosteroid-Biosynthetic CPD Gene in Arabidopsis. <i>Plant Physiology</i> , 2006, 141, 299-309.	2.3	83
60	Forward Genetic Analysis of the Circadian Clock Separates the Multiple Functions of ZEITLUPE. <i>Plant Physiology</i> , 2006, 140, 933-945.	2.3	90
61	CONSTITUTIVELY PHOTOMORPHOGENIC1 Is Required for the UV-B Response in Arabidopsis. <i>Plant Cell</i> , 2006, 18, 1975-1990.	3.1	338
62	PHYSIOLOGICAL BASIS OF PHOTOMORPHOGENESIS. , 2006, , 13-23.		3
63	GENETIC BASIS AND MOLECULAR MECHANISMS OF SIGNAL TRANSDUCTION FOR PHOTOMORPHOGENESIS. , 2006, , 33-39.		3
64	HISTORICAL OVERVIEW OF MOLECULAR BIOLOGY AND GENETICS IN PHOTOMORPHOGENESIS. , 2006, , 25-32.		0
65	Nuclear Accumulation of the Phytochrome A Photoreceptor Requires FHY1. <i>Current Biology</i> , 2005, 15, 2125-2130.	1.8	140
66	Signalling and gene regulation in response to ultraviolet light. <i>Current Opinion in Plant Biology</i> , 2005, 8, 477-482.	3.5	184
67	Light-Activated Intracellular Movement of Phytochrome. , 2005, , 197-210.		2
68	Phytochrome and COP1 Regulates Abundance of Phytochrome Interacting Factor 3. , 2005, , 261-268.		0
69	Analysis of the Function of the Photoreceptors Phytochrome B and Phytochrome D in Nicotiana glauca and Arabidopsis thaliana. <i>Plant and Cell Physiology</i> , 2005, 46, 790-796.	1.5	10
70	Natural Allelic Variation in the Temperature-Compensation Mechanisms of the Arabidopsis thaliana Circadian Clock Sequence data from this article have been deposited with the EMBL/GenBank Data Libraries under accession nos. AY685131 and AY685132. <i>Genetics</i> , 2005, 170, 387-400.	1.2	153
71	Functional Characterization of Phytochrome Interacting Factor 3 for the Arabidopsis thaliana Circadian Clockwork. <i>Plant and Cell Physiology</i> , 2005, 46, 1591-1602.	1.5	36
72	Phytochrome-Specific Type 5 Phosphatase Controls Light Signal Flux by Enhancing Phytochrome Stability and Affinity for a Signal Transducer. <i>Cell</i> , 2005, 120, 395-406.	13.5	148

#	ARTICLE	IF	CITATIONS
73	Plant Circadian Clocks Increase Photosynthesis, Growth, Survival, and Competitive Advantage. <i>Science</i> , 2005, 309, 630-633.	6.0	1,302
74	Regulation of Nuclear Import and Export of Proteins in Plants and Its Role in Light Signal Transduction. , 2005, , 100-117.		1
75	Phytochrome Phosphorylation Modulates Light Signaling by Influencing the Protein-Protein Interaction[W]. <i>Plant Cell</i> , 2004, 16, 2629-2640.	3.1	98
76	Phytohormones Participate in an S6 Kinase Signal Transduction Pathway in Arabidopsis. <i>Plant Physiology</i> , 2004, 134, 1527-1535.	2.3	106
77	Genome-wide analysis of gene expression reveals function of the bZIP transcription factor HY5 in the UV-B response of Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 1397-1402.	3.3	447
78	Constitutive Photomorphogenesis 1 and Multiple Photoreceptors Control Degradation of Phytochrome Interacting Factor 3, a Transcription Factor Required for Light Signaling in Arabidopsis. <i>Plant Cell</i> , 2004, 16, 1433-1445.	3.1	396
79	Characterization of two Myb-like transcription factors binding to CAB promoters in wheat and barley. <i>Plant Molecular Biology</i> , 2003, 52, 447-462.	2.0	22
80	Light perception and signalling in higher plants. <i>Current Opinion in Plant Biology</i> , 2003, 6, 446-452.	3.5	188
81	Phytochrome controlled signalling cascades in higher plants. <i>Physiologia Plantarum</i> , 2003, 117, 305-313.	2.6	22
82	The Serine-Rich N-Terminal Domain of Oat Phytochrome A Helps Regulate Light Responses and Subnuclear Localization of the Photoreceptor. <i>Plant Physiology</i> , 2002, 129, 1127-1137.	2.3	62
83	Nucleocytoplasmic Partitioning of the Plant Photoreceptors Phytochrome A, B, C, D, and E Is Regulated Differentially by Light and Exhibits a Diurnal Rhythm. <i>Plant Cell</i> , 2002, 14, 1541-1555.	3.1	285
84	Missense Mutation in the PAS2 Domain of Phytochrome A Impairs Subnuclear Localization and a Subset of Responses. <i>Plant Cell</i> , 2002, 14, 1591-1603.	3.1	69
85	PHYTOCHROMES CONTROL PHOTOMORPHOGENESIS BY DIFFERENTIALLY REGULATED, INTERACTING SIGNALING PATHWAYS IN HIGHER PLANTS. <i>Annual Review of Plant Biology</i> , 2002, 53, 329-355.	8.6	278
86	Regulation of Transcript Levels of the Arabidopsis Cytochrome P450 Genes Involved in Brassinosteroid Biosynthesis. <i>Plant Physiology</i> , 2002, 130, 504-513.	2.3	190
87	Characterisation of BRH1 , a brassinosteroid-responsive RING-H2 gene from Arabidopsis thaliana. <i>Planta</i> , 2002, 215, 127-133.	1.6	60
88	Plant RanGAPs are localized at the nuclear envelope in interphase and associated with microtubules in mitotic cells. <i>Plant Journal</i> , 2002, 30, 699-709.	2.8	93
89	Distinct regulation of CAB and PHYB gene expression by similar circadian clocks. <i>Plant Journal</i> , 2002, 32, 529-537.	2.8	72
90	The ELF4 gene controls circadian rhythms and flowering time in Arabidopsis thaliana. <i>Nature</i> , 2002, 419, 74-77.	13.7	436

#	ARTICLE	IF	CITATIONS
91	Conditional Circadian Regulation of <i>PHYTOCHROME A</i> Gene Expression. <i>Plant Physiology</i> , 2001, 127, 1808-1818.	2.3	75
92	Interaction of the Response Regulator ARR4 with Phytochrome B in Modulating Red Light Signaling. <i>Science</i> , 2001, 294, 1108-1111.	6.0	299
93	Circadian Clock-Regulated Expression of Phytochrome and Cryptochrome Genes in Arabidopsis. <i>Plant Physiology</i> , 2001, 127, 1607-1616.	2.3	244
94	Signal Transduction in Photomorphogenesis: Intracellular Partitioning of Factors and Photoreceptors. , 2001, , 19-24.		1
95	Light-induced nuclear import of phytochrome-A:GFP fusion proteins is differentially regulated in transgenic tobacco and Arabidopsis. <i>Plant Journal</i> , 2000, 22, 125-133.	2.8	120
96	Photocontrol of subcellular partitioning of phytochrome-B:GFP fusion protein in tobacco seedlings. <i>Plant Journal</i> , 2000, 22, 135-145.	2.8	74
97	UV-B radiation induced exchange of the D1 reaction centre subunits produced from the psbA2 and psbA3 genes in the cyanobacterium <i>Synechocystis</i> sp. PCC 6803. <i>FEBS Journal</i> , 2000, 267, 2640-2648.	0.2	31
98	Control of nuclear import and phytochromes. <i>Current Opinion in Plant Biology</i> , 2000, 3, 450-454.	3.5	19
99	UV-B induced differential transcription of psbD genes encoding the D2 protein of Photosystem II in the cyanobacterium <i>Synechocystis</i> 6803. <i>Photosynthesis Research</i> , 2000, 64, 257-266.	1.6	16
100	Short- and long-term redox regulation of photosynthetic light energy distribution and photosystem stoichiometry by acetate metabolism in the green alga, <i>Chlamydomonas reinhardtii</i> . <i>Photosynthesis Research</i> , 2000, 65, 231-247.	1.6	31
101	Nuclear and cytosolic events of light-induced, phytochrome-regulated signaling in higher plants. <i>EMBO Journal</i> , 2000, 19, 157-163.	3.5	81
102	Nucleo-cytoplasmic partitioning of the plant photoreceptors phytochromes. <i>Seminars in Cell and Developmental Biology</i> , 2000, 11, 505-510.	2.3	65
103	Light Quality-Dependent Nuclear Import of the Plant Photoreceptors Phytochrome A and B. <i>Plant Cell</i> , 1999, 11, 1445-1456.	3.1	338
104	The circadian clock controls the expression pattern of the circadian input photoreceptor, phytochrome B. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 14652-14657.	3.3	136
105	Plant responses to genotoxic stress are linked to an ABA/salinity signaling pathway. <i>Plant Journal</i> , 1999, 17, 73-82.	2.8	45
106	Phytochromes, pif3 and light signalling go nuclear. <i>Trends in Plant Science</i> , 1999, 4, 125-126.	4.3	5
107	Light Quality-Dependent Nuclear Import of the Plant Photoreceptors Phytochrome A and B. <i>Plant Cell</i> , 1999, 11, 1445.	3.1	197
108	The alpha-subunit of a heterotrimeric G-protein from tobacco, NtGP[IMAGE]1, functions in K <sup>+</sup> channel regulation in mesophyll cells. <i>Journal of Experimental Botany</i> , 1999, 50, 53-61.	2.4	13

#	ARTICLE	IF	CITATIONS
109	Transcription of Arabidopsis and wheat Cab genes in single tobacco transgenic seedlings exhibits independent rhythms in a developmentally regulated fashion. <i>Plant Journal</i> , 1998, 13, 563-569.	2.8	36
110	Transcription of the Arabidopsis CPD gene, encoding a steroidogenic cytochrome P450, is negatively controlled by brassinosteroids. <i>Plant Journal</i> , 1998, 14, 593-602.	2.8	221
111	UV-B-induced Differential Transcription of psbA Genes Encoding the D1 Protein of Photosystem II in the Cyanobacterium <i>Synechocystis</i> 6803. <i>Journal of Biological Chemistry</i> , 1998, 273, 17439-17444.	1.6	89
112	A Heat-Sensitive Arabidopsis thaliana Kinase Substitutes for Human p70 s6k Function In Vivo. <i>Molecular and Cellular Biology</i> , 1998, 18, 2038-2044.	1.1	66
113	Light-induced expression of fatty acid desaturase genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 4209-4214.	3.3	89
114	UV-B Induced Differential Transcription of psbD Genes Encoding the D2 Protein of Photosystem II in the Cyano-Bacterium <i>Synechocystis</i> sp. PCC 6803. , 1998, , 2341-2344.		2
115	UV-B Induced Differential Transcription of psbA Genes Encoding the D1 Protein of Photosystem II in the Cyano-Bacterium <i>Synechocystis</i> 6803. , 1998, , 2337-2340.		0
116	Nuclear import of proteins: putative import factors and development of in vitro import systems in higher plants. <i>Trends in Plant Science</i> , 1997, 2, 458-464.	4.3	29
117	Kaposi's sarcoma-associated herpesvirus/human herpesvirus-8: A new virus in human pathology. <i>Journal of the American Academy of Dermatology</i> , 1997, 37, 107-113.	0.6	44
118	Title is missing!. <i>Photosynthesis Research</i> , 1997, 54, 55-62.	1.6	109
119	Tobacco phytochromes: genes, structure and expression. <i>Plant, Cell and Environment</i> , 1997, 20, 678-684.	2.8	25
120	Characterization of proteins that interact with the GTP-bound form of the regulatory GTPase Ran in Arabidopsis. <i>Plant Journal</i> , 1997, 11, 93-103.	2.8	115
121	Human herpesvirus 8 DNA sequences in angiosarcoma of the face. <i>British Journal of Dermatology</i> , 1997, 137, 467-468.	1.4	17
122	HHV8 DNA in angiolymphoid hyperplasia of the skin. <i>Lancet, The</i> , 1996, 347, 1837.	6.3	49
123	Brassinosteroids Rescue the Deficiency of CYP90, a Cytochrome P450, Controlling Cell Elongation and De-etiolation in Arabidopsis. <i>Cell</i> , 1996, 85, 171-182.	13.5	963
124	The Tissue-Specific Expression of a Tobacco Phytochrome B Gene. <i>Plant Physiology</i> , 1996, 110, 1081-1088.	2.3	38
125	A plant in vitro system for the nuclear import of proteins. <i>Plant Journal</i> , 1996, 10, 1177-1186.	2.8	66
126	Herpesvirus-Like Nucleic Acid Sequences in Patients with Eastern European Sporadic Kaposi's Sarcoma. <i>Journal of Investigative Dermatology</i> , 1996, 106, 381.	0.3	15



#	ARTICLE	IF	CITATIONS
127	Herpesvirus-Like DNA Sequence in Angiosarcoma in a Patient without HIV Infection. <i>New England Journal of Medicine</i> , 1996, 334, 540-541.	13.9	60
128	Expression of tobacco genes for light-harvesting chlorophyll a/b binding proteins of photosystem II is controlled by two circadian oscillators in a developmentally regulated fashion.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 2174-2178.	3.3	32
129	Transcription of tobacco phytochrome-A genes initiates at multiple start sites and requires multiple cis-acting regulatory elements. <i>Plant Molecular Biology</i> , 1995, 29, 983-993.	2.0	17
130	Molecular characterization and expression of a tobacco histone H1 cDNA. <i>Plant Molecular Biology</i> , 1995, 27, 597-605.	2.0	21
131	Characterization of Membrane-Bound Small GTP-Binding Proteins from <i>Nicotiana tabacum</i> . <i>Plant Physiology</i> , 1995, 108, 59-67.	2.3	39
132	Ribosome-deficient plastids affect transcription of light-induced nuclear genes: genetic evidence for a plastid-derived signal. <i>Molecular Genetics and Genomics</i> , 1994, 242, 305-312.	2.4	118
133	Developmental, hormonal, and pathogenesis-related regulation of the tobacco class I $\beta$ -1,3-glucanase B promoter. <i>Plant Molecular Biology</i> , 1994, 25, 299-311.	2.0	73
134	Evidence for a role of beta-1,3-glucanase in dicot seed germination. <i>Plant Journal</i> , 1994, 5, 273-278.	2.8	79
135	The developmental and tissue-specific expression of tobacco phytochrome-A genes. <i>Plant Journal</i> , 1994, 6, 283-293.	2.8	43
136	Phenotype of the fission yeast cell cycle regulatory mutant pim1-46 is suppressed by a tobacco cDNA encoding a small, Ran-like GTP-binding protein. <i>Plant Journal</i> , 1994, 6, 555-565.	2.8	64
137	The molecular biology of photoregulated genes. , 1994, , 559-599.		21
138	A 61 bp enhancer element of the tobacco $\beta$ -1,3-glucanase B gene interacts with one or more regulated nuclear proteins. <i>Plant Molecular Biology</i> , 1993, 21, 121-131.	2.0	95
139	The circadian oscillator is regulated by a very low fluence response of phytochrome in wheat.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 6290-6294.	3.3	32
140	Sequence of a Tobacco ( <i>Nicotiana tabacum</i> ) Gene Coding for Type A Phytochrome. <i>Plant Physiology</i> , 1993, 101, 1407-1408.	2.3	24
141	Molecular characterization of tobacco cDNAs encoding two small GTP-binding proteins. <i>Plant Molecular Biology</i> , 1992, 19, 847-857.	2.0	39
142	Diurnal Fluctuations in the Content and Functional Properties of the Light Harvesting Chlorophyll a/b Complex in Thylakoid Membranes. <i>Plant Physiology</i> , 1991, 95, 997-1003.	2.3	45
143	A 268 bp upstream sequence mediates the circadian clock-regulated transcription of the wheat Cab-1 gene in transgenic plants. <i>Plant Molecular Biology</i> , 1990, 15, 921-932.	2.0	65
144	Multiple cis Regulatory Elements for Maximal Expression of the Cauliflower Mosaic Virus 35S Promoter in Transgenic Plants. <i>Plant Cell</i> , 1989, 1, 141.	3.1	64

#	ARTICLE	IF	CITATIONS
145	Plant molecular biology at the Institute of Plant Physiology in Szeged. Plant Molecular Biology Reporter, 1989, 7, 297-301.	1.0	0
146	Gene regulation by phytochrome. Trends in Genetics, 1988, 4, 37-42.	2.9	129
147	Sequence of the psbA gene from wild type and triazin-resistant <i>Nicotiana plumbaginifolia</i> . Nucleic Acids Research, 1988, 16, 8176-8176.	6.5	26
148	Analysis of gene expression in transgenic plants. , 1988, , 275-303.		46
149	A circadian clock regulates transcription of the wheat <i>Cab-1</i> gene. Genes and Development, 1988, 2, 376-382.	2.7	158
150	Transgenic Plants of <i>Brassica napus</i> L.. Nature Biotechnology, 1987, 5, 815-817.	9.4	86
151	Plant cells do not properly recognize animal gene polyadenylation signals. Plant Molecular Biology, 1987, 8, 23-35.	2.0	62
152	Targeting of bacterial chloramphenicol acetyltransferase to mitochondria in transgenic plants. Nature, 1987, 328, 340-342.	13.7	159
153	The Beta Subunit of a Plant Mitochondrial ATP Synthase has a Presequence Involved in Mitochondrial Targeting. , 1987, , 127-134.		4
154	Cis-acting elements for selective expression of two photosynthetic genes in transgenic plants. Philosophical Transactions of the Royal Society of London Series B, Biological Sciences, 1986, 314, 493-500.	2.4	24
155	The Rubisco small subunit gene as a paradigm for studies on differential gene expression during plant development. Philosophical Transactions of the Royal Society of London Series B, Biological Sciences, 1986, 313, 409-417.	2.4	9
156	Phytochrome-controlled expression of a wheat Cab gene in transgenic tobacco seedlings. EMBO Journal, 1986, 5, 1119-1124.	3.5	77
157	Organ-Specific and Light-Induced Expression of Plant Genes. Science, 1986, 232, 1106-1112.	6.0	324
158	A light sensitive recipient for the effective transfer of chloroplast and mitochondrial traits by protoplast fusion in <i>Nicotiana</i> . Theoretical and Applied Genetics, 1985, 70, 590-594.	1.8	29
159	Identification of DNA sequences required for activity of the cauliflower mosaic virus 35S promoter. Nature, 1985, 313, 810-812.	13.7	1,333
160	A short conserved sequence is involved in the light-inducibility of a gene encoding ribulose 1,5-bisphosphate carboxylase small subunit of pea. Nature, 1985, 315, 200-204.	13.7	204
161	Light-regulated and organ-specific expression of a wheat Cab gene in transgenic tobacco. Nature, 1985, 316, 750-752.	13.7	131
162	PROPERTIES OF EXPRESSION OF THE 35S PROMOTER FROM CaMV IN TRANSGENIC TOBACCO PLANTS. , 1985, , 227-235.		16

#	ARTICLE	IF	CITATIONS
163	Interspecific protoplast fusion to rescue a cytoplasmic lincomycin resistance mutation into fertile <i>Nicotiana plumbaginifolia</i> plants. <i>Molecular Genetics and Genomics</i> , 1984, 198, 7-11.	2.4	32
164	Transfer of cytoplasmic male sterility by selection for streptomycin resistance after protoplast fusion in <i>Nicotiana</i> . <i>Molecular Genetics and Genomics</i> , 1983, 189, 365-369.	2.4	57
165	Cytoplast-protoplast fusion for interspecific chloroplast transfer in <i>Nicotiana</i> . <i>Molecular Genetics and Genomics</i> , 1982, 185, 211-215.	2.4	100
166	CELL CULTURE MUTANTS AND THEIR USES. , 1982, , 221-237.		14
167	EFFECT OF RADIATION DOSAGE ON EFFICIENCY OF CHLOROPLAST TRANSFER BY PROTOPLAST FUSION IN <i>NICOTIANA</i> . <i>Genetics</i> , 1982, 100, 487-495.	1.2	109
168	Streptomycin resistant and sensitive somatic hybrids of <i>Nicotiana tabacum</i> + <i>Nicotiana knightiana</i> : correlation of resistance to <i>N. tabacum</i> plastids. <i>Theoretical and Applied Genetics</i> , 1981, 59, 191-195.	1.8	360
169	Extensive rearrangements in the mitochondrial DNA in somatic hybrids of <i>Nicotiana tabacum</i> and <i>Nicotiana knightiana</i> . <i>Molecular Genetics and Genomics</i> , 1981, 183, 437-439.	2.4	93
170	Chloroplast transfer in <i>Nicotiana</i> based on metabolic complementation between irradiated and iodoacetate treated protoplasts. <i>Planta</i> , 1981, 152, 341-345.	1.6	162
171	5-Bromodeoxyuridine-resistant tobacco cells incorporating the analogue into DNA. <i>Plant Science Letters</i> , 1978, 12, 333-341.	1.9	3
172	Transient cycloheximide resistance in a tobacco cell line. <i>Molecular Genetics and Genomics</i> , 1976, 149, 267-271.	2.4	50
173	Phytochromes. , 0, , 3-16.		1
174	INTRACELLULAR LOCALIZATION OF PHYTOCHROMES. , 0, , 155-170.		3