

Mohamed Makni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5343143/publications.pdf>

Version: 2024-02-01

28
papers

1,348
citations

377584

21
h-index

563245

28
g-index

28
all docs

28
docs citations

28
times ranked

2414
citing authors

#	ARTICLE	IF	CITATIONS
1	Antioxidant activity and protective effect of propolis against carbon tetrachloride-induced liver and kidney injury by modulation of oxidative parameters. <i>Veterinary World</i> , 2021, 14, 3076-3083.	0.7	4
2	Ceratonia siliqua honeys from Morocco: Physicochemical properties, mineral contents, and antioxidant activities. <i>Journal of Food and Drug Analysis</i> , 2018, 26, 67-73.	0.9	45
3	Assessment of the potential of the multi-enzyme producer <i>Bacillus amyloliquefaciens</i> US573 as alternative feed additive. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 1208-1215.	1.7	21
4	Antioxidant Activity and Protective Effect of Carob Honey in CCl ₄ -induced Kidney and Liver Injury. <i>Archives of Medical Research</i> , 2018, 49, 306-313.	1.5	43
5	<i>Citrus limon</i> from Tunisia: Phytochemical and Physicochemical Properties and Biological Activities. <i>BioMed Research International</i> , 2018, 2018, 1-10.	0.9	39
6	Extraction optimization and in vitro and in vivo anti-postprandial hyperglycemia effects of inhibitor from <i>Phoenix dactylifera</i> L. parthenocarpic fruit. <i>Biomedicine and Pharmacotherapy</i> , 2017, 88, 835-843.	2.5	24
7	Antimicrobial effect of the Tunisian Nana variety <i>Punica granatum</i> L. extracts against <i>Salmonella enterica</i> (serovars Kentucky and Enteritidis) isolated from chicken meat and phenolic composition of its peel extract. <i>International Journal of Food Microbiology</i> , 2017, 241, 123-131.	2.1	79
8	Evaluation of anti-diabetic and anti-tumoral activities of bioactive compounds from <i>Phoenix dactylifera</i> L. leaf: In vitro and in vivo approach. <i>Biomedicine and Pharmacotherapy</i> , 2016, 84, 415-422.	2.5	36
9	Naringenin protects cardiac hypercholesterolemia-induced oxidative stress and subsequent necroptosis in rats. <i>Pharmacological Reports</i> , 2015, 67, 1090-1097.	1.5	80
10	Ability of natural astaxanthin from shrimp by-products to attenuate liver oxidative stress in diabetic rats. <i>Pharmacological Reports</i> , 2015, 67, 310-316.	1.5	33
11	Astaxanthin from shrimp by-products ameliorates nephropathy in diabetic rats. <i>European Journal of Nutrition</i> , 2015, 54, 301-307.	1.8	63
12	Naringenin reduces cholesterol-induced hepatic inflammation in rats by modulating matrix metalloproteinases-2, 9 via inhibition of nuclear factor κ B pathway. <i>European Journal of Pharmacology</i> , 2015, 746, 96-105.	1.7	95
13	Physico-Chemical Properties, Composition, and Oxidative Stability of Olive and Soybean Oils Under Different Conditions. <i>International Journal of Food Properties</i> , 2015, 18, 194-204.	1.3	20
14	Antioxidant, Free Radical Scavenging, and Antimicrobial Activities of <i>Ajuga iva</i> Leaf Extracts. <i>International Journal of Food Properties</i> , 2013, 16, 756-765.	1.3	28
15	Carbon tetrachloride-induced nephrotoxicity and DNA damage in rats. <i>Human and Experimental Toxicology</i> , 2012, 31, 844-852.	1.1	41
16	<i>Artemisia campestris</i> leaf extract alleviates early diabetic nephropathy in rats by inhibiting protein oxidation and nitric oxide end products. <i>Pathology Research and Practice</i> , 2012, 208, 157-162.	1.0	38
17	Phenolic Contents and Antioxidant Activities of Date Palm (<i>Phoenix dactylifera</i> L.) Leaves. <i>International Journal of Food Properties</i> , 2012, 15, 1220-1232.	1.3	27
18	Protective effect of vanillin against carbon tetrachloride (CCl ₄)-induced oxidative brain injury in rats. <i>Toxicology and Industrial Health</i> , 2012, 28, 655-662.	0.6	33

#	ARTICLE	IF	CITATIONS
19	Erythrocyte oxidative damage in rat treated with CCl ₄ . Toxicology and Industrial Health, 2012, 28, 908-916.	0.6	17
20	Antidiabetic effect of flax and pumpkin seed mixture powder: effect on hyperlipidemia and antioxidant status in alloxan diabetic rats. Journal of Diabetes and Its Complications, 2011, 25, 339-345.	1.2	78
21	Dietary polyunsaturated fatty acid prevents hyperlipidemia and hepatic oxidant status in pregnant diabetic rats and their macrosomic offspring. Journal of Diabetes and Its Complications, 2011, 25, 267-274.	1.2	14
22	Evaluation of the antioxidant, anti-inflammatory and hepatoprotective properties of vanillin in carbon tetrachloride-treated rats. European Journal of Pharmacology, 2011, 668, 133-139.	1.7	104
23	Selection of Lactobacillus plantarum TN627 as a new probiotic candidate based on in vitro functional properties. Biotechnology and Bioprocess Engineering, 2011, 16, 1115-1123.	1.4	11
24	Toxic effects of lambda-cyhalothrin, a synthetic pyrethroid pesticide, on the rat kidney: Involvement of oxidative stress and protective role of ascorbic acid. Experimental and Toxicologic Pathology, 2010, 62, 593-599.	2.1	101
25	Mitigating effects of antioxidant properties of Artemisia campestris leaf extract on hyperlipidemia, advanced glycation end products and oxidative stress in alloxan-induced diabetic rats. Food and Chemical Toxicology, 2010, 48, 1986-1993.	1.8	78
26	Hypolipidemic and hepatoprotective seeds mixture diet rich in ω -3 and ω -6 fatty acids. Food and Chemical Toxicology, 2010, 48, 2239-2246.	1.8	26
27	Flax and Pumpkin seeds mixture ameliorates diabetic nephropathy in rats. Food and Chemical Toxicology, 2010, 48, 2407-2412.	1.8	46
28	Hypolipidemic and hepatoprotective effects of flax and pumpkin seed mixture rich in ω -3 and ω -6 fatty acids in hypercholesterolemic rats. Food and Chemical Toxicology, 2008, 46, 3714-3720.	1.8	124