Marcel Goldberg

List of Publications by Citations

Source: https://exaly.com/author-pdf/5344630/marcel-goldberg-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

387 papers

14,119 citations

61 h-index

102 g-index

476 ext. papers

16,913 ext. citations

4./ avg, IF 6.03 L-index

#	Paper	IF	Citations
387	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , 2012 , 380, 1491-7	40	606
386	Socioeconomic status and the 25 125 risk factors as determinants of premature mortality: a multicohort study and meta-analysis of 1 17 million men and women. <i>Lancet, The</i> , 2017 , 389, 1229-1237	40	511
385	Validity of self-reported weight and height in the French GAZEL cohort. <i>International Journal of Obesity</i> , 2000 , 24, 1111-8	5.5	349
384	What does self rated health measure? Results from the British Whitehall II and French Gazel cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 364-72	5.1	283
383	Epidemiologic surveillance of upper-extremity musculoskeletal disorders in the working population. <i>Arthritis and Rheumatism</i> , 2006 , 55, 765-78		272
382	Cancer risks associated with occupational exposure to magnetic fields among electric utility workers in Ontario and Quebec, Canada, and France: 1970-1989. <i>American Journal of Epidemiology</i> , 1994 , 139, 550-72	3.8	258
381	Self-rated health before and after retirement in France (GAZEL): a cohort study. <i>Lancet, The</i> , 2009 , 374, 1889-96	40	223
380	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health, The</i> , 2017 , 2, e277-e285	22.4	214
379	Health behaviours, socioeconomic status, and mortality: further analyses of the British Whitehall II and the French GAZEL prospective cohorts. <i>PLoS Medicine</i> , 2011 , 8, e1000419	11.6	206
378	Socioeconomic, demographic, occupational, and health factors associated with participation in a long-term epidemiologic survey: a prospective study of the French GAZEL cohort and its target population. <i>American Journal of Epidemiology</i> , 2001 , 154, 373-84	3.8	197
377	Psychosocial factors at work and subsequent depressive symptoms in the Gazel cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 1998 , 24, 197-205	4.3	188
376	Cohort profile: the GAZEL Cohort Study. International Journal of Epidemiology, 2007, 36, 32-9	7.8	183
375	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimerk</i> and Dementia, 2018 , 14, 601-609	1.2	163
374	Effort-Reward Imbalance at Work and Incident Coronary Heart Disease: A Multicohort Study of 90,164 Individuals. <i>Epidemiology</i> , 2017 , 28, 619-626	3.1	161
373	The problem of multiple inference in studies designed to generate hypotheses. <i>American Journal of Epidemiology</i> , 1985 , 122, 1080-95	3.8	156
372	Social integration and mortality: a prospective study of French employees of Electricity of France-Gas of France: the GAZEL Cohort. <i>American Journal of Epidemiology</i> , 2004 , 159, 167-74	3.8	155
371	Job strain as a risk factor for leisure-time physical inactivity: an individual-participant meta-analysis of up to 170,000 men and women: the IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012 , 176, 1078-89	3.8	153

(1998-2010)

370	Effect of retirement on major chronic conditions and fatigue: French GAZEL occupational cohort study. <i>BMJ, The</i> , 2010 , 341, c6149	5.9	142
369	Psychosocial factors at work and sickness absence in the Gazel cohort: a prospective study. <i>Occupational and Environmental Medicine</i> , 1998 , 55, 735-41	2.1	142
368	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e490-e497	22.4	138
367	The association between self-rated health and mortality in different socioeconomic groups in the GAZEL cohort study. <i>International Journal of Epidemiology</i> , 2007 , 36, 1222-8	7.8	133
366	Job strain as a risk factor for type 2 diabetes: a pooled analysis of 124,808 men and women. <i>Diabetes Care</i> , 2014 , 37, 2268-75	14.6	131
365	Social relations and self-reported health: a prospective analysis of the French Gazel cohort. <i>Social Science and Medicine</i> , 2003 , 56, 1817-30	5.1	130
364	The French National Mesothelioma Surveillance Program. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 390-5	2.1	126
363	Do psychosocial work factors and social relations exert independent effects on sickness absence? A six year prospective study of the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 285-93	5.1	125
362	Sleep disturbances and cause-specific mortality: Results from the GAZEL cohort study. <i>American Journal of Epidemiology</i> , 2011 , 173, 300-9	3.8	121
361	Job strain in relation to body mass index: pooled analysis of 160 000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012 , 272, 65-73	10.8	115
360	Association between dietary patterns and depressive symptoms over time: a 10-year follow-up study of the GAZEL cohort. <i>PLoS ONE</i> , 2012 , 7, e51593	3.7	114
359	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012 , 12, 62	4.1	110
358	Validity of Nordic-style questionnaires in the surveillance of upper-limb work-related musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007 , 33, 58-65	4.3	109
357	Work factors and occupational class disparities in sickness absence: findings from the GAZEL cohort study. <i>American Journal of Public Health</i> , 2005 , 95, 1206-12	5.1	106
356	Risk factors for upper-extremity musculoskeletal disorders in the working population. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1425-34		104
355	Differences in the carcinogenic evaluation of glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA). <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 741-5	5.1	104
354	The French CONSTANCES population-based cohort: design, inclusion and follow-up. <i>European Journal of Epidemiology</i> , 2015 , 30, 1317-28	12.1	101
353	Psychosocial work environment and cardiovascular risk factors in an occupational cohort in France. Journal of Epidemiology and Community Health, 1998, 52, 93-100	5.1	96

352	Health problems were the strongest predictors of attrition during follow-up of the GAZEL cohort. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 1213-21	5.7	92
351	Well-differentiated papillary mesothelioma of the pleura: a series of 24 cases. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 534-40	6.7	92
350	Longitudinal study of associations between perceived health status and self reported diseases in the French Gazel cohort. <i>Journal of Epidemiology and Community Health</i> , 2001 , 55, 233-8	5.1	89
349	Job strain and health-related lifestyle: findings from an individual-participant meta-analysis of 118,000 working adults. <i>American Journal of Public Health</i> , 2013 , 103, 2090-7	5.1	87
348	Sinonasal cancer and occupational exposure to formaldehyde and other substances. <i>International Journal of Cancer</i> , 1993 , 53, 224-31	7.5	87
347	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116,000 European men and women. <i>BMJ, The</i> , 2013 , 346, f165	5.9	82
346	Effect of retirement on sleep disturbances: the GAZEL prospective cohort study. <i>Sleep</i> , 2009 , 32, 1459	- 66 .1	82
345	Occupational and non-occupational attributable risk of asbestos exposure for malignant pleural mesothelioma. <i>Thorax</i> , 2014 , 69, 532-9	7.3	81
344	Job strain and tobacco smoking: an individual-participant data meta-analysis of 166,130 adults in 15 European studies. <i>PLoS ONE</i> , 2012 , 7, e35463	3.7	81
343	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013 , 185, 763-9	3.5	81
342	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ, The</i> , 2019 , 365, l1495	5.9	80
341	Association between long-term exposure to air pollution and mortality in France: A 25-year follow-up study. <i>Environment International</i> , 2015 , 85, 5-14	12.9	76
340	Job strain and the risk of stroke: an individual-participant data meta-analysis. <i>Stroke</i> , 2015 , 46, 557-9	6.7	75
339	Job strain and alcohol intake: a collaborative meta-analysis of individual-participant data from 140,000 men and women. <i>PLoS ONE</i> , 2012 , 7, e40101	3.7	74
338	Diagnosis-specific sickness absence and all-cause mortality in the GAZEL study. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 50-5	5.1	73
337	Environmental exposure to tremolite and respiratory cancer in New Caledonia: a case-control study. <i>American Journal of Epidemiology</i> , 2000 , 151, 259-65	3.8	70
336	Association between exposure to pulsed electromagnetic fields and cancer in electric utility workers in Quebec, Canada, and France. <i>American Journal of Epidemiology</i> , 1994 , 140, 805-20	3.8	69
335	Hostility may explain the association between depressive mood and mortality: evidence from the French GAZEL cohort study. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 164-71	9.4	67

334	Socioeconomic position, health, and possible explanations: a tale of two cohorts. <i>American Journal of Public Health</i> , 2002 , 92, 1290-4	5.1	67
333	Socioeconomic position predicts long-term depression trajectory: a 13-year follow-up of the GAZEL cohort study. <i>Molecular Psychiatry</i> , 2013 , 18, 112-21	15.1	65
332	Lifelong socioeconomic trajectory and premature mortality (35-65 years) in France: findings from the GAZEL Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 937-44	5.1	65
331	Why are manual workers at high risk of upper limb disorders? The role of physical work factors in a random sample of workers in France (the Pays de la Loire study). <i>Occupational and Environmental Medicine</i> , 2006 , 63, 754-61	2.1	65
330	Occupational risk factors for sinonasal cancer: a case-control study in France. <i>American Journal of Industrial Medicine</i> , 1992 , 21, 163-75	2.7	65
329	Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Epidemiology</i> , 2016 , 45, 1260-1270	7 .8	64
328	Prevalence of spondyloarthritis in reference to HLA-B27 in the French population: results of the GAZEL cohort. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 689-93	2.4	63
327	Loneliness, worries, anxiety, and precautionary behaviours in response to the COVID-19 pandemic: A longitudinal analysis of 200,000 Western and Northern Europeans. <i>Lancet Regional Health - Europe, The</i> , 2021 , 2, 100020		62
326	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2018 , 6, 705-713	18.1	61
325	The use of a task-based exposure assessment model (T-BEAM) for assessment of metal fume exposures during welding and thermal cutting. <i>Journal of Occupational and Environmental Hygiene</i> , 2000 , 15, 26-38		61
324	Body mass index as a predictor of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Obesity</i> , 2017 , 41, 769-775	5.5	59
323	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020 , 180, 760-768	11.5	59
322	Informal caregiving and self-reported mental and physical health: results from the Gazel Cohort Study. <i>American Journal of Public Health</i> , 2011 , 101, 1971-9	5.1	58
321	Work increases the incidence of carpal tunnel syndrome in the general population. <i>Muscle and Nerve</i> , 2008 , 37, 477-82	3.4	58
320	IARC monographs: 40 years of evaluating carcinogenic hazards to humans. <i>Environmental Health Perspectives</i> , 2015 , 123, 507-14	8.4	57
319	Future trends in mortality of French men from mesothelioma. <i>Occupational and Environmental Medicine</i> , 2000 , 57, 488-94	2.1	57
318	Socioeconomic status, non-communicable disease risk factors, and walking speed in older adults: multi-cohort population based study. <i>BMJ, The</i> , 2018 , 360, k1046	5.9	56
317	Exposure to 50-Hz electric field and incidence of leukemia, brain tumors, and other cancers among French electric utility workers. <i>American Journal of Epidemiology</i> , 1996 , 144, 1107-21	3.8	56

316	Job exposure matrices in industry. <i>International Journal of Epidemiology</i> , 1993 , 22 Suppl 2, S10-5	7.8	56
315	The mental health effects of multiple work and family demands. A prospective study of psychiatric sickness absence in the French GAZEL study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 573-82	4.5	55
314	Risk factors for incidence of rotator cuff syndrome in a large working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 436-46	4.3	55
313	Operational Definition of Active and Healthy Ageing (AHA): A Conceptual Framework. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 955-60	5.2	54
312	CONSTANCES: a general prospective population-based cohort for occupational and environmental epidemiology: cohort profile. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 66-71	2.1	53
311	The French Musculoskeletal Disorders Surveillance Program: Pays de la Loire network. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 471-9	2.1	53
310	Subjective cognitive complaints and mortality: does the type of complaint matter?. <i>Journal of Psychiatric Research</i> , 2014 , 48, 73-8	5.2	52
309	Long-term effects of psychosocial work stress in midlife on health functioning after labor market exitresults from the GAZEL study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2012 , 67, 471-80	4.6	52
308	Gender differences in the association between morbidity and mortality among middle-aged men and women. <i>American Journal of Public Health</i> , 2008 , 98, 2251-7	5.1	51
307	Effect of retirement on alcohol consumption: longitudinal evidence from the French Gazel cohort study. <i>PLoS ONE</i> , 2011 , 6, e26531	3.7	49
306	Association of Parkinson's Disease and Its Subtypes with Agricultural Pesticide Exposures in Men: A Case-Control Study in France. <i>Environmental Health Perspectives</i> , 2015 , 123, 1123-9	8.4	48
305	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health, The,</i> 2018 , 3, e545-e554	22.4	47
304	Personal, biomechanical, and psychosocial risk factors for rotator cuff syndrome in a working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 502-11	4.3	46
303	The health impact of nonoccupational exposure to asbestos: what do we know?. <i>European Journal of Cancer Prevention</i> , 2009 , 18, 489-503	2	45
302	Diagnosis-specific sick leave as a long-term predictor of disability pension: a 13-year follow-up of the GAZEL cohort study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 155-9	5.1	44
301	Leukemia in relation to occupational exposures to benzene and other agents: a case-control study nested in a cohort of gas and electric utility workers. <i>American Journal of Industrial Medicine</i> , 2002 , 42, 87-97	2.7	44
300	Trajectories of self-rated health in the last 15 years of life by cause of death. <i>European Journal of Epidemiology</i> , 2016 , 31, 177-85	12.1	43
299	Cohort Profile Update: The GAZEL Cohort Study. <i>International Journal of Epidemiology</i> , 2015 , 44, 77-77g	7.8	42

(2018-2013)

Work-related risk factors for lateral epicondylitis and other cause of elbow pain in the working population. <i>American Journal of Industrial Medicine</i> , 2013 , 56, 400-9	2.7	42	
Effects of individual and work-related factors on incidence of shoulder pain in a large working population. <i>Journal of Occupational Health</i> , 2012 , 54, 278-88	2.3	42	
All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 311-7	5.1	41	
Do respiratory symptoms predict job choices in teenagers?. European Respiratory Journal, 2006, 27, 774	-8 3.6	41	
Reanalysis of the Harvard Six Cities Study, part II: sensitivity analysis. <i>Inhalation Toxicology</i> , 2005 , 17, 343-53	2.7	41	
Factors associated with self-reporting of chronic health problems in the French GAZEL cohort. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 48-59	5.7	41	
Does personality predict mortality? Results from the GAZEL French prospective cohort study. <i>International Journal of Epidemiology</i> , 2008 , 37, 386-96	7.8	40	
Comparison of risk factors for shoulder pain and rotator cuff syndrome in the working population. <i>American Journal of Industrial Medicine</i> , 2012 , 55, 605-15	2.7	39	
Temporal patterns of occupational asbestos exposure and risk of pleural mesothelioma. <i>European Respiratory Journal</i> , 2012 , 39, 1304-12	13.6	39	
Matgħf a program to develop job-exposure matrices in the general population in France. <i>Annals of Occupational Hygiene</i> , 2011 , 55, 865-78		38	
Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. <i>BMJ Open</i> , 2012 , 2, e000522	3	38	
Occupations and industries in France at high risk for pleural mesothelioma: A population-based case-control study (1998-2002). <i>American Journal of Industrial Medicine</i> , 2010 , 53, 1207-19	2.7	37	
Morphometric analysis of collagen and elastic fibers in normal skin and gingiva in relation to age. <i>Clinical Oral Investigations</i> , 1997 , 1, 147-52	4.2	37	
Occupational class, occupational mobility and cancer incidence among middle-aged men and women: a prospective study of the French GAZEL cohort*. <i>Cancer Causes and Control</i> , 2005 , 16, 515-24	2.8	37	
Past occupational exposure to asbestos among men in France. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000 , 26, 52-61	4.3	37	
Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , 2014 , 87, 249-56	3.2	36	
Evolution of pleural cancers and malignant pleural mesothelioma incidence in France between 1980 and 2005. <i>International Journal of Cancer</i> , 2010 , 126, 232-8	7.5	36	
Occupational and educational inequalities in exit from employment at older ages: evidence from	2.1	35	
	Effects of individual and work-related factors on incidence of shoulder pain in a large working population. <i>Journal of Occupational Health</i> , 2012, 54, 278-88 All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 311-7 Do respiratory symptoms predict job choices in teenagers?. <i>European Respiratory Journal</i> , 2006, 27, 774 Reanalysis of the Harvard Six Cities Study, part II: sensitivity analysis. <i>Inhalation Toxicology</i> , 2005, 17, 343-53 Factors associated with self-reporting of chronic health problems in the French GAZEL cohort. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 48-59 Does personality predict mortality? Results from the GAZEL French prospective cohort study. <i>International Journal of Epidemiology</i> , 2008, 37, 386-96 Comparison of risk factors for shoulder pain and rotator cuff syndrome in the working population. <i>American Journal of Industrial Medicine</i> , 2012, 55, 605-15 Temporal patterns of occupational asbestos exposure and risk of pleural mesothelioma. <i>European Respiratory Journal</i> , 2012, 39, 1304-12 Matgh? a program to develop job-exposure matrices in the general population in France. <i>Annals of Occupational Hygiene</i> , 2011, 55, 865-78 Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. <i>BMJ Open</i> , 2012, 2, e00052 Occupations and industries in France at high risk for pleural mesothelioma: A population-based case-control study (1998-2002). <i>American Journal of Industrial Medicine</i> , 2010, 53, 1207-19 Morphometric analysis of collagen and elastic fibers in normal skin and gingiva in relation to age. <i>Clinical Oral Investigations</i> , 1997, 1, 147-52 Occupational class, occupational mobility and cancer incidence among middle-aged men and women: a prospective study of the French GAZEL cohort*. <i>Cancer Causes and Control</i> , 2005, 16, 515-24 Past occupational exposure to asbestos among men in France. <i>Scandinav</i>	Effects of individual and work-related factors on incidence of shoulder pain in a large working population. Journal of Occupational Health, 2012, 54, 278-88 All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. Journal of Epidemiology and Community Health, 2010, 64, 311-7 51 Do respiratory symptoms predict job choices in teenagers?. European Respiratory Journal, 2006, 27, 774-83-6 Reanalysis of the Harvard Six Cities Study, part II: sensitivity analysis. Inhalation Toxicology, 2005, 17, 343-53 Factors associated with self-reporting of chronic health problems in the French GAZEL cohort. Journal of clinical Epidemiology, 2002, 55, 48-59 Does personality predict mortality? Results from the GAZEL French prospective cohort study. International Journal of Epidemiology, 2008, 37, 386-96 Comparison of risk factors for shoulder pain and rotator cuff syndrome in the working population. American Journal of Industrial Medicine, 2012, 55, 605-15 Temporal patterns of occupational asbestos exposure and risk of pleural mesothelioma. European Respiratory Journal, 2012, 39, 1304-12 Matght a program to develop job-exposure matrices in the general population in France. Annals of Occupational Hygiene, 2011, 55, 865-78 Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. BM J Open, 2012, 2, e000522 Morphometric analysis of collagen and elastic fibers in normal skin and gingiva in relation to age. Clinical Oral Investigations, 1997, 1, 147-52 Occupational dass, occupational mobility and cancer incidence among middle-aged men and women: a prospective study of the French GAZEL Cohort. Cancer Causes and Control, 2005, 16, 515-24 28 Past occupational exposure to asbestos among men in France. Scandinavian Journal of Work, Environment and Health, 2000, 26, 52-61 Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. International Archiv	Effects of individual and work-related factors on incidence of shoulder pain in a large working population. Journal of Occupational Health, 2012, 54, 278-88 All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. Journal of Epidemiology and Community Health, 2010, 64, 311-7 5-1. Do respiratory symptoms predict job choices in teenagers?. European Respiratory Journal, 2006, 27, 774-83-6. 41 Reanalysis of the Harvard Six Cities Study, part II: sensitivity analysis. Inhalation Toxicology, 2005, 2-7. 41 Reanalysis of the Harvard Six Cities Study, part II: sensitivity analysis. Inhalation Toxicology, 2005, 2-7. 41 Factors associated with self-reporting of chronic health problems in the French GAZEL cohort. 57 Journal of Clinical Epidemiology, 2002, 55, 48-59 Does personality predict mortality? Results from the CAZEL French prospective cohort study. International Journal of Epidemiology, 2008, 37, 386-96 Comparison of risk factors for shoulder pain and rotator cuff syndrome in the working population. 57 American Journal of Industrial Medicine, 2012, 55, 605-15 Temporal patterns of occupational asbestos exposure and risk of pleural mesothelioma. European 58 Respiratory Journal, 2012, 39, 1304-12 Matgh? a program to develop job-exposure matrices in the general population in France. Annals 58 Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. 57 BMA JOpen, 2012, 2, e000522 Occupations and industries in France at high risk for pleural mesothelioma: A population-based case-control study (1998-2002). American Journal of Industrial Medicine, 2010, 53, 1207-19 Morphometric analysis of collagen and elastic fibers in normal skin and gingiva in relation to age. Clinical Oral Investigations, 1997, 1, 147-52 Occupational class, occupational mobility and cancer incidence among middle-aged men and women: a prospective study of the French GAZEL cohort*. Cancer Causes and Control, 2005, 16, 5

2 80	Lymphohistiocytoid variant of malignant mesothelioma of the pleura: a series of 22 cases. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 711-6	6.7	35
279	Depressive Symptoms and Vegetarian Diets: Results from the Constances Cohort. <i>Nutrients</i> , 2018 , 10,	6.7	35
278	High quality standards for a large-scale prospective population-based observational cohort: Constances. <i>BMC Public Health</i> , 2016 , 16, 877	4.1	34
277	Association Between Electronic Cigarette Use and Smoking Reduction in France. <i>JAMA Internal Medicine</i> , 2019 , 179, 1193-1200	11.5	33
276	Developmental determinants in non-communicable chronic diseases and ageing. <i>Thorax</i> , 2015 , 70, 595-	77.3	33
275	Attributable risk of carpal tunnel syndrome according to industry and occupation in a general population. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1341-8		33
274	Occupational exposures and lung cancer in New Caledonia. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 584-9	2.1	33
273	Occupational respiratory cancer and exposure to asbestos: a case-control study in a cohort of workers in the electricity and gas industry. <i>American Journal of Industrial Medicine</i> , 1995 , 28, 339-52	2.7	33
272	Does sickness absence due to psychiatric disorder predict cause-specific mortality? A 16-year follow-up of the GAZEL occupational cohort study. <i>American Journal of Epidemiology</i> , 2010 , 172, 700-7	3.8	32
271	The CONSTANCES cohort: an open epidemiological laboratory. <i>BMC Public Health</i> , 2010 , 10, 479	4.1	32
270	Socioeconomic position and low-back painthe role of biomechanical strains and psychosocial work factors in the GAZEL cohort. <i>Scandinavian Journal of Work, Environment and Health,</i> 2009 , 35, 429-36	4.3	32
269	Risk factors for de Quervain's disease in a French working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 394-401	4.3	32
268	Depression and the risk of cancer: a 15-year follow-up study of the GAZEL cohort. <i>American Journal of Epidemiology</i> , 2013 , 178, 1712-20	3.8	31
267	Work conditions and mental health among prison staff in France. <i>Scandinavian Journal of Work, Environment and Health</i> , 1996 , 22, 45-54	4.3	31
266	Work-related risk factors for incidence of lateral epicondylitis in a large working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 578-88	4.3	31
265	Working conditions and depressive symptoms in the 2003 decennial health survey: the role of the occupational category. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 1135-47	4.5	30
264	Mortality of workers exposed to ionizing radiation at the French National Electricity Company. <i>American Journal of Industrial Medicine</i> , 2005 , 47, 72-82	2.7	30
263	Risk factors for carpal tunnel syndrome related to the work organization: a prospective surveillance study in a large working population. <i>Applied Ergonomics</i> , 2015 , 47, 1-10	4.2	29

(2005-2017)

262	Work stress, anthropometry, lung function, blood pressure, and blood-based biomarkers: a cross-sectional study of 43,593 French men and women. <i>Scientific Reports</i> , 2017 , 7, 9282	4.9	29	
261	Influence of retirement and work stress on headache prevalence: a longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalalgia</i> , 2011 , 31, 696-705	6.1	29	
260	Occupational solvent exposure and cognition: does the association vary by level of education?. <i>Neurology</i> , 2012 , 78, 1754-60	6.5	29	
259	Socioeconomic status, social mobility and cancer occurrence during working life: a case-control study among French electricity and gas workers. <i>Cancer Causes and Control</i> , 1999 , 10, 495-502	2.8	29	
258	Diet and physical activity in the association between depression and metabolic syndrome: Constances study. <i>Journal of Affective Disorders</i> , 2019 , 244, 25-32	6.6	29	
257	Systems Metabolomics for Prediction of Metabolic Syndrome. <i>Journal of Proteome Research</i> , 2017 , 16, 2262-2272	5.6	28	
256	Organizational downsizing and depressive symptoms in the European recession: the experience of workers in France, Hungary, Sweden and the United kingdom. <i>PLoS ONE</i> , 2014 , 9, e97063	3.7	28	
255	Effects of job strain on fatigue: cross-sectional and prospective views of the job content questionnaire and effortreward imbalance in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 377-84	2.1	28	
254	The impact of stressful life events on excessive alcohol consumption in the French population: findings from the GAZEL cohort study. <i>PLoS ONE</i> , 2014 , 9, e87653	3.7	28	
253	Les d'terminants sociaux de la sant': apports r'tents de l'pidmiologie sociale et des sciences sociales de la sant'. <i>Sciences Sociales Et Sante</i> , 2002 , 20, 75-128	0.4	28	
252	The French GAZEL Cohort Study: 20 years of epidemiologic research. <i>Advances in Life Course Research</i> , 2009 , 14, 135-146	3.1	27	
251	Sickness absence as a prognostic marker for common chronic conditions: analysis of mortality in the GAZEL study. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 820-6	2.1	27	
250	Dietary factors and the risk of lung cancer in New Caledonia (South Pacific). <i>Nutrition and Cancer</i> , 2002 , 42, 18-24	2.8	27	
249	Smoking cessation at the workplace. Results of a randomised controlled intervention study. Worksite physicians from the AIREL group. <i>Journal of Epidemiology and Community Health</i> , 2000 , 54, 349-54	5.1	27	
248	Personality and the risk of cancer: a 16-year follow-up study of the GAZEL cohort. <i>Psychosomatic Medicine</i> , 2013 , 75, 262-71	3.7	26	
247	Heavy manual work, exposure to vibration and Dupuytren's disease? Results of a surveillance program for musculoskeletal disorders. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 296-9	2.1	26	
246	Work and family demands: predictors of all-cause sickness absence in the GAZEL cohort. <i>European Journal of Public Health</i> , 2012 , 22, 101-6	2.1	26	
245	Reanalysis of the Harvard Six Cities Study, part I: validation and replication. <i>Inhalation Toxicology</i> , 2005 , 17, 335-42	2.7	26	

244	Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 20-21, 2014, Lisbon July 2, 2015. Journal of the American Medical Directors Association, 2015, 16, 1020-6	5.9	25
243	Socioeconomic Inequalities in Disability-free Life Expectancy in Older People from England and the United States: A Cross-national Population-Based Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 906-913	6.4	25
242	Pleural mesothelioma and occupational coexposure to asbestos, mineral wool, and silica. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 187, 977-82	10.2	25
241	Domains of cognitive function in early old age: which ones are predicted by pre-retirement psychosocial work characteristics?. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 640-7	2.1	25
240	Prediction model of Parkinson's disease based on antiparkinsonian drug claims. <i>American Journal of Epidemiology</i> , 2011 , 174, 354-63	3.8	24
239	Usefulness of a single-item measure of depression to predict mortality: the GAZEL prospective cohort study. <i>European Journal of Public Health</i> , 2012 , 22, 643-7	2.1	24
238	Using sickness absence records to predict future depression in a working population: prospective findings from the GAZEL cohort. <i>American Journal of Public Health</i> , 2009 , 99, 1417-22	5.1	24
237	Incidence of pleural mesothelioma in New Caledonia: a 10-year survey (1978-1987). <i>Archives of Environmental Health</i> , 1991 , 46, 306-9		24
236	Socioeconomic indicators in epidemiologic research: A practical example from the LIFEPATH study. <i>PLoS ONE</i> , 2017 , 12, e0178071	3.7	24
235	Attributable risk of carpal tunnel syndrome in the general population: implications for intervention programs in the workplace. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009 , 35, 342-8	4.3	24
234	Association among work exposure, alcohol intake, smoking and Dupuytren's disease in a large cohort study (GAZEL). <i>BMJ Open</i> , 2014 , 4, e004214	3	23
233	Physical occupational exposures during working life and quality of life after labour market exit: results from the GAZEL study. <i>Aging and Mental Health</i> , 2013 , 17, 697-706	3.5	23
232	Depressive symptoms and atypical jobs in France, from the 2003 Decennial health survey. <i>American Journal of Industrial Medicine</i> , 2009 , 52, 799-810	2.7	23
231	Effectiveness of the SmartMV prototype BeefCam System to sort beef carcasses into expected palatability groups. <i>Journal of Animal Science</i> , 2003 , 81, 441-8	0.7	23
230	Predictors of change in alcohol consumption among Frenchmen of the GAZEL study cohort. <i>Addiction</i> , 1999 , 94, 385-95	4.6	23
229	A 10-year incidence survey of respiratory cancer and a case-control study within a cohort of nickel mining and refining workers in New Caledonia. <i>Cancer Causes and Control</i> , 1994 , 5, 15-25	2.8	23
228	Job strain and informal caregiving as predictors of long-term sickness absence: A longitudinal multi-cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 5-14	4.3	23
227	Mortality associated with depression as compared with other severe mental disorders: a 20-year follow-up study of the GAZEL cohort. <i>Journal of Psychiatric Research</i> , 2013 , 47, 851-7	5.2	22

226	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 16-23	7	22
225	Perceived reciprocity in social exchange and health functioning in early old age: prospective findings from the GAZEL study. <i>Aging and Mental Health</i> , 2010 , 14, 425-32	3.5	22
224	Prevalence of prescribed benzodiazepine long-term use in the French general population according to sociodemographic and clinical factors: findings from the CONSTANCES cohort. <i>BMC Public Health</i> , 2019 , 19, 566	4.1	21
223	Special Report: The Biology of Inequalities in Health: The Lifepath Consortium. <i>Frontiers in Public Health</i> , 2020 , 8, 118	6	21
222	Ageing, retirement and changes in vegetable consumption in France: findings from the prospective GAZEL cohort. <i>British Journal of Nutrition</i> , 2015 , 114, 979-87	3.6	21
221	Possible effect of environmental exposure to asbestos on geographical variation in mesothelioma rates. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 417-21	2.1	21
220	Occupational mobility and risk factors in working men: selection, causality or both? Results from the GAZEL study. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 901-6	5.1	21
219	Association of longitudinal alcohol consumption trajectories with coronary heart disease: a meta-analysis of six cohort studies using individual participant data. <i>BMC Medicine</i> , 2018 , 16, 124	11.4	20
218	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 486-493	2.1	20
217	Time may not fully attenuate solvent-associated cognitive deficits in highly exposed workers. <i>Neurology</i> , 2014 , 82, 1716-23	6.5	20
216	High alcohol consumption in middle-aged adults is associated with poorer cognitive performance only in the low socio-economic group. Results from the GAZEL cohort study. <i>Addiction</i> , 2011 , 106, 93-10	1 ^{4.6}	20
215	Occupational risk factors for lung cancer in the French electricity and gas industry: a case-control survey nested in a cohort of active employees. <i>American Journal of Epidemiology</i> , 2000 , 151, 902-12	3.8	20
214	Occupational epidemiology and assessment of exposure. <i>International Journal of Epidemiology</i> , 1993 , 22 Suppl 2, S5-9	7.8	20
213	Association of Self-reported COVID-19 Infection and SARS-CoV-2 Serology Test Results With Persistent Physical Symptoms Among French Adults During the COVID-19 Pandemic. <i>JAMA Internal Medicine</i> , 2021 ,	11.5	20
212	Identifying diabetes cases in health administrative databases: a validation study based on a large French cohort. <i>International Journal of Public Health</i> , 2019 , 64, 441-450	4	20
211	Development of a job-task-exposure matrix to assess occupational exposure to disinfectants among US nurses. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 130-137	2.1	19
210	Time-trend of sleep disorder in relation to night work: a study of sequential 1-year prevalences within the GAZEL cohort. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 1133-41	5.7	19
209	Sickness absence at the French National Electric and Gas Company. <i>Occupational and Environmental Medicine</i> , 1987 , 44, 101-10	2.1	19

208	Air pollution exposure and bladder, kidney and urinary tract cancer risk: A systematic review. <i>Environmental Pollution</i> , 2020 , 267, 115328	9.3	19
207	Association Between Potentially Inappropriate Medications and Frailty in the Early Old Age: A Longitudinal Study in the GAZEL Cohort. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 967-973.e3	5.9	19
206	Alcohol, tobacco and cannabis use are associated with job loss at follow-up: Findings from the CONSTANCES cohort. <i>PLoS ONE</i> , 2019 , 14, e0222361	3.7	18
205	The relation between type of farming and prevalence of Parkinson's disease among agricultural workers in five French districts. <i>Movement Disorders</i> , 2011 , 26, 271-9	7	18
204	Socio-economic status and handedness in two large cohorts of French adults. <i>British Journal of Psychology</i> , 2008 , 99, 533-54	4	18
203	Assessment of environmental and domestic exposure to tremolite in New Caledonia. <i>Archives of Environmental Health</i> , 2004 , 59, 91-100		18
202	Malignant pleural mesothelioma associated with exposure to tremolite. <i>Lancet, The</i> , 1994 , 344, 1777	40	18
201	Left-Handedness and Male-Male Competition: Insights from Fighting and Hormonal Data. <i>Evolutionary Psychology</i> , 2011 , 9, 147470491100900	1.5	17
200	Can exposure to very low levels of asbestos induce pleural mesothelioma?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005 , 172, 939-40	10.2	17
199	Adverse employment histories and health functioning: the CONSTANCES study. <i>International Journal of Epidemiology</i> , 2019 , 48, 402-414	7.8	17
198	Mid-life occupational grade and quality of life following retirement: a 16-year follow-up of the French GAZEL study. <i>Aging and Mental Health</i> , 2015 , 19, 634-46	3.5	16
197	Do different measures of early life socioeconomic circumstances predict adult mortality? Evidence from the British Whitehall II and French GAZEL studies. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 1097-103	5.1	16
196	Effects on Health and Social Well- Being of On-Call Shifts. <i>Journal of Occupational and Environmental Medicine</i> , 1993 , 35, 1131-1137	2	16
195	Statistical methods for relating several exposure factors to several diseases in case-heterogeneity studies. <i>Statistics in Medicine</i> , 1986 , 5, 49-60	2.3	16
194	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. <i>European Journal of Public Health</i> , 2019 , 29, 267-272	2.1	16
193	Longer schooling but not better off? A quasi-experimental study of the effect of compulsory schooling on biomarkers in France. <i>Social Science and Medicine</i> , 2019 , 220, 379-386	5.1	16
192	Metabolically healthy obesity and depressive symptoms: 16-year follow-up of the Gazel cohort study. <i>PLoS ONE</i> , 2017 , 12, e0174678	3.7	15
191	Daily alcohol consumption and sickness absence in the GAZEL cohort. <i>European Journal of Public Health</i> , 2017 , 27, 482-488	2.1	15

190	Occupational exposure to solvents and cognitive performance in the GAZEL cohort: preliminary results. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 30, 12-9	2.6	15	
189	Comparative assessing for radiological, chemical, and physical exposures at the French uranium conversion plant: Is uranium the only stressor?. <i>International Journal of Hygiene and Environmental Health</i> , 2009 , 212, 398-413	6.9	15	
188	Mental health of workers in Toulouse 2 years after the industrial AZF disaster: first results of a longitudinal follow-up of 3,000 people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 784-91	4.5	15	
187	Using a representative sample of workers for constructing the SUMEX French general population based job-exposure matrix. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 586-93	2.1	15	
186	The biology of inequalities in health: the LIFEPATH project. <i>Longitudinal and Life Course Studies</i> , 2017 , 8,	1	15	
185	Long-term exposure to atmospheric metals assessed by mosses and mortality in France. <i>Environment International</i> , 2019 , 129, 145-153	12.9	14	
184	Unhealthy behaviours and risk of visual impairment: The CONSTANCES population-based cohort. <i>Scientific Reports</i> , 2018 , 8, 6569	4.9	14	
183	Social engagement across the retirement transition among "young-old" adults in the French GAZEL cohort. <i>European Journal of Ageing</i> , 2015 , 12, 311-320	3.6	14	
182	Incidence and risk factors for thoracic spine pain in the working population: the French Pays de la Loire study. <i>Arthritis Care and Research</i> , 2014 , 66, 1695-702	4.7	14	
181	Risk factors for Raynaud's phenomenon in the workforce. <i>Arthritis Care and Research</i> , 2012 , 64, 898-904	1 4.7	14	
180	Attributable risk in men in two French case-control studies on mesothelioma and asbestos. <i>European Journal of Epidemiology</i> , 2010 , 25, 799-806	12.1	14	
179	Selected questions on biomechanical exposures for surveillance of upper-limb work-related musculoskeletal disorders. <i>International Archives of Occupational and Environmental Health</i> , 2007 , 81, 1-8	3.2	14	
178	A 26-year cohort mortality study of French construction workers aged 20 to 64 years. <i>Journal of Occupational and Environmental Medicine</i> , 2007 , 49, 546-56	2	14	
177	Long-term effects of biomechanical exposure on severe shoulder pain in the Gazel cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 568-76	4.3	14	
176	Electronic cigarette use is associated with depressive symptoms among smokers and former smokers: Cross-sectional and longitudinal findings from the Constances cohort. <i>Addictive Behaviors</i> , 2019 , 90, 85-91	4.2	14	
175	Occupational biomechanical exposure predicts low back pain in older age among men in the Gazel Cohort. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 501-10	3.2	13	
174	Impact of recommendations on the initial therapy of Parkinson's disease: a population-based study in France. <i>Parkinsonism and Related Disorders</i> , 2011 , 17, 543-6	3.6	13	
173	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 729-33	2.1	13	

172	Estimated number of women likely to benefit from bone mineral density measurement in France. <i>Joint Bone Spine</i> , 2004 , 71, 409-18	2.9	13
171	Epidemiology of respiratory cancers related to nickel mining and refining in New Caledonia (1978-1984). <i>International Journal of Cancer</i> , 1987 , 40, 300-4	7.5	13
170	Childhood adversity and depressive symptoms following retirement in the Gazel cohort. <i>Journal of Psychiatric Research</i> , 2016 , 82, 80-90	5.2	13
169	Depression, treatable cardiovascular risk factors and incident cardiac events in the Gazel cohort. <i>International Journal of Cardiology</i> , 2019 , 284, 90-95	3.2	13
168	Work environment mediates a large part of social inequalities in the incidence of several common cardiovascular risk factors: Findings from the Gazel cohort. <i>Social Science and Medicine</i> , 2018 , 216, 59-66	5.1	13
167	Maternal educational inequalities in measured body mass index trajectories in three European countries. <i>Paediatric and Perinatal Epidemiology</i> , 2019 , 33, 226-237	2.7	12
166	Operative definition of active and healthy ageing (AHA): Meeting report. Montpellier October 2011, 2014. European Geriatric Medicine, 2015, 6, 196-200	3	12
165	Personality and breast cancer screening in women of the GAZEL cohort study. <i>Cancer Medicine</i> , 2018 , 7, 515-524	4.8	12
164	Social Predictors of Active Life Engagement: A Time-Use Study of Young-Old French Adults. <i>Research on Aging</i> , 2016 , 38, 864-93	3	12
163	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015 , 10, e0143184	3.7	12
162	Obliterative bronchiolitis in workers laying up fiberglass-reinforced plastics with polyester resin and methylethyl ketone peroxide catalyst. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 675-6	2.1	12
161	Regional disparities in cardiovascular risk factors in France: a five-year analysis of the GAZEL cohort. <i>European Journal of Epidemiology</i> , 1998 , 14, 535-43	12.1	12
160	Reducing socio-economic inequalities in all-cause mortality: a counterfactual mediation approach. <i>International Journal of Epidemiology</i> , 2020 , 49, 497-510	7.8	12
159	Long-term effects of compulsory schooling on physical, mental and cognitive ageing: a natural experiment. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 370-376	5.1	12
158	The epidemiological information system of the French national electricity and gas company: the SI-EPI project. <i>Medicina Del Lavoro</i> , 1996 , 87, 16-28	1.9	12
157	Physical occupational exposures and health expectancies in a French occupational cohort. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 176-183	2.1	11
156	Risk of psychological ill health and methods of organisational downsizing: a cross-sectional survey in four European countries. <i>BMC Public Health</i> , 2017 , 17, 758	4.1	11
155	Cardiovascular risk goes up as your mood goes down: Interaction of depression and socioeconomic status in determination of cardiovascular risk in the CONSTANCES cohort. <i>International Journal of Cardiology</i> , 2018 , 262, 99-105	3.2	11

(2001-2016)

154	Effect size for the main cognitive function determinants in a large cross-sectional study. <i>European Journal of Neurology</i> , 2016 , 23, 1614-1626	6	11
153	Job exposure to the public in relation with alcohol, tobacco and cannabis use: Findings from the CONSTANCES cohort study. <i>PLoS ONE</i> , 2018 , 13, e0196330	3.7	11
152	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018 , 113, 1633	4.6	11
151	Trajectories of sleep complaints from early midlife to old age: longitudinal modeling study. <i>Sleep</i> , 2012 , 35, 1559-68	1.1	11
150	A Global View of the Relationships between the Main Behavioural and Clinical Cardiovascular Risk Factors in the GAZEL Prospective Cohort. <i>PLoS ONE</i> , 2016 , 11, e0162386	3.7	11
149	Long working hours, anthropometry, lung function, blood pressure and blood-based biomarkers: cross-sectional findings from the CONSTANCES study. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 130-135	5.1	11
148	Anticholinergic drug use and cognitive performances in middle age: findings from the CONSTANCES cohort. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 1107-1115	5.5	11
147	Excess mortality between 2007 and 2014 among patients with Clostridium difficile infection: a French health insurance database analysis. <i>Journal of Hospital Infection</i> , 2018 , 98, 21-28	6.9	10
146	Choice of rating method for assessing occupational asbestos exposure: study for compensation purposes in France. <i>American Journal of Industrial Medicine</i> , 2012 , 55, 440-9	2.7	10
145	Psychosocial factors at work and perceived health among agricultural meat industry workers in France. <i>International Archives of Occupational and Environmental Health</i> , 2009 , 82, 807-18	3.2	10
144	Cet obscur objet de l'pidmiologie. <i>Sciences Sociales Et Sante</i> , 1982 , 1, 55-110	0.4	10
143	Psychosocial factors associated with work disability in men and women with diabetes: a pooled analysis of three occupational cohort studies. <i>Diabetic Medicine</i> , 2016 , 33, 208-17	3.5	10
142	When Blue-Collars Feel Blue: Depression and Low Occupational Grade as Synergistic Predictors of Incident Cardiac Events in Middle-Aged Working Individuals. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	9
141	Biomechanical and psychosocial occupational exposures: joint predictors of post-retirement functional health in the French GAZEL cohort. <i>Advances in Life Course Research</i> , 2013 , 18, 235-43	3.1	9
140	Compensation of pleural mesothelioma in France: data from the French National Mesothelioma Surveillance Programme. <i>American Journal of Industrial Medicine</i> , 2013 , 56, 146-54	2.7	9
139	Can a single-item measure assess physical load at work? An analysis from the GAZEL cohort. <i>Journal of Occupational and Environmental Medicine</i> , 2012 , 54, 598-603	2	9
138	Alcohol consumption and marital status of French women in the GAZEL cohort: a longitudinal analysis between 1992 and 1996. <i>Journal of Studies on Alcohol and Drugs</i> , 2003 , 64, 784-9		9
137	Do cardiovascular risk factors in men depend on their spouses' occupational category?. <i>European Journal of Epidemiology</i> , 2001 , 17, 347-56	12.1	9

136	Disparits sociales et professionnelles de la mortalit des travailleurs d'lectricit et Gaz de France. <i>Population</i> , 1987 , 42, 863	0.4	9
135	The health data base of a nationwide company - its use in epidemiological studies. <i>Journal of Occupational Medicine</i> , 1982 , 24, 47-52		9
134	Depression, Cognitive Functions, and Impaired Functioning in Middle-Aged Adults From the CONSTANCES Cohort. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	9
133	Long-term effects of biomechanical exposure on severe knee pain in the Gazel cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 37-44	4.3	9
132	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020 , 3, e2016084	10.4	9
131	Is effort-reward imbalance at work associated with different domains of health functioning? Baseline results from the French CONSTANCES study. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 467-480	3.2	9
130	Intergenerational Socioeconomic Mobility and Adult Depression: The CONSTANCES Study. <i>American Journal of Epidemiology</i> , 2018 , 187, 260-269	3.8	8
129	Obesity and emergency care in the French CONSTANCES cohort. <i>PLoS ONE</i> , 2018 , 13, e0194831	3.7	8
128	Effect of stressful life events on changes in smoking among the French: longitudinal findings from GAZEL. <i>European Journal of Public Health</i> , 2015 , 25, 711-5	2.1	8
127	Co-exposure to refractory ceramic fibres and asbestos and risk of pleural mesothelioma. <i>European Respiratory Journal</i> , 2014 , 44, 725-33	13.6	8
126	Personality and hormone therapy use among postmenopausal women in the GAZEL cohort study. <i>Fertility and Sterility</i> , 2012 , 98, 929-36	4.8	8
125	Epidemiological surveillance of lumbar disc surgery in the general population: a pilot study in a French region. <i>Joint Bone Spine</i> , 2011 , 78, 298-302	2.9	8
124	Anxiety or depressive disorders and risk of ischaemic heart disease among French power company employees. <i>International Journal of Epidemiology</i> , 2004 , 33, 779-86	7.8	8
123	Design of a job exposure matrix on electric and magnetic fields: selection of an efficient job classification for workers in thermoelectric power production plants. <i>International Journal of Epidemiology</i> , 1993 , 22 Suppl 2, S16-21	7.8	8
122	Incidence of Chronic and Other Knee Pain in Relation to Occupational Risk Factors in a Large Working Population. <i>Annals of Occupational Hygiene</i> , 2015 , 59, 797-811		7
121	Comorbidity and work disability among employees with diabetes: Associations with risk factors in a pooled analysis of three cohort studies. <i>Scandinavian Journal of Public Health</i> , 2016 , 44, 84-90	3	7
120	Lifestyle-related risk factors and trajectories of work disability over 5 years in employees with diabetes: findings from two prospective cohort studies. <i>Diabetic Medicine</i> , 2015 , 32, 1335-41	3.5	7
119	Organizational and psychosocial risk factors for carpal tunnel syndrome: a cross-sectional study of French workers. <i>International Archives of Occupational and Environmental Health</i> , 2014 , 87, 147-54	3.2	7

118	L'absence au travail : indicateur social ou indicateur de sant'?. Sciences Sociales Et Sante, 1992, 10, 47-65	0.4	7
117	Norms for standard neuropsychological tests from the French CONSTANCES cohort. <i>European Journal of Neurology</i> , 2019 , 26, 786-793	6	7
116	Unhealthy behaviors and risk of uncontrolled hypertension among treated individuals-The CONSTANCES population-based study. <i>Scientific Reports</i> , 2020 , 10, 1925	4.9	6
115	An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned?. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 4-11	2.1	6
114	Hostility and the risk of peptic ulcer in the GAZEL cohort. <i>Health Psychology</i> , 2015 , 34, 181-5	5	6
113	Long-term persistence of knee pain and occupational exposure in two large prospective cohorts of workers. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 411	2.8	6
112	Evaluation of the quality of coding of job episodes collected by self questionnaires among French retired men for use in a job-exposure matrix. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 438-4.	3 ^{2.1}	6
111	Are lung and pleural benign asbestos induced diseases a preliminary step in the pathogenic process of mesothelioma and lung cancer development?. <i>Occupational and Environmental Medicine</i> , 2005 , 62, 663-4	2.1	6
110	Le chîmage : un problîme de sant publique majeur. <i>La Revue De L Ires</i> , 2017 , 91-92, 141	0.1	6
109	Contribution of Long-Term Exposure to Outdoor Black Carbon to the Carcinogenicity of Air Pollution: Evidence regarding Risk of Cancer in the Gazel Cohort. <i>Environmental Health Perspectives</i> , 2021 , 129, 37005	8.4	6
108	Socioeconomic gradient in work disability in diabetes: evidence from three occupational cohorts. Journal of Epidemiology and Community Health, 2016 , 70, 125-31	5.1	6
107	Should Sensory Impairment Be Considered in Frailty Assessment? A Study in the GAZEL Cohort. Journal of Nutrition, Health and Aging, 2016 , 20, 714-21	5.2	6
106	Unhealthy behavior and risk of hypertension: the CONSTANCES population-based cohort. <i>Journal of Hypertension</i> , 2019 , 37, 2180-2189	1.9	6
105	Hostility predicts alcohol consumption over a 21-year follow-up in the Gazel cohort. <i>Drug and Alcohol Dependence</i> , 2017 , 177, 112-123	4.9	5
104	Seasonal variations of lipid profiles in a French cohort. <i>Atherosclerosis</i> , 2019 , 286, 181-183	3.1	5
103	Association Between Life-Course Obesity and Frailty in Older Adults: Findings in the GAZEL Cohort. <i>Obesity</i> , 2020 , 28, 388-396	8	5
102	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018 , 53, 95-103	3.5	5
101	Handedness and reproductive success in two large cohorts of French adults. <i>Evolution and Human Behavior</i> , 2006 , 27, 457-472	4	5

100	Asbestos hazard evaluation in South Korean textile production. <i>International Journal of Health Services</i> , 1994 , 24, 131-44	2	5
99	Evolution of the prevalence of obesity in the adult population in France, 2013-2016: the Constances study. <i>Scientific Reports</i> , 2021 , 11, 14152	4.9	5
98	Is physically arduous work associated with limitations after retirement? Findings from the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 183-6	2.1	5
97	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ</i> , <i>The</i> , 2021 , 374, n1804	5.9	5
96	Association between Hospitalization and Change of Frailty Status in the GAZEL Cohort. <i>Journal of Nutrition, Health and Aging</i> , 2019 , 23, 466-473	5.2	4
95	Forgoing health care under universal health insurance: the case of France. <i>International Journal of Public Health</i> , 2020 , 65, 617-625	4	4
94	Poor Awareness of Hypertension in France: The CONSTANCES Population-Based Study. <i>American Journal of Hypertension</i> , 2020 , 33, 543-551	2.3	4
93	Informal caregiving as a risk factor for type 2 diabetes in individuals with favourable and unfavourable psychosocial work environments: A longitudinal multi-cohort study. <i>Diabetes and Metabolism</i> , 2018 , 44, 38-44	5.4	4
92	Work-related premature ageing: old concept but emerging stakes. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 675	2.1	4
91	EV@LUTIL: An open access database on occupational exposures to asbestos and man-made mineral fibres. <i>American Journal of Industrial Medicine</i> , 2015 , 58, 1059-74	2.7	4
90	Description of musculoskeletal disorders and occupational exposure from a field pilot study of large population-based cohort (CONSTANCES). <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 859-61	2	4
89	Computer modeling of population exposure to a carcinogen: the example of asbestos and mesothelioma mortality in France. <i>Journal of Biomedical Informatics</i> , 2000 , 33, 97-109		4
88	Retrospective Evaluation of Occupational Exposures in Cancer Epidemiology: A European Concerted Action of Research. <i>Journal of Occupational and Environmental Hygiene</i> , 1991 , 6, 541-546		4
87	Post-retirement surveillance of workers exposed to asbestos or wood dust: first results of the French national SPIRALE Program. <i>Epidemiologia E Prevenzione</i> , 2011 , 35, 315-23	1.1	4
86	Individual and neighbourhood socioeconomic inequalities in cognitive impairment: cross-sectional findings from the French CONSTANCES cohort. <i>BMJ Open</i> , 2020 , 10, e033751	3	4
85	Work-Related Stressors and Increased Risk of Benzodiazepine Long-Term Use: Findings From the CONSTANCES Population-Based Cohort. <i>American Journal of Public Health</i> , 2019 , 109, 119-125	5.1	4
84	Life-course socioeconomic disadvantage and lung function: a multicohort study of 70 496 individuals. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	4
83	More than Light Alcohol Consumption Predicts Early Cessation from Employment in French Middle-Aged Men. <i>Alcohol and Alcoholism</i> , 2016 , 51, 224-31	3.5	3

(2020-2019)

82	Intragenerational social mobility and depressive symptoms. Results from the French CONSTANCES cohort study. <i>SSM - Population Health</i> , 2019 , 7, 100351	3.8	3
81	Asthma is associated with frailty among community-dwelling adults: the GAZEL cohort. <i>BMJ Open Respiratory Research</i> , 2020 , 7,	5.6	3
80	Obesity moderates the benefit of retirement on health: A 21-year prospective study in the GAZEL cohort. <i>Journal of Psychosomatic Research</i> , 2020 , 131, 109938	4.1	3
79	Natural course of rotator cuff syndrome in a French working population. <i>American Journal of Industrial Medicine</i> , 2014 , 57, 683-94	2.7	3
78	Characterization and measurement of social position in epidemiologic studies. <i>Revue Dl</i> Epidemiologie Et De Sante Publique, 2007 , 55, e1-e10	0.6	3
77	Les cancers professionnels (^laxception de lamiante). <i>Oncologie</i> , 2007 , 9, 331-334	1	3
76	EnquEes pidmiologiques en milieu de travail : quelques bases pour le mdecin du travail. <i>Archives Des Maladies Professionnelles Et De LlEnvironnement</i> , 2005 , 66, 343-351	0.1	3
75	The use of electronic cigarette by smokers and ex-smokers is associated with a poor perceived health status in the population-based Constances cohort 2018 ,		3
74	Depressive symptoms and non-adherence to treatable cardiovascular risk factors' medications in the CONSTANCES cohort. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 280-286	6.4	3
73	Long-term occupational trajectories and suicide: a 22-year follow-up of the GAZEL cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 158-165	4.3	3
72	The contribution of sleep to social inequalities in cardiovascular disorders: a multi-cohort study. <i>Cardiovascular Research</i> , 2020 , 116, 1514-1524	9.9	3
71	Does substance use explain social differences in terms of depression? Findings from the Constances cohort. <i>Comprehensive Psychiatry</i> , 2020 , 102, 152203	7.3	3
70	Greenspace exposure and cancer incidence: A 27-year follow-up of the French GAZEL cohort. <i>Science of the Total Environment</i> , 2021 , 787, 147553	10.2	3
69	Long-term exposure to black carbon and mortality: A 28-year follow-up of the GAZEL cohort. <i>Environment International</i> , 2021 , 157, 106805	12.9	3
68	Primary Cardiovascular Disease Risk Factors Predicted by Poor Working Conditions in the GAZEL Cohort. <i>American Journal of Epidemiology</i> , 2017 , 186, 815-823	3.8	2
67	Poor Perceived Health is Associated with Current use of Electronic Cigarette among Current and Former Smokers: Findings from the CONSTANCES Cohort. <i>European Addiction Research</i> , 2019 , 25, 310-3	14 ⁶	2
66	Hostility, depression and incident cardiac events in the GAZEL cohort. <i>Journal of Affective Disorders</i> , 2020 , 266, 381-386	6.6	2
65	Using filled prescription sequences to rank antidepressants according to their acceptability in the general population: The Constances cohort. <i>Journal of Psychiatric Research</i> , 2020 , 123, 72-80	5.2	2

64	Dose-time response association between occupational asbestos exposure and pleural mesothelioma: authors' response. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 161-162	2.1	2
63	How to optimize the use of biobanks from population-based cohorts in aging research. <i>Biogerontology</i> , 2016 , 17, 221-7	4.5	2
62	Utilisation du protocole de surveillance en entreprise´: expfience du programme de surveillance pidfiniologique des TMS dans les Pays de la Loire. <i>Archives Des Maladies Professionnelles Et De LÆnvironnement</i> , 2010 , 71, 420-423	0.1	2
61	Surveillance pidmiologique des pathologies d?hypersollicitation du membre supfieur d?origine professionnelle. <i>Archives Des Maladies Professionnelles Et De Ll</i> Environnement, 2007 , 68, 153-160	0.1	2
60	Les Semaines des maladies ^caractle professionnel dans les Pays de la Loire. <i>Archives Des Maladies Professionnelles Et De Ll</i> Environnement, 2007 , 68, 223-232	0.1	2
59	Estimation du nombre de femmes fran\(\text{lises}\) risque d\(\text{B}\)st\(\text{oporose}\) susceptibles de b\(\text{h}\)ficier d\(\text{U}\)ne ost\(\text{odensitom}\)trie. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2004 , 71, 790-800	0.1	2
58	Geographical distribution of respiratory cancer in New Caledonia. <i>Archives of Environmental Health</i> , 1987 , 42, 315-20		2
57	Place du passage ^la retraite parmi les dterminants socioprofessionnels de la consommation de boissons alcoolises des volontaires de la Cohorte Gazel. Duiance Et Soci	0.3	2
56	Adverse employment histories and allostatic load: associations over the working life. <i>Journal of Epidemiology and Community Health</i> , 2021 ,	5.1	2
55	Dietary Restrictions and Depressive Symptoms: Longitudinal Results from the Constances Cohort. <i>Nutrients</i> , 2020 , 12,	6.7	2
54	The CONSTANCES Cohort Biobank: An Open Tool for Research in Epidemiology and Prevention of Diseases. <i>Frontiers in Public Health</i> , 2020 , 8, 605133	6	2
53	Comorbidities Are Associated with Fibrosis in NAFLD Subjects: A Nationwide Study (NASH-CO Study). <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	2
52	Do the associations between the use of electronic cigarettes and smoking reduction or cessation attempt persist after several years of use? Longitudinal analyses in smokers of the CONSTANCES cohort. <i>Addictive Behaviors</i> , 2021 , 117, 106843	4.2	2
51	The Underestimated Prevalence of Neglected Chronic Pelvic Pain in Women, a Nationwide Cross-Sectional Study in France. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
50	Association of depressive symptoms and socioeconomic status in determination of blood pressure levels and hypertension: The CONSTANCES population based study. <i>Journal of Affective Disorders</i> , 2021 , 279, 282-291	6.6	2
49	Long-term exposures to PM, black carbon and NO and prevalence of current rhinitis in French adults: The Constances Cohort. <i>Environment International</i> , 2021 , 157, 106839	12.9	2
48	Persistent symptoms after the first wave of COVID-19 in relation to SARS-CoV-2 serology and experience of acute symptoms: A nested survey in a population-based cohort <i>Lancet Regional Health - Europe, The</i> , 2022 , 17, 100363		2
47	Association of neighbourhood disadvantage and individual socioeconomic position with all-cause mortality: a longitudinal multicohort analysis <i>Lancet Public Health, The</i> , 2022 , 7, e447-e457	22.4	2

(2011-2016)

46	Social position modifies the association between severe shoulder/arm and knee/leg pain, and quality of life after retirement. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 63-77	3.2	1
45	Excess non-psychiatric hospitalizations among employees with mental disorders: a 10-year prospective study of the GAZEL cohort. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 307-17	6.5	1
44	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort. <i>PLoS ONE</i> , 2020 , 15, e0232262	3.7	1
43	Cumulative disadvantage during employment careers IThe link between employment histories and stressful working conditions. <i>Advances in Life Course Research</i> , 2020 , 46, 100358	3.1	1
42	Association between occupational solvent exposure and cognitive performance in the French CONSTANCES study. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 223-230	2.1	1
41	Post-approval studies in France, challenges facing medical devices. <i>Therapie</i> , 2014 , 69, 303-21	3.8	1
40	Effets ^long terme des facteurs biomcaniques et psychosociaux professionnels sur les douleurs importantes de la cohorte Gazel. <i>Archives Des Maladies Professionnelles Et De LÆnvironnement</i> , 2013 , 74, 499-508	0.1	1
39	Software for unbiased estimation of attributable risk. <i>Epidemiology</i> , 2012 , 23, 646-7	3.1	1
38	Blood inflammatory phenotypes were associated with distinct clinical expressions of asthma in adults from a large population-based cohort <i>EBioMedicine</i> , 2022 , 76, 103875	8.8	1
37	High Decision Latitude at Work Combined with Traumatic Life Events in Private Life is Associated with Reduced Sleep Quality: Results from the GAZEL Study. <i>Scandinavian Journal of Work and Organizational Psychology</i> , 2018 , 3,	1.8	1
36	Prevalence of Prediabetes and Undiagnosed Diabetes among Adults Aged 18 to 70 Years in FranceThe CONSTANCES Cohort. <i>Diabetes</i> , 2018 , 67, 1657-P	0.9	1
35	Les cohortes għfalistes en population. L\(\textit{E}\)xemple des cohortes Gazel et Constances. <i>Bulletin De L\(\textit{A}\)cademie Nationale De Medecine</i> , 2013 , 197, 299-313	0.1	1
34	The role of being a former smoker in the association between electronic cigarette and alcohol use. <i>Addiction</i> , 2021 , 116, 973-975	4.6	1
33	Anticholinergic Activity of Psychotropic Drugs and Cognitive Impairment Among Participants Aged 45 and Over: The CONSTANCES Study. <i>Drug Safety</i> , 2021 , 44, 565-579	5.1	1
32	Changes in benzodiazepine use in the French general population after November 2015 terrorist attacks in Paris: an interrupted time series analysis of the national CONSTANCES cohort. <i>BMJ Open</i> , 2021 , 11, e044891	3	1
31	Adverse employment histories, work stress and self-reported depression in the French CONSTANCES study. <i>European Journal of Public Health</i> , 2021 , 31, 1230-1236	2.1	1
30	Outdoor air pollution exposure and cognitive performance: findings from the enrolment phase of the CONSTANCES cohort <i>Lancet Planetary Health, The</i> , 2022 , 6, e219-e229	9.8	1
29	Re.: "The health status of nonparticipants in a population-based health study: the Hordaland Health Study". <i>American Journal of Epidemiology</i> , 2011 , 173, 1345; author reply 1345-6	3.8	О

28	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat consumption: longitudinal analyses in the CONSTANCES cohort <i>Scientific Reports</i> , 2022 , 12, 661	4.9	0
27	Evaluation of saliva as a source of accurate whole-genome and microbiome sequencing data. <i>Genetic Epidemiology</i> , 2021 , 45, 537-548	2.6	O
26	Effort-reward imbalance and long-term benzodiazepine use: longitudinal findings from the CONSTANCES cohort. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 993-1001	5.1	0
25	Applying the exposome concept to working life health: The EU EPHOR project <i>Environmental Epidemiology</i> , 2022 , 6, e185	0.2	O
24	Housing environment and mental health of Europeans during the COVID-19 pandemic: a cross-country comparison <i>Scientific Reports</i> , 2022 , 12, 5612	4.9	0
23	Modeling exposure to airborne metals using moss biomonitoring in cemeteries in two urban areas around Paris and Lyon in France <i>Environmental Pollution</i> , 2022 , 303, 119097	9.3	O
22	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2022 , 19, 100417		0
21	Carpal tunnel syndrome and exposure to work-related biomechanical stressors and chemicals: Findings from the Constances cohort. <i>PLoS ONE</i> , 2020 , 15, e0235051	3.7	
20	Organisation de la vigilance ^partir des observations de terrain : exemple ^partir du cluster de cas de cancers du rein dune entreprise du lier : du signalement ^laction, critique positive et ngative. Archives Des Maladies Professionnelles Et De LlEnvironnement, 2012, 73, 416-418	0.1	
19	Batimex : une matrice emplois-expositions pour le ciment chez les travailleurs de la construction [] Conception et validation. <i>Archives Des Maladies Professionnelles Et De LÆnvironnement</i> , 2009 , 70, 502-5	15.1	
18	Eudes pidmiologiques de cohorte «´exposs Ehon-exposs´». EMC - Pathologie Professionnelle Et De L Environnement, 2010 , 5, 1-8		
17	Respective Mediating Effects of Social Position and Work Environment on the Incidence of Common Cardiovascular Risk Factors <i>Journal of the American Heart Association</i> , 2022 , e021373	6	
16	Influence of exposure assessment methods on associations between long-term exposure to outdoor fine particulate matter and risk of cancer in the French cohort Gazel <i>Science of the Total Environment</i> , 2022 , 820, 153098	10.2	
15	Towards quantifying the reciprocal associations between frequency of cannabis use and alcohol consumption: a cross-lagged analysis from the CONSTANCES cohort <i>BMJ Open</i> , 2022 , 12, e052819	3	
14	Estimated confounding from smoking in a cohort of 20,000 French electrical workers. <i>Epidemiologia E Prevenzione</i> , 1992 , 14, 43-51	1.1	
13	Current management of mediastinal tumors. <i>Oncology</i> , 1994 , 8, 99-110; discussion 110-1	1.8	
12	Flux scuriss de donnes ^caractile personnel dans la cohorte Constances. <i>Journal De Gestion Et D'illionomie Millicales</i> , 2012 , 30, 395	2	
11	Lifetime Duration of Exposure to Biomechanical Factors at Work as a Mediator of the Relationship Between Socioeconomic Position and Walking Speed. <i>Frontiers in Public Health</i> , 2020 , 8, 412	6	

LIST OF PUBLICATIONS

10	O3D.7 Constances: a population-based cohort for occupational epidemiology. <i>Occupational and Environmental Medicine</i> , 2019 , 76, A29.2-A29	2.1
9	Adhfence aux traitements et autres facteurs associs au contrie de lilypertension artfielle ; rsultats de la cohorte Constances couple au Systine national des donnes de sant. Revue DiEpidemiologie Et De Sante Publique, 2019 , 67, S179-S180	0.6
8	P3-584: SOLVENTS, LIVING ENVIRONMENT AND COGNITIVE PERFORMANCE 2018 , 14, P1348-P1349	
7	Rheumatoid arthritis, as a clinical disease, but not rheumatoid arthritis-associated autoimmunity, is linked to cardiovascular events <i>Arthritis Research and Therapy</i> , 2022 , 24, 56	5.7
6	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort 2020 , 15, e0232262	
5	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort 2020 , 15, e0232262	
4	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort 2020 , 15, e0232262	
3	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort 2020 , 15, e0232262	
2	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort 2020 , 15, e0232262	
1	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort 2020 , 15, e0232262	