

Zafar Nawaz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5345649/publications.pdf>

Version: 2024-02-01

34
papers

3,385
citations

279798

23
h-index

395702

33
g-index

36
all docs

36
docs citations

36
times ranked

2769
citing authors

#	ARTICLE	IF	CITATIONS
1	Coactivator and Corepressor Regulation of the Agonist/Antagonist Activity of the Mixed Antiestrogen, 4-Hydroxytamoxifen. <i>Molecular Endocrinology</i> , 1997, 11, 657-666.	3.7	585
2	The 26S Proteasome Is Required for Estrogen Receptor- β and Coactivator Turnover and for Efficient Estrogen Receptor- β Transactivation. <i>Molecular Cell</i> , 2000, 5, 939-948.	9.7	526
3	The Angelman Syndrome-Associated Protein, E6-AP, Is a Coactivator for the Nuclear Hormone Receptor Superfamily. <i>Molecular and Cellular Biology</i> , 1999, 19, 1182-1189.	2.3	394
4	Nuclear receptor coactivators: multiple enzymes, multiple complexes, multiple functions Proceedings of Xth International Congress on Hormonal Steroids, Quebec, Canada, 17-21 June 1998. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1999, 69, 3-12.	2.5	368
5	Coactivator and Corepressor Regulation of the Agonist/Antagonist Activity of the Mixed Antiestrogen, 4-Hydroxytamoxifen. <i>Molecular Endocrinology</i> , 1997, 11, 657-666.	3.7	207
6	Gene Silencing by Chicken Ovalbumin Upstream Promoter-Transcription Factor I (COUP-TFI) Is Mediated by Transcriptional Corepressors, Nuclear Receptor-Corepressor (N-CoR) and Silencing Mediator for Retinoic Acid Receptor and Thyroid Hormone Receptor (SMRT). <i>Molecular Endocrinology</i> , 1997, 11, 714-724.	3.7	149
7	Urban Renewal in the Nucleus: Is Protein Turnover by Proteasomes Absolutely Required for Nuclear Receptor-Regulated Transcription?. <i>Molecular Endocrinology</i> , 2004, 18, 493-499.	3.7	125
8	E6-associated protein (E6-AP) is a dual function coactivator of steroid hormone receptors. <i>Nuclear Receptor Signaling</i> , 2008, 6, nrs.06006.	1.0	92
9	Genetic Ablation of the Steroid Receptor Coactivator-Ubiquitin Ligase, E6-AP, Results in Tissue-Selective Steroid Hormone Resistance and Defects in Reproduction. <i>Molecular and Cellular Biology</i> , 2002, 22, 525-535.	2.3	73
10	The roles of sex steroid receptor coregulators in cancer. <i>Molecular Cancer</i> , 2002, 1, 7.	19.2	71
11	Multifunction Steroid Receptor Coactivator, E6-Associated Protein, Is Involved in Development of the Prostate Gland. <i>Molecular Endocrinology</i> , 2006, 20, 544-559.	3.7	71
12	WW Domain Binding Protein-2, an E6-Associated Protein Interacting Protein, Acts as a Coactivator of Estrogen and Progesterone Receptors. <i>Molecular Endocrinology</i> , 2006, 20, 2343-2354.	3.7	69
13	Long-Range Activation of GREB1 by Estrogen Receptor via Three Distal Consensus Estrogen-Responsive Elements in Breast Cancer Cells. <i>Molecular Endocrinology</i> , 2007, 21, 2651-2662.	3.7	67
14	Gene Silencing by Chicken Ovalbumin Upstream Promoter-Transcription Factor I (COUP-TFI) Is Mediated by Transcriptional Corepressors, Nuclear Receptor-Corepressor (N-CoR) and Silencing Mediator for Retinoic Acid Receptor and Thyroid Hormone Receptor (SMRT). <i>Molecular Endocrinology</i> , 1997, 11, 714-724.	3.7	65
15	Loss of Yes-associated protein (YAP) expression is associated with estrogen and progesterone receptors negativity in invasive breast carcinomas. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 743-750.	2.5	60
16	Specific Ubiquitin-Conjugating Enzymes Promote Degradation of Specific Nuclear Receptor Coactivators. <i>Molecular Endocrinology</i> , 2003, 17, 1315-1331.	3.7	57
17	Decreased Expression of E6-Associated Protein in Breast and Prostate Carcinomas. <i>Endocrinology</i> , 2005, 146, 1707-1712.	2.8	49
18	Nuclear hormone receptor degradation and gene transcription: An update. <i>IUBMB Life</i> , 2005, 57, 483-490.	3.4	43

#	ARTICLE	IF	CITATIONS
19	Ubiquitin and control of transcription. <i>Essays in Biochemistry</i> , 2005, 41, 69.	4.7	42
20	The yeast SIN3 gene product negatively regulates the activity of the human progesterone receptor and positively regulates the activities of GAL4 and the HAP1 activator. <i>Molecular Genetics and Genomics</i> , 1994, 245, 724-733.	2.4	36
21	Biophysical Analysis of Binding of WW Domains of the YAP2 Transcriptional Regulator to PPXY Motifs within WBP1 and WBP2 Adaptors. <i>Biochemistry</i> , 2011, 50, 9616-9627.	2.5	30
22	E3 ubiquitin protein ligase, E6-associated protein (E6-AP) regulates PI3K-Akt signaling and prostate cell growth. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2011, 1809, 119-127.	1.9	28
23	Isoform-Specific Degradation of PR-B by E6-AP Is Critical for Normal Mammary Gland Development. <i>Molecular Endocrinology</i> , 2010, 24, 2099-2113.	3.7	24
24	Molecular mechanism of WW domain binding protein α 2 coactivation function in estrogen receptor signaling. <i>IUBMB Life</i> , 2013, 65, 76-84.	3.4	23
25	E6AP in the Brain: One Protein, Dual Function, Multiple Diseases. <i>Molecular Neurobiology</i> , 2014, 49, 827-839.	4.0	21
26	The dual function steroid receptor coactivator/ubiquitin protein-ligase integrator E6-AP is overexpressed in mouse mammary tumorigenesis. <i>Breast Cancer Research and Treatment</i> , 2000, 62, 185-195.	2.5	20
27	Overexpression of ligase defective E6-associated protein, E6-AP, results in mammary tumorigenesis. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 97-108.	2.5	20
28	E6-AP facilitates efficient transcription at estrogen responsive promoters through recruitment of chromatin modifiers. <i>Steroids</i> , 2011, 76, 897-902.	1.8	17
29	Loss of Angelman Syndrome Protein E6AP Disrupts a Novel Antagonistic Estrogen-Retinoic Acid Transcriptional Crosstalk in Neurons. <i>Molecular Neurobiology</i> , 2018, 55, 7187-7200.	4.0	15
30	Tumor Necrosis Factor Receptor Associated Factors (TRAFs) 2 and 3 Form a Transcriptional Complex with Phospho-RNA Polymerase II and p53 in CD40 Ligand Activated Neuro2a Cells. <i>Molecular Neurobiology</i> , 2017, 54, 1301-1313.	4.0	11
31	Creation of an active estrogen-responsive element by a single base change in the flanking sequence of a cellular oncogene: A possible mechanism for hormonal carcinogenesis?. <i>Molecular Carcinogenesis</i> , 1993, 7, 76-82.	2.7	10
32	Ubiquitination of nuclear receptors. <i>Clinical Science</i> , 2017, 131, 917-934.	4.3	10
33	Nuclear hormone receptor co-regulators. <i>Current Opinion in Drug Discovery & Development</i> , 2003, 6, 692-701.	1.9	7
34	Characterizing PTGER4 as a Target Gene of Autism Protein E6AP. <i>FASEB Journal</i> , 2018, 32, 648.2.	0.5	0