

Zafar Nawaz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5345649/publications.pdf>

Version: 2024-02-01

34
papers

3,385
citations

279798

23
h-index

395702

33
g-index

36
all docs

36
docs citations

36
times ranked

2769
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Loss of Angelman Syndrome Protein E6AP Disrupts a Novel Antagonistic Estrogen-Retinoic Acid Transcriptional Crosstalk in Neurons. <i>Molecular Neurobiology</i> , 2018, 55, 7187-7200. | 4.0 | 15 |
| 2 | Characterizing PTGER4 as a Target Gene of Autism Protein E6AP. <i>FASEB Journal</i> , 2018, 32, 648.2. | 0.5 | 0 |
| 3 | Tumor Necrosis Factor Receptor Associated Factors (TRAFs) 2 and 3 Form a Transcriptional Complex with Phospho-RNA Polymerase II and p53 in CD40 Ligand Activated Neuro2a Cells. <i>Molecular Neurobiology</i> , 2017, 54, 1301-1313. | 4.0 | 11 |
| 4 | Ubiquitination of nuclear receptors. <i>Clinical Science</i> , 2017, 131, 917-934. | 4.3 | 10 |
| 5 | E6AP in the Brain: One Protein, Dual Function, Multiple Diseases. <i>Molecular Neurobiology</i> , 2014, 49, 827-839. | 4.0 | 21 |
| 6 | Molecular mechanism of WW domain binding protein-2 coactivation function in estrogen receptor signaling. <i>IUBMB Life</i> , 2013, 65, 76-84. | 3.4 | 23 |
| 7 | Loss of Yes-associated protein (YAP) expression is associated with estrogen and progesterone receptors negativity in invasive breast carcinomas. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 743-750. | 2.5 | 60 |
| 8 | Overexpression of ligase defective E6-associated protein, E6-AP, results in mammary tumorigenesis. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 97-108. | 2.5 | 20 |
| 9 | Biophysical Analysis of Binding of WW Domains of the YAP2 Transcriptional Regulator to PPXY Motifs within WBP1 and WBP2 Adaptors. <i>Biochemistry</i> , 2011, 50, 9616-9627. | 2.5 | 30 |
| 10 | E3 ubiquitin protein ligase, E6-associated protein (E6-AP) regulates PI3K-Akt signaling and prostate cell growth. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2011, 1809, 119-127. | 1.9 | 28 |
| 11 | E6-AP facilitates efficient transcription at estrogen responsive promoters through recruitment of chromatin modifiers. <i>Steroids</i> , 2011, 76, 897-902. | 1.8 | 17 |
| 12 | Isoform-Specific Degradation of PR-B by E6-AP Is Critical for Normal Mammary Gland Development. <i>Molecular Endocrinology</i> , 2010, 24, 2099-2113. | 3.7 | 24 |
| 13 | E6-associated protein (E6-AP) is a dual function coactivator of steroid hormone receptors. <i>Nuclear Receptor Signaling</i> , 2008, 6, nrs.06006. | 1.0 | 92 |
| 14 | Long-Range Activation of GREB1 by Estrogen Receptor via Three Distal Consensus Estrogen-Responsive Elements in Breast Cancer Cells. <i>Molecular Endocrinology</i> , 2007, 21, 2651-2662. | 3.7 | 67 |
| 15 | Multifunction Steroid Receptor Coactivator, E6-Associated Protein, Is Involved in Development of the Prostate Gland. <i>Molecular Endocrinology</i> , 2006, 20, 544-559. | 3.7 | 71 |
| 16 | WW Domain Binding Protein-2, an E6-Associated Protein Interacting Protein, Acts as a Coactivator of Estrogen and Progesterone Receptors. <i>Molecular Endocrinology</i> , 2006, 20, 2343-2354. | 3.7 | 69 |
| 17 | Nuclear hormone receptor degradation and gene transcription: An update. <i>IUBMB Life</i> , 2005, 57, 483-490. | 3.4 | 43 |
| 18 | Decreased Expression of E6-Associated Protein in Breast and Prostate Carcinomas. <i>Endocrinology</i> , 2005, 146, 1707-1712. | 2.8 | 49 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Ubiquitin and control of transcription. <i>Essays in Biochemistry</i> , 2005, 41, 69. | 4.7 | 42 |
| 20 | Urban Renewal in the Nucleus: Is Protein Turnover by Proteasomes Absolutely Required for Nuclear Receptor-Regulated Transcription?. <i>Molecular Endocrinology</i> , 2004, 18, 493-499. | 3.7 | 125 |
| 21 | Specific Ubiquitin-Conjugating Enzymes Promote Degradation of Specific Nuclear Receptor Coactivators. <i>Molecular Endocrinology</i> , 2003, 17, 1315-1331. | 3.7 | 57 |
| 22 | Nuclear hormone receptor co-regulators. <i>Current Opinion in Drug Discovery & Development</i> , 2003, 6, 692-701. | 1.9 | 7 |
| 23 | Genetic Ablation of the Steroid Receptor Coactivator-Ubiquitin Ligase, E6-AP, Results in Tissue-Selective Steroid Hormone Resistance and Defects in Reproduction. <i>Molecular and Cellular Biology</i> , 2002, 22, 525-535. | 2.3 | 73 |
| 24 | The roles of sex steroid receptor coregulators in cancer. <i>Molecular Cancer</i> , 2002, 1, 7. | 19.2 | 71 |
| 25 | The dual function steroid receptor coactivator/ubiquitin protein-ligase integrator E6-AP is overexpressed in mouse mammary tumorigenesis. <i>Breast Cancer Research and Treatment</i> , 2000, 62, 185-195. | 2.5 | 20 |
| 26 | The 26S Proteasome Is Required for Estrogen Receptor- β and Coactivator Turnover and for Efficient Estrogen Receptor- β Transactivation. <i>Molecular Cell</i> , 2000, 5, 939-948. | 9.7 | 526 |
| 27 | Nuclear receptor coactivators: multiple enzymes, multiple complexes, multiple functions Proceedings of Xth International Congress on Hormonal Steroids, Quebec, Canada, 17-21 June 1998.. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1999, 69, 3-12. | 2.5 | 368 |
| 28 | The Angelman Syndrome-Associated Protein, E6-AP, Is a Coactivator for the Nuclear Hormone Receptor Superfamily. <i>Molecular and Cellular Biology</i> , 1999, 19, 1182-1189. | 2.3 | 394 |
| 29 | Coactivator and Corepressor Regulation of the Agonist/Antagonist Activity of the Mixed Antiestrogen, 4-Hydroxytamoxifen. <i>Molecular Endocrinology</i> , 1997, 11, 657-666. | 3.7 | 585 |
| 30 | Gene Silencing by Chicken Ovalbumin Upstream Promoter-Transcription Factor I (COUP-TFI) Is Mediated by Transcriptional Corepressors, Nuclear Receptor-Corepressor (N-CoR) and Silencing Mediator for Retinoic Acid Receptor and Thyroid Hormone Receptor (SMRT). <i>Molecular Endocrinology</i> , 1997, 11, 714-724. | 3.7 | 149 |
| 31 | Coactivator and Corepressor Regulation of the Agonist/Antagonist Activity of the Mixed Antiestrogen, 4-Hydroxytamoxifen. <i>Molecular Endocrinology</i> , 1997, 11, 657-666. | 3.7 | 207 |
| 32 | Gene Silencing by Chicken Ovalbumin Upstream Promoter-Transcription Factor I (COUP-TFI) Is Mediated by Transcriptional Corepressors, Nuclear Receptor-Corepressor (N-CoR) and Silencing Mediator for Retinoic Acid Receptor and Thyroid Hormone Receptor (SMRT). <i>Molecular Endocrinology</i> , 1997, 11, 714-724. | 3.7 | 65 |
| 33 | The yeast SIN3 gene product negatively regulates the activity of the human progesterone receptor and positively regulates the activities of GAL4 and the HAP1 activator. <i>Molecular Genetics and Genomics</i> , 1994, 245, 724-733. | 2.4 | 36 |
| 34 | Creation of an active estrogen-responsive element by a single base change in the flanking sequence of a cellular oncogene: A possible mechanism for hormonal carcinogenesis?. <i>Molecular Carcinogenesis</i> , 1993, 7, 76-82. | 2.7 | 10 |