

Maria T Voso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5345984/publications.pdf>

Version: 2024-02-01

254
papers

8,518
citations

47004

47
h-index

66906

78
g-index

261
all docs

261
docs citations

261
times ranked

8767
citing authors

#	ARTICLE	IF	CITATIONS
1	Implications of TP53 allelic state for genome stability, clinical presentation and outcomes in myelodysplastic syndromes. <i>Nature Medicine</i> , 2020, 26, 1549-1556.	30.7	372
2	Gemtuzumab Ozogamicin Versus Best Supportive Care in Older Patients With Newly Diagnosed Acute Myeloid Leukemia Unsuitable for Intensive Chemotherapy: Results of the Randomized Phase III EORTC-GIMEMA AML-19 Trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 972-979.	1.6	296
3	PU.1 (Spi-1) and C/EBP β Regulate Expression of the Granulocyte-Macrophage Colony-Stimulating Factor Receptor β Gene. <i>Molecular and Cellular Biology</i> , 1995, 15, 5830-5845.	2.3	271
4	Molecular International Prognostic Scoring System for Myelodysplastic Syndromes. , 2022, 1, .		259
5	Neutrophils and monocytes express high levels of PU.1 (Spi-1) but not Spi-B. <i>Blood</i> , 1995, 85, 2918-2928.	1.4	212
6	Clinical Effects of Driver Somatic Mutations on the Outcomes of Patients With Myelodysplastic Syndromes Treated With Allogeneic Hematopoietic Stem-Cell Transplantation. <i>Journal of Clinical Oncology</i> , 2016, 34, 3627-3637.	1.6	204
7	Therapy-related leukemia and myelodysplasia: susceptibility and incidence. <i>Haematologica</i> , 2007, 92, 1389-1398.	3.5	184
8	GIMEMA AML1310 trial of risk-adapted, MRD-directed therapy for young adults with newly diagnosed acute myeloid leukemia. <i>Blood</i> , 2019, 134, 935-945.	1.4	148
9	Inhibition of hematopoiesis by competitive binding of transcription factor PU.1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 7932-7936.	7.1	142
10	Eltrombopag versus placebo for low-risk myelodysplastic syndromes with thrombocytopenia (EQoL-MDS): phase 1 results of a single-blind, randomised, controlled, phase 2 superiority trial. <i>Lancet Haematology</i> , 2017, 4, e127-e136.	4.6	132
11	Impact of NPM1/FLT3-ITD genotypes defined by the 2017 European LeukemiaNet in patients with acute myeloid leukemia. <i>Blood</i> , 2020, 135, 371-380.	1.4	127
12	Classification and Personalized Prognostic Assessment on the Basis of Clinical and Genomic Features in Myelodysplastic Syndromes. <i>Journal of Clinical Oncology</i> , 2021, 39, 1223-1233.	1.6	127
13	Revised International Prognostic Scoring System (IPSS) Predicts Survival and Leukemic Evolution of Myelodysplastic Syndromes Significantly Better Than IPSS and WHO Prognostic Scoring System: Validation by the Gruppo Romano Mielodisplasie Italian Regional Database. <i>Journal of Clinical Oncology</i> , 2013, 31, 2671-2677.	1.6	121
14	Granulocyte colony-stimulating factor promotes the generation of regulatory DC through induction of IL-10 and IFN γ . <i>European Journal of Immunology</i> , 2004, 34, 1291-1302.	2.9	120
15	Therapy Related Leukemias: Susceptibility, Prevention and Treatment. <i>Leukemia and Lymphoma</i> , 2001, 41, 255-276.	1.3	115
16	Prevalence of HCV infection in nongastric marginal zone B-cell lymphoma of MALT. <i>Annals of Oncology</i> , 2007, 18, 346-350.	1.2	111
17	Function of PU.1 (Spi-1), C/EBP, and AML1 in Early Myelopoiesis: Regulation of Multiple Myeloid CSF Receptor Promoters. <i>Current Topics in Microbiology and Immunology</i> , 1996, 211, 137-147.	1.1	111
18	Negative prognostic value of glutathione S-transferase (GSTM1 and GSTT1) deletions in adult acute myeloid leukemia. <i>Blood</i> , 2002, 100, 2703-2707.	1.4	110

#	ARTICLE	IF	CITATIONS
19	Cell-free circulating DNA in Hodgkin's and non-Hodgkin's lymphomas. <i>Annals of Oncology</i> , 2009, 20, 1408-1413.	1.2	110
20	Valproic Acid at Therapeutic Plasma Levels May Increase 5-Azacytidine Efficacy in Higher Risk Myelodysplastic Syndromes. <i>Clinical Cancer Research</i> , 2009, 15, 5002-5007.	7.0	103
21	Inhibitors of DNA methylation in the treatment of hematological malignancies and MDS. <i>Clinical Immunology</i> , 2003, 109, 89-102.	3.2	93
22	Characteristics and outcome of therapy-related myeloid neoplasms: Report from the Italian network on secondary leukemias. <i>American Journal of Hematology</i> , 2015, 90, E80-5.	4.1	93
23	MRD in AML: The Role of New Techniques. <i>Frontiers in Oncology</i> , 2019, 9, 655.	2.8	93
24	Deferasirox for transfusion-dependent patients with myelodysplastic syndromes: safety, efficacy, and beyond (GIMEMA MDS0306 Trial). <i>European Journal of Haematology</i> , 2014, 92, 527-536.	2.2	90
25	The Viral Load of Epstein-Barr Virus (EBV) DNA in Peripheral Blood Predicts for Biological and Clinical Characteristics in Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2011, 17, 2885-2892.	7.0	89
26	Anemia in Hodgkin's Lymphoma: The Role of Interleukin-6 and Hecpidin. <i>Journal of Clinical Oncology</i> , 2010, 28, 2538-2543.	1.6	86
27	Incidence and susceptibility to therapy-related myeloid neoplasms. <i>Chemico-Biological Interactions</i> , 2010, 184, 39-45.	4.0	85
28	In vivo depletion of B cells using a combination of high-dose cytosine arabinoside/mitoxantrone and rituximab for autografting in patients with non-Hodgkin's lymphoma. <i>British Journal of Haematology</i> , 2000, 109, 729-735.	2.5	80
29	Fludarabine and mitoxantrone followed by yttrium-90 ibritumomab tiuxetan in previously untreated patients with follicular non-Hodgkin lymphoma trial: a phase II non-randomised trial (FLUMIZ). <i>Lancet Oncology</i> , The, 2008, 9, 352-358.	10.7	80
30	Expression of nucleoside-metabolizing enzymes in myelodysplastic syndromes and modulation of response to azacitidine. <i>Leukemia</i> , 2014, 28, 621-628.	7.2	80
31	Aberrant methylation of DAP-kinase in therapy-related acute myeloid leukemia and myelodysplastic syndromes. <i>Blood</i> , 2004, 103, 698-700.	1.4	79
32	Glutathione S-transferase P1 Genotype and Prognosis in Hodgkin's Lymphoma. <i>Clinical Cancer Research</i> , 2005, 11, 2175-2179.	7.0	77
33	Prognostic value of self-reported fatigue on overall survival in patients with myelodysplastic syndromes: a multicentre, prospective, observational, cohort study. <i>Lancet Oncology</i> , The, 2015, 16, 1506-1514.	10.7	76
34	PML-RAR α kinetics and impact of FLT3-ITD mutations in newly diagnosed acute promyelocytic leukaemia treated with ATRA and ATO or ATRA and chemotherapy. <i>Leukemia</i> , 2016, 30, 1987-1992.	7.2	75
35	Molecular analysis of t(15;17) genomic breakpoints in secondary acute promyelocytic leukemia arising after treatment of multiple sclerosis. <i>Blood</i> , 2008, 112, 3383-3390.	1.4	74
36	Neutrophils and monocytes express high levels of PU.1 (Spi-1) but not Spi-B. <i>Blood</i> , 1995, 85, 2918-28.	1.4	71

#	ARTICLE	IF	CITATIONS
37	Acute Promyelocytic Leukemia: Update on the Mechanisms of Leukemogenesis, Resistance and on Innovative Treatment Strategies. <i>Cancers</i> , 2019, 11, 1591.	3.7	70
38	Reduced BRCA1 expression due to promoter hypermethylation in therapy-related acute myeloid leukaemia. <i>British Journal of Cancer</i> , 2006, 95, 1108-1113.	6.4	69
39	Nongastric Marginal Zone B-Cell MALT Lymphoma: Prognostic Value of Disease Dissemination. <i>Oncologist</i> , 2006, 11, 285-291.	3.7	63
40	Increased risk of acute myeloid leukaemia due to polymorphisms in detoxification and DNA repair enzymes. <i>Annals of Oncology</i> , 2007, 18, 1523-1528.	1.2	61
41	Why methylation is not a marker predictive of response to hypomethylating agents. <i>Haematologica</i> , 2014, 99, 613-619.	3.5	61
42	High rate of remissions in chronic myelomonocytic leukemia treated with 5-azacytidine: results of an Italian retrospective study. <i>Leukemia and Lymphoma</i> , 2013, 54, 658-661.	1.3	54
43	Therapy-related myelodysplastic syndromes deserve specific diagnostic sub-classification and risk-stratification—an approach to classification of patients with t-MDS. <i>Leukemia</i> , 2021, 35, 835-849.	7.2	54
44	Immunomagnetic selection of CD34 + peripheral blood stem cells for autografting in patients with breast cancer. <i>British Journal of Haematology</i> , 1997, 97, 881-888.	2.5	51
45	Decision analysis of allogeneic hematopoietic stem cell transplantation for patients with myelodysplastic syndrome stratified according to the revised International Prognostic Scoring System. <i>Leukemia</i> , 2017, 31, 2449-2457.	7.2	51
46	Midostaurin reduces relapse in FLT3-mutant acute myeloid leukemia: the Alliance CALGB 10603/RATIFY trial. <i>Leukemia</i> , 2021, 35, 2539-2551.	7.2	51
47	CDDO induces granulocytic differentiation of myeloid leukemic blasts through translational up-regulation of p42 CCAAT enhancer-binding protein alpha. <i>Blood</i> , 2007, 110, 3695-3705.	1.4	50
48	Passenger lymphocyte syndrome with severe hemolytic anemia due to an anti-Jka after allogeneic PBPC transplantation. <i>Transfusion</i> , 2000, 40, 632-636.	1.6	49
49	Therapy-related myeloid neoplasms. <i>Current Opinion in Oncology</i> , 2011, 23, 672-680.	2.4	49
50	Outcome of therapy-related myeloid neoplasms treated with azacitidine. <i>Journal of Hematology and Oncology</i> , 2012, 5, 44.	17.0	49
51	Polymorphism in cytokine genes as prognostic markers in Hodgkin's lymphoma. <i>Annals of Oncology</i> , 2007, 18, 1376-1381.	1.2	47
52	High-dose ascorbate and arsenic trioxide selectively kill acute myeloid leukemia and acute promyelocytic leukemia blasts <i>in vitro</i> . <i>Oncotarget</i> , 2017, 8, 32550-32565.	1.8	47
53	Prognostic factors for the clinical outcome of patients with follicular lymphoma following high-dose therapy and peripheral blood stem cell transplantation (PBSCT). <i>Bone Marrow Transplantation</i> , 2000, 25, 957-964.	2.4	46
54	Feasibility of allogeneic stem-cell transplantation after azacitidine bridge in higher-risk myelodysplastic syndromes and low blast count acute myeloid leukemia: results of the BMT-AZA prospective study. <i>Annals of Oncology</i> , 2017, 28, 1547-1553.	1.2	46

#	ARTICLE	IF	CITATIONS
55	Long-term results of all-trans retinoic acid and arsenic trioxide in non-high-risk acute promyelocytic leukemia: update of the APL0406 Italian-German randomized trial. <i>Leukemia</i> , 2020, 34, 914-918.	7.2	46
56	Polymorphisms of CYP1A1 and glutathione S-transferase and susceptibility to adult acute myeloid leukemia. <i>Haematologica</i> , 2004, 89, 664-70.	3.5	46
57	Analysis of genome-wide methylation and gene expression induced by 5-aza-2-deoxycytidine identifies BCL2L10 as a frequent methylation target in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2010, 51, 2275-2284.	1.3	43
58	Anemia in diffuse large B-cell non-Hodgkin lymphoma: the role of interleukin-6, hepcidin and erythropoietin. <i>Leukemia and Lymphoma</i> , 2014, 55, 270-275.	1.3	43
59	Association between glutathione S-transferase genotypes and Hodgkin's lymphoma risk and prognosis. <i>Clinical Cancer Research</i> , 2003, 9, 3435-40.	7.0	43
60	Identification of a Novel Subpopulation of Human Cord Blood CD34 ⁺ CD133 ⁺ CD7 ⁺ CD45 ⁺ Lineage ⁻ Cells Capable of Lymphoid/NK Cell Differentiation After In Vitro Exposure to IL-15. <i>Journal of Immunology</i> , 2003, 171, 2977-2988.	0.8	42
61	Epigenetic Treatment of Myelodysplastic Syndromes and Acute Myeloid Leukemias. <i>Current Medicinal Chemistry</i> , 2008, 15, 1274-1287.	2.4	42
62	Impairment of PI3K/AKT and WNT/ β -catenin pathways in bone marrow mesenchymal stem cells isolated from patients with myelodysplastic syndromes. <i>Experimental Hematology</i> , 2016, 44, 75-83.e4.	0.4	42
63	Molecular landscape and prognostic impact of FLT3-ITD insertion site in acute myeloid leukemia: RATIFY study results. <i>Leukemia</i> , 2022, 36, 90-99.	7.2	42
64	Autografting with CD34+ peripheral blood stem cells: retained engraftment capability and reduced tumour cell content. <i>British Journal of Haematology</i> , 1999, 104, 382-391.	2.5	40
65	Role of BCL2L10 methylation and TET2 mutations in higher risk myelodysplastic syndromes treated with 5-Azacitidine. <i>Leukemia</i> , 2011, 25, 1910-1913.	7.2	40
66	A randomized phase 2 trial of azacitidine with or without durvalumab as first-line therapy for older patients with AML. <i>Blood Advances</i> , 2022, 6, 2219-2229.	5.2	40
67	Involvement of central nervous system in adult patients with acute myeloid leukemia: Incidence and impact on outcome. <i>Seminars in Hematology</i> , 2018, 55, 209-214.	3.4	39
68	Preference for involvement in treatment decisions and request for prognostic information in newly diagnosed patients with higher-risk myelodysplastic syndromes. <i>Annals of Oncology</i> , 2014, 25, 447-454.	1.2	38
69	Oral azacitidine prolongs survival of patients with AML in remission independently of measurable residual disease status. <i>Blood</i> , 2022, 139, 2145-2155.	1.4	38
70	Risk of acute promyelocytic leukemia in multiple sclerosis. <i>Neurology</i> , 2011, 76, 1059-1065.	1.1	37
71	Rapid loss of response after withdrawal of treatment with azacitidine: a case series in patients with higher-risk myelodysplastic syndromes or chronic myelomonocytic leukemia. <i>European Journal of Haematology</i> , 2013, 90, 345-348.	2.2	37
72	Prognostic role of glutathione S-transferase polymorphisms in acute myeloid leukemia. <i>Leukemia</i> , 2008, 22, 1685-1691.	7.2	36

#	ARTICLE	IF	CITATIONS
73	Epigenetic changes in therapy-related MDS/AML. <i>Chemico-Biological Interactions</i> , 2010, 184, 46-49.	4.0	36
74	Interleukin-6 plasma levels are modulated by a polymorphism in the <i>NF-κB1</i> gene and are associated with outcome following rituximab-combined chemotherapy in diffuse large B-cell non-Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2012, 53, 411-416.	1.3	36
75	Design of the randomized, Phase III, QUAZAR AML Maintenance trial of CC-486 (oral azacitidine) maintenance therapy in acute myeloid leukemia. <i>Future Oncology</i> , 2016, 12, 293-302.	2.4	36
76	Midostaurin in patients with acute myeloid leukemia and FLT3-TKD mutations: a subanalysis from the RATIFY trial. <i>Blood Advances</i> , 2020, 4, 4945-4954.	5.2	34
77	Somatic mutations as markers of outcome after azacitidine and allogeneic stem cell transplantation in higher-risk myelodysplastic syndromes. <i>Leukemia</i> , 2019, 33, 785-790.	7.2	33
78	Differential sensitivity of leukemic and normal hematopoietic progenitors to the killing effect of hyperthermia and quercetin used in combination: Role of heat-shock protein-70. , 1997, 73, 75-83.		32
79	Fanconi anemia gene variants in therapy-related myeloid neoplasms. <i>Blood Cancer Journal</i> , 2015, 5, e323-e323.	6.2	32
80	Clinical significance of interleukin-10 gene polymorphisms and plasma levels in Hodgkin lymphoma. <i>Leukemia Research</i> , 2009, 33, 1352-1356.	0.8	31
81	Standard dose and prolonged administration of azacitidine are associated with improved efficacy in a real-world group of patients with myelodysplastic syndrome or low blast count acute myeloid leukemia. <i>European Journal of Haematology</i> , 2016, 96, 344-351.	2.2	31
82	Design and rationale of the QUAZAR Lower-Risk MDS (AZA-MDS-003) trial: a randomized phase 3 study of CC-486 (oral azacitidine) plus best supportive care vs placebo plus best supportive care in patients with IPSS lower-risk myelodysplastic syndromes and poor prognosis due to red blood cell transfusion-dependent anemia and thrombocytopenia. <i>BMC Hematology</i> , 2016, 16, 12.	2.6	31
83	The small-molecule compound AC-73 targeting CD147 inhibits leukemic cell proliferation, induces autophagy and increases the chemotherapeutic sensitivity of acute myeloid leukemia cells. <i>Haematologica</i> , 2019, 104, 973-985.	3.5	31
84	Gemtuzumab ozogamicin, cytosine arabinoside, G-CSF combination (G-AraMy) in the treatment of elderly patients with poor-prognosis acute myeloid leukemia. <i>Annals of Oncology</i> , 2008, 19, 128-134.	1.2	30
85	Baseline T-lymphocyte subset absolute counts can predict both outcome and severity in SARS-CoV-2 infected patients: a single center study. <i>Scientific Reports</i> , 2021, 11, 12762.	3.3	29
86	Promoter methylation of DAPK1, E-cadherin and thrombospondin-1 in de novo and therapy-related myeloid neoplasms. <i>Blood Cells, Molecules, and Diseases</i> , 2010, 45, 181-185.	1.4	28
87	Impaired bactericidal and fungicidal activities of neutrophils in patients with myelodysplastic syndrome. <i>Leukemia Research</i> , 2012, 36, 331-333.	0.8	28
88	CD 68+ cell count, early evaluation with PET and plasma TARC levels predict response in Hodgkin lymphoma. <i>Cancer Medicine</i> , 2016, 5, 398-406.	2.8	28
89	The Growth of Primary Low-Grade B-Cell Gastric Lymphoma Is Sustained by <i>Helicobacter pylori</i> . <i>Scandinavian Journal of Gastroenterology</i> , 1997, 32, 285-287.	1.5	27
90	Lack of t(14; 18) Polymerase Chain Reaction-Positive Cells in Highly Purified CD34+ Cells and Their CD19 Subsets in Patients With Follicular Lymphoma. <i>Blood</i> , 1997, 89, 3763-3768.	1.4	27

#	ARTICLE	IF	CITATIONS
91	Microchimerism in bone marrow-derived CD34+ cells of patients after liver transplantation. <i>Blood</i> , 2000, 96, 763-767.	1.4	26
92	Azacytidine for the treatment of retrospective analysis from the Gruppo Laziale for the study of Ph-negative MPN. <i>Leukemia Research</i> , 2015, 39, 801-804.	0.8	25
93	An increase in hemoglobin, platelets and white blood cells levels by iron chelation as single treatment in multitransfused patients with myelodysplastic syndromes: clinical evidences and possible biological mechanisms. <i>Annals of Hematology</i> , 2015, 94, 771-777.	1.8	25
94	Unraveling the mechanisms behind iron overload and ineffective hematopoiesis in myelodysplastic syndromes. <i>Leukemia Research</i> , 2017, 62, 108-115.	0.8	25
95	Mutational landscape of patients with acute promyelocytic leukemia at diagnosis and relapse. <i>American Journal of Hematology</i> , 2019, 94, 1091-1097.	4.1	25
96	Combined Voriconazole Plus Caspofungin Therapy for the Treatment of Probable Geotrichum Pneumonia in a Leukemia Patient. <i>Infection</i> , 2008, 36, 65-67.	4.7	24
97	INCIDENCE OF ACUTE MYELOID LEUKEMIA AFTER BREAST CANCER. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2011, 3, e2011069.	1.3	24
98	Endothelial Progenitor Cell Dysfunction in Myelodysplastic Syndromes: Possible Contribution of a Defective Vascular Niche to Myelodysplasia. <i>Neoplasia</i> , 2015, 17, 401-409.	5.3	24
99	Whole blood EBV-DNA predicts outcome in diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2016, 57, 628-634.	1.3	24
100	A randomized phase 2 trial of azacitidine with or without durvalumab as first-line therapy for higher-risk myelodysplastic syndromes. <i>Blood Advances</i> , 2022, 6, 2207-2218.	5.2	24
101	Polymorphisms of detoxification and DNA repair enzymes in myelodysplastic syndromes. <i>Leukemia Research</i> , 2009, 33, 1068-1071.	0.8	23
102	Mutations affecting both the rearranged and the unrearranged <i>PML</i> alleles in refractory acute promyelocytic leukaemia. <i>British Journal of Haematology</i> , 2016, 172, 909-913.	2.5	23
103	Panobinostat for the treatment of acute myelogenous leukemia. <i>Expert Opinion on Investigational Drugs</i> , 2016, 25, 1117-1131.	4.1	23
104	Iron-chelating therapy with deferasirox in transfusion-dependent, higher risk myelodysplastic syndromes: a retrospective, multicentre study. <i>British Journal of Haematology</i> , 2017, 177, 741-750.	2.5	23
105	What's new in the pathogenesis and treatment of therapy-related myeloid neoplasms. <i>Blood</i> , 2021, 138, 749-757.	1.4	23
106	Have we reached a molecular era in myelodysplastic syndromes?. <i>Hematology American Society of Hematology Education Program</i> , 2021, 2021, 418-427.	2.5	23
107	Mutations of epigenetic regulators and of the spliceosome machinery in therapy-related myeloid neoplasms and in acute leukemias evolved from chronic myeloproliferative diseases. <i>Leukemia</i> , 2013, 27, 982-985.	7.2	22
108	The <i>BCL2L10</i> Leu21Arg variant and risk of therapy-related myeloid neoplasms and de novo myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2014, 55, 1538-1543.	1.3	22

#	ARTICLE	IF	CITATIONS
109	Deferasirox chelation therapy in patients with transfusionâ€dependent <scp>MDS</scp>: a â€realâ€worldâ€™™ report from two regional Italian registries: Gruppo Romano Mielodisplasie and Registro Basilicata. <i>European Journal of Haematology</i> , 2015, 95, 52-56.	2.2	22
110	The poly(ADP-ribose) polymerase inhibitor olaparib induces up-regulation of death receptors in primary acute myeloid leukemia blasts by NF-Î²B activation. <i>Cancer Letters</i> , 2018, 423, 127-138.	7.2	22
111	The Role of Forkhead Box Proteins in Acute Myeloid Leukemia. <i>Cancers</i> , 2019, 11, 865.	3.7	22
112	Retinoic acid synergizes with the unfolded protein response and oxidative stress to induce cell death in FLT3-ITD+ AML. <i>Blood Advances</i> , 2019, 3, 4155-4160.	5.2	22
113	Clonal evolution in therapy-related neoplasms. <i>Oncotarget</i> , 2017, 8, 12031-12040.	1.8	22
114	Pre-transplant persistence of minimal residual disease does not contraindicate allogeneic stem cell transplantation for adult patients with acute myeloid leukemia. <i>Bone Marrow Transplantation</i> , 2017, 52, 473-475.	2.4	21
115	Minimal residual disease as a biomarker for outcome prediction and therapy optimization in acute myeloid leukemia. <i>Expert Review of Hematology</i> , 2018, 11, 307-313.	2.2	21
116	Prolonged treatment with arsenic trioxide (ATO) and all-trans-retinoic acid (ATRA) for relapsed acute promyelocytic leukemia previously treated with ATRA and chemotherapy. <i>Annals of Hematology</i> , 2018, 97, 1797-1802.	1.8	20
117	The dose of granulocyte colonyâ€stimulating factor administered following cytotoxic chemotherapy is not related to the rebound level of circulating CD34+haemopoietic progenitor cells during marrow recovery. <i>British Journal of Haematology</i> , 1998, 101, 588-591.	2.5	19
118	Epigenetic therapy of myelodysplastic syndromes and acute myeloid leukemia. <i>Current Opinion in Oncology</i> , 2015, 27, 532-539.	2.4	19
119	Targeting ADP-ribosylation by PARP inhibitors in acute myeloid leukaemia and related disorders. <i>Biochemical Pharmacology</i> , 2019, 167, 133-148.	4.4	19
120	When Poisons Cure: The Case of Arsenic in Acute Promyelocytic Leukemia. <i>Chemotherapy</i> , 2019, 64, 238-247.	1.6	19
121	Myeloid lncRNA <i>LOUP</i> mediates opposing regulatory effects of RUNX1 and RUNX1-ETO in t(8;21) AML. <i>Blood</i> , 2021, 138, 1331-1344.	1.4	19
122	PML/RARa inhibits PTEN expression in hematopoietic cells by competing with PU.1 transcriptional activity. <i>Oncotarget</i> , 2016, 7, 66386-66397.	1.8	19
123	MINIMAL RESIDUAL DISEASE IN ACUTE MYELOID LEUKEMIA OF ADULTS: DETERMINATION, PROGNOSTIC IMPACT AND CLINICAL APPLICATIONS.. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2016, 8, 2016052.	1.3	18
124	Essential Thrombocythemia and Acquired von Willebrand Syndrome: The Shadowlands between Thrombosis and Bleeding. <i>Cancers</i> , 2020, 12, 1746.	3.7	18
125	Accuracy of physician assessment of treatment preferences and health status in elderly patients with higher-risk myelodysplastic syndromes. <i>Leukemia Research</i> , 2015, 39, 859-865.	0.8	17
126	Early intracranial haemorrhages in acute promyelocytic leukaemia: analysis of neuroradiological and clinicoâ€biological parameters. <i>British Journal of Haematology</i> , 2021, 193, 129-132.	2.5	17

#	ARTICLE	IF	CITATIONS
127	Genome-wide association study identifies susceptibility loci for acute myeloid leukemia. <i>Nature Communications</i> , 2021, 12, 6233.	12.8	17
128	Prevalence of the 677C to T Mutation in the Methylene-tetrahydrofolate Reductase Gene in Italian Patients with Venous Thrombotic Disease. <i>Thrombosis and Haemostasis</i> , 1998, 79, 686-687.	3.4	16
129	PU.1 and CEBPA expression in acute myeloid leukemia. <i>Leukemia Research</i> , 2008, 32, 1448-1453.	0.8	16
130	Quantification of DAPK1 Promoter Methylation in Bone Marrow and Peripheral Blood as a Follicular Lymphoma Biomarker. <i>Journal of Molecular Diagnostics</i> , 2014, 16, 467-476.	2.8	16
131	SETBP1 mutations in 106 patients with therapy-related myeloid neoplasms. <i>Haematologica</i> , 2014, 99, e152-e153.	3.5	16
132	Health-related quality of life in transfusion-dependent patients with myelodysplastic syndromes: a prospective study to assess the impact of iron chelation therapy. <i>BMJ Supportive and Palliative Care</i> , 2016, 6, 80-88.	1.6	16
133	Early and sensitive detection of PML-A216V mutation by droplet digital PCR in ATO-resistant acute promyelocytic leukemia. <i>Leukemia</i> , 2019, 33, 1527-1530.	7.2	16
134	In vivo priming with granulocyte colony-stimulating factor possibly enhances the effect of gemtuzumab-ozogamicin in acute myeloid leukemia: results of a pilot study. <i>Haematologica</i> , 2004, 89, 634-6.	3.5	16
135	Atypical Rearrangements in APL-Like Acute Myeloid Leukemias: Molecular Characterization and Prognosis. <i>Frontiers in Oncology</i> , 2022, 12, 871590.	2.8	16
136	Comparative molecular analysis of therapy-related and de novo acute promyelocytic leukemia. <i>Leukemia Research</i> , 2012, 36, 474-478.	0.8	15
137	Comparative analysis of azacitidine and intensive chemotherapy as front-line treatment of elderly patients with acute myeloid leukemia. <i>Annals of Hematology</i> , 2018, 97, 1767-1774.	1.8	15
138	Infection control in patients with myelodysplastic syndromes who are candidates for active treatment: Expert panel consensus-based recommendations. <i>Blood Reviews</i> , 2019, 34, 16-25.	5.7	15
139	Glutathione-S-transferase genotypes influence prognosis in follicular non-Hodgkin's Lymphoma. <i>Leukemia and Lymphoma</i> , 2007, 48, 564-569.	1.3	14
140	Atypical presentation of progressive multifocal leukoencephalopathy in a multiple myeloma patient after auto-SCT successfully treated with combination therapy. <i>Bone Marrow Transplantation</i> , 2010, 45, 1668-1670.	2.4	14
141	Treatment of Philadelphia-negative myeloproliferative neoplasms in accelerated/blastic phase with azacytidine. Clinical results and identification of prognostic factors. <i>Hematological Oncology</i> , 2019, 37, 291-295.	1.7	14
142	Identification and monitoring of atypical PML/RARa fusion transcripts in acute promyelocytic leukemia. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 60-65.	2.8	14
143	Two promoters direct expression of the murine Spi-B gene, an Ets family transcription factor. <i>Gene</i> , 1998, 207, 209-218.	2.2	13
144	Cytotoxicity and Differentiating Effect of the Poly(ADP-Ribose) Polymerase Inhibitor Olaparib in Myelodysplastic Syndromes. <i>Cancers</i> , 2019, 11, 1373.	3.7	13

#	ARTICLE	IF	CITATIONS
145	Treatment of Acute Leukaemias with Monoclonal Antibodies: Current Status and Future Prospects. Cardiovascular and Hematological Agents in Medicinal Chemistry, 2006, 4, 33-52.	1.0	12
146	Long-term efficacy and toxicity results of the FLUMIZ trial (fludarabine and mitoxantrone followed) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 805-807.	1.2	12
147	Therapy-related myeloid neoplasms: clinical perspectives. OncoTargets and Therapy, 2018, Volume 11, 5909-5915.	2.0	12
148	Transcriptional and Metabolic Dissection of ATRA-Induced Granulocytic Differentiation in NB4 Acute Promyelocytic Leukemia Cells. Cells, 2020, 9, 2423.	4.1	12
149	Acute Promyelocytic Leukemia in Children: A Model of Precision Medicine and Chemotherapy-Free Therapy. International Journal of Molecular Sciences, 2021, 22, 642.	4.1	12
150	Ascorbate Plus Buformin in AML: A Metabolic Targeted Treatment. Cancers, 2022, 14, 2565.	3.7	12
151	Gene expression profiling of myelodysplastic CD34+ hematopoietic stem cells treated in vitro with decitabine. Leukemia Research, 2011, 35, 465-471.	0.8	11
152	<scp>PML</scp>/<scp>RARA</scp> inhibits expression of <scp>HSP</scp>90 and its target <scp>AKT</scp>. British Journal of Haematology, 2019, 184, 937-948.	2.5	11
153	From Bench to Bedside and Beyond: Therapeutic Scenario in Acute Myeloid Leukemia. Cancers, 2020, 12, 357.	3.7	11
154	Characteristics and outcome of acute myeloid leukemia with uncommon retinoic acid receptor-alpha (RARA) fusion variants. Blood Cancer Journal, 2021, 11, 167.	6.2	11
155	HIGHâ€DOSE THERAPY WITH PERIPHERAL BLOOD STEM CELL TRANSPLANTATION RESULTS IN A SIGNIFICANT REDUCTION OF THE HaEMOPOIETIC PROGENITOR CELL COMPARTMENT. British Journal of Haematology, 1996, 94, 759-766.	2.5	10
156	Four doses of unpegylated <i>versus</i> one dose of pegylated filgrastim as supportive therapy in Râ€<scp>CHOP</scp>â€14 for elderly patients with diffuse large Bâ€cell lymphoma. British Journal of Haematology, 2015, 169, 787-794.	2.5	10
157	PML/RARa Interferes with NRF2 Transcriptional Activity Increasing the Sensitivity to Ascorbate of Acute Promyelocytic Leukemia Cells. Cancers, 2020, 12, 95.	3.7	10
158	DAP-kinase hypermethylation in the bone marrow of patients with follicular lymphoma. Haematologica, 2006, 91, 1252-6.	3.5	10
159	Myelodysplastic disorders carrying both isolated del(5q) and JAK2V617F mutation: concise review, with focus on lenalidomide therapy. OncoTargets and Therapy, 2014, 7, 1043.	2.0	9
160	Rapid response of nodular <scp>CD</scp>30â€positive mycosis fungoides to brentuximab vedotin. British Journal of Haematology, 2015, 168, 617-617.	2.5	9
161	Characterization of FLT3-ITDmut acute myeloid leukemia: molecular profiling of leukemic precursor cells. Blood Cancer Journal, 2020, 10, 85.	6.2	9
162	Iron overload alters the energy metabolism in patients with myelodysplastic syndromes: results from the multicenter FISM BIOFER study. Scientific Reports, 2020, 10, 9156.	3.3	9

#	ARTICLE	IF	CITATIONS
163	Mutational profile of ZBTB16 ^{RARA} -positive acute myeloid leukemia. <i>Cancer Medicine</i> , 2021, 10, 3839-3847.	2.8	9
164	Increased Plasma Levels of lncRNAs LINC01268, GAS5 and MALAT1 Correlate with Negative Prognostic Factors in Myelofibrosis. <i>Cancers</i> , 2021, 13, 4744.	3.7	9
165	Efficacy of combined surgery and antifungal therapies for the management of invasive zygomycoses in patients with haematological malignancies. <i>Mycoses</i> , 2010, 53, 89-92.	4.0	8
166	SIMILARITIES OF ELDERLY AND THERAPY-RELATED AML. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2011, 3, e2011052.	1.3	8
167	Newly proposed therapy-related myelodysplastic syndrome prognostic score predicts significant differences in overall survival and leukemia-free survival in patients treated with azacitidine. <i>Leukemia and Lymphoma</i> , 2013, 54, 1786-1787.	1.3	8
168	A Relapsing Meningeal Acute Myeloid Leukaemia FLT3-ITD+ Responding to Gilteritinib. <i>Chemotherapy</i> , 2021, 66, 134-138.	1.6	8
169	Progress and criticalities in the management of acute promyelocytic leukemia. <i>Oncotarget</i> , 2017, 8, 99221-99222.	1.8	8
170	Letter to the Editor. <i>Leukemia and Lymphoma</i> , 2003, 44, 1441-1443.	1.3	7
171	Primary plasma cell leukemia followed by testicular plasmacytoma. <i>International Journal of Hematology</i> , 2011, 93, 224-227.	1.6	7
172	Recombinant human erythropoietin in very elderly patients with myelodysplastic syndromes: results from a retrospective study. <i>Annals of Hematology</i> , 2014, 93, 1413-1420.	1.8	7
173	Real-life use of erythropoiesis-stimulating agents in myelodysplastic syndromes: a "Gruppo Romano Mielodisplasie (GROM)" multicenter study. <i>Annals of Hematology</i> , 2016, 95, 1059-1065.	1.8	7
174	Longitudinal detection of DNMT3A ^{R882H} transcripts in patients with acute myeloid leukemia. <i>American Journal of Hematology</i> , 2018, 93, E120-E123.	4.1	7
175	Poly(ADP-Ribose) Polymerase Inhibitors for Arsenic Trioxide-Resistant Acute Promyelocytic Leukemia: Synergistic In Vitro Antitumor Effects with Hypomethylating Agents or High-Dose Vitamin C. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 377, 385-397.	2.5	7
176	Clonal haematopoiesis as a risk factor for therapy-related myeloid neoplasms in patients with chronic lymphocytic leukaemia treated with chemo-(immuno)therapy. <i>British Journal of Haematology</i> , 2022, 198, 103-113.	2.5	7
177	Response to 5-azacytidine in a patient with relapsed Hodgkin Lymphoma and a therapy-related myelodysplastic syndrome. <i>British Journal of Haematology</i> , 2011, 154, 141-143.	2.5	6
178	Chronic myelomonocytic leukemia treatment with azacitidine: What have we learned so far?. <i>Leukemia Research</i> , 2013, 37, 204-205.	0.8	6
179	Small lymphocytic lymphoma in a patient with Fabry disease. <i>Leukemia and Lymphoma</i> , 2013, 54, 184-185.	1.3	6
180	Pulmonary infections in patients with myelodysplastic syndromes receiving frontline azacitidine treatment. <i>Hematological Oncology</i> , 2020, 38, 189-196.	1.7	6

#	ARTICLE	IF	CITATIONS
181	The Response to Oxidative Damage Correlates with Driver Mutations and Clinical Outcome in Patients with Myelofibrosis. <i>Antioxidants</i> , 2022, 11, 113.	5.1	6
182	Prevalence of obesity in young adults with acute lymphoblastic leukemia. <i>International Journal of Clinical and Laboratory Research</i> , 1994, 24, 117-119.	1.0	5
183	High-dose therapy with peripheral blood stem cell transplantation for patients with relapsed or refractory Hodgkin's disease: long-term outcome and prognostic factors. <i>Annals of Hematology</i> , 2000, 79, 547-555.	1.8	5
184	5-Azacytidine in chronic myelomonocytic leukemia: case report and review of literature. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2011, 3, e2011011.	1.3	5
185	Molecular Expression of bone marrow angiogenic factors, cell-cell adhesion molecules and matrix-metallo-proteinase plasma cellular disorders: a molecular panel to investigate disease progression. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2018, 10, e2018059.	1.3	5
186	Transcription factors implicated in late megakaryopoiesis as markers of outcome after azacitidine and allogeneic stem cell transplantation in myelodysplastic syndrome. <i>Leukemia Research</i> , 2019, 84, 106191.	0.8	5
187	From Clonal Hematopoiesis to Therapy-Related Myeloid Neoplasms: The Silent Way of Cancer Progression. <i>Biology</i> , 2021, 10, 128.	2.8	5
188	Long-term quality of life of patients with acute promyelocytic leukemia treated with arsenic trioxide vs chemotherapy. <i>Blood Advances</i> , 2021, 5, 4370-4379.	5.2	5
189	Prevalence of Mutated Factor V ARG506 to GLN in Italians. <i>Thrombosis and Haemostasis</i> , 1997, 77, 216-217.	3.4	5
190	Iron in Hodgkin's Lymphoma. <i>Critical Reviews in Oncogenesis</i> , 2013, 18, 463-469.	0.4	5
191	Adjuvant high-dose therapy with peripheral blood stem cell support for patients with high-risk breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 1999, 44, S13-S17.	2.3	4
192	NEW TREATMENTS FOR MYELODYSPLASTIC SYNDROMES. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2010, 2, e2010021.	1.3	4
193	Methylenetetrahydrofolate reductase polymorphisms in myelodysplastic syndromes and therapy-related myeloid neoplasms. <i>Leukemia and Lymphoma</i> , 2014, 55, 2942-2944.	1.3	4
194	Mutational analysis of bone marrow mesenchymal stromal cells in myeloid malignancies. <i>Experimental Hematology</i> , 2014, 42, 731-733.	0.4	4
195	The forkhead box C1 (FOXC1) transcription factor is downregulated in acute promyelocytic leukemia. <i>Oncotarget</i> , 2017, 8, 84074-84085.	1.8	4
196	Mutational profile and haematological response to iron chelation in myelodysplastic syndromes (<sc>MDS</sc>). <i>British Journal of Haematology</i> , 2019, 185, 954-957.	2.5	4
197	Terminal deoxynucleotidyl transferase (TdT) expression is associated with FLT3-ITD mutations in Acute Myeloid Leukemia. <i>Leukemia Research</i> , 2020, 99, 106462.	0.8	4
198	A Phase II Trial of FM (Oral Fludarabine and Mitoxantrone) Chemotherapy Followed by Yttrium 90 (90Y) Ibritumomab Tiuxetan (Zevalin®) for Previously Untreated Follicular Lymphoma (FL) Patients.. <i>Blood</i> , 2006, 108, 2479-2479.	1.4	4

#	ARTICLE	IF	CITATIONS
199	Vitamin C Deficiency in Patients With Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	4
200	DISAPPEARANCE OF SPONTANEOUS ERYTHROID COLONIES IN PATIENTS WITH MYELOPROLIFERATIVE DISORDERS TREATED BY ALPHA-INTERFERON. <i>British Journal of Haematology</i> , 1992, 81, 310-311.	2.5	3
201	Thrombotic thrombocytopenic purpuraâ€“hemolytic uremic syndrome after bupropion treatment for smoking cessation. <i>Blood Coagulation and Fibrinolysis</i> , 2003, 14, 77-78.	1.0	3
202	Second malignancy after treatment of adult acute myeloid leukemia: cohort study on adult patients enrolled in the GIMEMA trials. <i>Leukemia</i> , 2004, 18, 651-653.	7.2	3
203	Role of glutathione-s-transferase (gst) polymorphisms in patients with advanced hodgkin lymphoma: results from the hd2000 G1SL trial. <i>Leukemia and Lymphoma</i> , 2012, 53, 406-410.	1.3	3
204	Azacitidine in a patient with myelodysplastic syndrome: Impact of switching from a 5-day to the approved 7-day dosing schedule. <i>Leukemia Research</i> , 2012, 36, e15-e17.	0.8	3
205	A POPULATION-BASED STUDY ON MYELODYSPLASTIC SYNDROMES IN THE LAZIO REGION (ITALY), MEDICAL MISCODING AND 11-YEAR MORTALITY FOLLOW-UP: THE GRUPPO ROMANO-LAZIALE MIELODISPLASIE EXPERIENCE OF RETROSPECTIVE MULTICENTRIC REGISTRY. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2016, 9, e2017046.	1.3	3
206	Absence of FGFR3â€“TACC3 rearrangement in hematological malignancies with numerical chromosomal alteration. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2021, 14, 163-168.	0.9	3
207	Use of Measurable Residual Disease to Evolve Transplant Policy in Acute Myeloid Leukemia: A 20-Year Monocentric Observation. <i>Cancers</i> , 2021, 13, 1083.	3.7	3
208	Blastoid Mantle Cell Lymphoma Occurring in a Patient in Complete Remission of Chronic Myelogenous Leukemia. <i>Laboratory Hematology: Official Publication of the International Society for Laboratory Hematology</i> , 2007, 13, 30-33.	1.2	3
209	The anti-leukemic effect of a novel histone deacetylase inhibitor MCT-1 and 5-aza-cytidine involves augmentation of Nur77 and inhibition of MMP-9 expression. <i>International Journal of Oncology</i> , 1992, . .	3.3	3
210	ELN2017 risk stratification improves outcome prediction when applied to the prospective GIMEMA AML1310 protocol. <i>Blood Advances</i> , 2022, 6, 2510-2516.	5.2	3
211	L-Asparaginase-Induced Coagulopathy in Acute Lymphoblastic Leukemia. <i>Leukemia and Lymphoma</i> , 1992, 7, 54-56.	1.3	2
212	Profile of azacitidine. <i>Therapy: Open Access in Clinical Medicine</i> , 2005, 2, 717-731.	0.2	2
213	Genomic analysis of therapyâ€“related acute promyelocytic leukemias arising after malignant and nonâ€“malignant disorders. <i>American Journal of Hematology</i> , 2014, 89, 346-347.	4.1	2
214	Realâ€“life experience with azacitidine in myelodysplastic syndromes according to IPSS cytogenetic profile. <i>American Journal of Hematology</i> , 2014, 89, 565-565.	4.1	2
215	MTHFR, TS and XRCC1 genetic variants may affect survival in patients with myelodysplastic syndromes treated with supportive care or azacitidine. <i>Pharmacogenomics Journal</i> , 2018, 18, 444-449.	2.0	2
216	Erythropoietin levels and erythroid differentiation parameters in patients with lower-risk myelodysplastic syndromes. <i>Leukemia Research</i> , 2018, 71, 89-91.	0.8	2

#	ARTICLE	IF	CITATIONS
217	Genetic analysis of erythrocytosis reveals possible causative and modifier gene mutations. <i>British Journal of Haematology</i> , 2019, 186, e100-e103.	2.5	2
218	High serum ferritin levels in newly diagnosed patients with myelodysplastic syndromes are associated with greater symptom severity. <i>International Journal of Hematology</i> , 2020, 112, 141-146.	1.6	2
219	Acute promyelocytic leukemia (APL) in very old patients: real-life behind protocols. <i>Acta Oncologica</i> , 2021, 60, 1520-1526.	1.8	2
220	Mobilization and Selection of CD 34+ Cells. <i>Recent Results in Cancer Research</i> , 1998, , 1-7.	1.8	2
221	Polymorphism in Cytokine Genes as Prognostic Marker in Hodgkin's Lymphoma.. <i>Blood</i> , 2005, 106, 21-21.	1.4	2
222	Lack of t(14;18) polymerase chain reaction-positive cells in highly purified CD34+ cells and their CD19 subsets in patients with follicular lymphoma. <i>Blood</i> , 1997, 89, 3763-8.	1.4	2
223	Diagnostic Workup of Acute Myeloid Leukemia: What Is Really Necessary? An Italian Survey. <i>Frontiers in Oncology</i> , 2022, 12, 828072.	2.8	2
224	CD99 as a novel therapeutic target on leukemic progenitor cells in FLT3-ITDmut AML. <i>Leukemia</i> , 2022, , .	7.2	2
225	Hepato-Splenic Mycotic Abscesses in Patients with Acute Leukemia. <i>Leukemia and Lymphoma</i> , 1992, 7, 517-519.	1.3	1
226	Development of a High-Resolution Melting Curve Analysis Screening Test for SRSF2 Splicing Factor Gene Mutations in Myelodysplastic Syndromes. <i>Journal of Molecular Diagnostics</i> , 2015, 17, 85-89.	2.8	1
227	Comparative genomic analysis of PML and RARA breakpoints in paired diagnosis/relapse samples of patients with acute promyelocytic leukemia treated with all-trans retinoic acid and chemotherapy. <i>Leukemia and Lymphoma</i> , 2018, 59, 1268-1270.	1.3	1
228	Could haemochromatosis (<i>HFE</i>) gene mutations affect response to iron chelation in myelodysplastic syndrome? "Response to Lucijan and Kusec. <i>British Journal of Haematology</i> , 2019, 186, 639-640.	2.5	1
229	WT1 evaluation in higher-risk myelodysplastic syndrome patients treated with azacitidine. <i>Leukemia and Lymphoma</i> , 2020, 61, 979-982.	1.3	1
230	Acute Promyelocytic Leukemia After Radium-223 Exposure for Prostate Cancer in a Chemotherapy-Naïve Patient. <i>Nuclear Medicine and Molecular Imaging</i> , 2020, 54, 256-260.	1.0	1
231	Diagnosis and Classification of AML: WHO 2016. <i>Hematologic Malignancies</i> , 2021, , 23-54.	0.2	1
232	The Genomic Landscape of Myeloid Neoplasms Evolved from AA/PNH. <i>Blood</i> , 2020, 136, 2-2.	1.4	1
233	Clonal Hematopoiesis Is Associated with Increased Risk for Therapy-Related Myeloid Neoplasms in Chronic Lymphocytic Leukemia Patients Treated with Chemo(immuno)Therapy. <i>Blood</i> , 2020, 136, 19-20.	1.4	1
234	Genzumab-Ozogamicin, Cytosine Arabinoside, G-CSF Combination in the Treatment of Elderly Poor Prognosis Acute Myeloid Leukemia. A Multicentric Study.. <i>Blood</i> , 2005, 106, 4604-4604.	1.4	1

#	ARTICLE	IF	CITATIONS
235	Lack of t(14; 18) Polymerase Chain Reaction-Positive Cells in Highly Purified CD34+ Cells and Their CD19 Subsets in Patients With Follicular Lymphoma. <i>Blood</i> , 1997, 89, 3763-3768.	1.4	1
236	Profile of azacitidine. <i>Therapy: Open Access in Clinical Medicine</i> , 2005, 2, 717-731.	0.2	1
237	5-Azacitidine, Valproic Acid and ALL-Trans Retinoic Acid in INT-2/High Risk Myelodysplastic Syndromes: Results of the GIMEMA MDS0205 Multicenter Trial. <i>Blood</i> , 2008, 112, 3648-3648.	1.4	1
238	CD34+CD38-CLL1+ leukemic stem cells persistence measured by multiparametric flow cytometry is a biomarker of poor prognosis in adult patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2021, , 1-5.	1.3	1
239	P025 Dap-kinase hypermethylation and apoptosis in myelodysplastic syndromes. <i>Leukemia Research</i> , 2007, 31, S54.	0.8	0
240	Reply to S. Zucker. <i>Journal of Clinical Oncology</i> , 2011, 29, e43-e43.	1.6	0
241	Myelodysplastic Stem Cells: Gene Expression Profiling. <i>Stem Cells and Cancer Stem Cells</i> , 2012, , 55-67.	0.1	0
242	An abnormal secretion of soluble mediators contributes to the hematopoietic-niche dysfunction in low-risk myelodysplastic syndrome. <i>Blood Cancer Journal</i> , 2015, 5, e370-e370.	6.2	0
243	Quantitation of EBV-DNA In Peripheral Blood In Hodgkin Lymphoma: Associations with Other Biomarkers and Patient Characteristics. <i>Blood</i> , 2010, 116, 2678-2678.	1.4	0
244	Health-Related Quality of Life Profile and Request of Prognostic Information on Survival At the Time of Diagnosis in Patients with High-Risk Myelodysplastic Syndromes. <i>Blood</i> , 2011, 118, 2078-2078.	1.4	0
245	Response to Erythropoietin in a Multicentric Real-Life Cohort of Myelodysplastic Patients: The Grom Experience. <i>Blood</i> , 2012, 120, 4958-4958.	1.4	0
246	The Contact with MDS Endothelial Cells Alters the Pattern of Lineage-Specific Gene Expression During Normal Hematopoietic Differentiation. <i>Blood</i> , 2012, 120, 1718-1718.	1.4	0
247	Azacitidine in Myelodysplastic Syndromes: Multicenter Retrospective Study of 34 Long-Responder Patients. <i>Blood</i> , 2012, 120, 4951-4951.	1.4	0
248	Patient-Reported Fatigue, Functional Aspects and Quality of Life in Elderly Patients with High-Risk Myelodysplastic Syndromes. Evidence From a Large Prospective International Study.. <i>Blood</i> , 2012, 120, 3163-3163.	1.4	0
249	Real-Life Efficacy Of Azacitidine In Myelodysplastic Syndromes According To IPSS Cytogenetic Profile. <i>Blood</i> , 2013, 122, 5229-5229.	1.4	0
250	Prognostic Factors Associated To Achievement Of Complete Or Partial Response In MDS Patients Treated With Azacitidine Outside Clinical Trials. <i>Blood</i> , 2013, 122, 5203-5203.	1.4	0
251	Does RAD21 Co-Mutation Have a Role in DNMT3A Mutated AML? Results of Harmony Alliance AML Database. <i>Blood</i> , 2021, 138, 608-608.	1.4	0
252	What are the considerations for the pharmacotherapeutic management of acute promyelocytic leukemia in children?. <i>Expert Opinion on Pharmacotherapy</i> , 2021, , 1-6.	1.8	0

#	ARTICLE	IF	CITATIONS
253	Azacitidine to Consolidate and Deepen the Therapeutic Response Achieved by Intensive Induction Treatment in a Young Patient Affected by NPM1mut-AML Who Has Become Ineligible for High-Dose Consolidation. <i>Chemotherapy</i> , 2022, 67, 24-28.	1.6	0
254	Prevalence and Prognostic Role of IDH Mutations in Acute Myeloid Leukemia: Results of the GIMEMA AML1516 Protocol. <i>Cancers</i> , 2022, 14, 3012.	3.7	0