

Richard W Grant

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5346143/richard-w-grant-publications-by-year.pdf>

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143 papers	6,962 citations	43 h-index	80 g-index
147 ext. papers	7,674 ext. citations	6.2 avg, IF	5.51 L-index

#	Paper	IF	Citations
143	Engaging patients in population-based chronic disease management: A qualitative study of barriers and intervention opportunities. <i>Patient Education and Counseling</i> , 2022 , 105, 182-189	3.1	0
142	Disclosure of New Type 2 Diabetes Diagnoses to Younger Adults: a Qualitative Study. <i>Journal of General Internal Medicine</i> , 2021 , 36, 1622-1628	4	0
141	Updated USPSTF Screening Recommendations for Diabetes: Identification of Abnormal Glucose Metabolism in Younger Adults. <i>JAMA Internal Medicine</i> , 2021 , 181, 1284-1286	11.5	0
140	Racial and Ethnic Differences in Age at Diabetes Diagnosis-A Call for Action. <i>JAMA Internal Medicine</i> , 2021 , 181, 1560-1561	11.5	
139	Initial Glycemic Control and Care Among Younger Adults Diagnosed With Type 2 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 975-981	14.6	8
138	Primary Care Physician Stress Driven by Social and Financial Needs of Complex Patients. <i>Journal of General Internal Medicine</i> , 2019 , 34, 818-819	4	9
137	Visit Planning Using a Waiting Room Health IT Tool: The Aligning Patients and Providers Randomized Controlled Trial. <i>Annals of Family Medicine</i> , 2019 , 17, 141-149	2.9	7
136	Association of Anxiety With High-Cost Health Care Use Among Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2019 , 42, 1669-1674	14.6	8
135	Translating/Creating a Culturally Responsive Spanish-Language Mobile App for Visit Preparation: Case Study of "Trans-Creation". <i>JMIR MHealth and UHealth</i> , 2019 , 7, e12457	5.5	4
134	Patient-Defined Visit Priorities in Primary Care: Psychosocial Versus Medically-Related Concerns. <i>Journal of the American Board of Family Medicine</i> , 2019 , 32, 513-520	1.6	4
133	Knowing How to Ask Good Questions: Comparing Latinos and Non-Latino Whites Enrolled in a Cardiovascular Disease Prevention Study 2019 , 23,		3
132	Prompting Patients with Poorly Controlled Diabetes to Identify Visit Priorities Before Primary Care Visits: a Pragmatic Cluster Randomized Trial. <i>Journal of General Internal Medicine</i> , 2019 , 34, 831-838	4	5
131	Changing Results-Engage and Activate to Enhance Wellness: A Randomized Clinical Trial to Improve Cardiovascular Risk Management. <i>Journal of the American Heart Association</i> , 2019 , 8, e014021	6	4
130	'The Hand on the Doorknob': Visit Agenda Setting by Complex Patients and Their Primary Care Physicians. <i>Journal of the American Board of Family Medicine</i> , 2018 , 31, 29-37	1.6	15
129	Six-Year Diabetes Incidence After Genetic Risk Testing and Counseling: A Randomized Clinical Trial. <i>Diabetes Care</i> , 2018 , 41, e25-e26	14.6	5
128	Association of behavioral health factors and social determinants of health with high and persistently high healthcare costs. <i>Preventive Medicine Reports</i> , 2018 , 11, 154-159	2.6	14
127	Association of Patient-Physician Language Concordance and Glycemic Control for Limited-English Proficiency Latinos With Type 2 Diabetes. <i>JAMA Internal Medicine</i> , 2017 , 177, 380-387	11.5	72

126	Overcoming barriers to diabetic polyneuropathy management in primary care. <i>Healthcare</i> , 2017 , 5, 171-173	1.73	2
125	Primary care visit preparation and communication for patients with poorly controlled diabetes: A qualitative study of patients and physicians. <i>Primary Care Diabetes</i> , 2017 , 11, 148-153	2.4	17
124	CREATE Wellness: A multi-component behavioral intervention for patients not responding to traditional Cardiovascular disease management. <i>Contemporary Clinical Trials Communications</i> , 2017 , 8, 140-146	1.8	4
123	Influence of Language and Culture in the Primary Care of Spanish-Speaking Latino Adults with Poorly Controlled Diabetes: A Qualitative Study. <i>Ethnicity and Disease</i> , 2017 , 27, 379-386	1.8	15
122	Defining Team Effort Involved in Patient Care from the Primary Care Physician's Perspective. <i>Journal of General Internal Medicine</i> , 2017 , 32, 269-276	4	6
121	Association of Acculturation and Health Literacy with Prevalent Dysglycemia and Diabetes Control Among Latinos in the Boston Area Community Health (BACH) Survey. <i>Journal of Immigrant and Minority Health</i> , 2016 , 18, 1266-1273	2.2	8
120	Pre-Visit Prioritization for complex patients with diabetes: Randomized trial design and implementation within an integrated health care system. <i>Contemporary Clinical Trials</i> , 2016 , 47, 196-201	2.3	13
119	User-Centered Design of a Tablet Waiting Room Tool for Complex Patients to Prioritize Discussion Topics for Primary Care Visits. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e108	5.5	22
118	Evaluating a Model to Predict Primary Care Physician-Defined Complexity in a Large Academic Primary Care Practice-Based Research Network. <i>Journal of General Internal Medicine</i> , 2015 , 30, 1741-7	4	28
117	Randomized trial of a health IT tool to support between-visit-based laboratory monitoring for chronic disease medication prescriptions. <i>Journal of General Internal Medicine</i> , 2015 , 30, 619-25	4	2
116	Building Equity Improvement into Quality Improvement: Reducing Socioeconomic Disparities in Colorectal Cancer Screening as Part of Population Health Management. <i>Journal of General Internal Medicine</i> , 2015 , 30, 942-9	4	25
115	Electronic health records and the evolution of diabetes care: a narrative review. <i>Journal of Diabetes Science and Technology</i> , 2015 , 9, 676-80	4.1	13
114	New approaches to reduce barriers to care for Latinos with poorly controlled Type 2 diabetes. <i>Diabetes Management</i> , 2015 , 5, 267-276	0	1
113	The study to understand the genetics of the acute response to metformin and glipizide in humans (SUGAR-MGH): design of a pharmacogenetic resource for type 2 diabetes. <i>PLoS ONE</i> , 2015 , 10, e0121553	3.7	13
112	Patients who self-monitor blood glucose and their unused testing results. <i>American Journal of Managed Care</i> , 2015 , 21, e119-29	2.1	16
111	Exercise as a vital sign: a quasi-experimental analysis of a health system intervention to collect patient-reported exercise levels. <i>Journal of General Internal Medicine</i> , 2014 , 29, 341-8	4	88
110	Individualizing HbA1c targets for patients with diabetes: impact of an automated algorithm within a primary care network. <i>Diabetic Medicine</i> , 2014 , 31, 839-46	3.5	9
109	Association of African genetic ancestry with fasting glucose and HbA1c levels in non-diabetic individuals: the Boston Area Community Health (BACH) Prediabetes Study. <i>Diabetologia</i> , 2014 , 57, 1850-8	10.3	12

108	System-level approaches to improving diabetes care: can asking simple questions improve exercise regimens for patients with diabetes?. <i>Clinical Practice (London, England)</i> , 2014 , 11, 243-245	3	
107	Novel use and utility of integrated electronic health records to assess rates of prediabetes recognition and treatment: brief report from an integrated electronic health records pilot study. <i>Diabetes Care</i> , 2014 , 37, 565-8	14.6	47
106	Non-visit-based cancer screening using a novel population management system. <i>Journal of the American Board of Family Medicine</i> , 2014 , 27, 474-85	1.6	15
105	Genetic susceptibility testing for chronic disease and intention for behavior change in healthy young adults. <i>Journal of Community Genetics</i> , 2013 , 4, 263-71	2.5	17
104	Establishing visit priorities for complex patients: A summary of the literature and conceptual model to guide innovative interventions. <i>Healthcare</i> , 2013 , 1, 117-122	1.8	38
103	Branched chain and aromatic amino acids change acutely following two medical therapies for type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 1772-8	12.7	48
102	Intensification of diabetes medication and risk for 30-day readmission. <i>Diabetic Medicine</i> , 2013 , 30, e56-62	9.5	37
101	Characteristics of primary care safety-net providers and their quality improvement attitudes and activities: results of a national survey of physician professionalism. <i>American Journal of Medical Quality</i> , 2013 , 28, 151-9	1.1	1
100	Lower blood pressure associated with higher mortality in retrospective study of patients with newly diagnosed type 2 diabetes. <i>Evidence-Based Medicine</i> , 2013 , 18, e35		
99	Adults with diabetes who perceive family members' behaviour as unsupportive are less adherent to their medication regimen. <i>Evidence-based Nursing</i> , 2013 , 16, 15-6	0.3	4
98	Personalized genetic risk counseling to motivate diabetes prevention: a randomized trial. <i>Diabetes Care</i> , 2013 , 36, 13-9	14.6	119
97	Randomized controlled trial of health maintenance reminders provided directly to patients through an electronic PHR. <i>Journal of General Internal Medicine</i> , 2012 , 27, 85-92	4	72
96	Genetic counseling as a tool for type 2 diabetes prevention: a genetic counseling framework for common polygenetic disorders. <i>Journal of Genetic Counseling</i> , 2012 , 21, 684-91	2.5	24
95	Evaluating a web-based self-management program for employees with hypertension and prehypertension: a randomized clinical trial. <i>American Heart Journal</i> , 2012 , 164, 625-31	4.9	40
94	Characteristics of "complex" patients with type 2 diabetes mellitus according to their primary care physicians. <i>Archives of Internal Medicine</i> , 2012 , 172, 821-3		28
93	Effect of hospital admission on glycemic control 1 year after discharge. <i>Endocrine Practice</i> , 2012 , 18, 456-63	3.2	12
92	Impact of literacy and numeracy on motivation for behavior change after diabetes genetic risk testing. <i>Medical Decision Making</i> , 2012 , 32, 606-15	2.5	34
91	Diabetes differentially affects depression and self-rated health by age in the U.S. <i>Diabetes Care</i> , 2012 , 35, 1575-7	14.6	22

90	Personalized medicine in Type 2 diabetes: what does the future hold?. <i>Diabetes Management</i> , 2012 , 2, 199-204	0	11
89	Closing the gap: eliminating health care disparities among Latinos with diabetes using health information technology tools and patient navigators. <i>Journal of Diabetes Science and Technology</i> , 2012 , 6, 169-76	4.1	26
88	Effects of an online personal health record on medication accuracy and safety: a cluster-randomized trial. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2012 , 19, 728-34	8.6	67
87	Implementation of a web-based tool for patient medication self-management: the Medication Self-titration Evaluation Programme (Med-STEP) for blood pressure control. <i>Informatics in Primary Care</i> , 2012 , 20, 57-67		14
86	Population-based breast cancer screening in a primary care network. <i>American Journal of Managed Care</i> , 2012 , 18, 821-9	2.1	7
85	Effect of Hospital Admission on Glycemic Control One Year after Discharge. <i>Endocrine Practice</i> , 2012 , 1, 1-22	3.2	1
84	Defining patient complexity from the primary care physician's perspective: a cohort study. <i>Annals of Internal Medicine</i> , 2011 , 155, 797-804	8	134
83	A cluster-randomized trial of a primary care informatics-based system for breast cancer screening. <i>Journal of General Internal Medicine</i> , 2011 , 26, 154-61	4	13
82	Diabetes oral medication initiation and intensification: patient views compared with current treatment guidelines. <i>The Diabetes Educator</i> , 2011 , 37, 78-84	2.5	39
81	Design of a randomized trial of diabetes genetic risk testing to motivate behavior change: the Genetic Counseling/lifestyle Change (GC/LC) Study for Diabetes Prevention. <i>Clinical Trials</i> , 2011 , 8, 609-15	2.2	17
80	Genetic risk reclassification for type 2 diabetes by age below or above 50 years using 40 type 2 diabetes risk single nucleotide polymorphisms. <i>Diabetes Care</i> , 2011 , 34, 121-5	14.6	145
79	Perceived impact of diabetes genetic risk testing among patients at high phenotypic risk for type 2 diabetes. <i>Diabetes Care</i> , 2011 , 34, 568-73	14.6	37
78	Intensive dietary advice significantly improves HbA(1c) in patients with type II diabetes who remain hyperglycaemic despite optimised drug treatment. <i>Evidence-Based Medicine</i> , 2010 , 15, 179-80		
77	Rapid identification of myocardial infarction risk associated with diabetes medications using electronic medical records. <i>Diabetes Care</i> , 2010 , 33, 526-31	14.6	64
76	Loss-of-function CYP2C9 variants: finding the correct clinical role for Type 2 diabetes pharmacogenetic testing. <i>Expert Review of Cardiovascular Therapy</i> , 2010 , 8, 339-43	2.5	5
75	Hospital visits and costs following outpatient treatment of CAP with levofloxacin or moxifloxacin. <i>Current Medical Research and Opinion</i> , 2010 , 26, 355-63	2.5	3
74	Implementing practice-linked pre-visit electronic journals in primary care: patient and physician use and satisfaction. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2010 , 17, 502-6	8.6	33
73	Relationship between patient panel characteristics and primary care physician clinical performance rankings. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 1107-13	27.4	73

72	Hypertension and diabetes prevalence among U.S. Hispanics by country of origin: the National Health Interview Survey 2000-2005. <i>Journal of General Internal Medicine</i> , 2010 , 25, 847-52	4	76
71	Changes in glycemic control from 1996 to 2006 among adults with type 2 diabetes: a longitudinal cohort study. <i>BMC Health Services Research</i> , 2010 , 10, 158	2.9	13
70	Diabetes connected health: a pilot study of a patient- and provider-shared glucose monitoring web application. <i>Journal of Diabetes Science and Technology</i> , 2009 , 3, 345-52	4.1	37
69	Diagnostic certainty as a source of medical practice variation in coronary heart disease: results from a cross-national experiment of clinical decision making. <i>Medical Decision Making</i> , 2009 , 29, 606-18	2.5	19
68	The decision to intensify therapy in patients with type 2 diabetes: results from an experiment using a clinical case vignette. <i>Journal of the American Board of Family Medicine</i> , 2009 , 22, 513-20	1.6	15
67	Epidemiology of subtherapeutic anticoagulation in the United States. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009 , 2, 591-7	5.8	39
66	Identifying primary care patients at risk for future diabetes and cardiovascular disease using electronic health records. <i>BMC Health Services Research</i> , 2009 , 9, 170	2.9	55
65	Documentation of body mass index and control of associated risk factors in a large primary care network. <i>BMC Health Services Research</i> , 2009 , 9, 236	2.9	15
64	Physician ability to assess rheumatoid arthritis disease activity using an electronic medical record-based disease activity calculator. <i>Arthritis and Rheumatism</i> , 2009 , 61, 495-500		11
63	A rheumatology-specific informatics-based application with a disease activity calculator. <i>Arthritis and Rheumatism</i> , 2009 , 61, 488-94		12
62	A culturally tailored navigator program for colorectal cancer screening in a community health center: a randomized, controlled trial. <i>Journal of General Internal Medicine</i> , 2009 , 24, 211-7	4	238
61	Genetic architecture of type 2 diabetes: recent progress and clinical implications. <i>Diabetes Care</i> , 2009 , 32, 1107-14	14.6	51
60	Diabetes Risk Perception and Intention to Adopt Healthy Lifestyles Among Primary Care Patients. <i>Diabetes Care</i> , 2009 , 32, 1820-2	14.6	53
59	Is certainty more important than diagnosis for understanding race and gender disparities?: an experiment using coronary heart disease and depression case vignettes. <i>Health Policy</i> , 2009 , 89, 279-87	3.2	29
58	Mammography FastTrack: an intervention to facilitate reminders for breast cancer screening across a heterogeneous multi-clinic primary care network. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2009 , 16, 187-95	8.6	14
57	Queuing theory to guide the implementation of a heart failure inpatient registry program. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2009 , 16, 516-23	8.6	9
56	Improving primary care for patients with complex chronic diseases: can health information technology play a role?. <i>Cmaj</i> , 2009 , 181, 17-8	3.5	10
55	Survey analysis of patient experience using a practice-linked PHR for type 2 diabetes mellitus 2009 , 2009, 678-82	0.7	14

54	Patient-physician connectedness and quality of primary care. <i>Annals of Internal Medicine</i> , 2009 , 150, 325-35	120
53	Symptoms of depression prospectively predict poorer self-care in patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2008 , 25, 1102-7	3.5 127
52	Treatment failure rates and health care utilization and costs among patients with community-acquired pneumonia treated with levofloxacin or macrolides in an outpatient setting: a retrospective claims database analysis. <i>Clinical Therapeutics</i> , 2008 , 30, 358-71	3.5 27
51	Lessons from implementing a combined workflow-informatics system for diabetes management. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2008 , 15, 524-33	8.6 22
50	A comparison of levofloxacin and moxifloxacin use in hospitalized community-acquired pneumonia (CAP) patients in the US: focus on length of stay. <i>Current Medical Research and Opinion</i> , 2008 , 24, 895-906	2.5 20
49	Diabetes information technology: designing informatics systems to catalyze change in clinical care. <i>Journal of Diabetes Science and Technology</i> , 2008 , 2, 275-83	4.1 2
48	Reevaluating the digital divide: current lack of internet use is not a barrier to adoption of novel health information technology. <i>Diabetes Care</i> , 2008 , 31, 433-5	14.6 24
47	Clinical predictors of disease progression and medication initiation in untreated patients with type 2 diabetes and A1C less than 7%. <i>Diabetes Care</i> , 2008 , 31, 386-90	14.6 58
46	Brave new worlds: how virtual environments can augment traditional care in the management of diabetes. <i>Journal of Diabetes Science and Technology</i> , 2008 , 2, 697-702	4.1 24
45	Practice-linked online personal health records for type 2 diabetes mellitus: a randomized controlled trial. <i>Archives of Internal Medicine</i> , 2008 , 168, 1776-82	169
44	Medication adherence and racial differences in A1C control. <i>Diabetes Care</i> , 2008 , 31, 916-21	14.6 101
43	Prevalence of elevated hemoglobin A1c among patients admitted to the hospital without a diagnosis of diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 4238-44	5.6 62
42	Design and implementation of a web-based patient portal linked to an electronic health record designed to improve medication safety: the Patient Gateway medications module. <i>Journal of Innovation in Health Informatics</i> , 2008 , 16, 147-55	37
41	Designing healthcare information technology to catalyse change in clinical care. <i>Journal of Innovation in Health Informatics</i> , 2008 , 16, 9-19	6
40	Association of diabetes-related emotional distress with diabetes treatment in primary care patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2007 , 24, 48-54	3.5 155
39	Risk factors for coronary artery disease in patients with elevated high-density lipoprotein cholesterol. <i>American Journal of Cardiology</i> , 2007 , 99, 1-4	3 19
38	Prevalence of hyper- and hypoglycemia among inpatients with diabetes: a national survey of 44 U.S. hospitals. <i>Diabetes Care</i> , 2007 , 30, 367-9	14.6 139
37	Prevalence and treatment of low HDL cholesterol among primary care patients with type 2 diabetes: an unmet challenge for cardiovascular risk reduction. <i>Diabetes Care</i> , 2007 , 30, 479-84	14.6 43

36	Translating clinical evidence into the practice of diabetes care. <i>Current Diabetes Reviews</i> , 2007 , 3, 217	2.7	1
35	Invited commentary: untangling the web of diabetes causality in African Americans. <i>American Journal of Epidemiology</i> , 2007 , 166, 388-90; discussion 391-2	3.8	6
34	How doctors choose medications to treat type 2 diabetes: a national survey of specialists and academic generalists. <i>Diabetes Care</i> , 2007 , 30, 1448-53	14.6	74
33	Relationship between patient medication adherence and subsequent clinical inertia in type 2 diabetes glycemic management. <i>Diabetes Care</i> , 2007 , 30, 807-12	14.6	163
32	Depression, self-care, and medication adherence in type 2 diabetes: relationships across the full range of symptom severity. <i>Diabetes Care</i> , 2007 , 30, 2222-7	14.6	413
31	Physicians value patient review of their electronic health record data as a means to improve accuracy of medication list documentation 2007 , 1116	0.7	2
30	Correlates of health-related quality of life in type 2 diabetes. <i>Diabetologia</i> , 2006 , 49, 1489-97	10.3	196
29	Is this MyPatient? Development and validation of a predictive model to link patients to primary care providers. <i>Journal of General Internal Medicine</i> , 2006 , 21, 973-978	4	40
28	Overcoming barriers to evidence-based diabetes care. <i>Current Diabetes Reviews</i> , 2006 , 2, 261-9	2.7	9
27	Frequent outpatient contact and decreasing medication affordability in patients with diabetes from 1997 to 2004. <i>Diabetes Care</i> , 2006 , 29, 1386-8	14.6	12
26	Design and implementation of a web-based patient portal linked to an ambulatory care electronic health record: patient gateway for diabetes collaborative care. <i>Diabetes Technology and Therapeutics</i> , 2006 , 8, 576-86	8.1	66
25	New models of population management for patients with diabetes--using informatics tools to support primary care. <i>Diabetes Research and Clinical Practice</i> , 2006 , 74 Suppl 2, S220-4	7.4	2
24	Cost of an informatics-based diabetes management program. <i>International Journal of Technology Assessment in Health Care</i> , 2006 , 22, 249-54	1.8	5
23	Treatment of cardiac risk factors among patients with schizophrenia and diabetes. <i>Psychiatric Services</i> , 2006 , 57, 1145-52	3.3	42
22	Randomized controlled trial of an informatics-based intervention to increase statin prescription for secondary prevention of coronary disease. <i>Journal of General Internal Medicine</i> , 2006 , 21, 22-9	4	58
21	Is this "my" patient? Development and validation of a predictive model to link patients to primary care providers. <i>Journal of General Internal Medicine</i> , 2006 , 21, 973-8	4	37
20	Prevalence of basic information technology use by U.S. physicians. <i>Journal of General Internal Medicine</i> , 2006 , 21, 1150-5	4	29
19	Using regular expressions to abstract blood pressure and treatment intensification information from the text of physician notes. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2006 , 13, 691-5	8.6	65

18	Medication adherence before an increase in antihypertensive therapy: a cohort study using pharmacy claims data. <i>Clinical Therapeutics</i> , 2005 , 27, 773-81	3.5	29
17	Sex disparities in treatment of cardiac risk factors in patients with type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 514-20	14.6	249
16	Barriers to the treatment of hepatitis C. Patient, provider, and system factors. <i>Journal of General Internal Medicine</i> , 2005 , 20, 754-8	4	154
15	Internet use among primary care patients with type 2 diabetes: the generation and education gap. <i>Journal of General Internal Medicine</i> , 2005 , 20, 470-3	4	40
14	Quality of diabetes care in U.S. academic medical centers: low rates of medical regimen change. <i>Diabetes Care</i> , 2005 , 28, 337-442	14.6	260
13	Race differences in long-term diabetes management in an HMO. <i>Diabetes Care</i> , 2005 , 28, 2844-9	14.6	34
12	Impact of concurrent medication use on statin adherence and refill persistence. <i>Archives of Internal Medicine</i> , 2004 , 164, 2343-8		78
11	A controlled trial of population management: diabetes mellitus: putting evidence into practice (DM-PEP). <i>Diabetes Care</i> , 2004 , 27, 2299-305	14.6	56
10	Should the insulin resistance syndrome be treated in the elderly?. <i>Drugs and Aging</i> , 2004 , 21, 141-51	4.7	11
9	Trends in complexity of diabetes care in the United States from 1991 to 2000. <i>Archives of Internal Medicine</i> , 2004 , 164, 1134-9		76
8	Facilitated lipid management using interactive e-mail: preliminary results of a randomized controlled trial. <i>Studies in Health Technology and Informatics</i> , 2004 , 107, 232-6	0.5	10
7	Polypharmacy and medication adherence in patients with type 2 diabetes. <i>Diabetes Care</i> , 2003 , 26, 1408-14	14.6	249
6	Improving adherence and reducing medication discrepancies in patients with diabetes. <i>Annals of Pharmacotherapy</i> , 2003 , 37, 962-9	2.9	76
5	Impact of population management with direct physician feedback on care of patients with type 2 diabetes. <i>Diabetes Care</i> , 2003 , 26, 2275-80	14.6	47
4	Impact of active drug use on antiretroviral therapy adherence and viral suppression in HIV-infected drug users. <i>Journal of General Internal Medicine</i> , 2002 , 17, 377-381	4	418
3	Comparison of hyperglycemia, hypertension, and hypercholesterolemia management in patients with type 2 diabetes. <i>American Journal of Medicine</i> , 2002 , 112, 603-9	2.4	80
2	Impact of active drug use on antiretroviral therapy adherence and viral suppression in HIV-infected drug users. <i>Journal of General Internal Medicine</i> , 2002 , 17, 377-81	4	291
1	Risk factors for early hospital readmission in patients with AIDS and pneumonia. <i>Journal of General Internal Medicine</i> , 1999 , 14, 531-6	4	18

