Jotaro Igarashi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5346405/jotaro-igarashi-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

18
30
g-index

40
ext. papers

1,030
ext. citations

18
30
g-index

4.4
avg, IF

L-index

#	Paper	IF	Citations
36	Interdomain Electron Transfer in Flavohemoglobin from Candida norvegensis with Antibiotic Azole Compounds <i>FEBS Letters</i> , 2022 ,	3.8	1
35	Identification and Characterization of a Redox Sensor Phosphodiesterase from sp. PN-J185 Containing Bacterial Hemerythrin and HD-GYP Domains. <i>Biochemistry</i> , 2020 , 59, 983-991	3.2	5
34	Leu65 in the heme distal side is critical for the stability of the Fe(II)-O2 complex of YddV, a globin-coupled oxygen sensor diguanylate cyclase. <i>Journal of Inorganic Biochemistry</i> , 2012 , 108, 163-70	4.2	22
33	Hydrogen sulfide stimulates the catalytic activity of a heme-regulated phosphodiesterase from Escherichia coli (Ec DOS). <i>Journal of Inorganic Biochemistry</i> , 2012 , 109, 66-71	4.2	10
32	73 Emerging Roles of Heme as a Signal and a Gas-Sensing Site: Heme-Sensing and Gas-Sensing Proteins. <i>Handbook of Porphyrin Science</i> , 2011 , 399-460	0.3	5
31	Phosphorylation of a heme-regulated eukaryotic initiation factor 2lkinase enhances the interaction with heat-shock protein 90 and substantially upregulates kinase activity. <i>Protein and Peptide Letters</i> , 2011 , 18, 1251-7	1.9	6
30	Autophosphorylation of heme-regulated eukaryotic initiation factor 2[kinase and the role of the modification in catalysis. <i>FEBS Journal</i> , 2011 , 278, 918-28	5.7	9
29	A hydrogen-bonding network formed by the B10-E7-E11 residues of a truncated hemoglobin from Tetrahymena pyriformis is critical for stability of bound oxygen and nitric oxide detoxification. <i>Journal of Biological Inorganic Chemistry</i> , 2011 , 16, 599-609	3.7	24
28	Heme-binding characteristics of the isolated PAS-B domain of mouse Per2, a transcriptional regulatory factor associated with circadian rhythms. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011 , 1814, 326-33	4	20
27	Identification and functional and spectral characterization of a globin-coupled histidine kinase from Anaeromyxobacter sp. Fw109-5. <i>Journal of Biological Chemistry</i> , 2011 , 286, 35522-35534	5.4	38
26	Catalysis and oxygen binding of Ec DOS: a haem-based oxygen-sensor enzyme from Escherichia coli. Journal of Biochemistry, 2010 , 148, 693-703	3.1	18
25	Important roles of Tyr43 at the putative heme distal side in the oxygen recognition and stability of the Fe(II)-O2 complex of YddV, a globin-coupled heme-based oxygen sensor diguanylate cyclase. <i>Biochemistry</i> , 2010 , 49, 10381-93	3.2	61
24	Heme-regulated Transcriptional Factors Associated with Circadian Rhythms. <i>Seibutsu Butsuri</i> , 2010 , 50, 034-035	0	
23	Selective neuronal nitric oxide synthase inhibitors and the prevention of cerebral palsy. <i>Annals of Neurology</i> , 2009 , 65, 209-17	9.4	71
22	Role of Phe113 at the distal side of the heme domain of an oxygen-sensor (Ec DOS) in the characterization of the heme environment. <i>Journal of Inorganic Biochemistry</i> , 2009 , 103, 989-96	4.2	7
21	The FG loop of a heme-based gas sensor enzyme, Ec DOS, functions in heme binding, autoxidation and catalysis. <i>Journal of Inorganic Biochemistry</i> , 2009 , 103, 1380-5	4.2	7
20	Crystal structures of constitutive nitric oxide synthases in complex with de novo designed inhibitors. <i>Journal of Medicinal Chemistry</i> , 2009 , 52, 2060-6	8.3	18

19	Heme-binding characteristics of the isolated PAS-A domain of mouse Per2, a transcriptional regulatory factor associated with circadian rhythms. <i>Biochemistry</i> , 2008 , 47, 6157-68	3.2	50
18	Arg97 at the heme-distal side of the isolated heme-bound PAS domain of a heme-based oxygen sensor from Escherichia coli (Ec DOS) plays critical roles in autoxidation and binding to gases, particularly O2. <i>Biochemistry</i> , 2008 , 47, 8874-84	3.2	39
17	Minimal pharmacophoric elements and fragment hopping, an approach directed at molecular diversity and isozyme selectivity. Design of selective neuronal nitric oxide synthase inhibitors. <i>Journal of the American Chemical Society</i> , 2008 , 130, 3900-14	16.4	88
16	Elucidation of the heme binding site of heme-regulated eukaryotic initiation factor 2alpha kinase and the role of the regulatory motif in heme sensing by spectroscopic and catalytic studies of mutant proteins. <i>Journal of Biological Chemistry</i> , 2008 , 283, 18782-91	5.4	70
15	Identification of Cys385 in the isolated kinase insertion domain of heme-regulated eIF2 alpha kinase (HRI) as the heme axial ligand by site-directed mutagenesis and spectral characterization. <i>Journal of Inorganic Biochemistry</i> , 2007 , 101, 1172-9	4.2	11
14	Eukaryotic initiation factor 2alpha kinase is a nitric oxide-responsive mercury sensor enzyme: potent inhibition of catalysis by the mercury cation and reversal by nitric oxide. <i>FEBS Letters</i> , 2007 , 581, 4109-14	3.8	9
13	Characterization of heme-regulated eIF2alpha kinase: roles of the N-terminal domain in the oligomeric state, heme binding, catalysis, and inhibition. <i>Biochemistry</i> , 2006 , 45, 9894-905	3.2	45
12	Critical roles of Leu99 and Leu115 at the heme distal side in auto-oxidation and the redox potential of a heme-regulated phosphodiesterase from Escherichia coli. <i>FEBS Journal</i> , 2006 , 273, 1210-23	5.7	7
11	Spectroscopic and DNA-binding characterization of the isolated heme-bound basic helix-loop-helix-PAS-A domain of neuronal PAS protein 2 (NPAS2), a transcription activator protein associated with circadian rhythms. <i>FEBS Journal</i> , 2006 , 273, 2528-39	5.7	33
10	Structural studies of constitutive nitric oxide synthases with diatomic ligands bound. <i>Journal of Biological Inorganic Chemistry</i> , 2006 , 11, 753-68	3.7	50
9	Exploring the binding conformations of bulkier dipeptide amide inhibitors in constitutive nitric oxide synthases. <i>Biochemistry</i> , 2005 , 44, 15222-9	3.2	18
8	Dual Effects of the Substrate and Pterins on the Kinetics of CO Binding to Neuronal Nitric Oxide Synthase: A Laser Flash Photolysis Study. <i>Chemistry Letters</i> , 2005 , 34, 752-753	1.7	1
7	Spectroscopic characterization of the isolated heme-bound PAS-B domain of neuronal PAS domain protein 2 associated with circadian rhythms. <i>FEBS Journal</i> , 2005 , 272, 4153-62	5.7	20
6	Binding of oxygen and carbon monoxide to a heme-regulated phosphodiesterase from Escherichia coli. Kinetics and infrared spectra of the full-length wild-type enzyme, isolated PAS domain, and Met-95 mutants. <i>Journal of Biological Chemistry</i> , 2004 , 279, 3340-7	5.4	45
5	Activation of heme-regulated eukaryotic initiation factor 2alpha kinase by nitric oxide is induced by the formation of a five-coordinate NO-heme complex: optical absorption, electron spin resonance, and resonance raman spectral studies. <i>Journal of Biological Chemistry</i> , 2004 , 279, 15752-62	5.4	56
4	Analysis of the kinetics of CO binding to neuronal nitric oxide synthase by flash photolysis: dual effects of substrates, inhibitors, and tetrahydrobiopterin. <i>Journal of Inorganic Biochemistry</i> , 2004 , 98, 1210-6	4.2	5
3	SOUL in mouse eyes is a new hexameric heme-binding protein with characteristic optical absorption, resonance Raman spectral, and heme-binding properties. <i>Biochemistry</i> , 2004 , 43, 14189-98	3.2	48
2	CO binding study of mouse heme-regulated eIF-2alpha kinase: kinetics and resonance Raman spectra. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2003 , 1650, 99-104	4	13

A primitive myoglobin from Tetrahymena pyriformis: its heme environment, autoxidizability, and genomic DNA structure. *BBA - Proteins and Proteomics*, **2000**, 1543, 131-45

11