Ferran Ballester

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5346412/publications.pdf

Version: 2024-02-01

57758 54911 7,683 117 44 84 citations h-index g-index papers 133 133 133 9560 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	DNA methylation changes associated with prenatal mercury exposure: A meta-analysis of prospective cohort studies from PACE consortium. Environmental Research, 2022, 204, 112093.	7.5	11
2	Exposure to metals and metalloids among pregnant women from Spain: Levels and associated factors. Chemosphere, 2022, 286, 131809.	8.2	25
3	Prenatal exposure to fluoride and neuropsychological development in early childhood: 1-to 4 years old children. Environmental Research, 2022, 207, 112181.	7. 5	9
4	Serum metal levels in a population of Spanish pregnant women. Gaceta Sanitaria, 2022, 36, 468-476.	1.5	2
5	Prenatal arsenic exposure, arsenic methylation efficiency, and neuropsychological development among preschool children in a Spanish birth cohort. Environmental Research, 2022, 207, 112208.	7.5	16
6	Response to "Comment on Maternal Perfluoroalkyl Substances, Thyroid Hormones, and <i>DIO</i> Genes: A Spanish Cross-sectional Study: Predictability of Multiple Imputations for Large Amounts of Missing Data― Environmental Science & Environment	10.0	2
7	Maternal occupational exposures and fetal growth in a Spanish birth cohort. PLoS ONE, 2022, 17, e0264530.	2.5	4
8	Pre and postnatal exposure to mercury and sexual development in 9-year-old children in Spain: The role of brain-derived neurotrophic factor. Environmental Research, 2022, 213, 113620.	7.5	4
9	Urban environment during early-life and blood pressure in young children. Environment International, 2021, 146, 106174.	10.0	26
10	Exposure to mercury among 9-year-old children and neurobehavioural function. Environment International, 2021, 146, 106173.	10.0	25
11	Urinary arsenic species and methylation efficiency during pregnancy: Concentrations and associated factors in Spanish pregnant women. Environmental Research, 2021, 196, 110889.	7.5	18
12	Prenatal manganese serum levels and neurodevelopment at 4 years of age. Environmental Research, 2021, 197, 111172.	7.5	8
13	Maternal Perfluoroalkyl Substances, Thyroid Hormones, and <i>DIO</i> Genes: A Spanish Cross-sectional Study. Environmental Science & Eamp; Technology, 2021, 55, 11144-11154.	10.0	7
14	Pre and postnatal exposure to mercury and respiratory health in preschool children from the Spanish INMA Birth Cohort Study. Science of the Total Environment, 2021, 782, 146654.	8.0	7
15	Prenatal perfluoroalkyl substance exposure and neuropsychological development throughout childhood: The INMA Project. Journal of Hazardous Materials, 2021, 416, 125185.	12.4	33
16	Exposure to ultrafine particles in children until 18 years of age: A systematic review. Indoor Air, 2020, 30, 7-23.	4.3	17
17	Prenatal Se concentrations and anthropometry at birth in the INMA study (Spain). Environmental Research, 2020, 181, 108943.	7.5	11
18	Postnatal exposure to mercury and neuropsychological development among preschooler children. European Journal of Epidemiology, 2020, 35, 259-271.	5.7	10

#	Article	IF	Citations
19	Prenatal manganese exposure and neuropsychological development in early childhood in the INMA cohort. International Journal of Hygiene and Environmental Health, 2020, 224, 113443.	4.3	13
20	Prenatal and postnatal exposure to air pollution and emotional and aggressive symptoms in children from 8 European birth cohorts. Environment International, 2019, 131, 104927.	10.0	51
21	Associations of black carbon with lung function and airway inflammation in schoolchildren. Environment International, 2019, 131, 104984.	10.0	28
22	First-trimester maternal concentrations of polyfluoroalkyl substances and fetal growth throughout pregnancy. Environment International, 2019, 130, 104830.	10.0	20
23	Prenatal exposure to perfluoroalkyl substances, immune-related outcomes, and lung function in children from a Spanish birth cohort study. International Journal of Hygiene and Environmental Health, 2019, 222, 945-954.	4.3	33
24	Maternal copper status and neuropsychological development in infants and preschool children. International Journal of Hygiene and Environmental Health, 2019, 222, 503-512.	4.3	40
25	Exposure to mercury among 9-year-old Spanish children: Associated factors and trend throughout childhood. Environment International, 2019, 130, 104835.	10.0	11
26	Associations of Maternal Cell-Phone Use During Pregnancy With Pregnancy Duration and Fetal Growth in 4 Birth Cohorts. American Journal of Epidemiology, 2019, 188, 1270-1280.	3.4	17
27	Chronic mercury exposure and blood pressure in children and adolescents: a systematic review. Environmental Science and Pollution Research, 2019, 26, 2238-2252.	5.3	16
28	Prenatal exposure to mercury and longitudinally assessed fetal growth: Relation and effect modifiers. Environmental Research, 2018, 160, 97-106.	7.5	24
29	Selenium status during pregnancy: Influential factors and effects on neuropsychological development among Spanish infants. Science of the Total Environment, 2018, 610-611, 741-749.	8.0	48
30	Drinking water disinfection by-products during pregnancy and child neuropsychological development in the INMA Spanish cohort study. Environment International, 2018, 110, 113-122.	10.0	24
31	Human Early Life Exposome (HELIX) study: a European population-based exposome cohort. BMJ Open, 2018, 8, e021311.	1.9	161
32	Synergistic Effects of Ambient Temperature and Air Pollution on Health in Europe: Results from the PHASE Project. International Journal of Environmental Research and Public Health, 2018, 15, 1856.	2.6	101
33	The inter-annual variability of heat-related mortality in nine European cities (1990–2010). Environmental Health, 2018, 17, 66.	4.0	16
34	Maternal selenium status and neuropsychological development in Spanish preschool children. Environmental Research, 2018, 166, 215-222.	7.5	36
35	Prenatal exposure to mercury and neuropsychological development in young children: the role of fish consumption. International Journal of Epidemiology, 2017, 46, dyw259.	1.9	36
36	Infants' indoor and outdoor residential exposure to benzene and respiratory health in a Spanish cohort. Environmental Pollution, 2017, 222, 486-494.	7.5	30

#	Article	IF	CITATIONS
37	The INMAâ€"INfancia y Medio Ambienteâ€" (Environment and Childhood) project: More than 10 years contributing to environmental and neuropsychological research. International Journal of Hygiene and Environmental Health, 2017, 220, 647-658.	4.3	12
38	Mechanisms of the Development of Allergy (MeDALL): Introducing novel concepts in allergy phenotypes. Journal of Allergy and Clinical Immunology, 2017, 139, 388-399.	2.9	145
39	Association between exposure to organochlorine compounds and maternal thyroid status: Role of the iodothyronine deiodinase 1 gene. Environment International, 2017, 104, 83-90.	10.0	19
40	Maternal cell phone use during pregnancy and child behavioral problems in five birth cohorts. Environment International, 2017, 104, 122-131.	10.0	31
41	CYP3A genes and the association between prenatal methylmercury exposure and neurodevelopment. Environment International, 2017, 105, 34-42.	10.0	24
42	Exposure to perfluoroalkyl substances and thyroid function in pregnant women and children: A systematic review of epidemiologic studies. Environment International, 2017, 99, 15-28.	10.0	182
43	Prenatal exposure to perfluoroalkyl substances and birth outcomes in a Spanish birth cohort. Environment International, 2017, 108, 278-284.	10.0	92
44	Prenatal and postnatal exposure to NO2 and child attentional function at $4\hat{a}$ \in 9 years of age. Environment International, 2017, 106, 170-177.	10.0	56
45	Distributions and determinants of urinary biomarkers of organophosphate pesticide exposure in a prospective Spanish birth cohort study. Environmental Health, 2017, 16, 46.	4.0	37
46	Methylmercury-induced developmental toxicity is associated with oxidative stress and cofilin phosphorylation. Cellular and human studies. NeuroToxicology, 2017, 59, 197-209.	3.0	22
47	Organochlorine Compounds and Ultrasound Measurements of Fetal Growth in the INMA Cohort (Spain). Environmental Health Perspectives, 2016, 124, 157-163.	6.0	33
48	Prenatal Exposure to NO ₂ and Ultrasound Measures of Fetal Growth in the Spanish INMA Cohort. Environmental Health Perspectives, 2016, 124, 235-242.	6.0	41
49	Reproducibility and Validity of a Food Frequency Questionnaire Designed to Assess Diet in Children Aged 4-5 Years. PLoS ONE, 2016, 11, e0167338.	2.5	52
50	Dietary and Household Sources of Prenatal Exposure to Polybrominated Diphenyl Ethers (PBDEs) in the INMA Birth Cohort (Spain). Environmental Science & Echnology, 2016, 50, 5935-5944.	10.0	25
51	Prenatal mercury exposure and birth outcomes. Environmental Research, 2016, 151, 11-20.	7.5	51
52	Occurrence of DBPs in Drinking Water of European Regions for Epidemiology Studies. Journal - American Water Works Association, 2016, 108, E501.	0.3	24
53	Characterisation of exposure to non-ionising electromagnetic fields in the Spanish INMA birth cohort: study protocol. BMC Public Health, 2016, 16, 167.	2.9	14
54	Exposure to ambient air pollution during pregnancy and preterm birth: A Spanish multicenter birth cohort study. Environmental Research, 2016, 147, 50-58.	7.5	43

#	Article	IF	CITATIONS
55	Second-hand smoke exposure in 4-year-old children in Spain: Sources, associated factors and urinary cotinine. Environmental Research, 2016, 145, 116-125.	7.5	29
56	Maternal Consumption of Seafood in Pregnancy and Child Neuropsychological Development: A Longitudinal Study Based on a Population With High Consumption Levels. American Journal of Epidemiology, 2016, 183, 169-182.	3.4	96
57	Health effects of the 2012 Valencia (Spain) wildfires on children in a cohort study. Environmental Geochemistry and Health, 2016, 38, 703-712.	3.4	19
58	Changes in the Effect of Heat on Mortality in the Last 20 Years in Nine European Cities. Results from the PHASE Project. International Journal of Environmental Research and Public Health, 2015, 12, 15567-15583.	2.6	108
59	Annoyance Caused by Noise and Air Pollution during Pregnancy: Associated Factors and Correlation with Outdoor NO2 and Benzene Estimations. International Journal of Environmental Research and Public Health, 2015, 12, 7044-7058.	2.6	9
60	Short-Term Relationship between Hip Fracture and Weather Conditions in Two Spanish Health Areas with Different Climates. Journal of Environmental and Public Health, 2015, 2015, 1-8.	0.9	9
61	Effect of Gene-Mercury Interactions on Mercury Toxicokinetics and Neurotoxicity. Current Environmental Health Reports, 2015, 2, 179-194.	6.7	48
62	Synergism between exposure to mercury and use of iodine supplements on thyroid hormones in pregnant women. Environmental Research, 2015, 138, 298-305.	7.5	23
63	Water hardness and eczema at 1 and 4y of age in the INMA birth cohort. Environmental Research, 2015, 142, 579-585.	7.5	11
64	Prenatal head growth and child neuropsychological development at age 14 months. American Journal of Obstetrics and Gynecology, 2015, 212, 661.e1-661.e11.	1.3	11
65	Postnatal weight growth and trihalomethane exposure during pregnancy. Environmental Research, 2015, 136, 280-288.	7.5	7
66	Prenatal exposure to PCB-153, p,p′-DDE and birth outcomes in 9000 mother–child pairs: Exposure–response relationship and effect modifiers. Environment International, 2015, 74, 23-31.	10.0	83
67	Influence of prenatal exposure to environmental pollutants on human cord blood levels of glutamate. NeuroToxicology, 2014, 40, 102-110.	3.0	13
68	Factors associated with second-hand smoke exposure in non-smoking pregnant women in Spain: Self-reported exposure and urinary cotinine levels. Science of the Total Environment, 2014, 470-471, 1189-1196.	8.0	34
69	Exposure to mercury among Spanish preschool children: Trend from birth to age four. Environmental Research, 2014, 132, 83-92.	7. 5	28
70	Prenatal exposure to mixtures of xenoestrogens and repetitive element DNA methylation changes in human placenta. Environment International, 2014, 71, 81-87.	10.0	52
71	In utero exposure to mixtures of xenoestrogens and child neuropsychological development. Environmental Research, 2014, 134, 98-104.	7.5	16
72	Deficit of interleukin 7 in septic patients. International Immunopharmacology, 2014, 23, 73-76.	3.8	18

#	Article	IF	Citations
73	Exposure to elevated temperatures and risk of preterm birth in Valencia, Spain. Environmental Research, 2014, 134, 210-217.	7.5	57
74	Polymorphisms in ABC Transporter Genes and Concentrations of Mercury in Newborns – Evidence from Two Mediterranean Birth Cohorts. PLoS ONE, 2014, 9, e97172.	2.5	39
75	Reproducibility and validity of a food frequency questionnaire among pregnant women in a Mediterranean area. Nutrition Journal, 2013, 12, 26.	3.4	228
76	Swimming pool attendance, respiratory symptoms and infections in the first year of life. European Journal of Pediatrics, 2013, 172, 977-985.	2.7	11
77	Ambient air pollution and low birthweight: a European cohort study (ESCAPE). Lancet Respiratory Medicine, the, 2013, 1, 695-704.	10.7	464
78	Evaluating the neurotoxic effects of lactational exposure to persistent organic pollutants (POPs) in Spanish children. NeuroToxicology, 2013, 34, 9-15.	3.0	51
79	Determinants of self-reported smoking and misclassification during pregnancy, and analysis of optimal cut-off points for urinary cotinine: a cross-sectional study. BMJ Open, 2013, 3, e002034.	1.9	58
80	Early-Life Exposure to Outdoor Air Pollution and Respiratory Health, Ear Infections, and Eczema in Infants from the INMA Study. Environmental Health Perspectives, 2013, 121, 387-392.	6.0	110
81	Association of Î ³ δT Cells with Disease Severity and Mortality in Septic Patients. Vaccine Journal, 2013, 20, 738-746.	3.1	58
82	Microsporidia and Its Relation to Crohn's Disease. A Retrospective Study. PLoS ONE, 2013, 8, e62107.	2.5	22
83	Surrounding Greenness and Pregnancy Outcomes in Four Spanish Birth Cohorts. Environmental Health Perspectives, 2012, 120, 1481-1487.	6.0	210
84	Prenatal Exposure to Residential Air Pollution and Infant Mental Development: Modulation by Antioxidants and Detoxification Factors. Environmental Health Perspectives, 2012, 120, 144-149.	6.0	150
85	Birth Weight and Prenatal Exposure to Polychlorinated Biphenyls (PCBs) and Dichlorodiphenyldichloroethylene (DDE): A Meta-analysis within 12 European Birth Cohorts. Environmental Health Perspectives, 2012, 120, 162-170.	6.0	267
86	Prenatal Exposure to Mercury and Infant Neurodevelopment in a Multicenter Cohort in Spain: Study of Potential Modifiers. American Journal of Epidemiology, 2012, 175, 451-465.	3.4	99
87	Cohort Profile: The INMA—INfancia y Medio Ambiente—(Environment and Childhood) Project. International Journal of Epidemiology, 2012, 41, 930-940.	1.9	492
88	Active and passive smoking during pregnancy and ultrasound measures of fetal growth in a cohort of pregnant women. Journal of Epidemiology and Community Health, 2012, 66, 563-570.	3.7	29
89	Prevalence of exposure to occupational risks during pregnancy in Spain. International Journal of Public Health, 2012, 57, 817-826.	2.3	12
90	Prenatal exposure to organochlorine compounds and neuropsychological development up to two years of life. Environment International, 2012, 45, 72-77.	10.0	45

#	Article	IF	Citations
91	Assessment of prenatal exposure to persistent organohalogen compounds from cord blood serum analysis in two Mediterranean populations (Valencia and Menorca). Journal of Environmental Monitoring, 2011, 13, 422-432.	2.1	16
92	Social factors associated with nitrogen dioxide (NO2) exposure during pregnancy: The INMA-Valencia project in Spain. Social Science and Medicine, 2011, 72, 890-898.	3.8	11
93	Outdoor, but not indoor, nitrogen dioxide exposure is associated with persistent cough during the first year of life. Science of the Total Environment, 2011, 409, 4667-4673.	8.0	45
94	Outdoor NO2 and benzene exposure in the INMA (Environment and Childhood) Asturias cohort (Spain). Atmospheric Environment, 2011, 45, 5240-5246.	4.1	21
95	Deficit of Gammadelta T Lymphocytes in the Peripheral Blood of Patients with Crohn's Disease. Digestive Diseases and Sciences, 2011, 56, 2613-2622.	2.3	29
96	Residential Exposure to Outdoor Air Pollution during Pregnancy and Anthropometric Measures at Birth in a Multicenter Cohort in Spain. Environmental Health Perspectives, 2011, 119, 1333-1338.	6.0	95
97	Concentrations and determinants of organochlorine levels among pregnant women in Eastern Spain. Science of the Total Environment, 2010, 408, 5758-5767.	8.0	62
98	Air pollution exposure during pregnancy and reduced birth size: a prospective birth cohort study in Valencia, Spain. Environmental Health, 2010, 9, 6.	4.0	133
99	Air pollution and mortality in the Canary Islands: a time-series analysis. Environmental Health, 2010, 9, 8.	4.0	32
100	Prenatal exposure to organochlorine compounds and neonatal thyroid stimulating hormone levels. Journal of Exposure Science and Environmental Epidemiology, 2010, 20, 579-588.	3.9	40
101	Relation between Temperature and Mortality in Thirteen Spanish Cities. International Journal of Environmental Research and Public Health, 2010, 7, 3196-3210.	2.6	72
102	Maternal Origin and Other Determinants of Cord Serum Organochlorine Compound Concentrations in Infants from the General Population. Environmental Science & Environmental Science & 2010, 44, 6488-6495.	10.0	49
103	Preterm birth and exposure to air pollutants during pregnancy. Environmental Research, 2010, 110, 778-785.	7.5	107
104	Fish consumption during pregnancy, prenatal mercury exposure, and anthropometric measures at birth in a prospective mother-infant cohort study in Spain. American Journal of Clinical Nutrition, 2009, 90, 1047-1055.	4.7	94
105	Estimation of personal NO2 exposure in a cohort of pregnant women. Science of the Total Environment, 2009, 407, 6093-6099.	8.0	49
106	Ambient air pollution and annoyance responses from pregnant women. Atmospheric Environment, 2008, 42, 2982-2992.	4.1	17
107	Prenatal exposure to mercury in a prospective mother–infant cohort study in a Mediterranean area, Valencia, Spain. Science of the Total Environment, 2008, 392, 69-78.	8.0	45
108	Epidemiology of Sepsis in the Valencian Community (Spain), 1995–2004. Infection Control and Hospital Epidemiology, 2008, 29, 630-634.	1.8	48

#	Article	IF	Citations
109	Reducing ambient levels of fine particulates could substantially improve health: a mortality impact assessment for 26 European cities. Journal of Epidemiology and Community Health, 2008, 62, 98-105.	3.7	98
110	Child health and the environment: the INMA Spanish Study. Paediatric and Perinatal Epidemiology, 2006, 20, 403-410.	1.7	106
111	Apheis: Health Impact Assessment of Long-term Exposure to PM2.5 in 23 European Cities. European Journal of Epidemiology, 2006, 21, 449-458.	5.7	236
112	Exposure to ambient air pollution and prenatal and early childhood health effects. European Journal of Epidemiology, 2005, 20, 183-199.	5.7	192
113	RELATIONSHIP BETWEEN GASEOUS AIR POLLUTANTS AND CARDIOVASCULAR ADMISSIONS: A STUDY IN 14 SPANISH CITIES. Epidemiology, 2004, 15, S25-S26.	2.7	2
114	The association of daily sulfur dioxide air pollution levels with hospital admissions for cardiovascular diseases in Europe (The Aphea-II study). European Heart Journal, 2003, 24, 752-760.	2.2	193
115	A combined analysis of the short-term effects of photochemical air pollutants on mortality within the EMECAM project Environmental Health Perspectives, 2002, 110, 221-228.	6.0	60
116	Different Convergence Parameters Applied to the S-PLUS GAM Function. Epidemiology, 2002, 13, 742.	2.7	25
117	Confounding and Effect Modification in the Short-Term Effects of Ambient Particles on Total Mortality: Results from 29 European Cities within the APHEA2 Project. Epidemiology, 2001, 12, 521-531.	2.7	810