

# Jian Zhen Yu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5346567/publications.pdf>

Version: 2024-02-01

210  
papers

14,365  
citations

13827

67  
h-index

27345

106  
g-index

270  
all docs

270  
docs citations

270  
times ranked

8389  
citing authors

#	ARTICLE	IF	CITATIONS
1	Abundance of organosulfates derived from biogenic volatile organic compounds: Seasonal and spatial contrasts at four sites in China. <i>Science of the Total Environment</i> , 2022, 806, 151275.	3.9	9
2	Online measurement of aerosol inorganic and organic nitrogen based on thermal evolution and chemiluminescent detection. <i>Atmospheric Environment</i> , 2022, 271, 118905.	1.9	4
3	Molecular and elemental marker-based source apportionment of fine particulate matter at six sites in Hong Kong, China. <i>Science of the Total Environment</i> , 2022, 813, 152652.	3.9	12
4	Modeling Secondary Organic Aerosol Tracers and Tracer-to-SOA Ratios for Monoterpenes and Sesquiterpenes Using a Chemical Transport Model. <i>Environmental Science &amp; Technology</i> , 2022, 56, 804-813.	4.6	6
5	Decay Kinetics and Absorption Changes of Methoxyphenols and Nitrophenols during Nitrate-Mediated Aqueous Photochemical Oxidation at 254 and 313 nm. <i>ACS Earth and Space Chemistry</i> , 2022, 6, 1115-1125.	1.2	6
6	Measurement report: Characterization and source apportionment of coarse particulate matter in Hong Kong: insights into the constituents of unidentified mass and source origins in a coastal city in southern China. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 5017-5031.	1.9	16
7	Chemical transformation of $\alpha$ -pinene-derived organosulfate via heterogeneous OH oxidation: implications for sources and environmental fates of atmospheric organosulfates. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 5685-5700.	1.9	4
8	Tracer-based characterization of source variations of PM <sub>2.5</sub> and organic carbon in Shanghai influenced by the COVID-19 lockdown. <i>Faraday Discussions</i> , 2021, 226, 112-137.	1.6	19
9	Organosulfates in atmospheric aerosols in Shanghai, China: seasonal and interannual variability, origin, and formation mechanisms. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 2959-2980.	1.9	37
10	Impacts of Chemical Degradation on the Global Budget of Atmospheric Levoglucosan and Its Use As a Biomass Burning Tracer. <i>Environmental Science &amp; Technology</i> , 2021, 55, 5525-5536.	4.6	37
11	Fabric Masks as a Personal Dosimeter for Quantifying Exposure to Airborne Polycyclic Aromatic Hydrocarbons. <i>Environmental Science &amp; Technology</i> , 2021, 55, 5128-5135.	4.6	16
12	Assessment of oxidative potential by hydrophilic and hydrophobic fractions of water-soluble PM <sub>2.5</sub> and their mixture effects. <i>Environmental Pollution</i> , 2021, 275, 116616.	3.7	4
13	Source apportionment of urban PM <sub>2.5</sub> using positive matrix factorization with vertically distributed measurements of trace elements and nonpolar organic compounds. <i>Atmospheric Pollution Research</i> , 2021, 12, 200-207.	1.8	9
14	Source apportionment of fine secondary inorganic aerosol over the Pearl River Delta region using a hybrid method. <i>Atmospheric Pollution Research</i> , 2021, 12, 101061.	1.8	3
15	A multiple linear regression model with multiplicative log-normal error term for atmospheric concentration data. <i>Science of the Total Environment</i> , 2021, 767, 144282.	3.9	17
16	Chemical Synthesis of Multifunctional Air Pollutants: Terpene-Derived Nitrooxy Organosulfates. <i>Environmental Science &amp; Technology</i> , 2021, 55, 8573-8582.	4.6	16
17	Simultaneous Determination of Aerosol Inorganic and Organic Nitrogen by Thermal Evolution and Chemiluminescence Detection. <i>Environmental Science &amp; Technology</i> , 2021, 55, 11579-11589.	4.6	9
18	Ambient Measurements of Heterogeneous Ozone Oxidation Rates of Oleic, Elaidic, and Linoleic Acid Using a Relative Rate Constant Approach in an Urban Environment. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL095130.	1.5	10

#	ARTICLE	IF	CITATIONS
19	Estimation of Aromatic Secondary Organic Aerosol Using a Molecular Tracer—A Chemical Transport Model Assessment. <i>Environmental Science &amp; Technology</i> , 2021, 55, 12882-12892.	4.6	6
20	On the Flip Side of Mask Wearing: Increased Exposure to Volatile Organic Compounds and a Risk-Reducing Solution. <i>Environmental Science &amp; Technology</i> , 2021, 55, 14095-14104.	4.6	36
21	Hourly measurement of PM2.5-bound nonpolar organic compounds in Shanghai: Characteristics, sources and health risk assessment. <i>Science of the Total Environment</i> , 2021, 789, 148070.	3.9	15
22	Estimating primary vehicular emission contributions to PM2.5 using the Chemical Mass Balance model: Accounting for gas-particle partitioning of organic aerosols and oxidation degradation of hopanes. <i>Environmental Pollution</i> , 2021, 291, 118131.	3.7	7
23	Characterization of Seasonal Difference of HULIS-C Sources from Water Soluble PM2.5 in Seoul, Korea: Probing Secondary Processes. <i>Aerosol and Air Quality Research</i> , 2021, 21, 200233.	0.9	5
24	General discussion: Urban air quality; Meteorological influences and air quality trends. <i>Faraday Discussions</i> , 2021, 226, 191-206.	1.6	0
25	Comparative Assessment of Cooking Emission Contributions to Urban Organic Aerosol Using Online Molecular Tracers and Aerosol Mass Spectrometry Measurements. <i>Environmental Science &amp; Technology</i> , 2021, 55, 14526-14535.	4.6	21
26	Polyurethane-Based Face Mask as a Sampling Device for Environmental Tobacco Smoke. <i>Analytical Chemistry</i> , 2021, 93, 13912-13918.	3.2	5
27	An interfacial role for NO2. <i>Nature Chemistry</i> , 2021, 13, 1158-1160.	6.6	4
28	Assessment of Interactions between Transition Metals and Atmospheric Organics: Ascorbic Acid Depletion and Hydroxyl Radical Formation in Organic-Metal Mixtures. <i>Environmental Science &amp; Technology</i> , 2020, 54, 1431-1442.	4.6	54
29	Minimizing Contamination from Plastic Labware in the Quantification of C16 and C18 Fatty Acids in Filter Samples of Atmospheric Particulate Matter and Their Utility in Apportioning Cooking Source Contribution to Urban PM2.5. <i>Atmosphere</i> , 2020, 11, 1120.	1.0	10
30	The Observation and Characterisation of Fluorescent Bioaerosols Using Real-Time UV-LIF Spectrometry in Hong Kong from June to November 2018. <i>Atmosphere</i> , 2020, 11, 944.	1.0	2
31	Inorganic Sulfur Species Formed upon Heterogeneous OH Oxidation of Organosulfates: A Case Study of Methyl Sulfate. <i>ACS Earth and Space Chemistry</i> , 2020, 4, 2041-2049.	1.2	9
32	Hourly measurements of organic molecular markers in urban Shanghai, China: Observation of enhanced formation of secondary organic aerosol during particulate matter episodic periods. <i>Atmospheric Environment</i> , 2020, 240, 117807.	1.9	27
33	Hourly Measurements of Organic Molecular Markers in Urban Shanghai, China: Primary Organic Aerosol Source Identification and Observation of Cooking Aerosol Aging. <i>ACS Earth and Space Chemistry</i> , 2020, 4, 1670-1685.	1.2	43
34	Enhanced Wet Deposition of Water-Soluble Organic Nitrogen During the Harvest Season: Influence of Biomass Burning and In-Cloud Scavenging. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2020JD032699.	1.2	17
35	Comparative Study of Particulate Organosulfates in Contrasting Atmospheric Environments: Field Evidence for the Significant Influence of Anthropogenic Sulfate and NOx. <i>Environmental Science and Technology Letters</i> , 2020, 7, 787-794.	3.9	28
36	Abundance and sources of benzo[a]pyrene and other PAHs in ambient air in Hong Kong: A review of 20-year measurements (1997–2016). <i>Chemosphere</i> , 2020, 259, 127518.	4.2	31

#	ARTICLE	IF	CITATIONS
37	Wet and Dry Nitrogen Depositions in the Pearl River Delta, South China: Observations at Three Typical Sites With an Emphasis on Water-Soluble Organic Nitrogen. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2019JD030983.	1.2	15
38	Field Evidence of Fe-Mediated Photochemical Degradation of Oxalate and Subsequent Sulfate Formation Observed by Single Particle Mass Spectrometry. <i>Environmental Science &amp; Technology</i> , 2020, 54, 6562-6574.	4.6	23
39	Speciation of carboxylic components in humic-like substances (HULIS) and source apportionment of HULIS in ambient fine aerosols (PM <sub>2.5</sub> ) collected in Hong Kong. <i>Environmental Science and Pollution Research</i> , 2020, 27, 23172-23180.	2.7	10
40	Amplification of black carbon light absorption induced by atmospheric aging: temporal variation at seasonal and diel scales in urban Guangzhou. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 2445-2470.	1.9	38
41	Source apportionment of PM <sub>2.5</sub> in Shanghai based on hourly organic molecular markers and other source tracers. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 12047-12061.	1.9	39
42	Probing key organic substances driving new particle growth initiated by iodine nucleation in coastal atmosphere. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 9821-9835.	1.9	8
43	Tracking separate contributions of diesel and gasoline vehicles to roadside PM <sub>2.5</sub> through online monitoring of volatile organic compounds and PM <sub>2.5</sub> organic and elemental carbon: a 6-year study in Hong Kong. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 9871-9882.	1.9	16
44	Isoprene Mixing Ratios Measured at Twenty Sites in China During 2012–2014: Comparison With Model Simulation. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2020JD033523.	1.2	14
45	Temporal Variations and Characteristics of the Carbonaceous Species in PM <sub>2.5</sub> Measured at Anmyeon Island, a Background Site in Korea. <i>Asian Journal of Atmospheric Environment</i> , 2020, 14, 35-46.	0.4	4
46	Organic Peroxides and Sulfur Dioxide in Aerosol: Source of Particulate Sulfate. <i>Environmental Science &amp; Technology</i> , 2019, 53, 10695-10704.	4.6	53
47	Quantification of known and unknown terpenoid organosulfates in PM <sub>10</sub> using untargeted LC- <sup>2</sup> HRMS/MS: contrasting summertime rural Germany and the North China Plain. <i>Environmental Chemistry</i> , 2019, 16, 333.	0.7	33
48	The formation of nitro-aromatic compounds under high NO <sub>x</sub> and anthropogenic VOC conditions in urban Beijing, China. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 7649-7665.	1.9	127
49	The development of a cell-based model for the assessment of carcinogenic potential upon long-term PM <sub>2.5</sub> exposure. <i>Environment International</i> , 2019, 131, 104943.	4.8	39
50	Effect of metal-organic interactions on the oxidative potential of mixtures of atmospheric humic-like substances and copper/manganese as investigated by the dithiothreitol assay. <i>Science of the Total Environment</i> , 2019, 697, 134012.	3.9	31
51	Optical properties, source apportionment and redox activity of humic-like substances (HULIS) in airborne fine particulates in Hong Kong. <i>Environmental Pollution</i> , 2019, 255, 113087.	3.7	37
52	Monoterpene and Sesquiterpene $\pm$ -Hydroxy Organosulfates: Synthesis, MS/MS Characteristics, and Ambient Presence. <i>Environmental Science &amp; Technology</i> , 2019, 53, 12278-12290.	4.6	24
53	Dithiothreitol (DTT) concentration effect and its implications on the applicability of DTT assay to evaluate the oxidative potential of atmospheric aerosol samples. <i>Environmental Pollution</i> , 2019, 251, 938-944.	3.7	46
54	Organosulfur Compounds Formed from Heterogeneous Reaction between SO <sub>2</sub> and Particulate-Bound Unsaturated Fatty Acids in Ambient Air. <i>Environmental Science and Technology Letters</i> , 2019, 6, 318-322.	3.9	34

#	ARTICLE	IF	CITATIONS
55	Incorporating hopane degradation into chemical mass balance model: Improving accuracy of vehicular source contribution estimation. <i>Atmospheric Environment</i> , 2019, 210, 211-219.	1.9	6
56	Characterization of Aerosol Aging Potentials at Suburban Sites in Northern and Southern China Utilizing a Potential Aerosol Mass (Go:PAM) Reactor and an Aerosol Mass Spectrometer. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 5629-5649.	1.2	28
57	Multiple organ injury in male C57BL/6J mice exposed to ambient particulate matter in a real-ambient PM exposure system in Shijiazhuang, China. <i>Environmental Pollution</i> , 2019, 248, 874-887.	3.7	108
58	Estimating contributions of vehicular emissions to PM <sub>2.5</sub> in a roadside environment: A multiple approach study. <i>Science of the Total Environment</i> , 2019, 672, 776-788.	3.9	27
59	Ammonia emission control in China would mitigate haze pollution and nitrogen deposition, but worsen acid rain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 7760-7765.	3.3	308
60	Estimation and Uncertainty Analysis of Secondary Organic Carbon Using 1 Year of Hourly Organic and Elemental Carbon Data. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 2774-2795.	1.2	47
61	Multiphase Reactions between Secondary Organic Aerosol and Sulfur Dioxide: Kinetics and Contributions to Sulfate Formation and Aerosol Aging. <i>Environmental Science and Technology Letters</i> , 2019, 6, 768-774.	3.9	42
62	Efficient control of atmospheric sulfate production based on three formation regimes. <i>Nature Geoscience</i> , 2019, 12, 977-982.	5.4	55
63	High level of source-specific particulate matter air pollution associated with cardiac arrhythmias. <i>Science of the Total Environment</i> , 2019, 657, 1285-1293.	3.9	41
64	Source apportionment of fine particulate matter in Macao, China with and without organic tracers: A comparative study using positive matrix factorization. <i>Atmospheric Environment</i> , 2019, 198, 183-193.	1.9	39
65	Potential exposure to fine particulate matter (PM <sub>2.5</sub> ) and black carbon on jogging trails in Macau. <i>Atmospheric Environment</i> , 2019, 198, 23-33.	1.9	21
66	Source Apportionment of PM <sub>2.5</sub> Using Hourly Measurements of Elemental Tracers and Major Constituents in an Urban Environment: Investigation of Time-Resolution Influence. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 5284-5300.	1.2	52
67	Abundance and Sources of Phthalic Acids, Benzene-Tricarboxylic Acids, and Phenolic Acids in PM <sub>2.5</sub> at Urban and Suburban Sites in Southern China. <i>ACS Earth and Space Chemistry</i> , 2018, 2, 147-158.	1.2	51
68	Quantifying black carbon light absorption enhancement with a novel statistical approach. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 289-309.	1.9	84
69	Decadal changes in emissions of volatile organic compounds (VOCs) from on-road vehicles with intensified automobile pollution control: Case study in a busy urban tunnel in south China. <i>Environmental Pollution</i> , 2018, 233, 806-819.	3.7	74
70	An Integrated Source Apportionment Methodology and Its Application over the Yangtze River Delta Region, China. <i>Environmental Science &amp; Technology</i> , 2018, 52, 14216-14227.	4.6	31
71	Online gas- and particle-phase measurements of organosulfates, organosulfonates and nitrooxy organosulfates in Beijing utilizing a FIGAERO ToF-CIMS. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10355-10371.	1.9	62
72	The secondary formation of organosulfates under interactions between biogenic emissions and anthropogenic pollutants in summer in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10693-10713.	1.9	84

#	ARTICLE	IF	CITATIONS
73	Non-polar organic compounds in autumn and winter aerosols in a typical city of eastern China: size distribution and impact of gas-particle partitioning on PM <sub>2.5</sub> source apportionment. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 9375-9391.	1.9	29
74	Sources and oxidative potential of water-soluble humic-like substances (HULIS <sub>WS</sub> ) in fine particulate matter (PM <sub>2.5</sub> ) in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 5607-5617.	1.9	92
75	Evaluation of linear regression techniques for atmospheric applications: the importance of appropriate weighting. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 1233-1250.	1.2	74
76	Eighteen-year trends of local and non-local impacts to ambient PM <sub>10</sub> in Hong Kong based on chemical speciation and source apportionment. <i>Atmospheric Research</i> , 2018, 214, 1-9.	1.8	13
77	Aromatic formulas in ambient PM <sub>2.5</sub> samples from Hong Kong determined using FT-ICR ultrahigh-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 6289-6304.	1.9	21
78	Effects of Chemical Composition of PM <sub>2.5</sub> on Visibility in a Semi-Rural City of Sichuan Basin. <i>Aerosol and Air Quality Research</i> , 2018, 18, 957-968.	0.9	16
79	Impacts of particulate matter (PM <sub>2.5</sub> ) on the behavior of freshwater snail <i>Parafossarulus striatulus</i> . <i>Scientific Reports</i> , 2017, 7, 644.	1.6	25
80	Synthesis of Four Monoterpene-Derived Organosulfates and Their Quantification in Atmospheric Aerosol Samples. <i>Environmental Science &amp; Technology</i> , 2017, 51, 6791-6801.	4.6	43
81	Primary particulate emissions and secondary organic aerosol (SOA) formation from idling diesel vehicle exhaust in China. <i>Science of the Total Environment</i> , 2017, 593-594, 462-469.	3.9	53
82	Impact of Secondary Organic Aerosol Tracers on Tracer-Based Source Apportionment of Organic Carbon and PM <sub>2.5</sub> : A Case Study in the Pearl River Delta, China. <i>ACS Earth and Space Chemistry</i> , 2017, 1, 562-571.	1.2	68
83	Size distributions of hydrophilic and hydrophobic fractions of water-soluble organic carbon in an urban atmosphere in Hong Kong. <i>Atmospheric Environment</i> , 2017, 166, 110-119.	1.9	6
84	Quantifying the relationship between visibility degradation and PM <sub>2.5</sub> constituents at a suburban site in Hong Kong: Differentiating contributions from hydrophilic and hydrophobic organic compounds. <i>Science of the Total Environment</i> , 2017, 575, 1571-1581.	3.9	23
85	Volatility of mixed atmospheric humic-like substances and ammonium sulfate particles. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 3659-3672.	1.9	7
86	Characteristics of Haze Pollution Episodes and Analysis of a Typical Winter Haze Process in Shanghai. <i>Aerosol and Air Quality Research</i> , 2016, 16, 1625-1637.	0.9	22
87	Inter-comparison of NIOSH and IMPROVE protocols for OC and EC determination: implications for inter-protocol data conversion. <i>Atmospheric Measurement Techniques</i> , 2016, 9, 4547-4560.	1.2	42
88	Molecular composition of urban organic aerosols on clear and hazy days in Beijing: a comparative study using FT-ICR MS. <i>Environmental Chemistry</i> , 2016, 13, 888.	0.7	66
89	Simultaneous monitoring and compositions analysis of PM <sub>1</sub> and PM <sub>2.5</sub> in Shanghai: Implications for characterization of haze pollution and source apportionment. <i>Science of the Total Environment</i> , 2016, 557-558, 386-394.	3.9	75
90	Temporal variations and source apportionment of Hulis-C in PM <sub>2.5</sub> in urban Shanghai. <i>Science of the Total Environment</i> , 2016, 571, 18-26.	3.9	27

#	ARTICLE	IF	CITATIONS
91	Chemical characterization of humic-like substances (HULIS) in PM <sub>2.5</sub> in Lanzhou, China. <i>Science of the Total Environment</i> , 2016, 573, 1481-1490.	3.9	63
92	A field measurement based scaling approach for quantification of major ions, organic carbon, and elemental carbon using a single particle aerosol mass spectrometer. <i>Atmospheric Environment</i> , 2016, 143, 300-312.	1.9	39
93	Nonpolar organic compounds as PM <sub>2.5</sub> source tracers: Investigation of their sources and degradation in the Pearl River Delta, China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 11,862.	1.2	19
94	Determination of primary combustion source organic carbon-to-elemental carbon (OC/EC) ratio using ambient OC and EC measurements: secondary OC-EC correlation minimization method. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 5453-5465.	1.9	137
95	Formation of secondary aerosols from gasoline vehicle exhaust when mixing with SO <sub>2</sub> . <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 675-689.	1.9	70
96	Measurements of non-volatile aerosols with a VTDMA and their correlations with carbonaceous aerosols in Guangzhou, China. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 8431-8446.	1.9	27
97	Sulfate Formation Enhanced by a Cocktail of High NO <sub>x</sub> , SO <sub>2</sub> , Particulate Matter, and Droplet pH during Haze-Fog Events in Megacities in China: An Observation-Based Modeling Investigation. <i>Environmental Science &amp; Technology</i> , 2016, 50, 7325-7334.	4.6	143
98	Aerosol size distribution characteristics of organosulfates in the Pearl River Delta region, China. <i>Atmospheric Environment</i> , 2016, 130, 23-35.	1.9	48
99	Quantification of nitroaromatic compounds in atmospheric fine particulate matter in Hong Kong over 3 years: field measurement evidence for secondary formation derived from biomass burning emissions. <i>Environmental Chemistry</i> , 2016, 13, 665.	0.7	82
100	Comparison of characteristics of aerosol during rainy weather and cold air-dust weather in Guangzhou in late March 2012. <i>Theoretical and Applied Climatology</i> , 2016, 124, 451-459.	1.3	7
101	Characterizing the thermodynamic and chemical composition factors controlling PM <sub>2.5</sub> nitrate: Insights gained from two years of online measurements in Hong Kong. <i>Atmospheric Environment</i> , 2015, 122, 864-875.	1.9	76
102	Particulate matter pollution research in the Yangtze River Delta: Observations, processes, modeling and health effects. <i>Atmospheric Environment</i> , 2015, 123, 285-287.	1.9	1
103	Characteristics of submicron particulate matter at the urban roadside in downtown Hong Kong—Overview of 4 months of continuous high-resolution aerosol mass spectrometer measurements. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015, 120, 7040-7058.	1.2	70
104	Sources of humic-like substances in the Pearl River Delta, China: positive matrix factorization analysis of PM <sub>2.5</sub> ; major components and source markers. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 1995-2008.	1.9	107
105	Ground-based aerosol climatology of China: aerosol optical depths from the China Aerosol Remote Sensing Network (CARSNET) 2002–2013. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 7619-7652.	1.9	224
106	Secondary organic aerosol formation from photochemical aging of light-duty gasoline vehicle exhausts in a smog chamber. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 9049-9062.	1.9	90
107	Sources and atmospheric processes impacting oxalate at a suburban coastal site in Hong Kong: Insights inferred from 1-year hourly measurements. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015, 120, 9772-9788.	1.2	54
108	Reactive Oxygen Species Production Mediated by Humic-like Substances in Atmospheric Aerosols: Enhancement Effects by Pyridine, Imidazole, and Their Derivatives. <i>Environmental Science &amp; Technology</i> , 2015, 49, 6457-6465.	4.6	112

#	ARTICLE	IF	CITATIONS
109	Seasonal variations of water soluble composition (WSOC, Hulis and WSIs) in PM1 and its implications on haze pollution in urban Shanghai, China. <i>Atmospheric Environment</i> , 2015, 123, 306-314.	1.9	64
110	Chemical characterization, the transport pathways and potential sources of PM2.5 in Shanghai: Seasonal variations. <i>Atmospheric Research</i> , 2015, 158-159, 66-78.	1.8	127
111	Organic tracer-based source analysis of PM 2.5 organic and elemental carbon: A case study at Dongguan in the Pearl River Delta, China. <i>Atmospheric Environment</i> , 2015, 118, 164-175.	1.9	57
112	Design and characterization of a smog chamber for studying gas-phase chemical mechanisms and aerosol formation. <i>Atmospheric Measurement Techniques</i> , 2014, 7, 301-313.	1.2	89
113	An Observation-Based Model for Secondary Inorganic Aerosols. <i>Aerosol and Air Quality Research</i> , 2014, 14, 862-878.	0.9	26
114	Role of microzooplankton grazing in regulating phytoplankton biomass and community structure in response to atmospheric aerosol input. <i>Marine Ecology - Progress Series</i> , 2014, 507, 69-79.	0.9	9
115	Insights into factors affecting nitrate in PM <sub>2.5</sub> in a polluted high NO <sub>x</sub> environment through hourly observations and size distribution measurements. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 4888-4902.	1.2	61
116	Organosulfates from Pinene and Isoprene over the Pearl River Delta, South China: Seasonal Variation and Implication in Formation Mechanisms. <i>Environmental Science &amp; Technology</i> , 2014, 48, 9236-9245.	4.6	89
117	Effect of nitrate and sulfate relative abundance in PM2.5 on liquid water content explored through half-hourly observations of inorganic soluble aerosols at a polluted receptor site. <i>Atmospheric Environment</i> , 2014, 99, 24-31.	1.9	57
118	Enhancement in secondary particulate matter production due to mountain trapping. <i>Atmospheric Research</i> , 2014, 147-148, 227-236.	1.8	17
119	Contributions of vehicular carbonaceous aerosols to PM <sub>2.5</sub> in a roadside environment in Hong Kong. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 9279-9293.	1.9	48
120	One-year observations of size distribution characteristics of major aerosol constituents at a coastal receptor site in Hong Kong – Part 1: Inorganic ions and oxalate. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 9013-9027.	1.9	50
121	Characterization of PM2.5 Major Components and Source Investigation in Suburban Hong Kong: A One Year Monitoring Study. <i>Aerosol and Air Quality Research</i> , 2014, 14, 237-250.	0.9	144
122	Relative contributions of secondary organic aerosol formation from toluene, xylenes, isoprene, and monoterpenes in Hong Kong and Guangzhou in the Pearl River Delta, China: an emission-based box modeling study. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 507-519.	1.2	43
123	VOCs and OVOCs distribution and control policy implications in Pearl River Delta region, China. <i>Atmospheric Environment</i> , 2013, 76, 125-135.	1.9	107
124	Volatile organic compounds in the Pearl River Delta: Identification of source regions and recommendations for emission-oriented monitoring strategies. <i>Atmospheric Environment</i> , 2013, 76, 162-172.	1.9	50
125	Physical and chemical characterization of ambient aerosol by HR-ToF-AMS at a suburban site in Hong Kong during springtime 2011. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 8625-8639.	1.2	56
126	Characterization of secondary aerosol and its extinction effects on visibility over the Pearl River Delta Region, China. <i>Journal of the Air and Waste Management Association</i> , 2013, 63, 1012-1021.	0.9	25



#	ARTICLE	IF	CITATIONS
127	Chemical characteristics and source apportionment of fine particulate organic carbon in Hong Kong during high particulate matter episodes in winter 2003. <i>Atmospheric Research</i> , 2013, 120-121, 88-98.	1.8	24
128	Potential impacts of two SO <sub>2</sub> oxidation pathways on regional sulfate concentrations: Aqueous-phase oxidation by NO <sub>2</sub> and gas-phase oxidation by Stabilized Criegee Intermediates. <i>Atmospheric Environment</i> , 2013, 68, 186-197.	1.9	87
129	Species profiles and normalized reactivity of volatile organic compounds from gasoline evaporation in China. <i>Atmospheric Environment</i> , 2013, 79, 110-118.	1.9	115
130	Secondary organic aerosol tracers and malic acid in Hong Kong: seasonal trends and origins. <i>Environmental Chemistry</i> , 2013, 10, 381.	0.7	28
131	Evaluating the degree of oxygenation of organic aerosol during foggy and hazy days in Hong Kong using high-resolution time-of-flight aerosol mass spectrometry (HR-ToF-AMS). <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 8739-8753.	1.9	66
132	Black carbon over the South China Sea and in various continental locations in South China. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 12257-12270.	1.9	50
133	Foreword. Forty years of conversations in tropospheric chemistry and public health: the legacies of Harvey E. Jeffries and Richard M. Kamens at the University of North Carolina at Chapel Hill. <i>Environmental Chemistry</i> , 2013, 10, i.	0.7	0
134	Determination of Elemental and Organic Carbon in PM <sub>2.5</sub> in the Pearl River Delta Region: Inter-Instrument (Sunset vs. DRI Model 2001 Thermal/Optical Carbon Analyzer) and Inter-Protocol Comparisons (IMPROVE vs. ACE-Asia Protocol). <i>Aerosol Science and Technology</i> , 2012, 46, 610-621.	1.5	47
135	Carbonyl emissions from vehicular exhausts sources in Hong Kong. <i>Journal of the Air and Waste Management Association</i> , 2012, 62, 221-234.	0.9	45
136	Editorial: mass spectrometric approaches for chemical characterisation of atmospheric aerosols. <i>Environmental Chemistry</i> , 2012, 9, i.	0.7	0
137	Source apportionment of PM <sub>2.5</sub> nitrate and sulfate in China using a source-oriented chemical transport model. <i>Atmospheric Environment</i> , 2012, 62, 228-242.	1.9	192
138	Organosulfates in Humic-like Substance Fraction Isolated from Aerosols at Seven Locations in East Asia: A Study by Ultra-High-Resolution Mass Spectrometry. <i>Environmental Science &amp; Technology</i> , 2012, 46, 13118-13127.	4.6	166
139	Elemental Composition of HULIS in the Pearl River Delta Region, China: Results Inferred from Positive and Negative Electrospray High Resolution Mass Spectrometric Data. <i>Environmental Science &amp; Technology</i> , 2012, 46, 7454-7462.	4.6	218
140	Tracer-based estimation of secondary organic carbon in the Pearl River Delta, south China. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	149
141	Chemical characteristics of PM <sub>2.5</sub> and organic aerosol source analysis during cold front episodes in Hong Kong, China. <i>Atmospheric Research</i> , 2012, 118, 41-51.	1.8	22
142	Dynamics of phytoplankton community structure in the South China Sea in response to the East Asian aerosol input. <i>Biogeosciences</i> , 2012, 9, 1519-1536.	1.3	58
143	Polycyclic aromatic hydrocarbons in urban atmosphere of Guangzhou, China: Size distribution characteristics and size-resolved gas-particle partitioning. <i>Atmospheric Environment</i> , 2012, 54, 194-200.	1.9	44
144	Generation of Reactive Oxygen Species Mediated by Humic-like Substances in Atmospheric Aerosols. <i>Environmental Science &amp; Technology</i> , 2011, 45, 10362-10368.	4.6	215

#	ARTICLE	IF	CITATIONS
145	Secondary organic aerosol formation from ethylene in the urban atmosphere of Hong Kong: A multiphase chemical modeling study. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	34
146	Roadside and rooftop measurements of polycyclic aromatic hydrocarbons in PM <sub>2.5</sub> in urban Guangzhou: Evaluation of vehicular and regional combustion source contributions. <i>Atmospheric Environment</i> , 2011, 45, 7184-7191.	1.9	53
147	A study of acidity on PM <sub>2.5</sub> in Hong Kong using online ionic chemical composition measurements. <i>Atmospheric Environment</i> , 2011, 45, 7081-7088.	1.9	75
148	Atmospheric phosphorus in the northern part of Lake Taihu, China. <i>Chemosphere</i> , 2011, 84, 785-791.	4.2	30
149	Nonpolar organic compounds in fine particles: quantification by thermal desorption- <sup>65</sup> GC/MS and evidence for their significant oxidation in ambient aerosols in Hong Kong. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 3125-3139.	1.9	23
150	Characteristics and health impacts of VOCs and carbonyls associated with residential cooking activities in Hong Kong. <i>Journal of Hazardous Materials</i> , 2011, 186, 344-351.	6.5	188
151	Size Distributions of Polycyclic Aromatic Hydrocarbons at Two Receptor Sites in the Pearl River Delta Region, China: Implications of a Dominant Droplet Mode. <i>Aerosol Science and Technology</i> , 2011, 45, 101-112.	1.5	14
152	Size distributions of elemental carbon and its contribution to light extinction in urban and rural locations in the pearl river delta region, China. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 5107-5119.	1.9	81
153	Humic-like substances in fresh emissions of rice straw burning and in ambient aerosols in the Pearl River Delta Region, China. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 6487-6500.	1.9	148
154	Source apportionment of ambient volatile organic compounds in Hong Kong. <i>Science of the Total Environment</i> , 2010, 408, 4138-4149.	3.9	110
155	Composition profile of oxygenated organic compounds and inorganic ions in PM <sub>2.5</sub> in Hong Kong. <i>Environmental Chemistry</i> , 2010, 7, 338.	0.7	23
156	Source apportioning of primary and secondary organic carbon in summer PM <sub>2.5</sub> in Hong Kong using positive matrix factorization of secondary and primary organic tracer data. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	77
157	Abundance and size distribution of HULIS in ambient aerosols at a rural site in South China. <i>Journal of Aerosol Science</i> , 2010, 41, 74-87.	1.8	165
158	Modal Characteristics of Elemental and Organic Carbon in an Urban Location in Guangzhou, China. <i>Aerosol Science and Technology</i> , 2009, 43, 1108-1118.	1.5	16
159	Source analysis of high particulate matter days in Hong Kong. <i>Atmospheric Environment</i> , 2009, 43, 1196-1203.	1.9	39
160	Determination of gaseous carbonyl compounds by their pentafluorophenyl hydrazones with gas chromatography/mass spectrometry. <i>Analytica Chimica Acta</i> , 2009, 635, 84-93.	2.6	43
161	Effective Henry's law constants of glyoxal, glyoxylic acid, and glycolic acid. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	129
162	Evaluation of an in-injection port thermal desorption-gas chromatography/mass spectrometry method for analysis of non-polar organic compounds in ambient aerosol samples. <i>Journal of Chromatography A</i> , 2008, 1200, 217-227.	1.8	133

#	ARTICLE	IF	CITATIONS
163	Optical properties and chemical composition of the atmospheric aerosol in urban Guangzhou, China. <i>Atmospheric Environment</i> , 2008, 42, 6335-6350.	1.9	248
164	Contributions of isoprene, monoterpenes, $\alpha$ -caryophyllene, and toluene to secondary organic aerosols in Hong Kong during the summer of 2006. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	157
165	Gaseous and particulate polycyclic aromatic hydrocarbons (PAHs) emissions from commercial restaurants in Hong Kong. <i>Journal of Environmental Monitoring</i> , 2007, 9, 1402.	2.1	61
166	The application of thermal methods for determining chemical composition of carbonaceous aerosols: A review. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2007, 42, 1521-1541.	0.9	131
167	Analysis of Sugars and Sugar Polyols in Atmospheric Aerosols by Chloride Attachment in Liquid Chromatography/Negative Ion Electro spray Mass Spectrometry. <i>Environmental Science &amp; Technology</i> , 2007, 41, 2459-2466.	4.6	108
168	Is vehicle exhaust a significant primary source of oxalic acid in ambient aerosols?. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	57
169	Real-world emission factors of fifteen carbonyl compounds measured in a Hong Kong tunnel. <i>Atmospheric Environment</i> , 2007, 41, 1747-1758.	1.9	66
170	Local and regional anthropogenic influence on PM <sub>2.5</sub> elements in Hong Kong. <i>Atmospheric Environment</i> , 2007, 41, 5994-6004.	1.9	45
171	Measurement of organic mass to organic carbon ratio in ambient aerosol samples using a gravimetric technique in combination with chemical analysis. <i>Atmospheric Environment</i> , 2007, 41, 8857-8864.	1.9	47
172	Determination of trace amounts of formaldehyde in acetone. <i>Analytica Chimica Acta</i> , 2007, 604, 134-138.	2.6	17
173	Composition and sources of carbonaceous aerosols at three contrasting sites in Hong Kong. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	57
174	Water-soluble organic carbon and oxalate in aerosols at a coastal urban site in China: Size distribution characteristics, sources, and formation mechanisms. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	170
175	Size Distribution Characteristics of Elemental Carbon Emitted from Chinese Vehicles: Results of a Tunnel Study and Atmospheric Implications. <i>Environmental Science &amp; Technology</i> , 2006, 40, 5355-5360.	4.6	88
176	Determination of sugar compounds in atmospheric aerosols by liquid chromatography combined with positive electro spray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1107, 175-181.	1.8	88
177	Identification and spatiotemporal variations of dominant PM <sub>10</sub> sources over Hong Kong. <i>Atmospheric Environment</i> , 2006, 40, 1803-1815.	1.9	136
178	Source areas and chemical composition of fine particulate matter in the Pearl River Delta region of China. <i>Atmospheric Environment</i> , 2006, 40, 3802-3815.	1.9	189
179	Carbonyl Emissions from Commercial Cooking Sources in Hong Kong. <i>Journal of the Air and Waste Management Association</i> , 2006, 56, 1091-1098.	0.9	99
180	Refining temperature measures in thermal/optical carbon analysis. <i>Atmospheric Chemistry and Physics</i> , 2005, 5, 2961-2972.	1.9	114

#	ARTICLE	IF	CITATIONS
181	When Aerosol Sulfate Goes Up, So Does Oxalate:Â Implication for the Formation Mechanisms of Oxalate. <i>Environmental Science &amp; Technology</i> , 2005, 39, 128-133.	4.6	258
182	The chemical composition of inorganic and carbonaceous materials in PM2.5 in Nanjing, China. <i>Atmospheric Environment</i> , 2005, 39, 3735-3749.	1.9	253
183	Abundance and sources of ambient dioxins in Hong Kong: A review of dioxin measurements from 1997 to 2001. <i>Chemosphere</i> , 2005, 59, 1387-1398.	4.2	15
184	Simultaneous Determination of Mono- and Dicarboxylic Acids, Î‰-Oxo-carboxylic Acids, Midchain Ketocarboxylic Acids, and Aldehydes in Atmospheric Aerosol Samples. <i>Environmental Science &amp; Technology</i> , 2005, 39, 7616-7624.	4.6	81
185	When aerosol sulfate goes up, so does oxalate: implication for the formation mechanisms of oxalate. <i>Environmental Science &amp; Technology</i> , 2005, 39, 128-33.	4.6	7
186	Photodegradation of formaldehyde by photocatalyst TiO2: effects on the presences of NO, SO2 and VOCs. <i>Applied Catalysis B: Environmental</i> , 2004, 54, 41-50.	10.8	197
187	Size distributions of water-soluble organic carbon in ambient aerosols and its size-resolved thermal characteristics. <i>Atmospheric Environment</i> , 2004, 38, 1061-1071.	1.9	76
188	Abundance and seasonal characteristics of elemental and organic carbon in Hong Kong PM10. <i>Atmospheric Environment</i> , 2004, 38, 1511-1521.	1.9	110
189	In-injection port thermal desorption and subsequent gas chromatographyâ€“mass spectrometric analysis of polycyclic aromatic hydrocarbons and n-alkanes in atmospheric aerosol samples. <i>Journal of Chromatography A</i> , 2004, 1059, 121-129.	1.8	139
190	Determination of Airborne Carbonyls:Â Comparison of a Thermal Desorption/GC Method with the Standard DNPH/HPLC Method. <i>Environmental Science &amp; Technology</i> , 2004, 38, 862-870.	4.6	123
191	Determination of Total Aerosol Nitrogen by Thermal Evolution. <i>Aerosol Science and Technology</i> , 2004, 38, 382-390.	1.5	7
192	Chemical Characterization of Water-Soluble Organic Aerosols at Jeju Island Collected During ACE-Asia. <i>Environmental Chemistry</i> , 2004, 1, 13.	0.7	64
193	Comparison of two methods for the determination of water-soluble organic carbon in atmospheric particles. <i>Atmospheric Environment</i> , 2003, 37, 865-870.	1.9	55
194	Sampling methods used for the collection of particle-phase organic and elemental carbon during ACE-Asia. <i>Atmospheric Environment</i> , 2003, 37, 1435-1449.	1.9	106
195	ACE-Asia Intercomparison of a Thermal-Optical Method for the Determination of Particle-Phase Organic and Elemental Carbon. <i>Environmental Science &amp; Technology</i> , 2003, 37, 993-1001.	4.6	402
196	Feasibility of Collection and Analysis of Airborne Carbonyls by On-Sorbent Derivatization and Thermal Desorption. <i>Analytical Chemistry</i> , 2002, 74, 1232-1240.	3.2	98
197	Charring Characteristics of Atmospheric Organic Particulate Matter in Thermal Analysis. <i>Environmental Science &amp; Technology</i> , 2002, 36, 754-761.	4.6	190
198	Uncertainties in Charring Correction in the Analysis of Elemental and Organic Carbon in Atmospheric Particles by Thermal/Optical Methods. <i>Environmental Science &amp; Technology</i> , 2002, 36, 5199-5204.	4.6	127

#	ARTICLE	IF	CITATIONS
199	Concentrations of formaldehyde and other carbonyls in environments affected by incense burning. <i>Journal of Environmental Monitoring</i> , 2002, 4, 728-733.	2.1	61
200	Mechanism-based quantitative structure-activity relationships for the inhibition of substituted phenols on germination rate of <i>Cucumis sativus</i> . <i>Chemosphere</i> , 2002, 46, 241-250.	4.2	32
201	Aerosol Formation in the Cyclohexene-Ozone System. <i>Environmental Science &amp; Technology</i> , 2000, 34, 4894-4901.	4.6	150
202	Gas-Phase Ozone Oxidation of Monoterpenes: Gaseous and Particulate Products. <i>Journal of Atmospheric Chemistry</i> , 1999, 34, 207-258.	1.4	495
203	Observation of gaseous and particulate products of monoterpene oxidation in forest atmospheres. <i>Geophysical Research Letters</i> , 1999, 26, 1145-1148.	1.5	164
204	Identification of Products Containing $\hat{\sim}$ COOH, $\hat{\sim}$ OH, and $\hat{\sim}$ CO in Atmospheric Oxidation of Hydrocarbons. <i>Environmental Science &amp; Technology</i> , 1998, 32, 2357-2370.	4.6	261
205	Atmospheric photooxidation of alkylbenzenes-I. Carbonyl product analyses. <i>Atmospheric Environment</i> , 1997, 31, 2261-2280.	1.9	175
206	Atmospheric photooxidation of alkylbenzenes-II. Evidence of formation of epoxide intermediates. <i>Atmospheric Environment</i> , 1997, 31, 2281-2287.	1.9	96
207	Identifying Airborne Carbonyl Compounds in Isoprene Atmospheric Photooxidation Products by Their PFBHA Oximes Using Gas Chromatography/Ion Trap Mass Spectrometry. <i>Environmental Science &amp; Technology</i> , 1995, 29, 1923-1932.	4.6	174
208	Extraction kinetics of copper, zinc, iron, and manganese from contaminated sediment using Disodium Ethylenediaminetetraacetate. <i>Water, Air, and Soil Pollution</i> , 1994, 75, 205-225.	1.1	108
209	Modeling the Mass Transfer of Semivolatile Organics in Combustion Aerosols. <i>Environmental Science &amp; Technology</i> , 1994, 28, 2278-2285.	4.6	39
210	Chemical Transformation of a Long-Chain Alkyl Organosulfate via Heterogeneous OH Oxidation: A Case Study of Sodium Dodecyl Sulfate. <i>Environmental Science Atmospheres</i> , 0, , .	0.9	0