Gangasalam Arthanareeswaran

List of Publications by Year in Descending Order

 $\textbf{Source:} \ https://exaly.com/author-pdf/5347115/gangasalam-arthanareeswaran-publications-by-year.pdf$

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133 papers 3,187 citations

32 h-index 50 g-index

153 ext. papers

3,883 ext. citations

avg, IF

5.92 L-index

| # | Paper | IF | Citations |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------|
| 133 | Advances in the integration of ionic liquids with the membrane technology for gas separation 2022 , 167 | 7-187 | 1 |
| 132 | Nanocrystalline cellulose incorporated biopolymer tailored polyethersulfone mixed matrix membranes for efficient treatment of produced water <i>Chemosphere</i> , 2022 , 133561 | 8.4 | 2 |
| 131 | Influence of various shapes of alumina nanoparticle in integrated polysulfone membrane for separation of lignin from woody biomass and salt rejection <i>Environmental Research</i> , 2022 , 209, 112820 | 7.9 | O |
| 130 | Evaluation of membrane tailored with biocompatible halloysite-polyaniline nanomaterial for efficient removal of carcinogenic disinfection by-products precursor from water. <i>Environmental Research</i> , 2022 , 204, 112408 | 7.9 | 1 |
| 129 | Low-cost silica based ceramic supported thin film composite hollow fiber membrane from guinea corn husk ash for efficient removal of microplastic from aqueous solution. <i>Journal of Hazardous Materials</i> , 2022 , 424, 127298 | 12.8 | 3 |
| 128 | Performance evaluation of whey flux in dead-end and cross-flow modes via convolutional neural networks. <i>Journal of Environmental Management</i> , 2022 , 301, 113872 | 7.9 | 3 |
| 127 | Parametric analysis of lignocellulosic ultrafiltration in lab scale cross flow module using pore blocking and artificial neural network model. <i>Chemosphere</i> , 2022 , 286, 131822 | 8.4 | 2 |
| 126 | Surface-constructing of visible-light BiWO/CeO nanophotocatalyst grafted PVDF membrane for degradation of tetracycline and humic acid. <i>Journal of Hazardous Materials</i> , 2022 , 421, 126747 | 12.8 | 11 |
| 125 | Interfacial design of polysulfone/Cu-BTC membrane using [Bmim][Tf2N] and [Dmim][Cl] RTILs for CO2 separation: Performance assessment for single and mixed gas separation. <i>Separation and Purification Technology</i> , 2022 , 295, 121315 | 8.3 | O |
| 124 | Current status and future prospects of membrane separation processes for value recovery from wastewater. <i>Chemosphere</i> , 2021 , 291, 132690 | 8.4 | 1 |
| 123 | Designing an Interlayer-Widened MoS2-Packed Nitrogen-Rich Carbon Nanotube CoreBhell Structure for Redox-Mediated Quasi-Solid-State Supercapacitors. <i>ACS Applied Energy Materials</i> , 2021 , 4, 2218-2230 | 6.1 | 7 |
| 122 | Synthesis and characterization of conductive polymer coated graphitic carbon nitride embedded sulfonated poly (ether ether ketone) membranes for direct methanol fuel cell applications. International Journal of Energy Research, 2021, 45, 16649-16666 | 4.5 | 2 |
| 121 | Performance of polysulfone hollow fiber membranes encompassing ZIF-8, SiO2/ZIF-8, and amine-modified SiO2/ZIF-8 nanofillers for CO2/CH4 and CO2/N2 gas separation. <i>Separation and Purification Technology</i> , 2021 , 264, 118471 | 8.3 | 22 |
| 120 | Review on characteristics of biomaterial and nanomaterials based polymeric nanocomposite membranes for seawater treatment application. <i>Environmental Research</i> , 2021 , 197, 111177 | 7.9 | 3 |
| 119 | Titanium dioxide doped hydroxyapatite incorporated photocatalytic membranes for the degradation of chloramphenicol antibiotic in water. <i>Journal of Chemical Technology and Biotechnology</i> , 2021 , 96, 1057-1066 | 3.5 | 13 |
| 118 | Pillared cloisite 15A as an enhancement filler in polysulfone mixed matrix membranes for CO2/N2 and O2/N2 gas separation. <i>Journal of Natural Gas Science and Engineering</i> , 2021 , 86, 103720 | 4.6 | 15 |
| 117 | Diethylenetriaminepentaacetic acid-functionalized multi-walled carbon nanotubes/titanium oxide-PVDF nanofiber membrane for effective separation of oil/water emulsion. <i>Separation and Purification Technology</i> , 2021 , 257, 117926 | 8.3 | 22 |

| 116 | Binary metal oxides incorporated polyethersulfone ultrafiltration mixed matrix membranes for the pretreatment of seawater desalination. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49883 | 2.9 | 3 |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 115 | Proton exchange composite membranes comprising SiO2, sulfonated SiO2, and metalbrganic frameworks loaded in SPEEK polymer for fuel cell applications. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50530 | 2.9 | 6 |
| 114 | Embedding lowflost 1D and 2D iron pillared nanoclay to enhance the stability of polyethersulfone membranes for the removal of bisphenol A from water. <i>Separation and Purification Technology</i> , 2021 , 266, 118560 | 8.3 | 4 |
| 113 | Recent advancements in modification of membrane materials over membrane separation for biomedical applications. <i>Environmental Research</i> , 2021 , 204, 112045 | 7.9 | 1 |
| 112 | Functionalized boron nitride embedded sulfonated poly (ether ether ketone) proton exchange membrane for direct methanol fuel cell applications. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 105876 | 6.8 | 9 |
| 111 | Recent development of photocatalytic nanomaterials in mixed matrix membrane for emerging pollutants and fouling control, membrane cleaning process. <i>Chemosphere</i> , 2021 , 281, 130891 | 8.4 | 10 |
| 110 | Efficient removal of anionic, cationic textile dyes and salt mixture using a novel CS/MIL-100 (Fe) based nanofiltration membrane. <i>Chemosphere</i> , 2021 , 284, 131244 | 8.4 | 11 |
| 109 | A high-flux metal-organic framework membrane (PSF/MIL-100 (Fe)) for the removal of microplastics adsorbing dye contaminants from textile wastewater. <i>Separation and Purification Technology</i> , 2021 , 277, 119655 | 8.3 | 5 |
| 108 | Statistical Analysis of Synthesis Parameters to Fabricate PVDF/PVP/TiO Membranes via Phase-Inversion with Enhanced Filtration Performance and Photocatalytic Properties <i>Polymers</i> , 2021 , 14, | 4.5 | 1 |
| 107 | Treatment of synthetic textile dye effluent using hybrid adsorptive ultrafiltration mixed matrix membranes. <i>Chemical Engineering Research and Design</i> , 2020 , 159, 92-104 | 5.5 | 9 |
| 106 | Photocatalytic removal of organic pollutants and self-cleaning performance of PES membrane incorporated sulfonated graphene oxide/ZnO nanocomposite. <i>Journal of Chemical Technology and Biotechnology</i> , 2020 , 95, 3012-3023 | 3.5 | 8 |
| 105 | Fast sensing ammonia at room temperature with proline ionic liquid incorporated cellulose acetate membranes. <i>Journal of Molecular Liquids</i> , 2020 , 305, 112820 | 6 | 8 |
| 104 | Photocatalytic membrane filtration and its advantages over conventional approaches in the treatment of oily wastewater: A review. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2020 , 15, e2533 | 1.3 | 17 |
| 103 | Preparation of nanoclay embedded polymeric membranes for the filtration of natural organic matter (NOM) in a circular crossflow filtration system. <i>Journal of Water Process Engineering</i> , 2020 , 37, 101408 | 6.7 | 7 |
| 102 | Intensification of the ultrafiltration of real oil-contaminated (produced) water with pre-ozonation and/or with TiO, TiO/CNT nanomaterial-coated membrane surfaces. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 22195-22205 | 5.1 | 16 |
| 101 | Hydrophilic hierarchical carbon with TiO2 nanofiber membrane for high separation efficiency of dye and oil-water emulsion. <i>Separation and Purification Technology</i> , 2020 , 241, 116709 | 8.3 | 50 |
| 100 | Dynamic performance comparison of two configurations of middle vessel batch distillation column for the separation of ethanol/propanol/butanol mixture. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2020 , 15, e2421 | 1.3 | 2 |
| 99 | Enhanced performance of Mindel membranes by incorporating conductive polymer and inorganic modifier for application in direct methanol fuel cells. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2020 , 15, e2473 | 1.3 | O |

| 98 | Effective separation of salts and dye using egg shell membrane (ESP) incorporated polyethersulfone polymer material. <i>Emergent Materials</i> , 2020 , 1 | 3.5 | 1 |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 97 | Investigation of the applicability of TiO2, BiVO4, and WO3 nanomaterials for advanced photocatalytic membranes used for oil-in-water emulsion separation. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2020 , 15, e2549 | 1.3 | 4 |
| 96 | The International Conference on Multifunctional and Hybrid Composite Materials for Energy, Environment and Medical applications (ICMHCEE 2019). <i>Asia-Pacific Journal of Chemical Engineering</i> , 2020 , 15, e2567 | 1.3 | |
| 95 | Synthesis of highly stable PTFE-ZrP-PVA composite membrane for high-temperature direct methanol fuel cell. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 7829-7837 | 6.7 | 16 |
| 94 | Biomass-Derived Dialdehyde Cellulose Cross-linked Chitosan-Based Nanocomposite Hydrogel with Phytosynthesized Zinc Oxide Nanoparticles for Enhanced Curcumin Delivery and Bioactivity. Journal of Agricultural and Food Chemistry, 2019 , 67, 10880-10890 | 5.7 | 36 |
| 93 | Silver nano-particle coated hydroxyapatite nano-composite membrane for the treatment of palm oil mill effluent. <i>Journal of Water Process Engineering</i> , 2019 , 31, 100844 | 6.7 | 18 |
| 92 | Perspective of renewable desalination by using membrane distillation. <i>Chemical Engineering Research and Design</i> , 2019 , 144, 520-537 | 5.5 | 52 |
| 91 | Enhancement of anti-fouling properties during the treatment of paper mill effluent using functionalized zeolite and activated carbon nanomaterials based ultrafiltration. <i>Journal of Chemical Technology and Biotechnology</i> , 2019 , 94, 2805-2815 | 3.5 | 7 |
| 90 | Effective treatment of dye polluted wastewater using nanoporous CaCl2 modified polyethersulfone membrane. <i>Chemical Engineering Research and Design</i> , 2019 , 124, 266-278 | 5.5 | 50 |
| 89 | Synthesis and Formation of Phase-Tuned TiO2-/Ionic Liquid-Incorporated Polymeric Membranes for Ammonia Sensing at Room Temperature. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 15884-15 | 88gg | 9 |
| 88 | Hierarchically Porous Nanostructured Nickel Phosphide with Carbon Particles Embedded by Dielectric Barrier Discharge Plasma Deposition as a Binder-Free Electrode for Hybrid Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 14805-14814 | 8.3 | 14 |
| 87 | Nanoparticle- and Nanoporous-Membrane-Mediated Delivery of Therapeutics. <i>Pharmaceutics</i> , 2019 , 11, | 6.4 | 21 |
| 86 | Flow Analysis of Catalytic Converter ICV BS III Applications for Optimising Pressure Drop. <i>Lecture Notes in Mechanical Engineering</i> , 2019 , 427-435 | 0.4 | |
| 85 | Reduction of chemical oxygen demand and color from the rice mill wastewater by chitosan/2(5H)-furanone-incorporated ultrafiltration membrane system. <i>Separation Science and Technology</i> , 2019 , 54, 409-425 | 2.5 | 6 |
| 84 | Nano-curcumin incorporated polyethersulfone membranes for enhanced anti-biofouling in treatment of sewage plant effluent. <i>Materials Science and Engineering C</i> , 2019 , 94, 258-269 | 8.3 | 17 |
| 83 | Dry Reforming of Propane over FAl2O3 and Nickel Foam Supported Novel SrNiO3 Perovskite Catalysts. <i>Catalysts</i> , 2019 , 9, 68 | 4 | 9 |
| 82 | Polyaniline coated sulfonated TiO2 nanoparticles for effective application in proton conductive polymer membrane fuel cell. <i>European Polymer Journal</i> , 2019 , 112, 696-703 | 5.2 | 20 |
| 81 | Removal of hazardous material from wastewater by using metal organic framework (MOF) embedded polymeric membranes. <i>Separation Science and Technology</i> , 2019 , 54, 434-446 | 2.5 | 36 |

(2017-2018)

| 80 | Concentration of whey protein from cheese whey effluent using ultrafiltration by combination of hydrophilic metal oxides and hydrophobic polymer. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 2576-2591 | 3.5 | 19 | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|--|
| 79 | Curcumin drug delivery by vanillin-chitosan coated with calcium ferrite hybrid nanoparticles as carrier. <i>European Journal of Pharmaceutical Sciences</i> , 2018 , 116, 48-60 | 5.1 | 48 | |
| 78 | Harvesting of microalgae Coelastrella sp. FI69 using pore former induced TiO2 incorporated PES mixed matrix membranes. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 645-655 | 3.5 | 9 | |
| 77 | Synthesis and electrochemical properties of blend membranes of polysulfone and poly (acrylic acid-co-2-(2-(piperazin-1-yl) ethylamino)-2-hydroxyethyl methacrylate) for proton exchange membrane fuel cell. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 21760-21768 | 6.7 | 10 | |
| 76 | Enhancement of fuel cell properties in polyethersulfone and sulfonated poly (ether ether ketone) membranes using metal oxide nanoparticles for proton exchange membrane fuel cell. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 21750-21759 | 6.7 | 41 | |
| 75 | Electrospun carbon nanofibers/TiO2-PAN hybrid membranes for effective removal of metal ions and cationic dye. <i>Environmental Nanotechnology, Monitoring and Management</i> , 2018 , 10, 366-376 | 3.3 | 22 | |
| 74 | Exhaust System Muffler Volume Optimization of Light Commercial Vehicle Using CFD Simulation. <i>Materials Today: Proceedings</i> , 2018 , 5, 8471-8479 | 1.4 | 8 | |
| 73 | Functionalized chitosan with super paramagnetic hybrid nanocarrier for targeted drug delivery of curcumin. <i>Iranian Polymer Journal (English Edition)</i> , 2018 , 27, 469-482 | 2.3 | 1 | |
| 72 | Recent progress in ionic liquid membranes for gas separation. <i>Journal of Molecular Liquids</i> , 2018 , 266, 330-341 | 6 | 96 | |
| 71 | Efficient rejection of organic compounds using functionalized ZSM-5 incorporated PPSU mixed matrix membrane. <i>RSC Advances</i> , 2017 , 7, 15536-15552 | 3.7 | 8 | |
| 70 | Exploring the potential of curcumin for control of N-acyl homoserine lactone-mediated biofouling in membrane bioreactors for wastewater treatment. <i>RSC Advances</i> , 2017 , 7, 16392-16400 | 3.7 | 12 | |
| 69 | Enhancement of permeability and antibiofouling properties of polyethersulfone (PES) membrane through incorporation of quorum sensing inhibition (QSI) compound. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2017 , 72, 200-212 | 5.3 | 13 | |
| 68 | Removal of organic and inorganic substances from industry wastewaters using modified aluminosilicate-based polyethersulfone ultrafiltration membranes. <i>Environmental Progress and Sustainable Energy</i> , 2017 , 36, 1612-1620 | 2.5 | 8 | |
| 67 | CuO-loaded hydrophobically modified chitosan as hybrid carrier for curcumin delivery and anticancer activity. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2017 , 12, 858-871 | 1.3 | 10 | |
| 66 | Development of dense void-free electrospun SPEEK-Cloisite15A membrane for direct methanol fuel cell application: Optimization using response surface methodology. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 26496-26510 | 6.7 | 14 | |
| 65 | Nuclear Magnetic Resonance (NMR) Spectroscopy 2017 , 69-80 | | O | |
| 64 | Sulfonated poly(arylene ether sulfone) nanocomposite electrolyte membrane for fuel cell applications: A review. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 1063-1074 | 6.7 | 56 | |
| 63 | Modeling and Performance Characteristics of Nanofiltration by DSPM and ARX Model. <i>Journal of Applied Membrane Science & Technology</i> , 2017 , 18, | 0.1 | 2 | |
| | | | | |

| 62 | Functionalised activated carbon modified polyphenylsulfone composite membranes for adsorption enhanced phenol filtration. <i>Journal of Chemical Technology and Biotechnology</i> , 2016 , 91, 748-761 | 3.5 | 13 |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 61 | Effects of special nanoparticles on fuel cell properties of sulfonated polyethersulfone membrane. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2016 , 65, 294-301 | 3 | 9 |
| 60 | Numerical optimization of flow uniformity inside an under body- oval substrate to improve emissions of IC engines. <i>Journal of Computational Design and Engineering</i> , 2016 , 3, 198-214 | 4.6 | 9 |
| 59 | PVDF mixed matrix nano-filtration membranes integrated with 1D-PANI/TiO2 NFs for oilwater emulsion separation. <i>RSC Advances</i> , 2016 , 6, 18899-18908 | 3.7 | 23 |
| 58 | Impact of graphene oxide embedded polyethersulfone membranes for the effective treatment of distillery effluent. <i>Chemical Engineering Journal</i> , 2016 , 286, 528-537 | 14.7 | 65 |
| 57 | Styrene-Based Copolymer for Polymer Membrane Modifications. <i>Applied Sciences (Switzerland)</i> , 2016 , 6, 159 | 2.6 | 6 |
| 56 | Influence of copper oxide nanomaterials in a poly(ether sulfone) membrane for improved humic acid and oilwater separation. <i>Journal of Applied Polymer Science</i> , 2016 , 133, | 2.9 | 20 |
| 55 | Impact of solvents and process conditions on the formation of polyethersulfone membranes and its fouling behavior in lake water filtration. <i>Journal of Chemical Technology and Biotechnology</i> , 2016 , 91, 2568-2581 | 3.5 | 33 |
| 54 | Influence of bentonite in polymer membranes for effective treatment of car wash effluent to protect the ecosystem. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 121, 186-92 | 7 | 25 |
| 53 | Zero-valent iron impregnated cellulose acetate mixed matrix membranes for the treatment of textile industry effluent. <i>RSC Advances</i> , 2015 , 5, 62486-62497 | 3.7 | 14 |
| 52 | Functionalized titanate nanotube polyetherimide nanocomposite membrane for improved salt rejection under low pressure nanofiltration. <i>RSC Advances</i> , 2015 , 5, 39464-39473 | 3.7 | 38 |
| 51 | Preparation and characterization of TiO2-sulfonated polymer embedded polyetherimide membranes for effective desalination application. <i>Desalination</i> , 2015 , 365, 355-364 | 10.3 | 37 |
| 50 | Optimization of methylene blue using Ca(2+) and Zn(2+) bio-polymer hydrogel beads: A comparative study. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 121, 164-73 | 7 | 8 |
| 49 | Modification of polyethersulfone using sericin and polyvinylpyrrolidone for cadmium ion removal by polyelectrolyte-enhanced ultrafiltration. <i>Desalination and Water Treatment</i> , 2015 , 56, 366-378 | | 7 |
| 48 | Effective removal of humic acid using xanthan gum incorporated polyethersulfone membranes. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 121, 223-8 | 7 | 21 |
| 47 | Polymeric membrane modification using SPEEK and bentonite for ultrafiltration of dairy wastewater. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a | 2.9 | 20 |
| 46 | Enhancement of antibacterial properties of silver nanoparticles-ceftriaxone conjugate through Mukia maderaspatana leaf extract mediated synthesis. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 121, 135-41 | 7 | 7° |
| 45 | PREPARATION AND PERFORMANCE STUDIES ON POLYETHERSULFONE ULTRAFILTRATION MEMBRANES MODIFIED WITH GELATIN FOR TREATMENT OF TANNERY AND DISTILLERY WASTEWATER Brazilian Journal of Chemical Engineering 2015, 32, 179-189 | 1.7 | 23 |

(2011-2015)

| 44 | Treatment of laundry wastewater using polyethersulfone/polyvinylpyrollidone ultrafiltration membranes. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 121, 174-9 | 7 | 53 |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 43 | CFD Study on Pressure Drop and Uniformity Index of Three Cylinder LCV Exhaust System. <i>Procedia Engineering</i> , 2015 , 127, 1211-1218 | | 5 |
| 42 | Modification methods of polyethersulfone membranes for minimizing fouling - Review. <i>Membrane Water Treatment</i> , 2015 , 6, 323-337 | | 14 |
| 41 | Effect of bio-mediated route synthesized silver nanoparticles for modification of polyethersulfone membranes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 451, 151-160 | 5.1 | 21 |
| 40 | Treatment of paper mill effluent using Polyethersulfone/functionalised multiwalled carbon nanotubes based nanocomposite membranes. <i>Chemical Engineering Journal</i> , 2014 , 236, 369-377 | 14.7 | 34 |
| 39 | Adsorptive Removal of Humic Acid by Zirconia Embedded in a Poly(ether sulfone) Membrane. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 11355-11364 | 3.9 | 44 |
| 38 | Extraction of peroxidase from waste Brassica oleracea used for the treatment of aqueous phenol in synthetic waste water. <i>Journal of Environmental Chemical Engineering</i> , 2014 , 2, 1148-1154 | 6.8 | 13 |
| 37 | Effects of in situ and ex situ formations of silica nanoparticles on polyethersulfone membranes. <i>Polymer Bulletin</i> , 2014 , 71, 2851-2861 | 2.4 | 11 |
| 36 | Enhanced oil Water separation using polysulfone membranes modified with polymeric additives. <i>Desalination</i> , 2014 , 344, 280-288 | 10.3 | 93 |
| 35 | Separation of acetic acid and reducing sugars from biomass derived hydrosylate using biopolymer blend polyethersulfone membrane. <i>Separation and Purification Technology</i> , 2013 , 118, 853-861 | 8.3 | 20 |
| 34 | Effect of silver loaded sodium zirconium phosphate (nanoAgZ) nanoparticles incorporation on PES membrane performance. <i>Desalination</i> , 2012 , 285, 100-107 | 10.3 | 101 |
| 33 | The influence of tetraethylorthosilicate and polyethyleneimine on the performance of polyethersulfone membranes. <i>Desalination</i> , 2012 , 287, 61-70 | 10.3 | 61 |
| 32 | Transport of copper, nickel and zinc ions across ultrafiltration membrane based on modified polysulfone and cellulose acetate. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2012 , 7, 131-139 | 1.3 | 4 |
| 31 | Preparation and Performance Evaluation of Nanokaolinite-Particle-Based Polyacrylonitrile Mixed-Matrix Membranes. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 4942-4951 | 3.9 | 25 |
| 30 | Performance and properties of modified poly (vinylidene fluoride) membranes using general purpose polystyrene (GPPS) by DIPS method. <i>Desalination</i> , 2011 , 283, 169-177 | 10.3 | 15 |
| 29 | Performance of modified poly(vinylidene fluoride) membrane for textile wastewater ultrafiltration. <i>Desalination</i> , 2011 , 282, 87-94 | 10.3 | 95 |
| 28 | Effect of solvents on performance of polyethersulfone ultrafiltration membranes: Investigation of metal ion separations. <i>Desalination</i> , 2011 , 267, 57-63 | 10.3 | 75 |
| 27 | Performance enhancement of polysulfone ultrafiltration membrane by blending with polyurethane hydrophilic polymer. <i>Journal of Polymer Engineering</i> , 2011 , 31, | 1.4 | 9 |

| 26 | Modeling and Simulation of a Cellulose-Acetate Blend Ultrafiltration Membrane using Bovine Serum Albumin Solution. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2010 , 59, 588-606 | 3 | 1 |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 25 | Effect of additives concentration on performance of cellulose acetate and polyethersulfone blend membranes. <i>Journal of Porous Materials</i> , 2010 , 17, 515-522 | 2.4 | 27 |
| 24 | Fabrication of cellulose acetatedirconia hybrid membranes for ultrafiltration applications: Performance, structure and fouling analysis. <i>Separation and Purification Technology</i> , 2010 , 74, 230-235 | 8.3 | 89 |
| 23 | Preparation, characterization and performance studies of ultrafiltration membranes with polymeric additive. <i>Journal of Membrane Science</i> , 2010 , 350, 130-138 | 9.6 | 108 |
| 22 | Synthesis and characterization of copper nanofluid by a novel one-step method. <i>Materials Chemistry and Physics</i> , 2009 , 113, 57-62 | 4.4 | 72 |
| 21 | Sulfonated poly(ether ether ketone)-induced porous poly(ether sulfone) blend membranes for the separation of proteins and metal ions. <i>Journal of Applied Polymer Science</i> , 2009 , 116, n/a-n/a | 2.9 | 3 |
| 20 | Preparation and characterization of poly (methyl methacrylate) and sulfonated poly (ether ether ketone) blend ultrafiltration membranes for protein separation applications. <i>Materials Science and Engineering C</i> , 2009 , 29, 246-252 | 8.3 | 9 |
| 19 | Development, characterization and separation performance of organicIhorganic membranes: Part II. Effect of additives. <i>Separation and Purification Technology</i> , 2009 , 67, 271-281 | 8.3 | 57 |
| 18 | Fabrication and Characterization of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. <i>Industrial & Description of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. Industrial & Description of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. Industrial & Description of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. Industrial & Description of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. Industrial & Description of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. Industrial & Description of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. Industrial & Description of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. Industrial & Description Of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. Industrial & Description Of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes. Industrial & Description Of CA/PSf/SPEEK Ternary Blend Ultrafiltration Membranes.</i> | 3.9 | 20 |
| 17 | Effect of silica particles on cellulose acetate blend ultrafiltration membranes: Part I. <i>Separation and Purification Technology</i> , 2008 , 64, 38-47 | 8.3 | 172 |
| 16 | Studies on Permeation, Rejection, and Transport of Aqueous Poly(ethylene Glycol) Solutions using Ultrafiltration Membranes. <i>Separation Science and Technology</i> , 2007 , 42, 963-978 | 2.5 | 5 |
| 15 | Performance characterization of cellulose acetate and poly(vinylpyrrolidone) blend membranes. Journal of Applied Polymer Science, 2007 , 104, 3042-3049 | 2.9 | 21 |
| 14 | Preparation and performance of polysulfone-sulfonated poly(ether ether ketone) blend ultrafiltration membranes. Part I. <i>Applied Surface Science</i> , 2007 , 253, 8705-8712 | 6.7 | 69 |
| 13 | Removal of chromium from aqueous solution using cellulose acetate and sulfonated poly(ether ether ketone) blend ultrafiltration membranes. <i>Journal of Hazardous Materials</i> , 2007 , 139, 44-9 | 12.8 | 56 |
| 12 | Metal ion separation and protein removal from aqueous solutions using modified cellulose acetate membranes: Role of polymeric additives. <i>Separation and Purification Technology</i> , 2007 , 55, 8-15 | 8.3 | 32 |
| 11 | Studies on Cellulose Acetate/Low Cyclic Dimmer Polysulfone Blend Ultrafiltration Membranes and their Applications. <i>Separation Science and Technology</i> , 2006 , 41, 2895-2912 | 2.5 | 18 |
| 10 | Studies on Performance of Cellulose Acetate and Poly(Ethelene Glycol) Blend Ultrafiltration Membranes Using Mixture Design Concept of Design of Experiments. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2006 , 55, 1133-1154 | 3 | 8 |
| 9 | Cellulose acetatepoly(ether sulfone) blend ultrafiltration membranes. II. Application studies. Journal of Applied Polymer Science, 2004 , 92, 3659-3665 | 2.9 | 32 |

LIST OF PUBLICATIONS

| 8 | Studies on cellulose acetate and sulfonated poly(ether ether ketone) blend ultrafiltration membranes. <i>European Polymer Journal</i> , 2004 , 40, 751-762 | 5.2 | 53 |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 7 | Synthesis, characterization and thermal studies on cellulose acetate membranes with additive. <i>European Polymer Journal</i> , 2004 , 40, 2153-2159 | 5.2 | 173 |
| 6 | Proton conducting membrane based on multifunctional interconnected copolymer containing 4,4?-diaminodiphenylmethane-aminoethyl piperazine with sulfonated polyethersulfone membrane for fuel cell application. <i>Journal of Applied Polymer Science</i> ,51819 | 2.9 | |
| 5 | Iron oxide modified polyethersulfone/cellulose acetate blend membrane for enhanced defluoridation application156, 177-188 | | 10 |
| 4 | Activated carbon from date seeds for chromium removal in aqueous solution156, 267-277 | | 27 |
| 3 | Performance of composite PES/MOF-5 membranes for the treatment of textile wastewater156, 220-27 | 28 | 5 |
| 2 | Polyaniline decorated graphene oxide on sulfonated poly(ether ether ketone) membrane for direct methanol fuel cells application. <i>Polymers for Advanced Technologies</i> , | 3.2 | 4 |
| 1 | Effect of Inorganic Particle on the Performance of Polyethersulfone-Cellulose Acetate Ultrafiltration Membranes11-28 | | 2 |