Frenk Peeters

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5347623/publications.pdf

Version: 2024-02-01

36203 53109 7,825 115 51 85 citations h-index g-index papers 117 117 117 8138 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Critical slowing down as early warning for the onset and termination of depression. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 87-92.	3.3	504
2	A Network Approach to Psychopathology: New Insights into Clinical Longitudinal Data. PLoS ONE, 2013, 8, e60188.	1.1	413
3	Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: A randomized controlled trial Journal of Consulting and Clinical Psychology, 2011, 79, 618-628.	1.6	340
4	Emotional reactivity to daily life stress in psychosis and affective disorder: an experience sampling study. Acta Psychiatrica Scandinavica, 2003, 107, 124-131.	2.2	304
5	Effects of daily events on mood states in major depressive disorder Journal of Abnormal Psychology, 2003, 112, 203-211.	2.0	238
6	Diurnal mood variation in major depressive disorder Emotion, 2006, 6, 383-391.	1.5	226
7	Rumination and worrying as possible mediators in the relation between neuroticism and symptoms of depression and anxiety in clinically depressed individuals. Behaviour Research and Therapy, 2008, 46, 1283-1289.	1.6	224
8	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. World Psychiatry, 2014, 13, 68-77.	4.8	194
9	Stress-Related Negative Affectivity and Genetically Altered Serotonin Transporter Function. Archives of General Psychiatry, 2006, 63, 989.	13.8	172
10	Staging methods for treatment resistant depression. A systematic review. Journal of Affective Disorders, 2012, 137, 35-45.	2.0	170
11	A time-lagged momentary assessment study on daily life physical activity and affect Health Psychology, 2012, 31, 135-144.	1.3	152
12	Effects of neuroticism on depression and anxiety: Rumination as a possible mediator. Personality and Individual Differences, 2008, 44, 576-586.	1.6	149
13	Correlates of autobiographical memory specificity: the role of depression, anxiety and childhood trauma. Behaviour Research and Therapy, 2001, 39, 409-421.	1.6	147
14	Cortisol Responses to Daily Events in Major Depressive Disorder. Psychosomatic Medicine, 2003, 65, 836-841.	1.3	147
15	How psychotic are individuals with non-psychotic disorders?. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 149-154.	1.6	146
16	Genetic risk of depression and stress-induced negative affect in daily life. British Journal of Psychiatry, 2007, 191, 218-223.	1.7	146
17	Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. Acta Psychiatrica Scandinavica, 2007, 115, 451-457.	2.2	144
18	Autobiographical memory specificity and the course of major depressive disorder. Comprehensive Psychiatry, 2002, 43, 344-350.	1.5	142

#	Article	IF	CITATIONS
19	Unveiling patterns of affective responses in daily life may improve outcome prediction in depression: A momentary assessment study. Journal of Affective Disorders, 2010, 124, 191-195.	2.0	137
20	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. Depression and Anxiety, 2017, 34, 481-493.	2.0	135
21	Mindfulness training promotes upward spirals of positive affect and cognition: multilevel and autoregressive latent trajectory modeling analyses. Frontiers in Psychology, 2015, 6, 15.	1.1	130
22	Transition from stress sensitivity to a depressive state: longitudinal twin study. British Journal of Psychiatry, 2009, 195, 498-503.	1.7	123
23	Reduced Stress-Sensitivity or Increased Reward Experience: The Psychological Mechanism of Response to Antidepressant Medication. Neuropsychopharmacology, 2009, 34, 923-931.	2.8	113
24	Effects of Mindfulness-Based Cognitive Therapy on Body Awareness in Patients with Chronic Pain and Comorbid Depression. Frontiers in Psychology, 2016, 7, 967.	1.1	110
25	Mechanisms of gene–environment interactions in depression: evidence that genes potentiate multiple sources of adversity. Psychological Medicine, 2009, 39, 1077.	2.7	109
26	Levels and variability of daily life cortisol secretion in major depression. Psychiatry Research, 2004, 126, 1-13.	1.7	108
27	Momentary assessment technology as a tool to help patients with depression help themselves. Acta Psychiatrica Scandinavica, 2011, 124, 262-272.	2.2	108
28	Early maladaptive schemas in depressed patients: Stability and relation with depressive symptoms over the course of treatment. Journal of Affective Disorders, 2012, 136, 581-590.	2.0	108
29	Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. European Neuropsychopharmacology, 2011, 21, 241-247.	0.3	94
30	Meeting risk with resilience: high daily life reward experience preserves mental health. Acta Psychiatrica Scandinavica, 2010, 122, 129-138.	2.2	92
31	Unraveling the Role of Loneliness in Depression: The Relationship Between Daily Life Experience and Behavior. Psychiatry (New York), 2017, 80, 104-117.	0.3	76
32	On the measurement of rumination: A psychometric evaluation of the ruminative response scale and the rumination on sadness scale in undergraduates. Journal of Behavior Therapy and Experimental Psychiatry, 2006, 37, 299-313.	0.6	74
33	Schema therapy for chronic depression: Results of a multiple single case series. Journal of Behavior Therapy and Experimental Psychiatry, 2016, 51, 66-73.	0.6	73
34	How Does MBCT for Depression Work? Studying Cognitive and Affective Mediation Pathways. PLoS ONE, 2013, 8, e72778.	1.1	73
35	On the links between self-discrepancies, rumination, metacognitions, and symptoms of depression in undergraduates. Behaviour Research and Therapy, 2007, 45, 1295-1305.	1.6	70
36	The Catechol-O-Methyl Transferase Val158Met Polymorphism and Experience of Reward in the Flow of Daily Life. Neuropsychopharmacology, 2008, 33, 3030-3036.	2.8	70

#	Article	IF	Citations
37	Efficacy of mindfulness-based cognitive therapy in relation to prior history of depression: randomised controlled trial. British Journal of Psychiatry, 2012, 201, 320-325.	1.7	70
38	Scars in depression: is a conceptual shift necessary to solve the puzzle? Psychological Medicine, 2010, 40, 359-365.	2.7	68
39	Effectiveness of psychotherapy for treatment-resistant depression: a meta-analysis and meta-regression. Psychological Medicine, 2019, 49, 366-379.	2.7	68
40	The validity of individual frontal alpha asymmetry EEG neurofeedback. Social Cognitive and Affective Neuroscience, 2016, 11, 33-43.	1.5	67
41	Moment-to-Moment Transfer of Positive Emotions in Daily Life Predicts Future Course of Depression in Both General Population and Patient Samples. PLoS ONE, 2013, 8, e75655.	1.1	64
42	The dynamic interplay between negative and positive emotions in daily life predicts response to treatment in depression: A momentary assessment study. British Journal of Clinical Psychology, 2012, 51, 206-222.	1.7	63
43	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. Comprehensive Psychiatry, 2014, 55, 1883-1890.	1.5	61
44	Serotonin transporter polymorphisms and the occurrence of adverse events during treatment with selective serotonin reuptake inhibitors. International Clinical Psychopharmacology, 2007, 22, 137-143.	0.9	60
45	Does the weather make us sad? Meteorological determinants of mood and depression in the general population. Psychiatry Research, 2010, 180, 143-146.	1.7	59
46	Long-term outcome of thalamic deep brain stimulation in two patients with Tourette syndrome. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 1068-1072.	0.9	58
47	Ambulatory emotional reactivity to negative daily life events predicts remission from major depressive disorder. Behaviour Research and Therapy, 2010, 48, 754-760.	1.6	57
48	Clinical effectiveness of cognitive therapy <i>v.</i> interpersonal psychotherapy for depression: results of a randomized controlled trial. Psychological Medicine, 2015, 45, 2095-2110.	2.7	56
49	Daily life stress reactivity in remitted versus non-remitted depressed individuals. European Psychiatry, 2015, 30, 441-447.	0.1	56
50	Exploring mechanisms of change in cognitive therapy and interpersonal psychotherapy for adult depression. Behaviour Research and Therapy, 2017, 94, 81-92.	1.6	56
51	Validation of a neurofeedback paradigm: Manipulating frontal EEG alpha-activity and its impact on mood. International Journal of Psychophysiology, 2014, 93, 116-120.	0.5	55
52	Specificity of interpretation and judgemental biases in social phobia versus depression. Psychology and Psychotherapy: Theory, Research and Practice, 2007, 80, 443-453.	1.3	54
53	The influence of 5-HTTLPR and STin2 polymorphisms in the serotonin transporter gene on treatment effect of selective serotonin reuptake inhibitors in depressive patients. Psychiatric Genetics, 2008, 18, 184-190.	0.6	52
54	Risks for Oral Health With the Use of Antidepressants. General Hospital Psychiatry, 1998, 20, 150-154.	1.2	46

#	Article	IF	CITATIONS
55	Positive cognitive behavior therapy in the treatment of depression: A randomized order within-subject comparison with traditional cognitive behavior therapy. Behaviour Research and Therapy, 2019, 116, 119-130.	1.6	46
56	Neurofeedback As a Treatment for Major Depressive Disorder – A Pilot Study. PLoS ONE, 2014, 9, e91837.	1.1	45
57	The Dutch Measure for quantification of Treatment Resistance in Depression (DM-TRD): an extension of the Maudsley Staging Method. Journal of Affective Disorders, 2016, 205, 365-371.	2.0	45
58	Translating assessments of the film of daily life into person-tailored feedback interventions in depression. Acta Psychiatrica Scandinavica, 2011, 123, 402-403.	2.2	43
59	Experience Sampling-Based Personalized Feedback and Positive Affect: A Randomized Controlled Trial in Depressed Patients. PLoS ONE, 2015, 10, e0128095.	1.1	43
60	Impact of variation in the BDNF gene on social stress sensitivity and the buffering impact of positive emotions: Replication and extension of a gene–environment interaction. European Neuropsychopharmacology, 2014, 24, 930-938.	0.3	33
61	Does pretreatment testing for serotonin transporter polymorphisms lead to earlier effects of drug treatment in patients with major depression? A decision-analytic model. Clinical Therapeutics, 2007, 29, 691-702.	1.1	32
62	Long-term outcomes of acute treatment with cognitive therapy v. interpersonal psychotherapy for adult depression: follow-up of a randomized controlled trial. Psychological Medicine, 2019, 49, 465-473.	2.7	32
63	Positive and Negative Beliefs About Depressive Rumination: A Psychometric Evaluation of Two Self-Report Scales and a Test of a Clinical Metacognitive Model of Rumination and Depression. Cognitive Therapy and Research, 2010, 34, 196-205.	1.2	30
64	Effectiveness, relapse prevention and mechanisms of change of cognitive therapy vs. interpersonal therapy for depression: Study protocol for a randomised controlled trial. Trials, 2011, 12, 150.	0.7	30
65	Melatonin as a Therapeutic Agent in the Treatment of Sleep Disturbance in Depression. Journal of Nervous and Mental Disease, 1997, 185, 201.	0.5	30
66	Acceptance and Commitment Therapy in Daily Life Training: A Feasibility Study of an mHealth Intervention. JMIR MHealth and UHealth, 2016, 4, e103.	1.8	30
67	The clinical effectiveness of evidence-based interventions for depression: A pragmatic trial in routine practice. Journal of Affective Disorders, 2013, 145, 349-355.	2.0	28
68	Sudden gains in Cognitive Therapy and Interpersonal Psychotherapy for adult depression. Behaviour Research and Therapy, 2016, 77, 170-176.	1.6	27
69	Negative mood-induction modulates default mode network resting-state functional connectivity in chronic depression. Journal of Affective Disorders, 2017, 208, 590-596.	2.0	27
70	Exploring mechanisms of change in schema therapy for chronic depression. Journal of Behavior Therapy and Experimental Psychiatry, 2018, 58, 97-105.	0.6	25
71	Susceptibility to Depression Expressed as Alterations in Cortisol Day Curve: A Cross-Twin, Cross-Trait Study. Psychosomatic Medicine, 2008, 70, 314-318.	1.3	24
72	Neural correlates of self-referential processing and implicit self-associations in chronic depression. Journal of Affective Disorders, 2015, 186, 40-47.	2.0	23

#	Article	IF	CITATIONS
73	A Randomized Controlled Pilot Study on Mindfulness-Based Cognitive Therapy for Unipolar Depression in Patients With Chronic Pain. Journal of Clinical Psychiatry, 2018, 79, 26-34.	1.1	23
74	Putting a Hold on the Downward Spiral of Paranoia in the Social World: A Randomized Controlled Trial of Mindfulness-Based Cognitive Therapy in Individuals with a History of Depression. PLoS ONE, 2013, 8, e66747.	1.1	21
75	The Neglected Role of Psychotherapy for Treatment-Resistant Depression. American Journal of Psychiatry, 2022, 179, 90-93.	4.0	20
76	Two-year stability and change of neuroticism and extraversion in treated and untreated persons with depression: Findings from the Netherlands Study of Depression and Anxiety (NESDA). Journal of Affective Disorders, 2013, 150, 201-208.	2.0	19
77	Therapygenetics in mindfulness-based cognitive therapy: do genes have an impact on therapy-induced change in real-life positive affective experiences?. Translational Psychiatry, 2014, 4, e384-e384.	2.4	19
78	Orbital and Medial Prefrontal Cortex Functional Connectivity of Major Depression Vulnerability and Disease. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 348-357.	1.1	19
79	Working memory moderates the relation between the brain-derived neurotropic factor (BDNF) and psychotherapy outcome for depression. Journal of Psychiatric Research, 2020, 130, 424-432.	1.5	17
80	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. BMC Psychiatry, 2011, 11, 8.	1.1	16
81	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: A pragmatic trial in routine practice. Journal of Affective Disorders, 2014, 152-154, 146-154.	2.0	16
82	Dental caries with longterm use of antidepressants. Lancet, The, 1995, 346, 1640.	6.3	15
83	Differential affect structure in depressive and anxiety disorders. Anxiety, Stress and Coping, 2004, 17, 321-330.	1.7	15
84	Does illness attribution affect treatment assignment in depression?. Clinical Psychology and Psychotherapy, 2010, 17, 418-426.	1.4	15
85	The influence of comorbid anxiety on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. Journal of Affective Disorders, 2018, 232, 52-60.	2.0	15
86	The impact of personality disorder pathology on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. Journal of Affective Disorders, 2018, 225, 530-538.	2.0	15
87	Getting stuck in social isolation: Solitude inertia and depressive symptoms Journal of Abnormal Psychology, 2020, 129, 713-723.	2.0	15
88	Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. BMC Psychiatry, 2017, 17, 415.	1.1	14
89	The value of an implicit self-associative measure specific to core beliefs of depression. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 196-202.	0.6	13
90	A prognostic index for long-term outcome after successful acute phase cognitive therapy and interpersonal psychotherapy for major depressive disorder. Depression and Anxiety, 2019, 36, 252-261.	2.0	13

#	Article	IF	CITATIONS
91	The BrainACT study: acceptance and commitment therapy for depressive and anxiety symptoms following acquired brain injury: study protocol for a randomized controlled trial. Trials, 2019, 20, 773.	0.7	12
92	Acceptance and commitment therapy for individuals with depressive and anxiety symptoms following acquired brain injury: A non-concurrent multiple baseline design across four cases. Neuropsychological Rehabilitation, 2023, 33, 1018-1048.	1.0	9
93	Positive emotions from social company in women with persisting subclinical psychosis: lessons from daily life. Acta Psychiatrica Scandinavica, 2014, 129, 202-210.	2.2	8
94	Introducing the DizzyQuest: an app-based diary for vestibular disorders. Journal of Neurology, 2020, 267, 3-14.	1.8	8
95	Selecting the optimal treatment for a depressed individual: Clinical judgment or statistical prediction?. Journal of Affective Disorders, 2021, 279, 149-157.	2.0	8
96	Metabolic Syndrome in Dutch Patients With Bipolar Disorder. primary care companion for CNS disorders, The, $2018, 20, .$	0.2	8
97	Electrolyte and other blood serum abnormalities in normal weight bulimia nervosa: Evidence for sampling bias., 2000, 27, 358-362.		7
98	The relation between therapy quality, therapy processes and outcomes and identifying for whom therapy quality matters in CBT and IPT for depression. Behaviour Research and Therapy, 2021, 139, 103815.	1.6	7
99	Temporal and specific pathways of change in cognitive behavioral therapy (CBT) and interpersonal psychotherapy (IPT) for depression. Behaviour Research and Therapy, 2022, 151, 104010.	1.6	7
100	Mechanistic pathways of change in twice weekly versus once weekly sessions of psychotherapy for depression. Behaviour Research and Therapy, 2022, 151, 104038.	1.6	5
101	The DizzyQuest: relation between self-reported hearing loss, tinnitus and objective hearing thresholds in patients with Meniere's disease. Journal of Neurology, 2022, 269, 5239-5248.	1.8	5
102	The Two-Sided Face of Antidepressants: The Impact of Their Use on Real-Life Affective Change during Mindfulness-Based Cognitive Therapy. Psychotherapy and Psychosomatics, 2016, 85, 180-182.	4.0	3
103	The DizzyQuest: to have or not to have… a vertigo attack?. Journal of Neurology, 2020, 267, 15-23.	1.8	3
104	S.22.03 Positive affect and recovery from depression. European Neuropsychopharmacology, 2012, 22, S140.	0.3	2
105	Patient Choice in Depression Psychotherapy: Outcomes of Patient-Preferred Therapy Versus Randomly Allocated Therapy. American Journal of Psychotherapy, 2021, , appi.apt.2020.2.	0.4	2
106	Toward Personalized Treatment in Psychiatry. Journal of Clinical Psychiatry, 2015, 76, e1313-e1314.	1.1	2
107	Cognitive behavioral analysis system of psychotherapy (CBASP) may not be superior to other treatments for chronic depression: Correspondence. Journal of Affective Disorders, 2022, 308, 188-189.	2.0	2
108	Imagery-Enhanced Cognitive Restructuring of Hostile Beliefs: A Narrative Description. Cognitive and Behavioral Practice, 2022, 29, 625-634.	0.9	1

Frenk Peeters

#	Article	IF	CITATIONS
109	Measuring psychological flexibility and cognitive defusion in individuals with acquired brain injury. Brain Injury, 2021, 35, 1301-1307.	0.6	1
110	Patient Choice in Depression Psychotherapy: Outcomes of Patient-Preferred Therapy Versus Randomly Allocated Therapy. American Journal of Psychotherapy, 2021, 74, 103-111.	0.4	1
111	Uncovering the hierarchical structure of self-reported hostility. PLoS ONE, 2020, 15, e0239631.	1.1	O
112	Uncovering the hierarchical structure of self-reported hostility., 2020, 15, e0239631.		0
113	Uncovering the hierarchical structure of self-reported hostility. , 2020, 15, e0239631.		O
114	Uncovering the hierarchical structure of self-reported hostility., 2020, 15, e0239631.		0
115	Uncovering the hierarchical structure of self-reported hostility. , 2020, 15, e0239631.		O