Frenk Peeters

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5347623/frenk-peeters-publications-by-year.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113 6,029 45 76 g-index

117 6,842 5.3 5.53 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
113	The Neglected Role of Psychotherapy for Treatment-Resistant Depression <i>American Journal of Psychiatry</i> , 2022 , 179, 90-93	11.9	1
112	Mechanistic pathways of change in twice weekly versus once weekly sessions of psychotherapy for depression <i>Behaviour Research and Therapy</i> , 2022 , 151, 104038	5.2	1
111	Acceptance and commitment therapy for individuals with depressive and anxiety symptoms following acquired brain injury: A non-concurrent multiple baseline design across four cases <i>Neuropsychological Rehabilitation</i> , 2022 , 1-31	3.1	2
110	Cognitive behavioral analysis system of psychotherapy (CBASP) may not be superior to other treatments for chronic depression: Correspondence <i>Journal of Affective Disorders</i> , 2022 ,	6.6	0
109	Temporal and specific pathways of change in cognitive behavioral therapy (CBT) and interpersonal psychotherapy (IPT) for depression <i>Behaviour Research and Therapy</i> , 2021 , 151, 104010	5.2	1
108	The relation between therapy quality, therapy processes and outcomes and identifying for whom therapy quality matters in CBT and IPT for depression. <i>Behaviour Research and Therapy</i> , 2021 , 139, 1038	1 ⁵ 5 ²	2
107	Patient Choice in Depression Psychotherapy: Outcomes of Patient-Preferred Therapy Versus Randomly Allocated Therapy. <i>American Journal of Psychotherapy</i> , 2021 , appiapt202020200042	1.3	
106	Selecting the optimal treatment for a depressed individual: Clinical judgment or statistical prediction?. <i>Journal of Affective Disorders</i> , 2021 , 279, 149-157	6.6	4
105	Measuring psychological flexibility and cognitive defusion in individuals with acquired brain injury. <i>Brain Injury</i> , 2021 , 35, 1301-1307	2.1	1
104	Patient Choice in Depression Psychotherapy: Outcomes of Patient-Preferred Therapy Versus Randomly Allocated Therapy. <i>American Journal of Psychotherapy</i> , 2021 , 74, 103-111	1.3	0
103	The DizzyQuest: relation between self-reported hearing loss, tinnitus and objective hearing thresholds in patients with Meniere's disease. <i>Journal of Neurology</i> , 2021 , 1	5.5	
102	Working memory moderates the relation between the brain-derived neurotropic factor (BDNF) and psychotherapy outcome for depression. <i>Journal of Psychiatric Research</i> , 2020 , 130, 424-432	5.2	7
101	Uncovering the hierarchical structure of self-reported hostility. <i>PLoS ONE</i> , 2020 , 15, e0239631	3.7	
100	Getting stuck in social isolation: Solitude inertia and depressive symptoms. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 713-723	7	5
99	Introducing the DizzyQuest: an app-based diary for vestibular disorders. <i>Journal of Neurology</i> , 2020 , 267, 3-14	5.5	1
98	The DizzyQuest: to have or not to havela vertigo attack?. <i>Journal of Neurology</i> , 2020 , 267, 15-23	5.5	2
97	Uncovering the hierarchical structure of self-reported hostility 2020 , 15, e0239631		

96 Uncovering the hierarchical structure of self-reported hostility **2020**, 15, e0239631

95	Uncovering the hierarchical structure of self-reported hostility 2020 , 15, e0239631		
93	Greenering and meral amedical decore of sew reported hospitals 1000, 15, 2025, 05.		
94	Uncovering the hierarchical structure of self-reported hostility 2020 , 15, e0239631		
93	Positive cognitive behavior therapy in the treatment of depression: A randomized order within-subject comparison with traditional cognitive behavior therapy. <i>Behaviour Research and Therapy</i> , 2019 , 116, 119-130	5.2	22
92	Long-term outcomes of acute treatment with cognitive therapy v. interpersonal psychotherapy for adult depression: follow-up of a randomized controlled trial. <i>Psychological Medicine</i> , 2019 , 49, 465-473	6.9	21
91	Effectiveness of psychotherapy for treatment-resistant depression: a meta-analysis and meta-regression. <i>Psychological Medicine</i> , 2019 , 49, 366-379	6.9	33
90	The BrainACT study: acceptance and commitment therapy for depressive and anxiety symptoms following acquired brain injury: study protocol for a randomized controlled trial. <i>Trials</i> , 2019 , 20, 773	2.8	6
89	A prognostic index for long-term outcome after successful acute phase cognitive therapy and interpersonal psychotherapy for major depressive disorder. <i>Depression and Anxiety</i> , 2019 , 36, 252-261	8.4	11
88	The influence of comorbid anxiety on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2018 , 232, 52-60	6.6	11
87	Orbital and Medial Prefrontal Cortex Functional Connectivity of Major Depression Vulnerability and Disease. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 348-357	3.4	11
86	Exploring mechanisms of change in schema therapy for chronic depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018 , 58, 97-105	2.6	16
85	A Randomized Controlled Pilot Study on Mindfulness-Based Cognitive Therapy for Unipolar Depression in Patients With Chronic Pain. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	16
84	Metabolic Syndrome in Dutch Patients With Bipolar Disorder: A Cross-Sectional Study. <i>primary care companion for CNS disorders, The</i> , 2018 , 20,	1.2	5
83	The impact of personality disorder pathology on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2018 , 225, 530-538	6.6	13
82	Exploring mechanisms of change in cognitive therapy and interpersonal psychotherapy for adult depression. <i>Behaviour Research and Therapy</i> , 2017 , 94, 81-92	5.2	37
81	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. <i>Depression and Anxiety</i> , 2017 , 34, 481-493	8.4	79
80	Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. <i>BMC Psychiatry</i> , 2017 , 17, 415	4.2	10
79	Unraveling the Role of Loneliness in Depression: The Relationship Between Daily Life Experience and Behavior. <i>Psychiatry (New York)</i> , 2017 , 80, 104-117	1	41

78	Negative mood-induction modulates default mode network resting-state functional connectivity in chronic depression. <i>Journal of Affective Disorders</i> , 2017 , 208, 590-596	6.6	22
77	The validity of individual frontal alpha asymmetry EEG neurofeedback. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 33-43	4	48
76	The Dutch Measure for quantification of Treatment Resistance in Depression (DM-TRD): an extension of the Maudsley Staging Method. <i>Journal of Affective Disorders</i> , 2016 , 205, 365-371	6.6	33
75	Sudden gains in Cognitive Therapy and Interpersonal Psychotherapy for adult depression. <i>Behaviour Research and Therapy</i> , 2016 , 77, 170-6	5.2	22
74	Schema therapy for chronic depression: Results of a multiple single case series. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016 , 51, 66-73	2.6	51
73	Acceptance and Commitment Therapy in Daily Life Training: A Feasibility Study of an mHealth Intervention. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e103	5.5	18
72	Effects of Mindfulness-Based Cognitive Therapy on Body Awareness in Patients with Chronic Pain and Comorbid Depression. <i>Frontiers in Psychology</i> , 2016 , 7, 967	3.4	67
71	The Two-Sided Face of Antidepressants: The Impact of Their Use on Real-Life Affective Change during Mindfulness-Based Cognitive Therapy. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 180-2	9.4	3
70	Clinical effectiveness of cognitive therapy v. interpersonal psychotherapy for depression: results of a randomized controlled trial. <i>Psychological Medicine</i> , 2015 , 45, 2095-110	6.9	44
69	Daily life stress reactivity in remitted versus non-remitted depressed individuals. <i>European Psychiatry</i> , 2015 , 30, 441-7	6	41
68	Neural correlates of self-referential processing and implicit self-associations in chronic depression. Journal of Affective Disorders, 2015 , 186, 40-7	6.6	15
67	Experience sampling-based personalized feedback and positive affect: a randomized controlled trial in depressed patients. <i>PLoS ONE</i> , 2015 , 10, e0128095	3.7	31
66	Mindfulness training promotes upward spirals of positive affect and cognition: multilevel and autoregressive latent trajectory modeling analyses. <i>Frontiers in Psychology</i> , 2015 , 6, 15	3.4	94
65	Toward personalized treatment in psychiatry. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1313-4	4.6	1
64	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: a pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 146-54	6.6	9
63	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1883-90	7.3	47
62	The value of an implicit self-associative measure specific to core beliefs of depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014 , 45, 196-202	2.6	9
61	Impact of variation in the BDNF gene on social stress sensitivity and the buffering impact of positive emotions: replication and extension of a gene-environment interaction. <i>European Neuropsychopharmacology</i> , 2014 , 24, 930-8	1.2	27

(2012-2014)

60	Validation of a neurofeedback paradigm: manipulating frontal EEG alpha-activity and its impact on mood. <i>International Journal of Psychophysiology</i> , 2014 , 93, 116-20	2.9	33
59	Neurofeedback as a treatment for major depressive disordera pilot study. <i>PLoS ONE</i> , 2014 , 9, e91837	3.7	31
58	Critical slowing down as early warning for the onset and termination of depression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 87-92	11.5	359
57	Therapygenetics in mindfulness-based cognitive therapy: do genes have an impact on therapy-induced change in real-life positive affective experiences?. <i>Translational Psychiatry</i> , 2014 , 4, e3	8 ^{8.6}	15
56	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. <i>World Psychiatry</i> , 2014 , 13, 68-77	14.4	144
55	Positive emotions from social company in women with persisting subclinical psychosis: lessons from daily life. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 202-10	6.5	7
54	The clinical effectiveness of evidence-based interventions for depression: a pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2013 , 145, 349-55	6.6	26
53	Two-year stability and change of neuroticism and extraversion in treated and untreated persons with depression: findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2013 , 150, 201-8	6.6	15
52	Moment-to-moment transfer of positive emotions in daily life predicts future course of depression in both general population and patient samples. <i>PLoS ONE</i> , 2013 , 8, e75655	3.7	52
51	A network approach to psychopathology: new insights into clinical longitudinal data. <i>PLoS ONE</i> , 2013 , 8, e60188	3.7	296
50	Putting a Hold on the Downward Spiral of Paranoia in the Social World: A Randomized Controlled Trial of Mindfulness-Based Cognitive Therapy in Individuals with a History of Depression. <i>PLoS ONE</i> , 2013 , 8, e66747	3.7	20
49	How does MBCT for depression work? studying cognitive and affective mediation pathways. <i>PLoS ONE</i> , 2013 , 8, e72778	3.7	54
48	Staging methods for treatment resistant depression. A systematic review. <i>Journal of Affective Disorders</i> , 2012 , 137, 35-45	6.6	133
47	Early maladaptive schemas in depressed patients: stability and relation with depressive symptoms over the course of treatment. <i>Journal of Affective Disorders</i> , 2012 , 136, 581-90	6.6	83
46	The dynamic interplay between negative and positive emotions in daily life predicts response to treatment in depression: a momentary assessment study. <i>British Journal of Clinical Psychology</i> , 2012 , 51, 206-22	3.6	47
45	A time-lagged momentary assessment study on daily life physical activity and affect. <i>Health Psychology</i> , 2012 , 31, 135-44	5	116
44	S.22.03 Positive affect and recovery from depression. <i>European Neuropsychopharmacology</i> , 2012 , 22, S140	1.2	2
43	Efficacy of mindfulness-based cognitive therapy in relation to prior history of depression: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012 , 201, 320-5	5.4	53

42	Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. <i>European Neuropsychopharmacology</i> , 2011 , 21, 241-7	1.2	79
41	Translating assessments of the film of daily life into person-tailored feedback interventions in depression. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 402-3	6.5	35
40	Momentary assessment technology as a tool to help patients with depression help themselves. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 262-72	6.5	85
39	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011 , 11, 8	4.2	15
38	Effectiveness, relapse prevention and mechanisms of change of cognitive therapy vs. interpersonal therapy for depression: Study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 150	2.8	26
37	Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: a randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2011 , 79, 618-28	6.5	283
36	Meeting risk with resilience: high daily life reward experience preserves mental health. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 129-38	6.5	75
35	Long-term outcome of thalamic deep brain stimulation in two patients with Tourette syndrome. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 1068-72	5.5	50
34	Ambulatory emotional reactivity to negative daily life events predicts remission from major depressive disorder. <i>Behaviour Research and Therapy</i> , 2010 , 48, 754-60	5.2	50
33	Does the weather make us sad? Meteorological determinants of mood and depression in the general population. <i>Psychiatry Research</i> , 2010 , 180, 143-6	9.9	42
32	Positive and Negative Beliefs About Depressive Rumination: A Psychometric Evaluation of Two Self-Report Scales and a Test of a Clinical Metacognitive Model of Rumination and Depression. <i>Cognitive Therapy and Research</i> , 2010 , 34, 196-205	2.7	22
31	Unveiling patterns of affective responses in daily life may improve outcome prediction in depression: a momentary assessment study. <i>Journal of Affective Disorders</i> , 2010 , 124, 191-5	6.6	107
30	Does illness attribution affect treatment assignment in depression?. <i>Clinical Psychology and Psychotherapy</i> , 2010 , 17, 418-26	2.9	13
29	Transition from stress sensitivity to a depressive state: longitudinal twin study. <i>British Journal of Psychiatry</i> , 2009 , 195, 498-503	5.4	94
28	Reduced stress-sensitivity or increased reward experience: the psychological mechanism of response to antidepressant medication. <i>Neuropsychopharmacology</i> , 2009 , 34, 923-31	8.7	96
27	Mechanisms of gene-environment interactions in depression: evidence that genes potentiate multiple sources of adversity. <i>Psychological Medicine</i> , 2009 , 39, 1077-86	6.9	90
26	Effects of neuroticism on depression and anxiety: Rumination as a possible mediator. <i>Personality and Individual Differences</i> , 2008 , 44, 576-586	3.3	125
25	Rumination and worrying as possible mediators in the relation between neuroticism and symptoms of depression and anxiety in clinically depressed individuals. <i>Behaviour Research and Therapy</i> , 2008 , 46, 1283-9	5.2	194

(2003-2008)

24	The catechol-O-methyl transferase Val158Met polymorphism and experience of reward in the flow of daily life. <i>Neuropsychopharmacology</i> , 2008 , 33, 3030-6	8.7	60
23	The influence of 5-HTTLPR and STin2 polymorphisms in the serotonin transporter gene on treatment effect of selective serotonin reuptake inhibitors in depressive patients. <i>Psychiatric Genetics</i> , 2008 , 18, 184-90	2.9	48
22	Susceptibility to depression expressed as alterations in cortisol day curve: a cross-twin, cross-trait study. <i>Psychosomatic Medicine</i> , 2008 , 70, 314-8	3.7	19
21	Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 451-7	6.5	126
20	Specificity of interpretation and judgemental biases in social phobia versus depression. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007 , 80, 443-53	3.5	43
19	Serotonin transporter polymorphisms and the occurrence of adverse events during treatment with selective serotonin reuptake inhibitors. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 137-43	2.2	48
18	Genetic risk of depression and stress-induced negative affect in daily life. <i>British Journal of Psychiatry</i> , 2007 , 191, 218-23	5.4	121
17	Does pretreatment testing for serotonin transporter polymorphisms lead to earlier effects of drug treatment in patients with major depression? A decision-analytic model. <i>Clinical Therapeutics</i> , 2007 , 29, 691-702	3.5	30
16	On the links between self-discrepancies, rumination, metacognitions, and symptoms of depression in undergraduates. <i>Behaviour Research and Therapy</i> , 2007 , 45, 1295-305	5.2	59
15	Stress-related negative affectivity and genetically altered serotonin transporter function: evidence of synergism in shaping risk of depression. <i>Archives of General Psychiatry</i> , 2006 , 63, 989-96		158
14	On the measurement of rumination: a psychometric evaluation of the ruminative response scale and the rumination on sadness scale in undergraduates. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2006 , 37, 299-313	2.6	54
13	Diurnal mood variation in major depressive disorder. <i>Emotion</i> , 2006 , 6, 383-91	4.1	182
12	Differential affect structure in depressive and anxiety disorders. <i>Anxiety, Stress and Coping</i> , 2004 , 17, 321-330	3.1	13
11	Levels and variability of daily life cortisol secretion in major depression. <i>Psychiatry Research</i> , 2004 , 126, 1-13	9.9	97
10	Cortisol responses to daily events in major depressive disorder. <i>Psychosomatic Medicine</i> , 2003 , 65, 836-	-43.7	121
9	Effects of daily events on mood states in major depressive disorder. <i>Journal of Abnormal Psychology</i> , 2003 , 112, 203-11	7	194
8	How psychotic are individuals with non-psychotic disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 149-54	4.5	126
7	Emotional reactivity to daily life stress in psychosis and affective disorder: an experience sampling study. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 124-31	6.5	243

6	Autobiographical memory specificity and the course of major depressive disorder. <i>Comprehensive Psychiatry</i> , 2002 , 43, 344-50	7.3	118
5	Correlates of autobiographical memory specificity: the role of depression, anxiety and childhood trauma. <i>Behaviour Research and Therapy</i> , 2001 , 39, 409-21	5.2	120
4	Electrolyte and other blood serum abnormalities in normal weight bulimia nervosa: evidence for sampling bias. <i>International Journal of Eating Disorders</i> , 2000 , 27, 358-62	6.3	6
3	Risks for oral health with the use of antidepressants. <i>General Hospital Psychiatry</i> , 1998 , 20, 150-4	5.6	40
2	Melatonin as a therapeutic agent in the treatment of sleep disturbance in depression. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 201-2	1.8	29
1	Dental caries with longterm use of antidepressants. <i>Lancet, The</i> , 1995 , 346, 1640	40	10