
Lisa C Carlesso, Pt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5347645/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	International framework for examination of the cervical region for potential of Cervical Arterial Dysfunction prior to Orthopaedic Manual Therapy intervention. Manual Therapy, 2014, 19, 222-228.	1.6	108
2	An Overview of Systematic Reviews on Prognostic Factors in Neck Pain: Results from the International Collaboration on Neck Pain (ICON) Project. The Open Orthopaedics Journal, 2013, 7, 494-505.	0.1	107
3	Standardization of Adverse Event Terminology and Reporting in Orthopaedic Physical Therapy: Application to the Cervical Spine. Journal of Orthopaedic and Sports Physical Therapy, 2010, 40, 455-463.	1.7	93
4	Adverse events associated with the use of cervical manipulation and mobilization for the treatment of neck pain in adults: A systematic review. Manual Therapy, 2010, 15, 434-444.	1.6	78
5	Validity of the central sensitization inventory with measures of sensitization in people with knee osteoarthritis. Clinical Rheumatology, 2018, 37, 3125-3132.	1.0	66
6	Pain Susceptibility Phenotypes in Those Free of Knee Pain With or at Risk of Knee Osteoarthritis: The Multicenter Osteoarthritis Study. Arthritis and Rheumatology, 2019, 71, 542-549.	2.9	62
7	Treatment preferences amongst physical therapists and chiropractors for the management of neck pain: results of an international survey. Chiropractic & Manual Therapies, 2014, 22, 11.	0.6	59
8	Defining adverse events in manual therapy: An exploratory qualitative analysis of the patient perspective. Manual Therapy, 2011, 16, 440-446.	1.6	49
9	Concurrent Validation of the DASH and the QuickDASH in Comparison to Neck-Specific Scales in Patients With Neck Pain. Spine, 2010, 35, 2150-2156.	1.0	45
10	Use of Outcome Measures in Managing Neck Pain: An International Multidisciplinary Survey. The Open Orthopaedics Journal, 2013, 7, 506-520.	0.1	45
11	An ICON Overview on Physical Modalities for Neck Pain and Associated Disorders. The Open Orthopaedics Journal, 2013, 7, 440-460.	0.1	38
12	Psychological Care, Patient Education, Orthotics, Ergonomics and Prevention Strategies for Neck Pain: An Systematic Overview Update as Part of the ICON§ Project. The Open Orthopaedics Journal, 2013, 7, 530-561.	0.1	29
13	A consensus-based framework for conducting and reporting osteoarthritis phenotype research. Arthritis Research and Therapy, 2020, 22, 54.	1.6	28
14	Management of Patients with a Musculoskeletal Pain Condition that is Likely Chronic: Results from a National Cross Sectional Survey. Journal of Pain, 2020, 21, 869-880.	0.7	26
15	Association of Pain Sensitization and Conditioned Pain Modulation to Pain Patterns in Knee Osteoarthritis. Arthritis Care and Research, 2022, 74, 107-112.	1.5	26
16	A Qualitative Description of Chronic Neck Pain has Implications for Outcome Assessment and Classification. The Open Orthopaedics Journal, 2016, 10, 746-756.	0.1	24
17	Exploring the relationship between disease-related pain and cortisol levels in women with osteoarthritis. Osteoarthritis and Cartilage, 2016, 24, 2048-2054.	0.6	23
18	Determinants of pain, disability, health-related quality of life and physical performance in patients with knee osteoarthritis awaiting total joint arthroplasty. Disability and Rehabilitation, 2018, 40, 2734-2744.	0.9	21

LISA C CARLESSO, PT

#	Article	IF	CITATIONS
19	Beliefs and Practice Patterns in Spinal Manipulation and Spinal Motion Palpation Reported by Canadian Manipulative Physiotherapists. Physiotherapy Canada Physiotherapie Canada, 2013, 65, 167-175.	0.3	19
20	Disease-specific pain and function predict future pain impact in hip and knee osteoarthritis. Clinical Rheumatology, 2016, 35, 2999-3005.	1.0	17
21	The Effect of Widespread Pain on Knee Pain Worsening, Incident Knee Osteoarthritis (OA), and Incident Knee Pain: The Multicenter OA (MOST) Study. Journal of Rheumatology, 2017, 44, 493-498.	1.0	17
22	Comparing the association of widespread pain, multi-joint pain and low back pain with measures of pain sensitization and function in people with knee osteoarthritis. Clinical Rheumatology, 2020, 39, 873-879.	1.0	17
23	Knee Pain and Structural Damage as Risk Factors for Incident Widespread Pain: Data From the Multicenter Osteoarthritis Study. Arthritis Care and Research, 2017, 69, 826-832.	1.5	16
24	Concordance between physiotherapists and physicians for care of patients with musculoskeletal disorders presenting to the emergency department. BMC Emergency Medicine, 2019, 19, 67.	0.7	16
25	Manipulative practice in the cervical spine: a survey of IFOMPT member countries. Journal of Manual and Manipulative Therapy, 2011, 19, 66-70.	0.7	15
26	Association of Intermittent and Constant Knee Pain Patterns With Knee Pain Severity and With Radiographic Knee Osteoarthritis Duration and Severity. Arthritis Care and Research, 2021, 73, 788-793.	1.5	15
27	Pharmacological Interventions Including Medical Injections for Neck Pain: An Overview as Part of the ICON Project. The Open Orthopaedics Journal, 2013, 7, 473-493.	0.1	14
28	A Description of the Methodology Used in an Overview of Reviews to Evaluate Evidence on the Treatment, Harms, Diagnosis/Classification, Prognosis and Outcomes Used in the Management of Neck Pain. The Open Orthopaedics Journal, 2013, 7, 461-472.	0.1	13
29	Optimizing management of low back pain through the pain and disability drivers management model: A feasibility trial. PLoS ONE, 2021, 16, e0245689.	1.1	12
30	Reflecting on whiplash associated disorder through a QoL lens: an option to advance practice and research. Disability and Rehabilitation, 2012, 34, 1131-1139.	0.9	11
31	Clinical classes of injured workers with chronic low back pain: a latent class analysis with relationship to working status. European Spine Journal, 2018, 27, 117-124.	1.0	11
32	Biomedical origins of the term 'osteopathic lesion' and its impact on people in pain. International Journal of Osteopathic Medicine, 2020, 37, 40-43.	0.4	11
33	Cervical Manipulation and Informed Consent: Canadian Manipulative Physiotherapists' Opinions on Communicating Risk. Physiotherapy Canada Physiotherapie Canada, 2007, 59, 86-96.	0.3	8
34	Determining Adverse Events in Patients with Neck Pain Receiving Orthopaedic Manual Physiotherapy: A Pilot and Feasibility Study. Physiotherapy Canada Physiotherapie Canada, 2013, 65, 255-265.	0.3	8
35	The Revised IASP Definition of Pain and Accompanying Notes: Considerations for the Physiotherapy Profession. Physiotherapy Canada Physiotherapie Canada, 2021, 73, 103-106.	0.3	8
36	Management of Chronic Musculoskeletal Pain Through a Biopsychosocial Lens. Journal of Athletic Training, 2022, 57, 312-318.	0.9	8

LISA C CARLESSO, PT

#	Article	IF	CITATIONS
37	Results of an International Survey of Practice Patterns for Establishing Prognosis in Neck Pain: The ICON Project. The Open Orthopaedics Journal, 2013, 7, 387-395.	0.1	8
38	A survey of patient's perceptions of what is "adverse―in manual physiotherapy and predicting who is likely to say so. Journal of Clinical Epidemiology, 2013, 66, 1184-1191.	2.4	7
39	Health-Related Outcomes 3-15 Years Following Ankle Sprain Injury in Youth Sport: What Does the Future Hold?. Foot and Ankle International, 2022, 43, 21-31.	1.1	7
40	Understanding barriers and facilitators of exercise adherence after total-knee arthroplasty. Disability and Rehabilitation, 2022, 44, 6348-6355.	0.9	7
41	Development of a national pain management competency profile to guide entry-level physiotherapy education in Canada. Canadian Journal of Pain, 2022, 6, 1-11.	0.6	7
42	Adverse effects as a consequence of being the subject of orthopaedic manual therapy training, a worldwide retrospective survey. Musculoskeletal Science and Practice, 2017, 29, 20-27.	0.6	6
43	Exploring pain phenotypes in workers with chronic low back pain: Application of IMMPACT recommendations. Canadian Journal of Pain, 2021, 5, 43-55.	0.6	6
44	Identifying pain susceptibility phenotypes in knee osteoarthritis. Clinical and Experimental Rheumatology, 2019, 37 Suppl 120, 96-99.	0.4	6
45	Use of IMMPACT Recommendations to Explore Pain Phenotypes in People with Knee Osteoarthritis. Pain Medicine, 2022, 23, 1708-1716.	0.9	6
46	A prospective cohort study examining medical and social factors associated with engagement in life activities following total hip replacement. Osteoarthritis and Cartilage, 2017, 25, 1032-1039.	0.6	5
47	Symptoms patients receiving manual therapy experienced and perceived as adverse: a secondary analysis of a survey of patients' perceptions of what constitutes an adverse response. Journal of Manual and Manipulative Therapy, 2021, 29, 51-58.	0.7	5
48	Reporting of post-operative rehabilitation interventions for Total knee arthroplasty: a scoping review. BMC Musculoskeletal Disorders, 2021, 22, 602.	0.8	5
49	Pharmacological, psychological, and patient education interventions for patients with neck pain: Results of an international survey. Journal of Back and Musculoskeletal Rehabilitation, 2015, 28, 561-573.	0.4	4
50	Understanding the Complexity of Pain in Osteoarthritis Through the Use of Pain Phenotyping: Current Evidence. Current Treatment Options in Rheumatology, 2020, 6, 75-86.	0.6	4
51	Multimorbidity: Making the Case for an End to Disease-Specific Rehabilitation. Physiotherapy Canada Physiotherapie Canada, 2020, 72, 1-3.	0.3	4
52	Scoping Review of Pain and Patient Characteristics and Physical Function Associated with Intermittent and Constant Pain in People with Knee Osteoarthritis. Physiotherapy Canada Physiotherapie Canada, 2021, 73, 118-128.	0.3	4
53	Quantitative Sensory Testing Protocols to Evaluate Central and Peripheral Sensitization in Knee OA: A Scoping Review. Pain Medicine, 2021, , .	0.9	4
54	Does weight-bearing versus non-weight-bearing pain reflect different pain mechanisms in knee osteoarthritis?: the Multicenter Osteoarthritis Study (MOST). Osteoarthritis and Cartilage, 2021, , .	0.6	4

LISA C CARLESSO, PT

#	Article	IF	CITATIONS
55	Validity of the Central Sensitization Inventory (CSI) through Rasch analysis in patients with knee osteoarthritis. Clinical Rheumatology, 2022, 41, 3159-3168.	1.0	4
56	Response to–ÂRisk reduction of serious complications from manual therapy: Are we reducing the risk?. Manual Therapy, 2014, 19, e3-e4.	1.6	3
57	Disease related pain increases cortisol levels in women with OA. Osteoarthritis and Cartilage, 2016, 24, S444-S445.	0.6	2
58	Quantitative Sensory Testing Protocols to Evaluate Central and Peripheral Sensitization in Knee OA: A Protocol for a Scoping Review. Current Rheumatology Reviews, 2021, 17, 76-80.	0.4	2
59	Depressive symptoms and multi-joint pain partially mediate the relationship between obesity and opioid use in people with knee osteoarthritis. Osteoarthritis and Cartilage, 2022, 30, 1263-1269.	0.6	2
60	International framework for examination of the cervical region for potential of cervical arterial dysfunction prior to orthopaedic manual therapy intervention. Physiotherapy, 2015, 101, e1305-e1306.	0.2	1
61	The association of knee pain and knee osteoarthritis with incident widespread pain: The Multicenter Osteoarthritis (MOST) Study. Osteoarthritis and Cartilage, 2016, 24, S193-S194.	0.6	1
62	Predicting recovery after lumbar spinal stenosis surgery: A protocol for a historical cohort study using data from the Canadian Spine Outcomes Research Network (CSORN). Canadian Journal of Pain, 2020, 4, 19-25.	0.6	1
63	Weight-bearing and non-weight-bearing pain may reflect different pain mechanisms in knee osteoarthritis. Osteoarthritis and Cartilage, 2021, 29, S366.	0.6	1
64	Development of a pain sensitivity index to examine the transition from intermittent to constant pain in knee osteoarthritis: the multicenter osteoarthritis study. Osteoarthritis and Cartilage, 2021, 29, S365-S366.	0.6	1
65	Specialty Differences in Initial Evaluation of Patients With Non-Acute Musculoskeletal Pain. Journal of the American Board of Family Medicine, 2021, 34, 618-633.	0.8	1
66	Rehabilitation Research During and after the COVID-19 Pandemic: Emergent Strategies From a Trainee-Faculty Workshop. Archives of Physical Medicine and Rehabilitation, 2021, 102, e105-e106.	0.5	1
67	Factors Associated with Intermittent, Constant, and Mixed Pain in People with Knee Osteoarthritis. Physiotherapy Canada Physiotherapie Canada, 0, , .	0.3	1
68	Low back pain and psychosocial factors are not predictive of future pain impact in hip and knee osteoarthritis. Osteoarthritis and Cartilage, 2015, 23, A346-A347.	0.6	0
69	Engagement in activity following hip replacement surgery: The impact of personal context and pre-surgery engagement. Osteoarthritis and Cartilage, 2015, 23, A345.	0.6	0
70	Does the person's context influence engagement in life activities following primary knee replacement? Results from a Canadian prospective cohort study. BMJ Open, 2017, 7, e015737.	0.8	0
71	Pain susceptibility phenotypes in people with or at risk of knee oa with inconsistent pain: the Multicenter Osteoarthritis study (MOST). Osteoarthritis and Cartilage, 2017, 25, S369.	0.6	0
72	ls the association of body mass index with opioid use mediated by number of painful joints or depressive symptoms: the multicenter osteoarthritis study. Osteoarthritis and Cartilage, 2019, 27, S255.	0.6	0

#	Article	IF	CITATIONS
73	The association of body mass index with pain sensitization: the multicenter osteoarthritis study. Osteoarthritis and Cartilage, 2019, 27, S402.	0.6	0
74	Validity of the central sensitization inventory through rasch analysis in patients with knee OA. Osteoarthritis and Cartilage, 2021, 29, S16-S17.	0.6	0
75	The development of a stakeholder-endorsed national strategic plan for advancing pain education across Canadian physiotherapy programs. Canadian Journal of Pain, 0, , .	0.6	0