

Jingbo Niu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5348763/publications.pdf>

Version: 2024-02-01

151
papers

12,330
citations

20797

60
h-index

26591

107
g-index

153
all docs

153
docs citations

153
times ranked

9418
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of Symptomatic Hand Osteoarthritis and Its Impact on Functional Status among the Elderly: The Framingham Study. <i>American Journal of Epidemiology</i> , 2002, 156, 1021-1027.	1.6	509
2	Synovitis detected on magnetic resonance imaging and its relation to pain and cartilage loss in knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1599-1603.	0.5	426
3	Increasing Prevalence of Knee Pain and Symptomatic Knee Osteoarthritis: Survey and Cohort Data. <i>Annals of Internal Medicine</i> , 2011, 155, 725.	2.0	419
4	Correlation of the development of knee pain with enlarging bone marrow lesions on magnetic resonance imaging. <i>Arthritis and Rheumatism</i> , 2007, 56, 2986-2992.	6.7	392
5	Increase in bone marrow lesions associated with cartilage loss: A longitudinal magnetic resonance imaging study of knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2006, 54, 1529-1535.	6.7	372
6	Prevalence, incidence and progression of hand osteoarthritis in the general population: the Framingham Osteoarthritis Study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1581-1586.	0.5	371
7	Prevalence of abnormalities in knees detected by MRI in adults without knee osteoarthritis: population based observational study (Framingham Osteoarthritis Study). <i>BMJ, The</i> , 2012, 345, e5339-e5339.	3.0	371
8	Greater Trochanteric Pain Syndrome: Epidemiology and Associated Factors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 988-992.	0.5	365
9	Association between radiographic features of knee osteoarthritis and pain: results from two cohort studies. <i>BMJ: British Medical Journal</i> , 2009, 339, b2844-b2844.	2.4	360
10	The Prevalence of Symptomatic Knee Osteoarthritis in China: Results From the China Health and Retirement Longitudinal Study. <i>Arthritis and Rheumatology</i> , 2016, 68, 648-653.	2.9	300
11	The effect of body weight on progression of knee osteoarthritis is dependent on alignment. <i>Arthritis and Rheumatism</i> , 2004, 50, 3904-3909.	6.7	289
12	Presence of MRI-detected joint effusion and synovitis increases the risk of cartilage loss in knees without osteoarthritis at 30-month follow-up: the MOST study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1804-1809.	0.5	289
13	Fluctuation of knee pain and changes in bone marrow lesions, effusions, and synovitis on magnetic resonance imaging. <i>Arthritis and Rheumatism</i> , 2011, 63, 691-699.	6.7	274
14	Quadriceps strength and the risk of cartilage loss and symptom progression in knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 189-198.	6.7	240
15	Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: Findings from the multicenter osteoarthritis study and the osteoarthritis initiative. <i>Arthritis and Rheumatism</i> , 2013, 65, 355-362.	6.7	214
16	Association of Joint Inflammation With Pain Sensitization in Knee Osteoarthritis: The Multicenter Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2016, 68, 654-661.	2.9	195
17	The relationship between cartilage loss on magnetic resonance imaging and radiographic progression in men and women with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2005, 52, 3152-3159.	6.7	190
18	Tibiofemoral Joint Osteoarthritis: Risk Factors for MR-depicted Fast Cartilage Loss over a 30-month Period in the Multicenter Osteoarthritis Study. <i>Radiology</i> , 2009, 252, 772-780.	3.6	176

#	ARTICLE	IF	CITATIONS
19	Effect of thigh strength on incident radiographic and symptomatic knee osteoarthritis in a longitudinal cohort. <i>Arthritis and Rheumatism</i> , 2009, 61, 1210-1217.	6.7	176
20	Assessment of synovitis with contrast-enhanced MRI using a whole-joint semiquantitative scoring system in people with, or at high risk of, knee osteoarthritis: the MOST study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 805-811.	0.5	164
21	Sensitivity and sensitisation in relation to pain severity in knee osteoarthritis: trait or state?. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 682-688.	0.5	158
22	Low levels of vitamin D and worsening of knee osteoarthritis: Results of two longitudinal studies. <i>Arthritis and Rheumatism</i> , 2007, 56, 129-136.	6.7	154
23	Magnetic Resonance Imaging-Based Three-Dimensional Bone Shape of the Knee Predicts Onset of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. <i>Arthritis and Rheumatism</i> , 2013, 65, 2048-2058.	6.7	149
24	Purine-rich foods intake and recurrent gout attacks. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1448-1453.	0.5	147
25	Effect of recreational physical activities on the development of knee osteoarthritis in older adults of different weights: The Framingham Study. <i>Arthritis and Rheumatism</i> , 2007, 57, 6-12.	6.7	143
26	Quadriceps weakness and its relationship to tibiofemoral and patellofemoral knee osteoarthritis in Chinese: The Beijing osteoarthritis study. <i>Arthritis and Rheumatism</i> , 2004, 50, 1815-1821.	6.7	138
27	Knee Buckling: Prevalence, Risk Factors, and Associated Limitations in Function. <i>Annals of Internal Medicine</i> , 2007, 147, 534.	2.0	134
28	Trends in the Causes of Death among Kidney Transplant Recipients in the United States (1996-2014). <i>American Journal of Nephrology</i> , 2018, 48, 472-481.	1.4	131
29	Patterns of compartment involvement in tibiofemoral osteoarthritis in men and women and in whites and African Americans. <i>Arthritis Care and Research</i> , 2012, 64, 847-852.	1.5	128
30	Knee alignment does not predict incident osteoarthritis: The Framingham osteoarthritis study. <i>Arthritis and Rheumatism</i> , 2007, 56, 1212-1218.	6.7	123
31	Metabolic Syndrome, Its Components, and Knee Osteoarthritis: The Framingham Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2017, 69, 1194-1203.	2.9	123
32	Ligamentous Injuries and the Risk of Associated Tissue Damage in Acute Ankle Sprains in Athletes. <i>American Journal of Sports Medicine</i> , 2014, 42, 1549-1557.	1.9	121
33	Defining radiographic incidence and progression of knee osteoarthritis: suggested modifications of the Kellgren and Lawrence scale. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1884-1886.	0.5	120
34	Association of squatting with increased prevalence of radiographic tibiofemoral knee osteoarthritis: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2004, 50, 1187-1192.	6.7	119
35	Association of hip pain with radiographic evidence of hip osteoarthritis: diagnostic test study. <i>BMJ</i> , The, 2015, 351, h5983.	3.0	119
36	Lower prevalence of hand osteoarthritis among Chinese subjects in Beijing compared with white subjects in the United States: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2003, 48, 1034-1040.	6.7	114

#	ARTICLE	IF	CITATIONS
37	Association of flat feet with knee pain and cartilage damage in older adults. <i>Arthritis Care and Research</i> , 2011, 63, 937-944.	1.5	110
38	Risk of Knee Osteoarthritis With Obesity, Sarcopenic Obesity, and Sarcopenia. <i>Arthritis and Rheumatology</i> , 2019, 71, 232-237.	2.9	106
39	Comparison of radiographic joint space width with magnetic resonance imaging cartilage morphometry: Analysis of longitudinal data from the osteoarthritis initiative. <i>Arthritis Care and Research</i> , 2010, 62, 932-937.	1.5	103
40	Alcohol Quantity and Type on Risk of Recurrent Gout Attacks: An Internet-based Case-crossover Study. <i>American Journal of Medicine</i> , 2014, 127, 311-318.	0.6	101
41	Subchondral Cystlike Lesions Develop Longitudinally in Areas of Bone Marrow Edema“like Lesions in Patients with or at Risk for Knee Osteoarthritis: Detection with MR Imaging”The MOST Study. <i>Radiology</i> , 2010, 256, 855-862.	3.6	95
42	A new approach yields high rates of radiographic progression in knee osteoarthritis. <i>Journal of Rheumatology</i> , 2008, 35, 2047-54.	1.0	94
43	Selection bias in rheumatic disease research. <i>Nature Reviews Rheumatology</i> , 2014, 10, 403-412.	3.5	93
44	Hand osteoarthritis in relation to mortality and incidence of cardiovascular disease: data from the Framingham Heart Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 74-81.	0.5	92
45	Progression of osteoarthritis as a state of inertia. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 924-929.	0.5	91
46	Alcohol Consumption as a Trigger of Recurrent Gout Attacks. <i>American Journal of Medicine</i> , 2006, 119, 800.e11-800.e16.	0.6	87
47	Methodologic challenges in studying risk factors for progression of knee osteoarthritis. <i>Arthritis Care and Research</i> , 2010, 62, 1527-1532.	1.5	80
48	The high prevalence of knee osteoarthritis in a rural Chinese population: The Wuchuan osteoarthritis study. <i>Arthritis and Rheumatism</i> , 2009, 61, 641-647.	6.7	77
49	Anterior Cruciate Ligament OsteoArthritis Score (ACLOAS): Longitudinal MRI-based whole joint assessment of anterior cruciate ligament injury. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 668-682.	0.6	76
50	Contemporary prevalence and incidence of work disability associated with rheumatoid arthritis in the US. <i>Arthritis and Rheumatism</i> , 2008, 59, 474-480.	6.7	73
51	Synovitis in Knee Osteoarthritis Assessed by Contrast-enhanced Magnetic Resonance Imaging (MRI) is Associated with Radiographic Tibiofemoral Osteoarthritis and MRI-detected Widespread Cartilage Damage: The MOST Study. <i>Journal of Rheumatology</i> , 2014, 41, 501-508.	1.0	73
52	Central bone marrow lesions in symptomatic knee osteoarthritis and their relationship to anterior cruciate ligament tears and cartilage loss. <i>Arthritis and Rheumatism</i> , 2008, 58, 130-136.	6.7	69
53	Subchondral bone attrition may be a reflection of compartment-specific mechanical load: the MOST Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 841-844.	0.5	68
54	Is symptomatic knee osteoarthritis a risk factor for a trajectory of fast decline in gait speed? Results from a longitudinal cohort study. <i>Arthritis Care and Research</i> , 2013, 65, 187-194.	1.5	68

#	ARTICLE	IF	CITATIONS
55	Brief Report: Partial and Full Thickness Focal Cartilage Defects Contribute Equally to Development of New Cartilage Damage in Knee Osteoarthritis: The Multicenter Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2017, 69, 560-564.	2.9	68
56	Smoking paradox in the development of psoriatic arthritis among patients with psoriasis: a population-based study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 119-123.	0.5	67
57	Recent diuretic use and the risk of recurrent gout attacks: the online case-crossover gout study. <i>Journal of Rheumatology</i> , 2006, 33, 1341-5.	1.0	67
58	Morphologic differences between the hips of Chinese women and white women: Could they account for the ethnic difference in the prevalence of hip osteoarthritis?. <i>Arthritis and Rheumatism</i> , 2011, 63, 2992-2999.	6.7	64
59	Structural factors associated with malalignment in knee osteoarthritis: the Boston osteoarthritis knee study. <i>Journal of Rheumatology</i> , 2005, 32, 2192-9.	1.0	64
60	Current risk factors for work disability associated with rheumatoid arthritis: Recent data from a US national cohort. <i>Arthritis and Rheumatism</i> , 2009, 61, 321-328.	6.7	63
61	Work disability and its economic effect on 55-64-year-old adults with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2005, 53, 603-608.	6.7	62
62	Dietary intake of fibre and risk of knee osteoarthritis in two US prospective cohorts. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1411-1419.	0.5	59
63	Trajectories of functional decline in knee osteoarthritis: the Osteoarthritis Initiative. <i>Rheumatology</i> , 2016, 55, 801-808.	0.9	54
64	Acute hamstring injury in football players: Association between anatomical location and extent of injury – A large single-center MRI report. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 317-322.	0.6	54
65	Diagnostic performance of 3D standing CT imaging for detection of knee osteoarthritis features. <i>Physician and Sportsmedicine</i> , 2015, 43, 213-220.	1.0	53
66	Do radiographic disease and pain account for why people with or at high risk of knee osteoarthritis do not meet physical activity guidelines?. <i>Arthritis and Rheumatism</i> , 2013, 65, 139-147.	6.7	52
67	Prevalence of magnetic resonance imaging-defined atrophic and hypertrophic phenotypes of knee osteoarthritis in a population-based cohort. <i>Arthritis and Rheumatism</i> , 2012, 64, 429-437.	6.7	50
68	Nocturnal Risk of Gout Attacks. <i>Arthritis and Rheumatology</i> , 2015, 67, 555-562.	2.9	47
69	Varus foot alignment and hip conditions in older adults. <i>Arthritis and Rheumatism</i> , 2007, 56, 2993-2998.	6.7	46
70	Occupation-related squatting, kneeling, and heavy lifting and the knee joint: a magnetic resonance imaging-based study in men. <i>Journal of Rheumatology</i> , 2008, 35, 1645-9.	1.0	46
71	Evaluation of the effect of anti-tumor necrosis factor agent use on rheumatoid arthritis work disability: The jury is still out. <i>Arthritis and Rheumatism</i> , 2008, 59, 1082-1089.	6.7	45
72	Secular Trends in Alcohol Consumption over 50 Years: The Framingham Study. <i>American Journal of Medicine</i> , 2008, 121, 695-701.	0.6	45

#	ARTICLE	IF	CITATIONS
73	The association between patellar alignment on magnetic resonance imaging and radiographic manifestations of knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2007, 9, R26.	1.6	44
74	When it hurts, a positive attitude may help: association of positive affect with daily walking in knee osteoarthritis. Results from a multicenter longitudinal cohort study. <i>Arthritis Care and Research</i> , 2012, 64, 1312-1319.	1.5	44
75	Do worsening knee radiographs mean greater chances of severe functional limitation?. <i>Arthritis Care and Research</i> , 2010, 62, 1433-1439.	1.5	43
76	Knee height, knee pain, and knee osteoarthritis: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2005, 52, 1418-1423.	6.7	42
77	Lower prevalence of chondrocalcinosis in Chinese subjects in Beijing than in white subjects in the United States: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2006, 54, 3508-3512.	6.7	42
78	Breaking the Law of Valgus: the surprising and unexplained prevalence of medial patellofemoral cartilage damage. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1827-1832.	0.5	42
79	Dietary Fiber Intake in Relation to Knee Pain Trajectory. <i>Arthritis Care and Research</i> , 2017, 69, 1331-1339.	1.5	42
80	Knee Extensor Strength Does Not Protect Against Incident Knee Symptoms at 30 Months in the Multicenter Knee Osteoarthritis (MOST) Cohort. <i>PM and R</i> , 2009, 1, 459-465.	0.9	40
81	The Diagnostic Performance of Anterior Knee Pain and Activity-related Pain in Identifying Knees with Structural Damage in the Patellofemoral Joint: The Multicenter Osteoarthritis Study. <i>Journal of Rheumatology</i> , 2014, 41, 1695-1702.	1.0	39
82	Association of Slow Gait Speed With Trajectories of Worsening Depressive Symptoms in Knee Osteoarthritis: An Observational Study. <i>Arthritis Care and Research</i> , 2017, 69, 209-215.	1.5	38
83	Longitudinal Course of Physical Function in People With Symptomatic Knee Osteoarthritis: Data From the Multicenter Osteoarthritis Study and the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2016, 68, 325-331.	1.5	37
84	Comparison of tibiofemoral joint space width measurements from standing CT and fixed flexion radiography. <i>Journal of Orthopaedic Research</i> , 2017, 35, 1388-1395.	1.2	37
85	Chopstick arthropathy: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2004, 50, 1495-1500.	6.7	36
86	Knee Symptomatic Osteoarthritis, Walking Disability, NSAIDs Use and All-cause Mortality: Population-based Wuchuan Osteoarthritis Study. <i>Scientific Reports</i> , 2017, 7, 3309.	1.6	36
87	The independent effect of pain in one versus two knees on the presence of low physical function in a multicenter knee osteoarthritis study. <i>Arthritis Care and Research</i> , 2010, 62, 938-943.	1.5	35
88	The Influence of the Contralateral Knee Prior to Knee Arthroplasty on Post-Arthroplasty Function: The Multicenter Osteoarthritis Study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 989-993.	1.4	34
89	Walking to Meet Physical Activity Guidelines in Knee Osteoarthritis: Is 10,000 Steps Enough?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 711-717.	0.5	33
90	Reasons for Functional Decline Despite Reductions in Knee Pain: The Multicenter Osteoarthritis Study. <i>Physical Therapy</i> , 2011, 91, 1849-1856.	1.1	31

#	ARTICLE	IF	CITATIONS
91	The online case-crossover study is a novel approach to study triggers for recurrent disease flares. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 50-55.	2.4	29
92	Reliability of MRI assessment of acute musculotendinous groin injuries in athletes. <i>European Radiology</i> , 2017, 27, 1486-1495.	2.3	29
93	Changes in Pain Sensitization After Bariatric Surgery. <i>Arthritis Care and Research</i> , 2018, 70, 1525-1528.	1.5	29
94	Association Between Metabolic Syndrome and Radiographic Hand Osteoarthritis: Data From a Community-Based Longitudinal Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 469-474.	1.5	28
95	Consistency of Knee Pain and Risk of Knee Replacement: The Multicenter Osteoarthritis Study. <i>Journal of Rheumatology</i> , 2011, 38, 1390-1395.	1.0	26
96	The association between meniscal damage of the posterior horns and localized posterior synovitis detected on T1-weighted contrast-enhanced MRI—The MOST study. <i>Seminars in Arthritis and Rheumatism</i> , 2013, 42, 573-581.	1.6	26
97	Relation of Temperature and Humidity to the Risk of Recurrent Gout Attacks. <i>American Journal of Epidemiology</i> , 2014, 180, 372-377.	1.6	26
98	Obesity Paradox in Recurrent Attacks of Gout in Observational Studies: Clarification and Remedy. <i>Arthritis Care and Research</i> , 2017, 69, 561-566.	1.5	26
99	Thigh Muscle Specific Strength and the Risk of Incident Knee Osteoarthritis: The Influence of Sex and Greater Body Mass Index. <i>Arthritis Care and Research</i> , 2017, 69, 1266-1270.	1.5	26
100	Oral Anticoagulation in Patients With End-Stage Kidney Disease on Dialysis and Atrial Fibrillation. <i>Seminars in Nephrology</i> , 2018, 38, 618-628.	0.6	25
101	Patient-Reported Experiences of Dialysis Care Within a National Pay-for-Performance System. <i>JAMA Internal Medicine</i> , 2018, 178, 1358.	2.6	24
102	Patterns of Coexisting Lesions Detected on Magnetic Resonance Imaging and Relationship to Incident Knee Osteoarthritis: The Multicenter Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 3158-3165.	2.9	23
103	Multiple Nonspecific Sites of Joint Pain Outside the Knees Develop in Persons With Knee Pain. <i>Arthritis and Rheumatology</i> , 2017, 69, 335-342.	2.9	21
104	Dialysis Catheter-related Bloodstream Infections in Patients Receiving Hemodialysis on an Emergency-only Basis: A Retrospective Cohort Analysis. <i>Clinical Infectious Diseases</i> , 2019, 68, 1011-1016.	2.9	21
105	Does Clinically Important Change in Function After Knee Replacement Guarantee Good Absolute Function? The Multicenter Osteoarthritis Study. <i>Journal of Rheumatology</i> , 2014, 41, 60-64.	1.0	20
106	The associations between finger length pattern, osteoarthritis, and knee injury: Data from the Framingham community cohort. <i>Arthritis and Rheumatism</i> , 2011, 63, 2284-2288.	6.7	19
107	Bone shape mediates the relationship between sex and incident knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 331.	0.8	19
108	Selective Serotonin Reuptake Inhibitor Use and Hip Fracture Risk Among Patients on Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2020, 75, 351-360.	2.1	19

#	ARTICLE	IF	CITATIONS
109	Extent of occupational hand use among persons with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006, 55, 294-299.	6.7	18
110	Statistical approaches to evaluating the effect of risk factors on the pain of knee osteoarthritis in longitudinal studies. <i>Current Opinion in Rheumatology</i> , 2009, 21, 513-519.	2.0	18
111	The effect on treatment response of fibromyalgic symptoms in early rheumatoid arthritis patients: results from the ESPOIR cohort. <i>Rheumatology</i> , 2015, 54, 2166-2170.	0.9	18
112	Effect of Knee Extensor Strength on Incident Radiographic and Symptomatic Knee Osteoarthritis in Individuals With Meniscal Pathology: Data From the Multicenter Osteoarthritis Study. <i>Arthritis Care and Research</i> , 2016, 68, 1640-1646.	1.5	18
113	Brief Report: Leg Length Inequality and Hip Osteoarthritis in the Multicenter Osteoarthritis Study and the Osteoarthritis Initiative. <i>Arthritis and Rheumatology</i> , 2018, 70, 1572-1576.	2.9	18
114	Dialysis Modality and Incident Atrial Fibrillation in Older Patients With ESRD. <i>American Journal of Kidney Diseases</i> , 2019, 73, 324-331.	2.1	18
115	Meniscal body extrusion and cartilage coverage in middle-aged and elderly without radiographic knee osteoarthritis. <i>European Radiology</i> , 2019, 29, 1848-1854.	2.3	18
116	Relation of Hand Enthesophytes with Knee Enthesopathy: Is Osteoarthritis Related to a Systemic Enthesopathy?. <i>Journal of Rheumatology</i> , 2012, 39, 359-364.	1.0	17
117	What Effect Is Really Being Measured? An Alternative Explanation of Paradoxical Phenomena in Studies of Osteoarthritis Progression. <i>Arthritis Care and Research</i> , 2014, 66, 658-661.	1.5	17
118	Editorial: Shifting Gears in Osteoarthritis Research Toward Symptomatic Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2016, 68, 1797-1800.	2.9	17
119	The Effect of Widespread Pain on Knee Pain Worsening, Incident Knee Osteoarthritis (OA), and Incident Knee Pain: The Multicenter OA (MOST) Study. <i>Journal of Rheumatology</i> , 2017, 44, 493-498.	1.0	17
120	Allopurinol Initiation and All-Cause Mortality Among Patients With Gout and Concurrent Chronic Kidney Disease. <i>Annals of Internal Medicine</i> , 2022, 175, 461-470.	2.0	17
121	Proton Pump Inhibitors, Histamine-2 Receptor Antagonists, and Hip Fracture Risk among Patients on Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 1534-1541.	2.2	16
122	The Association of Obesity with Walking Independent of Knee Pain: The Multicenter Osteoarthritis Study. <i>Journal of Obesity</i> , 2012, 2012, 1-6.	1.1	15
123	Association of Chondrocalcinosis in Knee Joints With Pain and Synovitis: Data From the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2017, 69, 1651-1658.	1.5	14
124	The Association of Vibratory Perception and Muscle Strength With the Incidence and Worsening of Knee Instability: The Multicenter Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2017, 69, 94-102.	2.9	14
125	Body Mass Index Mediates the Association between Dietary Fiber and Symptomatic Knee Osteoarthritis in the Osteoarthritis Initiative and the Framingham Osteoarthritis Study. <i>Journal of Nutrition</i> , 2018, 148, 1961-1967.	1.3	13
126	Association of Hospitalization and Mortality Among Patients Initiating Dialysis With Hemodialysis Facility Ownership and Acquisitions. <i>JAMA Network Open</i> , 2019, 2, e193987.	2.8	13

#	ARTICLE	IF	CITATIONS
127	Perceived Community Environmental Factors and Risk of Five-Year Participation Restriction Among Older Adults With or at Risk of Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2017, 69, 952-958.	1.5	12
128	Hip Fracture Risk among Hemodialysis-Dependent Patients Prescribed Opioids and Gabapentinoids. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1325-1334.	3.0	11
129	Are Pressure Time Integral and Cumulative Plantar Stress Related to First Metatarsophalangeal Joint Pain? Results From a Community-Based Study. <i>Arthritis Care and Research</i> , 2016, 68, 1232-1238.	1.5	9
130	Risk profiles for acute health events after incident atrial fibrillation in patients with end-stage renal disease on hemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1590-1597.	0.4	8
131	Affect and Incident Participation Restriction in Adults With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2018, 70, 542-549.	1.5	8
132	Trends in Left Ventricular Assist Device Implantation and Associated Mortality Among Patients With and Without ESRD. <i>American Journal of Kidney Diseases</i> , 2018, 72, 620-622.	2.1	7
133	Blood Pressure and Incident Atrial Fibrillation in Older Patients Initiating Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1029-1038.	2.2	7
134	Readmissions after Acute Kidney Injury during Left Ventricular Assist Device Implantation Hospitalization. <i>American Journal of Nephrology</i> , 2020, 51, 172-181.	1.4	7
135	MR arthrography of the shoulder: Optimizing pulse sequence protocols for the evaluation of cartilage and labrum. <i>European Journal of Radiology</i> , 2014, 83, 1421-1428.	1.2	6
136	Relation of Step Length to Magnetic Resonance Imaging-Detected Structural Damage in the Patellofemoral Joint: The Multicenter Osteoarthritis Study. <i>Arthritis Care and Research</i> , 2016, 68, 776-783.	1.5	6
137	Patterns of Change Over Time in Knee Bone Shape Are Associated with Sex. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 1491-1502.	0.7	6
138	Estimation of total mediation effect for high-dimensional omics mediators. <i>BMC Bioinformatics</i> , 2021, 22, 414.	1.2	6
139	A Multistate Transition Model for Osteoarthritis Pain Change. <i>Communications in Statistics - Theory and Methods</i> , 2009, 38, 3297-3306.	0.6	5
140	Anatomical Origin of Forefoot Varus Malalignment. <i>Journal of the American Podiatric Medical Association</i> , 2012, 102, 390-395.	0.2	5
141	Comparing the functional impact of knee replacements in two cohorts. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 145.	0.8	4
142	Multi-dimensional reliability assessment of fractal signature analysis in an outpatient sports medicine population. <i>Annals of Anatomy</i> , 2015, 202, 57-60.	1.0	4
143	Mortality, Kidney Failure, and Hospitalization Among Medicare Beneficiaries With CKD and Pulmonary Hypertension. <i>American Journal of Kidney Diseases</i> , 2021, 78, 700-708.e1.	2.1	4
144	Patient Health Outcomes following Dialysis Facility Closures in the United States. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 2613-2621.	3.0	3

#	ARTICLE	IF	CITATIONS
145	The Association of Forefoot Varus Deformity with Patellofemoral Cartilage Damage in Older Adult Cadavers. <i>Anatomical Record</i> , 2017, 300, 1032-1038.	0.8	2
146	Physical Function After Total Knee Replacement: An Observational Study Describing Outcomes in a Small Group of Women From China and the United States. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 194-197.	0.5	2
147	Predialysis Nephrology Care and Incident Atrial Fibrillation in Older Patients With ESKD Initiating Dialysis. <i>Kidney International Reports</i> , 2019, 4, 679-687.	0.4	2
148	Hospitalization and Critical Illness in Chronic Kidney Disease. <i>CardioRenal Medicine</i> , 2020, 10, 302-312.	0.7	2
149	Body Mass Index and Mortality: Comment on Article by Wolfe and Michaud. <i>Arthritis Care and Research</i> , 2013, 65, 834-835.	1.5	1
150	MO114NEPHROLITHIASIS AS CAUSE OF KIDNEY FAILURE AND MAJOR CARDIOVASCULAR OUTCOMES IN INCIDENT DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.4	0
151	Forefoot varus malalignment: anatomical origin and association with signs of patellofemoral joint osteoarthritis in cadavers. <i>FASEB Journal</i> , 2010, 24, 178.2.	0.2	0