
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5348763/publications.pdf Version: 2024-02-01



LINCRO NUL

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Allopurinol Initiation and All-Cause Mortality Among Patients With Gout and Concurrent Chronic Kidney Disease. Annals of Internal Medicine, 2022, 175, 461-470. | 2.0 | 17 |
| 2 | Mortality, Kidney Failure, and Hospitalization Among Medicare Beneficiaries With CKD and Pulmonary Hypertension. American Journal of Kidney Diseases, 2021, 78, 700-708.e1. | 2.1 | 4 |
| 3 | MO114NEPHROLITHIASIS AS CAUSE OF KIDNEY FAILURE AND MAJOR CARDIOVASCULAR OUTCOMES IN INCIDENT DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2021, 36, . | 0.4 | 0 |
| 4 | Estimation of total mediation effect for high-dimensional omics mediators. BMC Bioinformatics, 2021, 22, 414. | 1.2 | 6 |
| 5 | Patient Health Outcomes following Dialysis Facility Closures in the United States. Journal of the American Society of Nephrology: JASN, 2021, 32, 2613-2621. | 3.0 | 3 |
| 6 | Selective Serotonin Reuptake Inhibitor Use and Hip Fracture Risk Among Patients on Hemodialysis. American Journal of Kidney Diseases, 2020, 75, 351-360. | 2.1 | 19 |
| 7 | Patterns of Change Over Time in Knee Bone Shape Are Associated with Sex. Clinical Orthopaedics and Related Research, 2020, 478, 1491-1502. | 0.7 | 6 |
| 8 | Hip Fracture Risk among Hemodialysis-Dependent Patients Prescribed Opioids and Gabapentinoids. Journal of the American Society of Nephrology: JASN, 2020, 31, 1325-1334. | 3.0 | 11 |
| 9 | Hospitalization and Critical Illness in Chronic Kidney Disease. CardioRenal Medicine, 2020, 10, 302-312. | 0.7 | 2 |
| 10 | Readmissions after Acute Kidney Injury during Left Ventricular Assist Device Implantation Hospitalization. American Journal of Nephrology, 2020, 51, 172-181. | 1.4 | 7 |
| 11 | Risk of Knee Osteoarthritis With Obesity, Sarcopenic Obesity, and Sarcopenia. Arthritis and Rheumatology, 2019, 71, 232-237. | 2.9 | 106 |
| 12 | Dialysis Catheter–related Bloodstream Infections in Patients Receiving Hemodialysis on an Emergency-only Basis: A Retrospective Cohort Analysis. Clinical Infectious Diseases, 2019, 68, 1011-1016. | 2.9 | 21 |
| 13 | Association of Hospitalization and Mortality Among Patients Initiating Dialysis With Hemodialysis Facility Ownership and Acquisitions. JAMA Network Open, 2019, 2, e193987. | 2.8 | 13 |
| 14 | Blood Pressure and Incident Atrial Fibrillation in Older Patients Initiating Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 1029-1038. | 2.2 | 7 |
| 15 | Predialysis Nephrology Care and Incident Atrial Fibrillation in Older Patients WithÂESKD Initiating Dialysis. Kidney International Reports, 2019, 4, 679-687. | 0.4 | 2 |
| 16 | Dialysis Modality and Incident Atrial Fibrillation in Older Patients With ESRD. American Journal of Kidney Diseases, 2019, 73, 324-331. | 2.1 | 18 |
| 17 | Meniscal body extrusion and cartilage coverage in middle-aged and elderly without radiographic knee osteoarthritis. European Radiology, 2019, 29, 1848-1854. | 2.3 | 18 |
| 18 | Risk profiles for acute health events after incident atrial fibrillation in patients with end-stage renal disease on hemodialysis. Nephrology Dialysis Transplantation, 2018, 33, 1590-1597. | 0.4 | 8 |

Јінсво Niu

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Changes in Pain Sensitization After BariatricÂSurgery. Arthritis Care and Research, 2018, 70, 1525-1528. | 1.5 | 29 |
| 20 | Brief Report: Leg Length Inequality and Hip Osteoarthritis in the Multicenter Osteoarthritis Study and the Osteoarthritis Initiative. Arthritis and Rheumatology, 2018, 70, 1572-1576. | 2.9 | 18 |
| 21 | Association Between Metabolic Syndrome and Radiographic Hand Osteoarthritis: Data From a Communityâ€Based Longitudinal Cohort Study. Arthritis Care and Research, 2018, 70, 469-474. | 1.5 | 28 |
| 22 | Affect and Incident Participation Restriction in Adults With Knee Osteoarthritis. Arthritis Care and Research, 2018, 70, 542-549. | 1.5 | 8 |
| 23 | Smoking paradox in the development of psoriatic arthritis among patients with psoriasis: a population-based study. Annals of the Rheumatic Diseases, 2018, 77, 119-123. | 0.5 | 67 |
| 24 | Physical Function After Total Knee Replacement: An Observational Study Describing Outcomes in a Small Group of Women From China and the United States. Archives of Physical Medicine and Rehabilitation, 2018, 99, 194-197. | 0.5 | 2 |
| 25 | Trends in the Causes of Death among Kidney Transplant Recipients in the United States (1996–2014). American Journal of Nephrology, 2018, 48, 472-481. | 1.4 | 131 |
| 26 | Oral Anticoagulation in Patients With End-Stage Kidney Disease on Dialysis and Atrial Fibrillation. Seminars in Nephrology, 2018, 38, 618-628. | 0.6 | 25 |
| 27 | Body Mass Index Mediates the Association between Dietary Fiber and Symptomatic Knee Osteoarthritis in the Osteoarthritis Initiative and the Framingham Osteoarthritis Study. Journal of Nutrition, 2018, 148, 1961-1967. | 1.3 | 13 |
| 28 | Proton Pump Inhibitors, Histamine-2 Receptor Antagonists, and Hip Fracture Risk among Patients on Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1534-1541. | 2.2 | 16 |
| 29 | Bone shape mediates the relationship between sex and incident knee osteoarthritis. BMC Musculoskeletal Disorders, 2018, 19, 331. | 0.8 | 19 |
| 30 | Patient-Reported Experiences of Dialysis Care Within a National Pay-for-Performance System. JAMA Internal Medicine, 2018, 178, 1358. | 2.6 | 24 |
| 31 | Trends in Left Ventricular Assist Device Implantation and Associated Mortality Among Patients With and Without ESRD. American Journal of Kidney Diseases, 2018, 72, 620-622. | 2.1 | 7 |
| 32 | Association of Slow Gait Speed With Trajectories of Worsening Depressive Symptoms in Knee Osteoarthritis: An Observational Study. Arthritis Care and Research, 2017, 69, 209-215. | 1.5 | 38 |
| 33 | Obesity Paradox in Recurrent Attacks of Gout in Observational Studies: Clarification and Remedy. Arthritis Care and Research, 2017, 69, 561-566. | 1.5 | 26 |
| 34 | Reliability of MRI assessment of acute musculotendinous groin injuries in athletes. European Radiology, 2017, 27, 1486-1495. | 2.3 | 29 |
| 35 | Perceived Community Environmental Factors and Risk of Five‥ear Participation Restriction Among Older Adults With or at Risk of Knee Osteoarthritis. Arthritis Care and Research, 2017, 69, 952-958. | 1.5 | 12 |
| 36 | Association of Chondrocalcinosis in Knee Joints With Pain and Synovitis: Data From the Osteoarthritis Initiative. Arthritis Care and Research, 2017, 69, 1651-1658. | 1.5 | 14 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Thigh Muscle Specificâ€6trength and the Risk of Incident Knee Osteoarthritis: The Influence of Sex and Greater Body Mass Index. Arthritis Care and Research, 2017, 69, 1266-1270. | 1.5 | 26 |
| 38 | The Effect of Widespread Pain on Knee Pain Worsening, Incident Knee Osteoarthritis (OA), and Incident Knee Pain: The Multicenter OA (MOST) Study. Journal of Rheumatology, 2017, 44, 493-498. | 1.0 | 17 |
| 39 | Metabolic Syndrome, Its Components, and Knee Osteoarthritis: The Framingham Osteoarthritis Study. Arthritis and Rheumatology, 2017, 69, 1194-1203. | 2.9 | 123 |
| 40 | Comparison of tibiofemoral joint space width measurements from standing CT and fixed flexion radiography. Journal of Orthopaedic Research, 2017, 35, 1388-1395. | 1.2 | 37 |
| 41 | Dietary Fiber Intake in Relation to Knee Pain Trajectory. Arthritis Care and Research, 2017, 69, 1331-1339. | 1.5 | 42 |
| 42 | Dietary intake of fibre and risk of knee osteoarthritis in two US prospective cohorts. Annals of the Rheumatic Diseases, 2017, 76, 1411-1419. | 0.5 | 59 |
| 43 | Knee Symptomatic Osteoarthritis, Walking Disability, NSAIDs Use and All-cause Mortality: Population-based Wuchuan Osteoarthritis Study. Scientific Reports, 2017, 7, 3309. | 1.6 | 36 |
| 44 | Brief Report: Partial―and Fullâ€Thickness Focal Cartilage Defects Contribute Equally to Development of New Cartilage Damage in Knee Osteoarthritis: The Multicenter Osteoarthritis Study. Arthritis and Rheumatology, 2017, 69, 560-564. | 2.9 | 68 |
| 45 | The Association of Vibratory Perception and Muscle Strength With the Incidence and Worsening of Knee Instability: The Multicenter Osteoarthritis Study. Arthritis and Rheumatology, 2017, 69, 94-102. | 2.9 | 14 |
| 46 | Multiple Nonspecific Sites of Joint Pain Outside the Knees Develop in Persons With Knee Pain. Arthritis and Rheumatology, 2017, 69, 335-342. | 2.9 | 21 |
| 47 | The Association of Forefoot Varus Deformity with Patellofemoral Cartilage Damage in Older Adult Cadavers. Anatomical Record, 2017, 300, 1032-1038. | 0.8 | 2 |
| 48 | Longitudinal Course of Physical Function in People With Symptomatic Knee Osteoarthritis: Data From the Multicenter Osteoarthritis Study and the Osteoarthritis Initiative. Arthritis Care and Research, 2016, 68, 325-331. | 1.5 | 37 |
| 49 | Are Pressure Time Integral and Cumulative Plantar Stress Related to First Metatarsophalangeal Joint Pain? Results From a Communityâ€Based Study. Arthritis Care and Research, 2016, 68, 1232-1238. | 1.5 | 9 |
| 50 | Association of Joint Inflammation With Pain Sensitization in Knee Osteoarthritis: The Multicenter Osteoarthritis Study. Arthritis and Rheumatology, 2016, 68, 654-661. | 2.9 | 195 |
| 51 | The Prevalence of Symptomatic Knee Osteoarthritis in China: Results From the China Health and Retirement Longitudinal Study. Arthritis and Rheumatology, 2016, 68, 648-653. | 2.9 | 300 |
| 52 | Relation of Step Length to Magnetic Resonance Imaging-Detected Structural Damage in the Patellofemoral Joint: The Multicenter Osteoarthritis Study. Arthritis Care and Research, 2016, 68, 776-783. | 1.5 | 6 |
| 53 | Editorial: Shifting Gears in Osteoarthritis Research Toward Symptomatic Osteoarthritis. Arthritis and Rheumatology, 2016, 68, 1797-1800. | 2.9 | 17 |
| 54 | Effect of Knee Extensor Strength on Incident Radiographic and Symptomatic Knee Osteoarthritis in Individuals With Meniscal Pathology: Data From the Multicenter Osteoarthritis Study. Arthritis Care and Research, 2016, 68, 1640-1646. | 1.5 | 18 |

Јінсво Niu

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Trajectories of functional decline in knee osteoarthritis: the Osteoarthritis Initiative. Rheumatology, 2016, 55, 801-808. | 0.9 | 54 |
| 56 | Acute hamstring injury in football players: Association between anatomical location and extent of injury—A large single-center MRI report. Journal of Science and Medicine in Sport, 2016, 19, 317-322. | 0.6 | 54 |
| 57 | Patterns of Coexisting Lesions Detected on Magnetic Resonance Imaging and Relationship to Incident Knee Osteoarthritis: The Multicenter Osteoarthritis Study. Arthritis and Rheumatology, 2015, 67, 3158-3165. | 2.9 | 23 |
| 58 | Association of hip pain with radiographic evidence of hip osteoarthritis: diagnostic test study. BMJ, The, 2015, 351, h5983. | 3.0 | 119 |
| 59 | Multi-dimensional reliability assessment of fractal signature analysis in an outpatient sports medicine population. Annals of Anatomy, 2015, 202, 57-60. | 1.0 | 4 |
| 60 | Sensitivity and sensitisation in relation to pain severity in knee osteoarthritis: trait or state?. Annals of the Rheumatic Diseases, 2015, 74, 682-688. | 0.5 | 158 |
| 61 | The effect on treatment response of fibromyalgic symptoms in early rheumatoid arthritis patients: results from the ESPOIR cohort. Rheumatology, 2015, 54, 2166-2170. | 0.9 | 18 |
| 62 | Diagnostic performance of 3D standing CT imaging for detection of knee osteoarthritis features. Physician and Sportsmedicine, 2015, 43, 213-220. | 1.0 | 53 |
| 63 | Nocturnal Risk of Gout Attacks. Arthritis and Rheumatology, 2015, 67, 555-562. | 2.9 | 47 |
| 64 | Hand osteoarthritis in relation to mortality and incidence of cardiovascular disease: data from the Framingham Heart Study. Annals of the Rheumatic Diseases, 2015, 74, 74-81. | 0.5 | 92 |
| 65 | The Diagnostic Performance of Anterior Knee Pain and Activity-related Pain in Identifying Knees with Structural Damage in the Patellofemoral Joint: The Multicenter Osteoarthritis Study. Journal of Rheumatology, 2014, 41, 1695-1702. | 1.0 | 39 |
| 66 | Synovitis in Knee Osteoarthritis Assessed by Contrast-enhanced Magnetic Resonance Imaging (MRI) is Associated with Radiographic Tibiofemoral Osteoarthritis and MRI-detected Widespread Cartilage Damage: The MOST Study. Journal of Rheumatology, 2014, 41, 501-508. | 1.0 | 73 |
| 67 | Relation of Temperature and Humidity to the Risk of Recurrent Gout Attacks. American Journal of Epidemiology, 2014, 180, 372-377. | 1.6 | 26 |
| 68 | MR arthrography of the shoulder: Optimizing pulse sequence protocols for the evaluation of cartilage and labrum. European Journal of Radiology, 2014, 83, 1421-1428. | 1.2 | 6 |
| 69 | Alcohol Quantity and Type on Risk of Recurrent Gout Attacks: An Internet-based Case-crossover Study. American Journal of Medicine, 2014, 127, 311-318. | 0.6 | 101 |
| 70 | What Effect Is Really Being Measured? An Alternative Explanation of Paradoxical Phenomena in Studies of Osteoarthritis Progression. Arthritis Care and Research, 2014, 66, 658-661. | 1.5 | 17 |
| 71 | Does Clinically Important Change in Function After Knee Replacement Guarantee Good Absolute Function? The Multicenter Osteoarthritis Study. Journal of Rheumatology, 2014, 41, 60-64. | 1.0 | 20 |
| 72 | Comparing the functional impact of knee replacements in two cohorts. BMC Musculoskeletal Disorders, 2014, 15, 145. | 0.8 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Ligamentous Injuries and the Risk of Associated Tissue Damage in Acute Ankle Sprains in Athletes. American Journal of Sports Medicine, 2014, 42, 1549-1557. | 1.9 | 121 |
| 74 | Anterior Cruciate Ligament OsteoArthritis Score (ACLOAS): Longitudinal MRI-based whole joint assessment of anterior cruciate ligament injury. Osteoarthritis and Cartilage, 2014, 22, 668-682. | 0.6 | 76 |
| 75 | Selection bias in rheumatic disease research. Nature Reviews Rheumatology, 2014, 10, 403-412. | 3.5 | 93 |
| 76 | ls symptomatic knee osteoarthritis a risk factor for a trajectory of fast decline in gait speed? Results from a longitudinal cohort study. Arthritis Care and Research, 2013, 65, 187-194. | 1.5 | 68 |
| 77 | Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: Findings from the multicenter osteoarthritis study and the osteoarthritis initiative. Arthritis and Rheumatism, 2013, 65, 355-362. | 6.7 | 214 |
| 78 | Do radiographic disease and pain account for why people with or at high risk of knee osteoarthritis do not meet physical activity guidelines?. Arthritis and Rheumatism, 2013, 65, 139-147. | 6.7 | 52 |
| 79 | Walking to Meet Physical Activity Guidelines in Knee Osteoarthritis: Is 10,000 Steps Enough?. Archives of Physical Medicine and Rehabilitation, 2013, 94, 711-717. | 0.5 | 33 |
| 80 | Body Mass Index and Mortality: Comment on Article by Wolfe and Michaud. Arthritis Care and Research, 2013, 65, 834-835. | 1.5 | 1 |
| 81 | The association between meniscal damage of the posterior horns and localized posterior synovitis detected on T1-weighted contrast-enhanced MRI—The MOST study. Seminars in Arthritis and Rheumatism, 2013, 42, 573-581. | 1.6 | 26 |
| 82 | The Influence of the Contralateral Knee Prior to Knee Arthroplasty on Post-Arthroplasty Function: The Multicenter Osteoarthritis Study. Journal of Bone and Joint Surgery - Series A, 2013, 95, 989-993. | 1.4 | 34 |
| 83 | Progression of osteoarthritis as a state of inertia. Annals of the Rheumatic Diseases, 2013, 72, 924-929. | 0.5 | 91 |
| 84 | Magnetic Resonance Imaging–Based Threeâ€Dimensional Bone Shape of the Knee Predicts Onset of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Arthritis and Rheumatism, 2013, 65, 2048-2058. | 6.7 | 149 |
| 85 | Breaking the Law of Valgus: the surprising and unexplained prevalence of medial patellofemoral cartilage damage. Annals of the Rheumatic Diseases, 2012, 71, 1827-1832. | 0.5 | 42 |
| 86 | Prevalence of abnormalities in knees detected by MRI in adults without knee osteoarthritis: population based observational study (Framingham Osteoarthritis Study). BMJ, The, 2012, 345, e5339-e5339. | 3.0 | 371 |
| 87 | Anatomical Origin of Forefoot Varus Malalignment. Journal of the American Podiatric Medical Association, 2012, 102, 390-395. | 0.2 | 5 |
| 88 | Relation of Hand Enthesophytes with Knee Enthesopathy: Is Osteoarthritis Related to a Systemic Enthesopathy?. Journal of Rheumatology, 2012, 39, 359-364. | 1.0 | 17 |
| 89 | Purine-rich foods intake and recurrent gout attacks. Annals of the Rheumatic Diseases, 2012, 71, 1448-1453. | 0.5 | 147 |
| 90 | When it hurts, a positive attitude may help: association of positive affect with daily walking in knee osteoarthritis. Results from a multicenter longitudinal cohort study. Arthritis Care and Research, 2012, 64, 1312-1319. | 1.5 | 44 |

Јінсво Niu

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The Association of Obesity with Walking Independent of Knee Pain: The Multicenter Osteoarthritis Study. Journal of Obesity, 2012, 2012, 1-6. | 1.1 | 15 |
| 92 | Patterns of compartment involvement in tibiofemoral osteoarthritis in men and women and in whites and African Americans. Arthritis Care and Research, 2012, 64, 847-852. | 1.5 | 128 |
| 93 | Prevalence of magnetic resonance imaging–defined atrophic and hypertrophic phenotypes of knee osteoarthritis in a populationâ€based cohort. Arthritis and Rheumatism, 2012, 64, 429-437. | 6.7 | 50 |
| 94 | Increasing Prevalence of Knee Pain and Symptomatic Knee Osteoarthritis: Survey and Cohort Data. Annals of Internal Medicine, 2011, 155, 725. | 2.0 | 419 |
| 95 | Association of flat feet with knee pain and cartilage damage in older adults. Arthritis Care and Research, 2011, 63, 937-944. | 1.5 | 110 |
| 96 | Fluctuation of knee pain and changes in bone marrow lesions, effusions, and synovitis on magnetic resonance imaging. Arthritis and Rheumatism, 2011, 63, 691-699. | 6.7 | 274 |
| 97 | The associations between finger length pattern, osteoarthritis, and knee injury: Data from the Framingham community cohort. Arthritis and Rheumatism, 2011, 63, 2284-2288. | 6.7 | 19 |
| 98 | Morphologic differences between the hips of Chinese women and white women: Could they account for the ethnic difference in the prevalence of hip osteoarthritis?. Arthritis and Rheumatism, 2011, 63, 2992-2999. | 6.7 | 64 |
| 99 | Defining radiographic incidence and progression of knee osteoarthritis: suggested modifications of the Kellgren and Lawrence scale. Annals of the Rheumatic Diseases, 2011, 70, 1884-1886. | 0.5 | 120 |
| 100 | Prevalence, incidence and progression of hand osteoarthritis in the general population: the Framingham Osteoarthritis Study. Annals of the Rheumatic Diseases, 2011, 70, 1581-1586. | 0.5 | 371 |
| 101 | Reasons for Functional Decline Despite Reductions in Knee Pain: The Multicenter Osteoarthritis Study. Physical Therapy, 2011, 91, 1849-1856. | 1.1 | 31 |
| 102 | Presence of MRI-detected joint effusion and synovitis increases the risk of cartilage loss in knees without osteoarthritis at 30-month follow-up: the MOST study. Annals of the Rheumatic Diseases, 2011, 70, 1804-1809. | 0.5 | 289 |
| 103 | Consistency of Knee Pain and Risk of Knee Replacement: The Multicenter Osteoarthritis Study. Journal of Rheumatology, 2011, 38, 1390-1395. | 1.0 | 26 |
| 104 | Assessment of synovitis with contrast-enhanced MRI using a whole-joint semiquantitative scoring system in people with, or at high risk of, knee osteoarthritis: the MOST study. Annals of the Rheumatic Diseases, 2011, 70, 805-811. | 0.5 | 164 |
| 105 | Comparison of radiographic joint space width with magnetic resonance imaging cartilage morphometry: Analysis of longitudinal data from the osteoarthritis initiative. Arthritis Care and Research, 2010, 62, 932-937. | 1.5 | 103 |
| 106 | The independent effect of pain in one versus two knees on the presence of low physical function in a multicenter knee osteoarthritis study. Arthritis Care and Research, 2010, 62, 938-943. | 1.5 | 35 |
| 107 | Do worsening knee radiographs mean greater chances of severe functional limitation?. Arthritis Care and Research, 2010, 62, 1433-1439. | 1.5 | 43 |
| 108 | Methodologic challenges in studying risk factors for progression of knee osteoarthritis. Arthritis Care and Research, 2010, 62, 1527-1532. | 1.5 | 80 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Subchondral bone attrition may be a reflection of compartment-specific mechanical load: the MOST Study. Annals of the Rheumatic Diseases, 2010, 69, 841-844. | 0.5 | 68 |
| 110 | Subchondral Cystlike Lesions Develop Longitudinally in Areas of Bone Marrow Edema–like Lesions in Patients with or at Risk for Knee Osteoarthritis: Detection with MR Imaging—The MOST Study. Radiology, 2010, 256, 855-862. | 3.6 | 95 |
| 111 | Forefoot varus malalignment: anatomical origin and association with signs of patellofemoral joint osteoarthritis in cadavers. FASEB Journal, 2010, 24, 178.2. | 0.2 | 0 |
| 112 | Tibiofemoral Joint Osteoarthritis: Risk Factors for MR-depicted Fast Cartilage Loss over a 30-month Period in the Multicenter Osteoarthritis Study. Radiology, 2009, 252, 772-780. | 3.6 | 176 |
| 113 | Quadriceps strength and the risk of cartilage loss and symptom progression in knee osteoarthritis. Arthritis and Rheumatism, 2009, 60, 189-198. | 6.7 | 240 |
| 114 | Current risk factors for work disability associated with rheumatoid arthritis: Recent data from a US national cohort. Arthritis and Rheumatism, 2009, 61, 321-328. | 6.7 | 63 |
| 115 | The high prevalence of knee osteoarthritis in a rural Chinese population: The Wuchuan osteoarthritis study. Arthritis and Rheumatism, 2009, 61, 641-647. | 6.7 | 77 |
| 116 | Effect of thigh strength on incident radiographic and symptomatic knee osteoarthritis in a longitudinal cohort. Arthritis and Rheumatism, 2009, 61, 1210-1217. | 6.7 | 176 |
| 117 | Association between radiographic features of knee osteoarthritis and pain: results from two cohort studies. BMJ: British Medical Journal, 2009, 339, b2844-b2844. | 2.4 | 360 |
| 118 | Knee Extensor Strength Does Not Protect Against Incident Knee Symptoms at 30 Months in the Multicenter Knee Osteoarthritis (MOST) Cohort. PM and R, 2009, 1, 459-465. | 0.9 | 40 |
| 119 | A Multistate Transition Model for Osteoarthritis Pain Change. Communications in Statistics - Theory and Methods, 2009, 38, 3297-3306. | 0.6 | 5 |
| 120 | Statistical approaches to evaluating the effect of risk factors on the pain of knee osteoarthritis in longitudinal studies. Current Opinion in Rheumatology, 2009, 21, 513-519. | 2.0 | 18 |
| 121 | Central bone marrow lesions in symptomatic knee osteoarthritis and their relationship to anterior cruciate ligament tears and cartilage loss. Arthritis and Rheumatism, 2008, 58, 130-136. | 6.7 | 69 |
| 122 | Contemporary prevalence and incidence of work disability associated with rheumatoid arthritis in the US. Arthritis and Rheumatism, 2008, 59, 474-480. | 6.7 | 73 |
| 123 | Evaluation of the effect of anti–tumor necrosis factor agent use on rheumatoid arthritis work disability: The jury is still out. Arthritis and Rheumatism, 2008, 59, 1082-1089. | 6.7 | 45 |
| 124 | Secular Trends in Alcohol Consumption over 50 Years: The Framingham Study. American Journal of Medicine, 2008, 121, 695-701. | 0.6 | 45 |
| 125 | A new approach yields high rates of radiographic progression in knee osteoarthritis. Journal of Rheumatology, 2008, 35, 2047-54. | 1.0 | 94 |
| 126 | Occupation-related squatting, kneeling, and heavy lifting and the knee joint: a magnetic resonance imaging-based study in men. Journal of Rheumatology, 2008, 35, 1645-9. | 1.0 | 46 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Knee Buckling: Prevalence, Risk Factors, and Associated Limitations in Function. Annals of Internal Medicine, 2007, 147, 534. | 2.0 | 134 |
| 128 | Greater Trochanteric Pain Syndrome: Epidemiology and Associated Factors. Archives of Physical Medicine and Rehabilitation, 2007, 88, 988-992. | 0.5 | 365 |
| 129 | The online case-crossover study is a novel approach to study triggers for recurrent disease flares. Journal of Clinical Epidemiology, 2007, 60, 50-55. | 2.4 | 29 |
| 130 | The association between patellar alignment on magnetic resonance imaging and radiographic manifestations of knee osteoarthritis. Arthritis Research and Therapy, 2007, 9, R26. | 1.6 | 44 |
| 131 | Synovitis detected on magnetic resonance imaging and its relation to pain and cartilage loss in knee osteoarthritis. Annals of the Rheumatic Diseases, 2007, 66, 1599-1603. | 0.5 | 426 |
| 132 | Low levels of vitamin D and worsening of knee osteoarthritis: Results of two longitudinal studies. Arthritis and Rheumatism, 2007, 56, 129-136. | 6.7 | 154 |
| 133 | Effect of recreational physical activities on the development of knee osteoarthritis in older adults of different weights: The Framingham Study. Arthritis and Rheumatism, 2007, 57, 6-12. | 6.7 | 143 |
| 134 | Knee alignment does not predict incident osteoarthritis: The Framingham osteoarthritis study. Arthritis and Rheumatism, 2007, 56, 1212-1218. | 6.7 | 123 |
| 135 | Varus foot alignment and hip conditions in older adults. Arthritis and Rheumatism, 2007, 56, 2993-2998. | 6.7 | 46 |
| 136 | Correlation of the development of knee pain with enlarging bone marrow lesions on magnetic resonance imaging. Arthritis and Rheumatism, 2007, 56, 2986-2992. | 6.7 | 392 |
| 137 | Alcohol Consumption as a Trigger of Recurrent Gout Attacks. American Journal of Medicine, 2006, 119, 800.e11-800.e16. | 0.6 | 87 |
| 138 | Increase in bone marrow lesions associated with cartilage loss: A longitudinal magnetic resonance imaging study of knee osteoarthritis. Arthritis and Rheumatism, 2006, 54, 1529-1535. | 6.7 | 372 |
| 139 | Extent of occupational hand use among persons with rheumatoid arthritis. Arthritis and Rheumatism, 2006, 55, 294-299. | 6.7 | 18 |
| 140 | Lower prevalence of chondrocalcinosis in Chinese subjects in Beijing than in white subjects in the United States: The Beijing Osteoarthritis Study. Arthritis and Rheumatism, 2006, 54, 3508-3512. | 6.7 | 42 |
| 141 | Recent diuretic use and the risk of recurrent gout attacks: the online case-crossover gout study. Journal of Rheumatology, 2006, 33, 1341-5. | 1.0 | 67 |
| 142 | Knee height, knee pain, and knee osteoarthritis: The Beijing Osteoarthritis Study. Arthritis and Rheumatism, 2005, 52, 1418-1423. | 6.7 | 42 |
| 143 | The relationship between cartilage loss on magnetic resonance imaging and radiographic progression in men and women with knee osteoarthritis. Arthritis and Rheumatism, 2005, 52, 3152-3159. | 6.7 | 190 |
| 144 | Work disability and its economic effect on 55-64-year-old adults with rheumatoid arthritis. Arthritis and Rheumatism, 2005, 53, 603-608. | 6.7 | 62 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Structural factors associated with malalignment in knee osteoarthritis: the Boston osteoarthritis knee study. Journal of Rheumatology, 2005, 32, 2192-9. | 1.0 | 64 |
| 146 | Association of squatting with increased prevalence of radiographic tibiofemoral knee osteoarthritis: The Beijing Osteoarthritis Study. Arthritis and Rheumatism, 2004, 50, 1187-1192. | 6.7 | 119 |
| 147 | Chopstick arthropathy: The Beijing Osteoarthritis Study. Arthritis and Rheumatism, 2004, 50, 1495-1500. | 6.7 | 36 |
| 148 | Quadriceps weakness and its relationship to tibiofemoral and patellofemoral knee osteoarthritis in Chinese: The Beijing osteoarthritis study. Arthritis and Rheumatism, 2004, 50, 1815-1821. | 6.7 | 138 |
| 149 | The effect of body weight on progression of knee osteoarthritis is dependent on alignment. Arthritis and Rheumatism, 2004, 50, 3904-3909. | 6.7 | 289 |
| 150 | Lower prevalence of hand osteoarthritis among Chinese subjects in Beijing compared with white subjects in the United States: The Beijing Osteoarthritis Study. Arthritis and Rheumatism, 2003, 48, 1034-1040. | 6.7 | 114 |
| 151 | Prevalence of Symptomatic Hand Osteoarthritis and Its Impact on Functional Status among the Elderly: The Framingham Study. American Journal of Epidemiology, 2002, 156, 1021-1027. | 1.6 | 509 |