Georgene W Hergenroeder

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5348774/publications.pdf

Version: 2024-02-01

36 papers

2,121 citations

279487 23 h-index 34 g-index

36 all docs 36 docs citations

36 times ranked

3273 citing authors

#	Article	IF	CITATIONS
1	Hypothermia for Patients Requiring Evacuation of Subdural Hematoma: A Multicenter Randomized Clinical Trial. Neurocritical Care, 2022, 36, 560-572.	1.2	7
2	Biomarker signatures for neuropathic pain after SCI. , 2022, , 149-174.		O
3	Epigenetic Modifications and Their Potential Contribution to Traumatic Brain Injury Pathobiology and Outcome. Journal of Neurotrauma, 2022, 39, 1279-1288.	1.7	5
4	Machine Learning to Predict Delayed Cerebral Ischemia and Outcomes in Subarachnoid Hemorrhage. Neurology, 2021, 96, e553-e562.	1.5	38
5	Discovery and validation of biomarkers to aid the development of safe and effective pain therapeutics: challenges and opportunities. Nature Reviews Neurology, 2020, 16, 381-400.	4.9	224
6	Elevated inflammation and decreased platelet activity is associated with poor outcomes after traumatic brain injury. Journal of Clinical Neuroscience, 2019, 70, 37-41.	0.8	4
7	Inflammation in delayed ischemia and functional outcomes after subarachnoid hemorrhage. Journal of Neuroinflammation, 2019, 16, 213.	3.1	49
8	Early Brain Injury Associated with Systemic Inflammation After Subarachnoid Hemorrhage. Neurocritical Care, 2018, 28, 203-211.	1.2	59
9	Disruption of thrombo-inflammatory response and activation of a distinct cytokine cluster after subarachnoid hemorrhage. Cytokine, 2018, 111, 334-341.	1.4	13
10	Increased Levels of Circulating Glial Fibrillary Acidic Protein and Collapsin Response Mediator Protein-2 Autoantibodies in the Acute Stage of Spinal Cord Injury Predict the Subsequent Development of Neuropathic Pain. Journal of Neurotrauma, 2018, 35, 2530-2539.	1.7	27
11	Human neural progenitors derived from integration-free iPSCs for SCI therapy. Stem Cell Research, 2017, 19, 55-64.	0.3	37
12	Systematic model of peripheral inflammation after subarachnoid hemorrhage. Neurology, 2017, 88, 1535-1545.	1.5	36
13	Traumatic Brain Injury Alters Methionine Metabolism: Implications for Pathophysiology. Frontiers in Systems Neuroscience, 2016, 10, 36.	1.2	60
14	Identification of autoantibodies to glial fibrillary acidic protein in spinal cord injury patients. NeuroReport, 2016, 27, 90-93.	0.6	22
15	<i>THSD1</i> (Thrombospondin Type 1 Domain Containing Protein 1) Mutation in the Pathogenesis of Intracranial Aneurysm and Subarachnoid Hemorrhage. Stroke, 2016, 47, 3005-3013.	1.0	39
16	Quantification of Cerebral Edema After Subarachnoid Hemorrhage. Neurocritical Care, 2016, 25, 64-70.	1.2	26
17	Randomized Trial to Evaluate Nutritional Status and Absorption of Enteral Feeding after Brain Death. Progress in Transplantation, 2013, 23, 374-382.	0.4	17
18	Human Mild Traumatic Brain Injury Decreases Circulating Branched-Chain Amino Acids and Their Metabolite Levels. Journal of Neurotrauma, 2013, 30, 671-679.	1.7	66

#	Article	IF	Citations
19	Biomarkers for the Diagnosis and Prognosis of Mild Traumatic Brain Injury/Concussion. Journal of Neurotrauma, 2013, 30, 657-670.	1.7	193
20	ZIP4 is a novel molecular marker for glioma. Neuro-Oncology, 2013, 15, 1008-1016.	0.6	53
21	Human Traumatic Brain Injury Alters Circulating L-Arginine and Its Metabolite Levels: Possible Link to Cerebral Blood Flow, Extracellular Matrix Remodeling, and Energy Status. Journal of Neurotrauma, 2012, 29, 119-127.	1.7	35
22	Biomarkers of Traumatic Injury. , 2012, , 337-355.		3
23	Heparin–platelet factor 4 antibodies in intensive care patients: an observational seroprevalence study. Journal of Thrombosis and Thrombolysis, 2010, 30, 142-148.	1.0	31
24	Serum ceruloplasmin and copper are early biomarkers for traumatic brain injuryâ€associated elevated intracranial pressure. Journal of Neuroscience Research, 2010, 88, 1719-1726.	1.3	30
25	Biomarkers for the Diagnosis, Prognosis, and Evaluation of Treatment Efficacy for Traumatic Brain Injury. Neurotherapeutics, 2010, 7, 100-114.	2.1	185
26	Emergency Department Awareness of Heparin-Induced Thrombocytopenia: How Frequently Is Risk Assessment Documented in Patients With Thrombosis?. American Journal of Medical Quality, 2010, 25, 365-369.	0.2	1
27	Serum IL-6: a candidate biomarker for intracranial pressure elevation following isolated traumatic brain injury. Journal of Neuroinflammation, 2010, 7, 19.	3.1	127
28	Human Traumatic Brain Injury Alters Plasma microRNA Levels. Journal of Neurotrauma, 2010, 27, 2147-2156.	1.7	260
29	Thromboembolism Prophylaxis in Endâ€Stage Renal Disease. Dialysis and Transplantation, 2008, 37, 439-444.	0.2	2
30	Biomarkers in the Clinical Diagnosis and Management of Traumatic Brain Injury. Molecular Diagnosis and Therapy, 2008, 12, 345-358.	1.6	106
31	Identification of Serum Biomarkers in Brain-Injured Adults: Potential for Predicting Elevated Intracranial Pressure. Journal of Neurotrauma, 2008, 25, 79-93.	1.7	103
32	Increased plasma interleukin-6 in donors is associated with lower recipient hospital-free survival after cadaveric organ transplantation*. Critical Care Medicine, 2008, 36, 1810-1816.	0.4	117
33	Feasibility study of cytokine removal by hemoadsorption in brain-dead humans*. Critical Care Medicine, 2008, 36, 268-272.	0.4	109
34	Venous thromboembolism prophylaxis in emergency department admissions. Journal of Hospital Medicine, 2007, 2, 79-85.	0.7	12
35	Postmortem intubation training: patient and family opinion. Medical Education, 2007, 41, 1210-1216.	1.1	9
36	Hyponatremia and Comparison of NT-pro-BNP Concentrations in Blood Samples from Jugular Bulb and Arterial Sites after Traumatic Brain Injury in Adults: A Pilot Study. Neurocritical Care, 2007, 7, 119-123.	1.2	16