

Hiroshi Nomura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5349851/publications.pdf>

Version: 2024-02-01

39
papers

1,022
citations

471509

17
h-index

477307

29
g-index

46
all docs

46
docs citations

46
times ranked

1512
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic pain-induced neuronal plasticity in the bed nucleus of the stria terminalis causes maladaptive anxiety. <i>Science Advances</i> , 2022, 8, eabj5586.	10.3	15
2	The impact of pitolisant, an H3 receptor antagonist/inverse agonist, on perirhinal cortex activity in individual neuron and neuronal population levels. <i>Scientific Reports</i> , 2022, 12, 7015.	3.3	1
3	Practices and challenges of online laboratory work in pharmacology. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2021, 94, 2-S13-3.	0.0	0
4	Histological analyses of CRF mRNA expression in the dorsolateral bed nucleus of the stria terminalis of chronic pain model rats. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2021, 94, 3-P1-14.	0.0	0
5	Histamine: A Key Neuromodulator of Memory Consolidation and Retrieval. <i>Current Topics in Behavioral Neurosciences</i> , 2021, , 329-353.	1.7	7
6	Prepronociceptin-Expressing Neurons in the Extended Amygdala Encode and Promote Rapid Arousal Responses to Motivationally Salient Stimuli. <i>Cell Reports</i> , 2020, 33, 108362.	6.4	45
7	Disappearance of the inhibitory effect of neuropeptide Y within the dorsolateral bed nucleus of the stria terminalis in rats with chronic pain. <i>Neuroscience Letters</i> , 2020, 728, 134958.	2.1	5
8	Tonic Suppression of the Mesolimbic Dopaminergic System by Enhanced Corticotropin-Releasing Factor Signaling Within the Bed Nucleus of the Stria Terminalis in Chronic Pain Model Rats. <i>Journal of Neuroscience</i> , 2019, 39, 8376-8385.	3.6	19
9	Prior observation of fear learning enhances subsequent self-experienced fear learning with an overlapping neuronal ensemble in the dorsal hippocampus. <i>Molecular Brain</i> , 2019, 12, 21.	2.6	12
10	Central Histamine Boosts Perirhinal Cortex Activity and Restores Forgotten Object Memories. <i>Biological Psychiatry</i> , 2019, 86, 230-239.	1.3	18
11	Brain histamine promotes memory retrieval. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2019, 92, JKL-10.	0.0	0
12	Exposure to hot and cold environments increases noradrenaline release in the bed nucleus of the stria terminalis in rats. <i>Neuropsychopharmacology Reports</i> , 2018, 38, 214-218.	2.3	5
13	Late Arc/Arg3.1 expression in the basolateral amygdala is essential for persistence of newly-acquired and reactivated contextual fear memories. <i>Scientific Reports</i> , 2016, 6, 21007.	3.3	35
14	Unexpected Photo-instability of 2,6-Sulfonamide-Substituted BODIPYs and Its Application to Caged GABA. <i>ChemBioChem</i> , 2016, 17, 1233-1240.	2.6	16
15	Visualization of cortical, subcortical and deep brain neural circuit dynamics during naturalistic mammalian behavior with head-mounted microscopes and chronically implanted lenses. <i>Nature Protocols</i> , 2016, 11, 566-597.	12.0	271
16	Frontal Association Cortex Is Engaged in Stimulus Integration during Associative Learning. <i>Current Biology</i> , 2015, 25, 117-123.	3.9	36
17	Long-Delayed Expression of the Immediate Early Gene Arc/Arg3.1 Refines Neuronal Circuits to Perpetuate Fear Memory. <i>Journal of Neuroscience</i> , 2015, 35, 819-830.	3.6	81
18	Memory formation and retrieval of neuronal silencing in the auditory cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 9740-9744.	7.1	12

#	ARTICLE	IF	CITATIONS
19	Prefrontal dopamine regulates fear reinstatement through the downregulation of extinction circuits. <i>ELife</i> , 2015, 4, .	6.0	38
20	Synaptic Plasticity Associated with a Memory Engram in the Basolateral Amygdala. <i>Journal of Neuroscience</i> , 2014, 34, 9305-9309.	3.6	61
21	Fear extinction requires Arc/Arg3.1 expression in the basolateral amygdala. <i>Molecular Brain</i> , 2014, 7, 30.	2.6	18
22	Impairment of fear memory consolidation and expression by antihistamines. <i>Brain Research</i> , 2013, 1493, 19-26.	2.2	9
23	Post-retrieval late process contributes to persistence of reactivated fear memory. <i>Learning and Memory</i> , 2013, 20, 307-310.	1.3	20
24	N-methyl-D-aspartate receptors and protein synthesis are necessary for reinstatement of conditioned fear. <i>NeuroReport</i> , 2013, 24, 763-767.	1.2	6
25	Vagus nerve stimulation enhances perforant path-CA3 synaptic transmission via the activation of β^2 -adrenergic receptors and the locus coeruleus. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 523-530.	2.1	35
26	Normal learning ability of mice with a surgically exposed hippocampus. <i>NeuroReport</i> , 2012, 23, 457-461.	1.2	10
27	Differential calcium dependence in basal and forskolin-potentiated spontaneous transmitter release in basolateral amygdala neurons. <i>Neuroscience Letters</i> , 2012, 529, 1-6.	2.1	10
28	Nontoxic, nonvolatile, and highly efficient osmium catalysts for asymmetric dihydroxylation of alkenes and application to one mol-scale synthesis of an anticancer drug, camptothecin intermediate. <i>RSC Advances</i> , 2012, 2, 7456.	3.6	11
29	Offline Arc transcription in active ensembles during fear memory retrieval. <i>European Journal of Neuroscience</i> , 2012, 36, 3451-3457.	2.6	7
30	Population activity in the dorsal hippocampal CA1 encoding the surrounding environment is absent during contextual fear memory expression. <i>Neuroscience</i> , 2012, 220, 19-25.	2.3	4
31	Memory coding in plastic neuronal subpopulations within the amygdala. <i>NeuroImage</i> , 2012, 60, 153-161.	4.2	21
32	Preferential Arc transcription at rest in the active ensemble during associative learning. <i>Neurobiology of Learning and Memory</i> , 2011, 95, 498-504.	1.9	17
33	Experience-dependent Homer1a expression in excitatory and inhibitory neurons. <i>NeuroReport</i> , 2011, 22, 353-357.	1.2	13
34	Behavioural effects of antidepressants are dependent and independent on the integrity of the dentate gyrus. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 967-976.	2.1	3
35	p38 MAPKs regulate the expression of genes in the dopamine synthesis pathway through phosphorylation of NR4A nuclear receptors. <i>Journal of Cell Science</i> , 2011, 124, 3006-3016.	2.0	33
36	Simultaneous determination of dopamine and 3,4-dihydroxyphenylacetic acid in mouse striatum using mixed-mode reversed-phase and cation-exchange high-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 51, 712-715.	2.8	47

#	ARTICLE	IF	CITATIONS
37	Persistent neural activity regulates <i>Arc/Arg3.1</i> transcription in the dentate gyrus. <i>Journal of Neuroscience Research</i> , 2010, 88, 3060-3066.	2.9	12
38	Hyperactivity in novel environment with increased dopamine and impaired novelty preference in apoptosis signal-regulating kinase 1 (ASK1)-deficient mice. <i>Neuroscience Research</i> , 2010, 66, 313-320.	1.9	23
39	Ethanol Enhances Reactivated Fear Memories. <i>Neuropsychopharmacology</i> , 2008, 33, 2912-2921.	5.4	40