

Yixing Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5353877/publications.pdf>

Version: 2024-02-01

32
papers

1,084
citations

516710

16
h-index

395702

33
g-index

43
all docs

43
docs citations

43
times ranked

672
citing authors

#	ARTICLE	IF	CITATIONS
1	Nickel-coated wood-derived porous carbon (Ni/WPC) for efficient electromagnetic interference shielding. <i>Advanced Composites and Hybrid Materials</i> , 2022, 5, 2328-2338.	21.1	31
2	Wrinkled Titanium Carbide (MXene) with Surface Charge Polarizations through Chemical Etching for Superior Electromagnetic Interference Shielding. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	35
3	Wrinkled Titanium Carbide (MXene) with Surface Charge Polarizations through Chemical Etching for Superior Electromagnetic Interference Shielding. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	9
4	High-entropy-alloy nanoparticles with 21 ultra-mixed elements for efficient photothermal conversion. <i>National Science Review</i> , 2022, 9, .	9.5	31
5	Quinary High-Entropy Alloy@Graphite Nanocapsules with Tunable Interfacial Impedance Matching for Optimizing Microwave Absorption. <i>Small</i> , 2022, 18, e2107265.	10.0	60
6	Sub-Nanometer Fe Clusters Confined in Carbon Nanocages for Boosting Dielectric Polarization and Broadband Electromagnetic Wave Absorption. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	56
7	Wood-Derived Porous Carbon/Iron Oxide Nanoparticle Composites for Enhanced Electromagnetic Interference Shielding. <i>ACS Applied Nano Materials</i> , 2022, 5, 8537-8545.	5.0	15
8	Iron/silicon carbide composites with tunable high-frequency magnetic and dielectric properties for potential electromagnetic wave absorption. <i>Advanced Composites and Hybrid Materials</i> , 2022, 5, 1158-1167.	21.1	53
9	Sulfur-doped wood-derived porous carbon for optimizing electromagnetic response performance. <i>Nanoscale</i> , 2021, 13, 16084-16093.	5.6	6
10	Logical devices based on the antiferromagnetic-antimeron in a ferromagnet nanodot with gain. <i>Applied Physics Letters</i> , 2021, 118, 172410.	3.3	3
11	Highly efficient electromagnetic absorption on ZnN4-based MOFs-derived carbon composites. <i>Carbon</i> , 2021, 177, 44-51.	10.3	37
12	Synthesizing CNx heterostructures on ferromagnetic nanoparticles for improving microwave absorption property. <i>Applied Surface Science</i> , 2021, 564, 150480.	6.1	5
13	The modes of skyrmionium motion induced by vacancy defects on a racetrack. <i>Journal of Magnetism and Magnetic Materials</i> , 2021, 537, 168173.	2.3	4
14	High-Entropy Alloy Nanoparticles with Enhanced Interband Transitions for Efficient Photothermal Conversion. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 27113-27118.	13.8	56
15	High-Entropy Alloy Nanoparticles with Enhanced Interband Transitions for Efficient Photothermal Conversion. <i>Angewandte Chemie</i> , 2021, 133, 27319-27324.	2.0	11
16	Spin excitation spectrum of a magnetic hopfion. <i>Applied Physics Letters</i> , 2021, 119, .	3.3	13
17	Oxygen-sulfur Co-substitutional Fe@C nanocapsules for improving microwave absorption properties. <i>Science Bulletin</i> , 2020, 65, 623-630.	9.0	100
18	Enhanced high-frequency microwave absorption in core-shell nanocapsules with atomic-scale oxygen substitutions. <i>Journal of Applied Physics</i> , 2020, 127, .	2.5	7

#	ARTICLE	IF	CITATIONS
19	Engineering defect concentrations of multiwalled carbon nanotubes by microwave irradiation for tunable electromagnetic absorption properties. <i>Journal of Materials Science</i> , 2020, 55, 13871-13880.	3.7	14
20	Significant magnetocaloric and microwave absorption performances in ultrafine ErC ₂ @C core-shell structural nanocomposites. <i>Composites Communications</i> , 2019, 12, 123-127.	6.3	19
21	Fe@CN Nanocapsules for Microwave Absorption at Gigahertz Frequency. <i>ACS Applied Nano Materials</i> , 2019, 2, 3648-3653.	5.0	13
22	Confining Gold Nanoclusters in Highly Defective Graphitic Layers To Enhance the Methanol Electrooxidation Reaction. <i>ChemCatChem</i> , 2018, 10, 141-147.	3.7	9
23	Fe@C nanocapsules with substitutional sulfur heteroatoms in graphitic shells for improving microwave absorption at gigahertz frequencies. <i>Carbon</i> , 2018, 126, 372-381.	10.3	122
24	Multi-interfacial Co@CoN _x @C(N) nanocapsules with nitrogen substitutions in graphitic shells for improving microwave absorption properties. <i>Journal of Alloys and Compounds</i> , 2018, 736, 51-56.	5.5	13
25	Electric-Field-Triggered Electromagnetic Polarizations in the Close-Packed Fe at C Nanocapsules. <i>IEEE Transactions on Magnetics</i> , 2018, 54, 1-5.	2.1	1
26	Improved microwave absorbing properties by designing heterogeneous interfaces in Mo@2D-MoS ₂ . <i>Journal of Alloys and Compounds</i> , 2018, 767, 1-6.	5.5	16
27	Ultralight and ultraelastic sponge/Al@Al ₂ O ₃ nanocomposite with tunable electromagnetic properties. <i>Journal of Applied Physics</i> , 2018, 124, .	2.5	3
28	Improved microwave absorption properties by atomic-scale substitutions. <i>Carbon</i> , 2018, 139, 181-188.	10.3	54
29	Ultralight Fe@C Nanocapsules/Sponge Composite with Reversibly Tunable Microwave Absorption Performances. <i>Nanotechnology</i> , 2017, 28, 325702.	2.6	25
30	Dependence of gigahertz microwave absorption on the mass fraction of Co@C nanocapsules in composite. <i>Journal of Alloys and Compounds</i> , 2017, 724, 1023-1029.	5.5	55
31	Heterogeneous interfacial polarization in Fe@ZnO nanocomposites induces high-frequency microwave absorption. <i>Materials Letters</i> , 2017, 209, 276-279.	2.6	51
32	High-Magnetization FeCo Nanochains with Ultrathin Interfacial Gaps for Broadband Electromagnetic Wave Absorption at Gigahertz. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 3494-3498.	8.0	152