

Jorge F Fernandez-Sanchez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5354030/jorge-f-fernandez-sanchez-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77 papers	1,502 citations	23 h-index	33 g-index
82 ext. papers	1,670 ext. citations	6.3 avg, IF	4.28 L-index

#	Paper	IF	Citations
77	Self-Assembled Type I Collagen-Apatite Fibers with Varying Mineralization Extent and Luminescent Terbium Promote Osteogenic Differentiation of Mesenchymal Stem Cells. <i>Macromolecular Bioscience</i> , 2021 , 21, e2000319	5.5	1
76	Biophysical and Biochemical Comparison of Extracellular Vesicles Produced by Infective and Non-Infective Stages of. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
75	Crystallization, Luminescence and Cytocompatibility of Hexagonal Calcium Doped Terbium Phosphate Hydrate Nanoparticles. <i>Nanomaterials</i> , 2021 , 11,	5.4	2
74	Eu-Doped Citrate-Coated Carbonated Apatite Luminescent Nanoprobes for Drug Delivery. <i>Nanomaterials</i> , 2020 , 10,	5.4	4
73	Bioinspired crystallization, sensitized luminescence and cytocompatibility of citrate-functionalized Ca-substituted europium phosphate monohydrate nanophosphors. <i>Journal of Colloid and Interface Science</i> , 2019 , 538, 174-186	9.3	7
72	Luminescent biomimetic citrate-coated europium-doped carbonated apatite nanoparticles for use in bioimaging: physico-chemistry and cytocompatibility.. <i>RSC Advances</i> , 2018 , 8, 2385-2397	3.7	25
71	A multifunctional material based on co-electrospinning for developing biosensors with optical oxygen transduction. <i>Analytica Chimica Acta</i> , 2018 , 1015, 66-73	6.6	13
70	Evaluation of two sterically directed attachments of biomolecules on a coaxial nanofibre membrane to improve the development of optical biosensors. <i>Talanta</i> , 2018 , 187, 83-90	6.2	5
69	Development of a folic acid molecularly imprinted polymer and its evaluation as a sorbent for dispersive solid-phase extraction by liquid chromatography coupled to mass spectrometry. <i>Journal of Chromatography A</i> , 2018 , 1576, 26-33	4.5	23
68	A microfluidic device with integrated coaxial nanofibre membranes for optical determination of glucose. <i>Sensors and Actuators B: Chemical</i> , 2017 , 250, 156-161	8.5	6
67	Real-time optimal combination of multifrequency information in phase-resolved luminescence spectroscopy based on rectangular-wave signals. <i>Sensors and Actuators B: Chemical</i> , 2017 , 238, 221-225	8.5	1
66	Direct estimation of the standard error in phase-resolved luminescence measurements. Application to an oxygen measuring system. <i>Sensors and Actuators B: Chemical</i> , 2016 , 224, 521-528	8.5	1
65	Novel optical sensing film based on a functional nonwoven nanofibre mat for an easy, fast and highly selective and sensitive detection of tryptamine in beer. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 600-7	11.8	33
64	A novel optical biosensor for direct and selective determination of serotonin in serum by Solid Surface-Room Temperature Phosphorescence. <i>Biosensors and Bioelectronics</i> , 2016 , 82, 217-23	11.8	22
63	High performance optical oxygen sensors based on iridium complexes exhibiting interchromophore energy shuttling. <i>Analyst, The</i> , 2016 , 141, 3090-7	5	17
62	On the calibration of chemical sensors based on photoluminescence: Selecting the appropriate optimization criterion. <i>Sensors and Actuators B: Chemical</i> , 2015 , 212, 278-286	8.5	8
61	Evaluation of different functional groups for covalent immobilization of enzymes in the development of biosensors with oxygen optical transduction. <i>Analytical Methods</i> , 2015 , 7, 2943-2949	3.2	7

60	Copper(I) complexes as alternatives to iridium(III) complexes for highly efficient oxygen sensing. <i>Chemical Communications</i> , 2015 , 51, 11401-4	5.8	18
59	Characterization of supports activated with divinyl sulfone as a tool to immobilize and stabilize enzymes via multipoint covalent attachment. Application to chymotrypsin. <i>RSC Advances</i> , 2015 , 5, 20639-20649	3.7	85
58	Electrophoretic deposition as a new approach to produce optical sensing films adaptable to microdevices. <i>Nanoscale</i> , 2014 , 6, 263-71	7.7	10
57	Direct observation of reversible electronic energy transfer involving an iridium center. <i>Inorganic Chemistry</i> , 2014 , 53, 2677-82	5.1	43
56	Improved multifrequency phase-modulation method that uses rectangular-wave signals to increase accuracy in luminescence spectroscopy. <i>Analytical Chemistry</i> , 2014 , 86, 5245-56	7.8	10
55	Evaluation of a simple PC-based quadrature detection method at very low SNR for luminescence spectroscopy. <i>Sensors and Actuators B: Chemical</i> , 2014 , 192, 334-340	8.5	5
54	A sensing microfibre mat produced by electrospinning for the turn-on luminescence determination of Hg ²⁺ in water samples. <i>Sensors and Actuators B: Chemical</i> , 2014 , 195, 8-14	8.5	20
53	Modelling the size and polydispersity of magnetic hybrid nanoparticles for luminescent sensing of oxygen. <i>Mikrochimica Acta</i> , 2013 , 180, 1201-1209	5.8	2
52	A new highly sensitive and versatile optical sensing film for controlling CO ₂ in gaseous and aqueous media. <i>Sensors and Actuators B: Chemical</i> , 2013 , 184, 281-287	8.5	14
51	A novel tridentate bis(phosphinic acid)phosphine oxide based europium(III)-selective Nafion membrane luminescent sensor. <i>Analyst, The</i> , 2013 , 138, 6134-43	5	9
50	High performance optical sensing nanocomposites for low and ultra-low oxygen concentrations using phase-shift measurements. <i>Analyst, The</i> , 2013 , 138, 4607-17	5	16
49	Hg ²⁺ -selective sensing film based on the incorporation of a rhodamine 6G derivative into a novel hydrophilic water-insoluble copolymer. <i>Analytical Methods</i> , 2013 , 5, 6642	3.2	13
48	An open and low-cost optical-fiber measurement system for the optical detection of oxygen using a multifrequency phase-resolved method. <i>Sensors and Actuators B: Chemical</i> , 2013 , 176, 1110-1120	8.5	13
47	Development of polymeric sensing films based on a tridentate bis(phosphinic amide)-phosphine oxide for detecting europium(III) in water. <i>Dalton Transactions</i> , 2012 , 41, 6735-48	4.3	15
46	Nanocomposites Containing Neutral Blue Emitting Cyclometalated Iridium(III) Emitters for Oxygen Sensing. <i>Chemistry of Materials</i> , 2012 , 24, 2330-2338	9.6	60
45	A novel luminescent optical fibre probe based on immobilized tridentate bis(phosphinic amide)-phosphine oxide for europium(III) ion aqueous detection in situ. <i>Sensors and Actuators B: Chemical</i> , 2012 , 173, 254-261	8.5	13
44	Novel synthetic route for covalent coupling of biomolecules on super-paramagnetic hybrid nanoparticles. <i>Journal of Polymer Science Part A</i> , 2012 , 50, 3944-3953	2.5	24
43	Atom-Transfer Radical Polymerisation (ATRP) as a Tool for the Development of Optical Sensing Phases. <i>Israel Journal of Chemistry</i> , 2012 , 52, 264-275	3.4	6

42	The development of a screening molecularly imprinted polymer optosensor for detecting xylenes in water samples. <i>Microchemical Journal</i> , 2011 , 99, 278-282	4.8	8
41	Synthesis of caffeic acid molecularly imprinted polymer microspheres and high-performance liquid chromatography evaluation of their sorption properties. <i>Journal of Chromatography A</i> , 2011 , 1218, 7289-7295	4.5	46
40	Mini-emulsion solvent evaporation: a simple and versatile way to magnetic nanosensors. <i>Mikrochimica Acta</i> , 2011 , 172, 299-308	5.8	17
39	One-Step Fabrication of Multifunctional Core-Shell Fibres by Co-Electrospinning. <i>Advanced Functional Materials</i> , 2011 , 21, 3488-3495	15.6	32
38	Optical Sensors: One-Step Fabrication of Multifunctional Core-Shell Fibres by Co-Electrospinning (Adv. Funct. Mater. 18/2011). <i>Advanced Functional Materials</i> , 2011 , 21, 3595-3595	15.6	
37	Synthesis and characterization of a molecularly imprinted polymer optosensor for TEXs-screening in drinking water. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 3331-8	11.8	12
36	Design and synthesis by ATRP of novel, water-insoluble, lineal copolymers and their application in the development of fluorescent and pH-sensing nanofibres made by electrospinning. <i>Journal of Materials Chemistry</i> , 2011 , 21, 6742		17
35	Synthesis of a novel polyurethane-based-magnetic imprinted polymer for the selective optical detection of 1-naphthylamine in drinking water. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 4520-5	11.8	38
34	Micrometer and Submicrometer Particles Prepared by Precipitation Polymerization: Thermodynamic Model and Experimental Evidence of the Relation between Flory- χ Parameter and Particle Size. <i>Macromolecules</i> , 2010 , 43, 5804-5813	5.5	55
33	Novel Strategy To Design Magnetic, Molecular Imprinted Polymers with Well-Controlled Structure for the Application in Optical Sensors. <i>Macromolecules</i> , 2010 , 43, 55-61	5.5	54
32	Novel luminescent Ir(III) dyes for developing highly sensitive oxygen sensing films. <i>Talanta</i> , 2010 , 82, 620-6	6.2	38
31	Luminescent organotin complexes with the ligand benzil bis(benzoylhydrazone). <i>Journal of Organometallic Chemistry</i> , 2010 , 695, 2305-2310	2.3	12
30	Iron-phthalocyanine complexes immobilized in nanostructured metal oxide as optical sensors of NOx and CO: NMR and photophysical studies. <i>Journal of Porphyrins and Phthalocyanines</i> , 2009 , 13, 616-623	1.8	8
29	The development of a MIP-optosensor for the detection of monoamine naphthalenes in drinking water. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 2305-11	11.8	33
28	A semi-empirical model to simplify the synthesis of homogeneous and transparent cross-linked polymers and their application in the preparation of optical sensing films. <i>Biosensors and Bioelectronics</i> , 2009 , 25, 442-9	11.8	15
27	Chemometric-assisted MIP-optosensing system for the simultaneous determination of monoamine naphthalenes in drinking waters. <i>Talanta</i> , 2009 , 78, 57-65	6.2	30
26	Simple luminescence detector for capillary electrophoresis. <i>Methods in Molecular Biology</i> , 2009 , 503, 221-37	1.4	2
25	Second Generation Nanostructured Metal Oxide Matrices to Increase the Thermal Stability of CO and NO ₂ Sensing Layers Based on Iron(II) Phthalocyanine. <i>Advanced Functional Materials</i> , 2007 , 17, 1188-1198	15.6	39

24	Simple luminescence detectors using a light-emitting diode or a Xe lamp, optical fiber and charge-coupled device, or photomultiplier for determining proteins in capillary electrophoresis: a critical comparison. <i>Analytical Biochemistry</i> , 2007 , 365, 82-90	3.1	14
23	Optical CO ₂ -sensing layers for clinical application based on pH-sensitive indicators incorporated into nanoscopic metal-oxide supports. <i>Sensors and Actuators B: Chemical</i> , 2007 , 128, 145-153	8.5	32
22	Novel oxygen sensitive complexes for optical oxygen sensing. <i>Talanta</i> , 2007 , 71, 242-50	6.2	34
21	A rapid, sensitive screening test for polycyclic aromatic hydrocarbons applied to Antarctic water. <i>Chemosphere</i> , 2007 , 67, 903-10	8.4	10
20	Engineering of efficient phosphorescent iridium cationic complex for developing oxygen-sensitive polymeric and nanostructured films. <i>Analyst, The</i> , 2007 , 132, 929-36	5	45
19	Novel optical NO ₂ -selective sensor based on phthalocyaninato-iron(II) incorporated into a nanostructured matrix. <i>Sensors and Actuators B: Chemical</i> , 2006 , 113, 630-638	8.5	20
18	A simple light-emitted diode-induced fluorescence detector using optical fibers and a charged coupled device for direct and indirect capillary electrophoresis methods. <i>Electrophoresis</i> , 2006 , 27, 1776-83	3.6	14
17	Solution NMR and X-Ray Structural Studies on Phthalocyaninatoiron Complexes. <i>Helvetica Chimica Acta</i> , 2006 , 89, 1485-1496	2	12
16	Novel nanostructured materials to develop oxygen-sensitive films for optical sensors. <i>Analytica Chimica Acta</i> , 2006 , 566, 271-282	6.6	38
15	The development and comparison of a fluorescence and a phosphorescence optosensors for determining the plant growth regulator 2-naphthoxyacetic acid. <i>Sensors and Actuators B: Chemical</i> , 2005 , 107, 929-935	8.5	12
14	A fluorescence optosensor for analyzing naphazoline in pharmaceutical preparations. Comparison with other sensors. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 38, 785-9	3.5	19
13	Solid-surface phosphorescence characterization of polycyclic aromatic hydrocarbons and selective determination of benzo(a)pyrene in water samples. <i>Analytica Chimica Acta</i> , 2005 , 550, 53-60	6.6	19
12	Simple determination of the herbicide napropamide in water and soil samples by room temperature phosphorescence. <i>Pest Management Science</i> , 2005 , 61, 816-20	4.6	3
11	A simple and rapid phosphorimetric method for the determination of the fungicide fuberidazole in water samples. <i>International Journal of Environmental Analytical Chemistry</i> , 2005 , 85, 443-449	1.8	6
10	Highly sensitive and selective fluorescence optosensor to detect and quantify benzo[a]pyrene in water samples. <i>Analytica Chimica Acta</i> , 2004 , 506, 1-7	6.6	33
9	Fluorescence optosensor using an artificial neural network for screening of polycyclic aromatic hydrocarbons. <i>Analytica Chimica Acta</i> , 2004 , 510, 183-187	6.6	11
8	A facile flow-through phosphorimetric sensing device for simultaneous determination of naptalam and its metabolite 1-naphthylamine. <i>Analytica Chimica Acta</i> , 2004 , 522, 19-24	6.6	18
7	Fluorescence optosensors based on different transducers for the determination of polycyclic aromatic hydrocarbons in water. <i>Analytical and Bioanalytical Chemistry</i> , 2003 , 377, 614-23	4.4	15

6	A sensitive fluorescence optosensor for analysing propranolol in pharmaceutical preparations and a test for its control in urine in sport. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2003 , 31, 859-65	3.5	29
5	The development of solid-surface fluorescence characterization of polycyclic aromatic hydrocarbons for potential screening tests in environmental samples. <i>Talanta</i> , 2003 , 60, 287-93	6.2	23
4	Room-temperature luminescence optosensings based on immobilized active principles actives. <i>Analytica Chimica Acta</i> , 2002 , 462, 217-224	6.6	16
3	Heavy-atom induced room-temperature phosphorescence: a straightforward methodology for the determination of organic compounds in solution. <i>Analytica Chimica Acta</i> , 2000 , 417, 19-30	6.6	43
2	Facile and selective determination of the cerebral vasodilator nafronyl in a commercial formulation by heavy atom induced room temperature phosphorimetry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2000 , 23, 845-50	3.5	10
1	HAI-RTP determination of carbaryl pesticide in different irrigation water samples of south Spain. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 4453-9	5.7	12