

# Klaus Ejner Andersen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5354293/publications.pdf>

Version: 2024-02-01

305  
papers

13,658  
citations

15504

65  
h-index

31849

101  
g-index

306  
all docs

306  
docs citations

306  
times ranked

6310  
citing authors

#	ARTICLE	IF	CITATIONS
1	European Society of Contact Dermatitis guideline for diagnostic patch testing – recommendations on best practice. Contact Dermatitis, 2015, 73, 195-221.	1.4	1,012
2	Alternative (non-animal) methods for cosmetics testing: current status and future prospects – 2010. Archives of Toxicology, 2011, 85, 367-485.	4.2	488
3	Prevalence of atopic dermatitis, asthma, allergic rhinitis, and hand and contact dermatitis in adolescents. The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis. British Journal of Dermatology, 2001, 144, 523-532.	1.5	305
4	The baboon syndrome: systemically – induced allergic contact dermatitis. Contact Dermatitis, 1984, 10, 97-100.	1.4	267
5	Monitoring levels of preservative sensitivity in Europe. Contact Dermatitis, 2002, 46, 207-210.	1.4	205
6	Hand eczema classification: a cross-sectional, multicentre study of the aetiology and morphology of hand eczema. British Journal of Dermatology, 2009, 160, 353-358.	1.5	198
7	Atopic dermatitis from adolescence to adulthood in the TOACS cohort: prevalence, persistence and comorbidities. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 836-845.	5.7	197
8	Hand eczema severity and quality of life: a cross-sectional, multicentre study of hand eczema patients. Contact Dermatitis, 2008, 59, 43-47.	1.4	189
9	Patch testing with fragrances: results of a multicenter study of the European Environmental and Contact Dermatitis Research Group with 48 frequently used constituents of perfumes. Contact Dermatitis, 1995, 33, 333-342.	1.4	184
10	Selected oxidized fragrance terpenes are common contact allergens. Contact Dermatitis, 2005, 52, 320-328.	1.4	175
11	Allergic contact dermatitis in children and adolescents. Contact Dermatitis, 1999, 41, 121-130.	1.4	158
12	Guidelines for diagnosis, prevention and treatment of hand eczema. JDDG - Journal of the German Society of Dermatology, 2015, 13, e1-22.	0.8	158
13	Patch testing with a new fragrance mix detects additional patients sensitive to perfumes and missed by the current fragrance mix. Contact Dermatitis, 2005, 52, 207-215.	1.4	157
14	Deodorants on the European market: quantitative chemical analysis of 21 fragrances. Contact Dermatitis, 1998, 38, 29-35.	1.4	151
15	Nickel Sensitization in Adolescents and Association with Ear Piercing, Use of Dental Braces and Hand Eczema. Acta Dermato-Venereologica, 2002, 82, 359-364.	1.3	149
16	Further important sensitizers in patients sensitive to fragrances*. Contact Dermatitis, 2002, 47, 78-85.	1.4	143
17	Food allergy and food sensitization in early childhood: results from the DARC cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 1023-1029.	5.7	138
18	Evaluation of the skin sensitizing potency of chemicals by using the existing methods and considerations of relevance for elicitation. Contact Dermatitis, 2005, 52, 39-43.	1.4	129

#	ARTICLE	IF	CITATIONS
19	Recommendation to include fragrance mix 2 and hydroxyisohexyl 3-cyclohexene carboxaldehyde (Lyr&sup>A</sup>) in the European baseline patch test series. Contact Dermatitis, 2008, 58, 129-133.	1.4	124
20	Absorption and Retention of Nickel from Drinking Water in Relation to Food Intake and Nickel Sensitivity. Toxicology and Applied Pharmacology, 1999, 154, 67-75.	2.8	119
21	Self-administration of intravenous C1-inhibitor therapy for hereditary angioedema and associated quality of life benefits. European Journal of Dermatology, 2009, 19, 147-151.	0.6	115
22	The silver-releasing foam dressing, Contreet Foam, promotes faster healing of critically colonised venous leg ulcers: a randomised, controlled trial. International Wound Journal, 2005, 2, 64-73.	2.9	114
23	Contact Allergy and Allergic Contact Dermatitis in Adolescents: Prevalence Measures and Associations.. Acta Dermato-Venereologica, 2002, 82, 352-358.	1.3	113
24	Lyr&sup>A</sup> is an important sensitizer in patients sensitive to fragrances. British Journal of Dermatology, 1999, 141, 1076-1083.	1.5	112
25	The Prevalence of Suspected and Challenge-Verified Penicillin Allergy in a University Hospital Population. Basic and Clinical Pharmacology and Toxicology, 2006, 98, 357-362.	2.5	112
26	The repeated open application test: suggestions for a scale of evaluation. Contact Dermatitis, 1998, 39, 95-96.	1.4	110
27	Gold ? a controversial sensitizer. Contact Dermatitis, 1999, 40, 295-299.	1.4	104
28	Clinical patch test data evaluated by multivariate analysis. Contact Dermatitis, 1989, 21, 291-299.	1.4	103
29	The Time-Dose-Response Relationship for Elicitation of Contact Dermatitis in Isoeugenol Allergic Individuals. Toxicology and Applied Pharmacology, 2001, 170, 166-171.	2.8	99
30	Contact dermatitis to hair dyes in a Danish adult population: an interview-based study. British Journal of Dermatology, 2005, 153, 132-135.	1.5	99
31	The Prevalence of food hypersensitivity in young adults. Pediatric Allergy and Immunology, 2009, 20, 686-692.	2.6	99
32	Threshold responses in cinnamic-aldehyde-sensitive subjects: results and methodological aspects. Contact Dermatitis, 1996, 34, 165-171.	1.4	98
33	55 cases of allergic reactions to hair dye: a descriptive, consumer complaint-based study. Contact Dermatitis, 2002, 47, 299-303.	1.4	98
34	An investigation of the possible immunological relationship between allergen extracts from birch pollen, hazelnut, potato and apple. Contact Dermatitis, 1978, 4, 73-79.	1.4	97
35	Patch testing with a new fragrance mix - reactivity to the individual constituents and chemical detection in relevant cosmetic products. Contact Dermatitis, 2005, 52, 216-225.	1.4	95
36	Corticosteroid contact allergy: an EECDRG multicentre study. Contact Dermatitis, 1996, 35, 40-44.	1.4	94

#	ARTICLE	IF	CITATIONS
37	Patch testing with the "sesquiterpene lactone mix" a marker for contact allergy to Compositae and other sesquiterpene-lactone-containing plantsA multicentre study of the EECDRG. Contact Dermatitis, 1990, 22, 249-252.	1.4	93
38	Black and white human skin differences. Journal of the American Academy of Dermatology, 1979, 1, 276-282.	1.2	92
39	Oral prednisone suppresses allergic but not irritant patch test reactions in individuals hypersensitive to nickel. Contact Dermatitis, 2004, 50, 298-303.	1.4	91
40	Air"oxidized linalool" a frequent cause of fragrance contact allergy. Contact Dermatitis, 2012, 67, 247-259.	1.4	89
41	Severe allergic hair dye reactions in 8 children. Contact Dermatitis, 2006, 54, 87-91.	1.4	86
42	Hand eczema in hairdressers: a Danish register-based study of the prevalence of hand eczema and its career consequences. Contact Dermatitis, 2011, 65, 151-158.	1.4	84
43	Contact allergy to common ingredients in hair dyes. Contact Dermatitis, 2013, 69, 32-39.	1.4	83
44	Guidelines for diagnosis, prevention, and treatment of hand eczema. Contact Dermatitis, 2022, 86, 357-378.	1.4	83
45	Monitoring the European standard series in 10 centres 1996-2000. Contact Dermatitis, 2005, 53, 146-149.	1.4	82
46	Fragrances and other materials in deodorants: search for potentially sensitizing molecules using combined GC-MS and structure activity relationship (SAR) analysis. Contact Dermatitis, 1998, 39, 293-303.	1.4	80
47	Patch testing with corticosteroid mixes in Europe. Contact Dermatitis, 2000, 42, 27-35.	1.4	80
48	Compositae dermatitis in a Danish dermatology department in one year. Contact Dermatitis, 1993, 29, 6-10.	1.4	79
49	Contact allergy to toothpaste flavors. Contact Dermatitis, 1978, 4, 195-198.	1.4	78
50	A comparison between criteria for diagnosing atopic eczema in infants. British Journal of Dermatology, 2005, 153, 352-358.	1.5	77
51	Phenylenediamine sensitization is more prevalent in central and southern European patch test centres than in Scandinavian: results from a multicentre study. Contact Dermatitis, 2009, 60, 314-319.	1.4	77
52	The epidemic of methylisothiazolinone: a European prospective study. Contact Dermatitis, 2017, 76, 272-279.	1.4	76
53	The prevalence of allergic diseases in an unselected group of 6"year"old children. The DARC birth cohort study. Pediatric Allergy and Immunology, 2008, 19, 737-745.	2.6	75
54	The European standard series. Contact Dermatitis, 1995, 33, 145-148.	1.4	74

#	ARTICLE	IF	CITATIONS
55	Allergic contact dermatitis caused by nail acrylates in Europe. An EECDRG study. <i>Contact Dermatitis</i> , 2018, 78, 254-260.	1.4	74
56	Quantitative aspects of isoeugenol contact allergy assessed by use and patch tests. <i>Contact Dermatitis</i> , 1996, 34, 414-418.	1.4	73
57	The association between early sensitization patterns and subsequent allergic disease. The DARC birth cohort study. <i>Pediatric Allergy and Immunology</i> , 2009, 20, 726-734.	2.6	73
58	Colophonium and Compositae mix as markers of fragrance allergy: Cross-reactivity between fragrance terpenes, colophonium and Compositae plant extracts. <i>Contact Dermatitis</i> , 2005, 53, 285-291.	1.4	71
59	Sensitization and cross-reaction patterns in Danish Compositae-allergic patients. <i>Contact Dermatitis</i> , 2001, 45, 197-204.	1.4	70
60	Decreasing trends in methyl dibromo glutaronitrile contact allergy following regulatory intervention. <i>Contact Dermatitis</i> , 2008, 59, 48-51.	1.4	70
61	Contact dermatitis. <i>Contact Dermatitis</i> , 1987, 16, 55-78.	1.4	69
62	Chloroatranol, an extremely potent allergen hidden in perfumes: a dose-response elicitation study. <i>Contact Dermatitis</i> , 2003, 49, 180-184.	1.4	69
63	Not only oxidized R-(+)- but also S-(?)-limonene is a common cause of contact allergy in dermatitis patients in Europe. <i>Contact Dermatitis</i> , 2006, 55, 274-279.	1.4	69
64	Contact allergy to oak moss: search for sensitizing molecules using combined bioassay-guided chemical fractionation, GC-MS, and structure-activity relationship analysis. <i>Archives of Dermatological Research</i> , 2003, 295, 229-235.	1.9	68
65	Development of atopic dermatitis in the DARC birth cohort. <i>Pediatric Allergy and Immunology</i> , 2010, 21, 307-314.	2.6	68
66	Hydroxyisohexyl 3-cyclohexene carboxaldehyde- known as Lyrál®: quantitative aspects and risk assessment of an important fragrance allergen. <i>Contact Dermatitis</i> , 2003, 48, 310-316.	1.4	67
67	Fragrance allergy in patients with hand eczema - a clinical study. <i>Contact Dermatitis</i> , 2003, 48, 317-323.	1.4	67
68	Contents of fragrance allergens in children's cosmetics and cosmetic toys. <i>Contact Dermatitis</i> , 1999, 41, 84-88.	1.4	66
69	Hand eczema in The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS): prevalence, incidence and risk factors from adolescence to adulthood. <i>British Journal of Dermatology</i> , 2014, 171, 313-323.	1.5	65
70	Patterns of sensitization in infants and its relation to atopic dermatitis. <i>Pediatric Allergy and Immunology</i> , 2006, 17, 591-600.	2.6	63
71	Occupational contact dermatitis in painters an analysis of patch test data from the Danish Contact Dermatitis Group. <i>Contact Dermatitis</i> , 2012, 67, 293-297.	1.4	63
72	Clinical severity and prognosis of hand eczema. <i>British Journal of Dermatology</i> , 2009, 160, 1229-1236.	1.5	62

#	ARTICLE	IF	CITATIONS
73	Occupational contact dermatitis in hairdressers: an analysis of patch test data from the Danish Contact Dermatitis Group, 2002-2011. Contact Dermatitis, 2014, 70, 233-237.	1.4	61
74	An international multicentre study on the allergenic activity of air-oxidized limonene. Contact Dermatitis, 2013, 68, 214-223.	1.4	60
75	An 8-year experience with routine SL mix patch testing supplemented with Compositae mix in Denmark. Contact Dermatitis, 2001, 45, 29-35.	1.4	59
76	Allergic contact dermatitis in children: which factors are relevant? (review of the literature). Pediatric Allergy and Immunology, 2013, 24, 321-329.	2.6	58
77	Sesquiterpene lactone dermatitis in the young: is atopy a risk factor?. Contact Dermatitis, 2008, 59, 1-6.	1.4	57
78	Guidelines for diagnosis, prevention and treatment of hand eczema - short version. JDDG - Journal of the German Society of Dermatology, 2015, 13, 77-84.	0.8	57
79	The diagnostic accuracy of the atopy patch test in diagnosing hypersensitivity to cow's milk and hen's egg in unselected children with and without atopic dermatitis. Journal of the American Academy of Dermatology, 2004, 51, 556-562.	1.2	56
80	Hair dye contact allergy: quantitative exposure assessment of selected products and clinical cases. Contact Dermatitis, 2004, 50, 344-348.	1.4	55
81	ACTH versus prednisone and placebo in herpes zoster treatment. Clinical and Experimental Dermatology, 1984, 9, 557-563.	1.3	54
82	Biocide patch tests. Contact Dermatitis, 1985, 12, 99-103.	1.4	53
83	Contact sensitisation in hand eczema patients - relation to subdiagnosis, severity and quality of life: a multicentre study. Contact Dermatitis, 2009, 61, 291-296.	1.4	53
84	Staphylococcus aureus Clonal Dynamics and Virulence Factors in Children with Atopic Dermatitis. Journal of Investigative Dermatology, 2005, 125, 977-982.	0.7	52
85	Dermatitis from common ivy ( <i>Hedera helix</i> L. subsp. <i>helix</i> ) in Europe: past, present, and future. Contact Dermatitis, 2010, 62, 201-209.	1.4	51
86	Nickel in tap water. Contact Dermatitis, 1983, 9, 140-143.	1.4	49
87	Oxidized limonene and oxidized linalool - concomitant contact allergy to common fragrance terpenes. Contact Dermatitis, 2016, 74, 273-280.	1.4	49
88	Patients with multiple contact allergies: a review. Contact Dermatitis, 2007, 58, 071023221110003-???.	1.4	48
89	Occupations at risk of developing contact allergy to isothiazolinones in Danish contact dermatitis patients: results from a Danish multicentre study (2009-2012). Contact Dermatitis, 2014, 71, 295-302.	1.4	48
90	Decrease in the rate of sensitization and clinical allergy to natural rubber latex. Contact Dermatitis, 2015, 73, 21-28.	1.4	48

#	ARTICLE	IF	CITATIONS
91	Histological distinction between early allergic and irritant patch test reactions: follicular spongiosis may be characteristic of early allergic contact dermatitis. <i>Contact Dermatitis</i> , 1999, 41, 207-210.	1.4	47
92	Follow-up of the monitored levels of preservative sensitivity in Europe. Overview of the years 2001-2008. <i>Contact Dermatitis</i> , 2012, 67, 312-314.	1.4	47
93	The guinea-pig: an animal model for human skin absorption of hydrocortisone, testosterone and benzoic acid?. <i>British Journal of Dermatology</i> , 1980, 102, 447-453.	1.5	46
94	Decyl glucoside contact allergy from a sunscreen product. <i>Contact Dermatitis</i> , 2006, 54, 349-350.	1.4	46
95	The dose-response relationship between the patch test and ROAT and the potential use for regulatory purposes. <i>Contact Dermatitis</i> , 2009, 61, 201-208.	1.4	45
96	Deodorants are the leading cause of allergic contact dermatitis to fragrance ingredients*. <i>Contact Dermatitis</i> , 2011, 64, 258-264.	1.4	44
97	Contact allergy to epoxy resin: risk occupations and consequences. <i>Contact Dermatitis</i> , 2012, 67, 73-77.	1.4	44
98	Retrospective evaluation of the consequence of alleged patch test sensitization. <i>Contact Dermatitis</i> , 2006, 55, 30-35.	1.4	42
99	Fragrance mix II in the baseline series contributes significantly to detection of fragrance allergy. <i>Contact Dermatitis</i> , 2010, 63, 270-276.	1.4	41
100	Allergic contact dermatitis from 2-n-octyl-4-isothiazolin-3-one, a paint mildewcide. <i>Contact Dermatitis</i> , 1983, 9, 507-509.	1.4	40
101	Guinea pig maximization tests with formaldehyde releasers. <i>Contact Dermatitis</i> , 1984, 10, 257-266.	1.4	40
102	Triphenyl phosphate allergy from spectacle frames. <i>Contact Dermatitis</i> , 1986, 15, 274-277.	1.4	40
103	Nickel allergy from adolescence to adulthood in the TOACS cohort. <i>Contact Dermatitis</i> , 2013, 68, 348-356.	1.4	40
104	Allergic contact dermatitis to topical metronidazole ? 3 cases. <i>Contact Dermatitis</i> , 2007, 56, 364-366.	1.4	39
105	Allergic contact dermatitis to methyl aminolevulinate after photodynamic therapy in 9 patients. <i>Contact Dermatitis</i> , 2007, 57, 321-323.	1.4	39
106	Contact allergy related to TEA-PEG-3 cocamide sulfate and cocamidopropyl betaine in a shampoo. <i>Contact Dermatitis</i> , 1984, 11, 192-192.	1.4	38
107	Comparison of elicitation potential of chloroatranol and atranol - 2 allergens in oak moss absolute. <i>Contact Dermatitis</i> , 2006, 54, 192-195.	1.4	38
108	Identification and classification of skin sensitizers: identifying false positives and false negatives. <i>Contact Dermatitis</i> , 2006, 55, 268-273.	1.4	38

#	ARTICLE	IF	CITATIONS
109	Occupational contact dermatitis in blue-collar workers: results from a multicentre study from the Danish Contact Dermatitis Group (2003-2012). <i>Contact Dermatitis</i> , 2014, 71, 348-355.	1.4	38
110	Medical Aspects of the Decubitus Ulcer. <i>International Journal of Dermatology</i> , 1982, 21, 265-270.	1.0	37
111	Outcome of a second patch test reading of TRUE Tests® on D6/7. <i>Contact Dermatitis</i> , 2013, 68, 94-97.	1.4	36
112	Stability of selected volatile contact allergens in different patch test chambers under different storage conditions. <i>Contact Dermatitis</i> , 2012, 66, 172-179.	1.4	35
113	Allergic contact dermatitis from octylisothiazolinone. <i>Contact Dermatitis</i> , 2013, 69, 49-52.	1.4	35
114	Positive patch test reactions to oxidized limonene: exposure and relevance. <i>Contact Dermatitis</i> , 2014, 71, 264-272.	1.4	35
115	Worldwide utilization of topical remedies in treatment of psoriasis: a systematic review. <i>Journal of Dermatological Treatment</i> , 2017, 28, 374-383.	2.2	35
116	Multiple application delayed onset contact urticaria: possible relation to certain unusual formalin and textile reactions?. <i>Contact Dermatitis</i> , 1984, 10, 227-234.	1.4	34
117	The prevalence of peanut sensitization and the association to pollen sensitization in a cohort of unselected adolescents - The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS). <i>Pediatric Allergy and Immunology</i> , 2005, 16, 501-506.	2.6	34
118	Historical perspective on the use of visual grading scales in evaluating skin irritation and sensitization. <i>Contact Dermatitis</i> , 2011, 65, 65-75.	1.4	34
119	Experimental elicitation of contact allergy from a diazolidinyl urea-preserved cream in relation to anatomical region, exposure time and concentration. <i>Contact Dermatitis</i> , 2005, 53, 268-277.	1.4	32
120	The Prevalence of Acute Cutaneous Drug Reactions in a Scandinavian University Hospital. <i>Acta Dermato-Venereologica</i> , 2006, 86, 518-522.	1.3	32
121	Patch test concentrations (doses in mg/cm <sup>2</sup> ) for the 12 non-mix fragrance substances regulated by European legislation. <i>Contact Dermatitis</i> , 2012, 66, 131-136.	1.4	32
122	Lipstick dermatitis related to castor oil. <i>Contact Dermatitis</i> , 1984, 11, 253-254.	1.4	31
123	Genome-Wide Expression Analysis of Human In Vivo Irritated Epidermis: Differential Profiles Induced by Sodium Lauryl Sulfate and Nonanoic Acid. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2201-2210.	0.7	30
124	Sensitization to palladium in Europe. <i>Contact Dermatitis</i> , 2015, 72, 11-19.	1.4	30
125	Proposed ICDRG Classification of the Clinical Presentation of Contact Allergy. <i>Dermatitis</i> , 2016, 27, 248-258.	1.6	30
126	Revised Minimal Baseline Series of the International Contact Dermatitis Research Group: Evidence-Based Approach. <i>Dermatitis</i> , 2011, 22, 121-122.	1.6	29



#	ARTICLE	IF	CITATIONS
127	Contact Allergy in Danish Healthcare Workers: A Retrospective Matched Case-control Study. <i>Acta Dermato-Venereologica</i> , 2016, 96, 237-240.	1.3	29
128	Deodorants: an experimental provocation study with isoeugenol. <i>Contact Dermatitis</i> , 2005, 52, 260-267.	1.4	28
129	Anti-irritants I: doseâ€response in acute irritation. <i>Contact Dermatitis</i> , 2006, 55, 148-154.	1.4	28
130	The coumarin herniarin as a sensitizer in German chamomile [ <i>Chamomilla recutita</i> (L.) Rauschert, <i>Compositae</i> ]. <i>Contact Dermatitis</i> , 2010, 62, 338-342.	1.4	28
131	Fluctuations in the prevalence of chromate allergy in Denmark and exposure to chromeâ€tanned leather. <i>Contact Dermatitis</i> , 2010, 63, 340-346.	1.4	28
132	Sensitization patterns in <i>Compositae</i> â€allergic patients with current or past atopic dermatitis. <i>Contact Dermatitis</i> , 2013, 68, 277-285.	1.4	28
133	Further evidence of the methylisothiazolinone epidemic. <i>Contact Dermatitis</i> , 2014, 70, 246-247.	1.4	28
134	Lettuce contact allergy. <i>Contact Dermatitis</i> , 2016, 74, 67-75.	1.4	28
135	Cosmetics and herbal remedies with <i>Compositae</i> plant extracts â€are they tolerated by <i>Compositae</i> -allergic patients?. <i>Contact Dermatitis</i> , 2007, 58, 071023221110002-???	1.4	27
136	New aspects in allergic contact dermatitis. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2008, 8, 428-432.	2.3	27
137	Patch testing with 2.0% (0.60 mg/cm <sup>2</sup> ) formaldehyde instead of 1.0% (0.30) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.4	27
138	How sensitizing is chlorocresol?. <i>Contact Dermatitis</i> , 1984, 11, 11-20.	1.4	26
139	Occupational issues of allergic contact dermatitis. <i>International Archives of Occupational and Environmental Health</i> , 2003, 76, 347-350.	2.3	26
140	Airborne allergic contact dermatitis from 3-iodo-2-propynyl-butylcarbamate at a paint factory. <i>Contact Dermatitis</i> , 2003, 48, 155-157.	1.4	26
141	Long-lasting patch reactions to gold sodium thiosulfate occurs frequently in healthy volunteers. <i>Contact Dermatitis</i> , 2007, 56, 214-217.	1.4	26
142	Extraction of highâ€quality epidermal RNA after ammonium thiocyanateâ€induced dermoâ€epidermal separation of 4â€fmm human skin biopsies. <i>Experimental Dermatology</i> , 2009, 18, 979-984.	2.9	26
143	Positive nickel patch tests in infants are of low clinical relevance and rarely reproducible. <i>Pediatric Allergy and Immunology</i> , 2013, 24, 84-87.	2.6	26
144	Clinical patterns of <i>Compositae</i> dermatitis in Danish monosensitized patients. <i>Contact Dermatitis</i> , 2018, 78, 185-193.	1.4	26

#	ARTICLE	IF	CITATIONS
145	Psoriasis patient preferences for topical drugs: a systematic review. <i>Journal of Dermatological Treatment</i> , 2021, 32, 478-483.	2.2	26
146	Allergens from the Standard Series. , 2006, , 453-492.		26
147	Identification of risk products for fragrance contact allergy: A case-referent study based on patients' histories. <i>American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society</i> , 1998, 9, 80-86.	0.4	25
148	Course of contact allergy in consecutive eczema patients patch tested with TRUE Testtm panels 1 and 2 at least twice over a 12-year period. <i>Contact Dermatitis</i> , 2005, 52, 242-246.	1.4	25
149	Mercaptobenzothiazole or the mercapto-mix: which should be in the standard series?. <i>Contact Dermatitis</i> , 2006, 55, 36-38.	1.4	25
150	Clinical characteristics and real-life diagnostic approaches in all Danish children with hereditary angioedema. <i>Orphanet Journal of Rare Diseases</i> , 2017, 12, 55.	2.7	25
151	ROAT: morphology of ROAT on arm, neck and face in formaldehyde and diazolidinyl urea sensitive individuals. <i>Contact Dermatitis</i> , 2006, 54, 21-24.	1.4	24
152	Characterization of the polysensitized patient: a matched caseâ€“control study. <i>Contact Dermatitis</i> , 2009, 61, 22-30.	1.4	24
153	Patch Testing To a Textile Dye Mix by the International Contact Dermatitis Research Group. <i>Dermatitis</i> , 2015, 26, 170-176.	1.6	24
154	Anti-irritants II: efficacy against cumulative irritation. <i>Contact Dermatitis</i> , 2006, 55, 155-159.	1.4	23
155	Allergic contact dermatitis from oleyl alcohol in Elidelï¿½cream. <i>Contact Dermatitis</i> , 2006, 55, 354-356.	1.4	23
156	Experimental elicitation with hydroxyisohexyl-3-cyclohexene carboxaldehyde-containing deodorants. <i>Contact Dermatitis</i> , 2007, 56, 146-150.	1.4	23
157	Pharmacokinetic and clinical comparison of two 8-methoxypsoralen brands. <i>Archives of Dermatological Research</i> , 1980, 268, 23-29.	1.9	22
158	Type I Sensitization in Adolescents: Prevalence and Association with Atopic Dermatitis. <i>Acta Dermato-Venereologica</i> , 2003, 83, 194-201.	1.3	22
159	Association between positive patch tests to epoxy resin and fragrance mix I ingredients. <i>Contact Dermatitis</i> , 2009, 60, 155-157.	1.4	22
160	Health-related Quality of Life in Danish Patients with Hereditary Angioedema. <i>Acta Dermato-Venereologica</i> , 2015, 95, 225-226.	1.3	22
161	Medical adherence to topical corticosteroid preparations prescribed for psoriasis: A systematic review. <i>Journal of Dermatological Treatment</i> , 2017, 28, 32-39.	2.2	22
162	Multicenter Patch Testing With Methylisothiazolinone and Methylchlorisothiazolinone/Methylisothiazolinone Within the International Contact Dermatitis Research Group. <i>Dermatitis</i> , 2017, 28, 210-214.	1.6	22

#	ARTICLE	IF	CITATIONS
163	Allergic contact dermatitis from fluocortolone, fluocortolone pivalate and fluocortolone caproate. <i>Contact Dermatitis</i> , 1977, 3, 337-340.	1.4	21
164	Nickel-sulphate-induced contact dermatitis in the guinea pig maximization test: a dose-response study. <i>Contact Dermatitis</i> , 1991, 24, 35-39.	1.4	21
165	Miconidin and miconidin methyl ether from <i>Primula obconica</i> Hance: new allergens in an old sensitizer. <i>Contact Dermatitis</i> , 2006, 55, 203-209.	1.4	21
166	Screening for Compositae sensitization with pure allergens: implications of molecular structure, strength of reaction, and time of testing. <i>Contact Dermatitis</i> , 2011, 64, 96-103.	1.4	21
167	Airborne allergic contact dermatitis caused by methylisothiazolinone in a child sensitized from wet wipes. <i>Contact Dermatitis</i> , 2014, 70, 183-184.	1.4	21
168	Patch testing with a textile dye mixture—a multicentre study. <i>Contact Dermatitis</i> , 2014, 71, 215-223.	1.4	21
169	IPPD contact allergy from an orthopedic bandage. <i>Contact Dermatitis</i> , 1987, 17, 119-121.	1.4	20
170	Allergic contact dermatitis to ethylhexylglycerin in a cream. <i>Contact Dermatitis</i> , 2007, 57, 193-194.	1.4	20
171	Allergic contact dermatitis to ethylhexylglycerin and pentylene glycol. <i>Contact Dermatitis</i> , 2009, 61, 180-180.	1.4	20
172	Systemic allergic dermatitis caused by <i>Asteraceae</i> root vegetables. <i>Contact Dermatitis</i> , 2014, 70, 98-103.	1.4	20
173	Undisclosed methylisothiazolinone in an ultrasound gel causing occupational allergic contact dermatitis. <i>Contact Dermatitis</i> , 2014, 71, 312-313.	1.4	20
174	Reduced content of chloroatranol and atranol in oak moss absolute significantly reduces the elicitation potential of this fragrance material. <i>Contact Dermatitis</i> , 2015, 72, 75-83.	1.4	20
175	Persistent Skin Reactions and Aluminium Hypersensitivity Induced by Childhood Vaccines. <i>Acta Dermato-Venereologica</i> , 2016, 96, 967-971.	1.3	20
176	The reproducibility of nickel, cobalt and chromate sensitization in patients tested at least twice in the period 1992–2014 with TRUE Test®. <i>Contact Dermatitis</i> , 2016, 75, 111-113.	1.4	20
177	Reproducibility of the chamber scarification test. <i>Contact Dermatitis</i> , 1996, 34, 181-184.	1.4	19
178	A study of the enhanced sensitizing capacity of a contact allergen in lipid vesicle formulations. <i>Toxicology and Applied Pharmacology</i> , 2011, 252, 221-227.	2.8	19
179	Recall Bias in Childhood Atopic Diseases Among Adults in The Odense Adolescence Cohort Study. <i>Acta Dermato-Venereologica</i> , 2015, 95, 968-972.	1.3	19
180	Atopic diseases and type I sensitization from adolescence to adulthood in an unselected population (<sc>TOACS</sc>) with focus on predictors for allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 308-317.	5.7	19

#	ARTICLE	IF	CITATIONS
181	Cost benefit of patch testing with textile finish resins. <i>Contact Dermatitis</i> , 1982, 8, 64-67.	1.4	18
182	Multicentre patch test studies: are they worth the effort?. <i>Contact Dermatitis</i> , 1998, 38, 222-223.	1.4	18
183	Atopy Patch Tests in Young Adult Patients with Atopic Dermatitis and Controls: Dose-response Relationship, Objective Reading, Reproducibility and Clinical Interpretation. <i>Acta Dermato-Venereologica</i> , 2003, 83, 18-23.	1.3	18
184	Fragrance mix I patch test reactions in 5006 consecutive dermatitis patients tested simultaneously with TRUE Test <sup>®</sup> and Trolab <sup>®</sup> test material. <i>Contact Dermatitis</i> , 2010, 63, 248-253.	1.4	18
185	Patch testing with methylchloroisothiazolinone/methylisothiazolinone 200‰ppm aq. detects significantly more contact allergy than 100‰ppm. A multicentre study within the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , 2014, 71, 31-34.	1.4	18
186	Methylisothiazolinone in a designer spectacle frame‰‰a surprising finding. <i>Contact Dermatitis</i> , 2016, 75, 310-312.	1.4	18
187	Testing for Contact Allergy in Experimental Animals. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1987, 61, 1-8.	0.0	17
188	Cutaneous Adverse Drug Reactions Seen at a University Hospital Department of Dermatology. <i>Acta Dermato-Venereologica</i> , 2006, 86, 523-527.	1.3	17
189	Ethosome Formulations of Known Contact Allergens can Increase their Sensitizing Capacity. <i>Acta Dermato-Venereologica</i> , 2010, 90, 374-378.	1.3	17
190	Triethylene glycol bis(2‰ethylhexanoate)‰‰a new contact allergen identified in a spectacle frame. <i>Contact Dermatitis</i> , 2014, 70, 112-116.	1.4	17
191	Anti-inflammatory potency testing of topical corticosteroids and calcineurin inhibitors in human volunteers sensitized to diphenylcyclopropanone. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1719-1728.	2.4	17
192	Sensitivity to a flame retardant, Tris(2,3-dibromopropyl)phosphate (Firemaster LVT 23 P). <i>Contact Dermatitis</i> , 1977, 3, 297-300.	1.4	16
193	Is Cytos <sup>®</sup> 3522 (10% methylene-bis-thiocyanate) a human skin sensitizer?. <i>Contact Dermatitis</i> , 1983, 9, 186-189.	1.4	16
194	Contact sensitivity and bioavailability of chlorocresol. <i>Contact Dermatitis</i> , 1985, 13, 246-251.	1.4	16
195	Pyrocatechol contact allergy from a permanent cream dye for eyelashes and eyebrows. <i>Contact Dermatitis</i> , 1988, 18, 306-307.	1.4	16
196	Should carba mix be reintroduced into the European baseline series?. <i>Contact Dermatitis</i> , 2016, 75, 48-50.	1.4	16
197	Comparison of the effect of glycerol and triamcinolone acetonide on cumulative skin irritation in a randomized trial. <i>Journal of the American Academy of Dermatology</i> , 2007, 56, 228-235.	1.2	15
198	Allergic contact dermatitis from retinyl palmitate in polycaprolactone. <i>Contact Dermatitis</i> , 2007, 56, 288-289.	1.4	15

#	ARTICLE	IF	CITATIONS
199	The reaction index and positivity ratio revisited. <i>Contact Dermatitis</i> , 2008, 58, 28-31.	1.4	15
200	Fluctuations in the prevalence of nickel and cobalt allergy in eczema patients patch tested after implementation of the nickel regulation in Denmark. <i>Contact Dermatitis</i> , 2011, 64, 126-131.	1.4	15
201	Allergic Reaction to Drugs Used Topically. <i>Clinical Toxicology</i> , 1980, 16, 415-465.	0.5	14
202	Persistent reactions after patch testing with TRUE Test™ panels 1 and 2. <i>Contact Dermatitis</i> , 1998, 38, 218-220.	1.4	14
203	Allergic Contact Dermatitis from a Topical Corticosteroid Mimicking Acute Generalized Exanthematous Pustulosis. <i>Acta Dermato-Venereologica</i> , 2005, 85, 444-445.	1.3	14
204	Allergic contact dermatitis from cera alba (purified propolis) in a lip balm and candy. <i>Contact Dermatitis</i> , 2006, 55, 312-313.	1.4	14
205	Pyoderma gangraenosum as a complication to knee arthroscopy. <i>Knee</i> , 2009, 16, 299-300.	1.6	14
206	Occupational allergic contact dermatitis to hydroxyethyl methacrylate (2â€HEMA) in a manicurist. <i>Contact Dermatitis</i> , 2009, 61, 48-50.	1.4	14
207	Occupational cobaltâ€allergic contact dermatitis resulting from polyester resin. <i>Contact Dermatitis</i> , 2010, 63, 292-294.	1.4	14
208	Sunflower seeds as eliciting agents of Compositae dermatitis. <i>Contact Dermatitis</i> , 2015, 72, 172-177.	1.4	14
209	Screening for Compositae contact sensitization with sesquiterpene lactones and Compositae mix 2.5% pet. <i>Contact Dermatitis</i> , 2019, 81, 368-373.	1.4	14
210	Improving psoriasis patientsâ€™ adherence to topical drugs: a systematic review. <i>Journal of Dermatological Treatment</i> , 2020, 31, 776-785.	2.2	14
211	Allergens from the European Baseline Series. , 2011, , 545-590.		14
212	Diethylthiourea contact dermatitis from an acidic detergent. <i>Contact Dermatitis</i> , 1983, 9, 146-146.	1.4	13
213	Allergic hand dermatitis from 2-hydroxyethyl-acrylate in contact lenses. <i>Contact Dermatitis</i> , 1986, 15, 188-189.	1.4	13
214	Ethylhexylglycerinâ€™a Contact Allergen in Cosmetic Products. <i>Dermatitis</i> , 2012, 23, 291.	1.6	13
215	Tomato contact dermatitis. <i>Contact Dermatitis</i> , 2012, 67, 321-327.	1.4	13
216	Allergenic sesquiterpene lactones from cushion bush ( <i>Leucophyta brownii</i> Cass.): new and old sensitizers in a shrubâ€turnedâ€pot plant. <i>Contact Dermatitis</i> , 2017, 76, 280-286.	1.4	13

#	ARTICLE	IF	CITATIONS
217	Excipient and Dose per Unit Area Affect Sensitivity When Patch Testing With Gold Sodium Thiosulfate. <i>Contact Dermatitis</i> , 2018, 29, 258-263.	1.6	13
218	Twenty-eight-day follow-up of patch test reactions to phenylenediamine and phenylenediamine dihydrochloride: A multicentre study on behalf of the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , 2019, 81, 1-8.	1.4	13
219	Occupational irritant contact folliculitis associated with triphenyl tin fluoride (TPTF) exposure. <i>Contact Dermatitis</i> , 1982, 8, 173-177.	1.4	12
220	Allergic contact dermatitis from a condensate of boric acid, monoethanolamine and fatty acids in a metalworking fluid. <i>Contact Dermatitis</i> , 2003, 49, 45-46.	1.4	12
221	Can an app supporting psoriasis patients improve adherence to topical treatment? A single-blind randomized controlled trial. <i>BMC Dermatology</i> , 2018, 18, 2.	2.1	12
222	Revised Baseline Series of the International Contact Research Group. <i>Dermatitis</i> , 2020, 31, e5-e7.	1.6	12
223	Patch test reactivity to feverfew-containing creams in feverfew-allergic patients. <i>Contact Dermatitis</i> , 2010, 63, 146-150.	1.4	11
224	Percutaneous penetration characteristics and release kinetics of contact allergens encapsulated in ethosomes. <i>Cutaneous and Ocular Toxicology</i> , 2011, 30, 38-44.	1.3	11
225	Patch testing with constituents of <i>Compositae mixtes</i> . <i>Contact Dermatitis</i> , 2012, 66, 241-246.	1.4	11
226	Prevalence of allergic contact dermatitis caused by hydroxyisohexyl 3-cyclohexene carboxaldehyde has not changed in Denmark. <i>Contact Dermatitis</i> , 2012, 67, 49-51.	1.4	11
227	Phenylephrine is a frequent cause of periorbital allergic contact dermatitis. <i>Contact Dermatitis</i> , 2015, 73, 64-65.	1.4	11
228	Contact allergy to 1,2-benzisothiazolin-3-one. <i>Contact Dermatitis</i> , 2016, 75, 324-326.	1.4	11
229	Multicenter Patch Testing With Methylchloroisothiazoline/Methylisothiazolinone in 100 and 200 ppm Within the International Contact Dermatitis Research Group. <i>Dermatitis</i> , 2017, 28, 215-218.	1.6	11
230	Sex chromosomal anomalies: a possible association with leg ulcers. <i>Clinical and Experimental Dermatology</i> , 1979, 4, 223-226.	1.3	10
231	Allergens from the Standard Series. , 2001, , 605-658.		10
232	Long-term improvement of psoriasis patients' adherence to topical drugs: testing a patient-supporting intervention delivered by healthcare professionals. <i>Trials</i> , 2021, 22, 742.	1.6	10
233	Allergic contact dermatitis from sodium dihydroxycetyl phosphate, a new cosmetic allergen?. <i>Contact Dermatitis</i> , 2001, 45, 143-145.	1.4	9
234	Identification of Cowpox Infection in a 13-year-old Danish Boy. <i>Acta Dermato-Venereologica</i> , 2008, 88, 188-190.	1.3	9

#	ARTICLE	IF	CITATIONS
235	Concordance of patch test results with four new TRUE <sup>®</sup> test allergens compared with the same allergens from Chemotechnique <sup>®</sup> . Contact Dermatitis, 2009, 60, 59-59.	1.4	9
236	Ethosome formulation of contact allergens may enhance patch test reactions in patients <sup>*</sup> . Contact Dermatitis, 2010, 63, 209-214.	1.4	9
237	Psoralen plus ultraviolet A (PUVA) soaks and UVB TL01 treatment for chronic hand dermatoses. Dermatology Reports, 2012, 4, e3.	0.8	9
238	Investigation of the homogeneity of methacrylate allergens in commercially available patch test preparations. Contact Dermatitis, 2013, 69, 239-244.	1.4	9
239	Contact sensitization to calocephalin, a sesquiterpene lactone of the guaianolide type from cushion bush (Leucophyta brownii, Compositae). Contact Dermatitis, 2013, 69, n/a-n/a.	1.4	9
240	Undisclosed presence of methylisothiazolinone in "100% natural"™ Konjac <sup>®</sup> sponge. Contact Dermatitis, 2016, 75, 308-309.	1.4	9
241	eHealth Technologies as an intervention to improve adherence to topical antipsoriatics: a systematic review. Journal of Dermatological Treatment, 2018, 29, 123-128.	2.2	9
242	Pros and cons of eHealth: A systematic review of the literature and observations in Denmark. SAGE Open Medicine, 2021, 9, 205031212110161.	1.8	9
243	Flare <sup>up</sup> of dermatitis following patch testing is more common in polysensitized patients. Contact Dermatitis, 2010, 63, 289-290.	1.4	8
244	Multicentre patch testing with methylisothiazolinone by the European Environmental and Contact Dermatitis Research Group. Contact Dermatitis, 2014, 70, 317-320.	1.4	8
245	Parthenolide in Danish biodynamic and organic milk: A new source of exposure to an allergenic sesquiterpene lactone. Contact Dermatitis, 2018, 79, 208-212.	1.4	8
246	How to do sensitization tests in guinea pigs. Contact Dermatitis, 1994, 31, 278-279.	1.4	7
247	Allergic contact dermatitis from sodium stearoyl lactylate, an emulsifier commonly used in food products. Contact Dermatitis, 2005, 53, 116-116.	1.4	7
248	Patch testing with myristyl alcohol. Contact Dermatitis, 2006, 55, 366-367.	1.4	7
249	Targeted testing with diethylthiourea often reveals clinically relevant allergic contact dermatitis caused by neoprene rubber. Contact Dermatitis, 2012, 67, 89-93.	1.4	7
250	Psoriasis patients' experiences concerning medical adherence to treatment with topical corticosteroids. Psoriasis: Targets and Therapy, 2016, Volume 6, 113-119.	2.2	7
251	Occupational allergic airborne contact dermatitis caused by pethoxamid "a new herbicide. Contact Dermatitis, 2016, 74, 315-316.	1.4	7
252	The gene expression and immunohistochemical time <sup>course</sup> of diphenylcyclopropenone <sup>induced</sup> contact allergy in healthy humans following repeated epicutaneous challenges. Experimental Dermatology, 2017, 26, 926-933.	2.9	7

#	ARTICLE	IF	CITATIONS
253	Formaldehyde in a hypoallergenic non-woven textile acrylate tape. Contact Dermatitis, 1983, 9, 228-228.	1.4	6
254	Systemic symptoms related to patch tests with UV curable acrylic monomers.. Contact Dermatitis, 1986, 14, 180-180.	1.4	6
255	Microvesicle Formulations Used in Topical Drugs and Cosmetics Affect Product Efficiency, Performance and Allergenicity. Dermatitis, 2010, 21, 243-247.	1.6	6
256	Encapsulating contact allergens in liposomes, ethosomes, and polycaprolactone may affect their sensitizing properties. Cutaneous and Ocular Toxicology, 2011, 30, 116-123.	1.3	6
257	A Growth Curve Model with Fractional Polynomials for Analysing Incomplete Time-Course Data in Microarray Gene Expression Studies. Advances in Bioinformatics, 2011, 2011, 1-6.	5.7	6
258	Contact sensitization to <i>Geranium robertianum</i> L. in an amateur gardener. Contact Dermatitis, 2015, 72, 420-421.	1.4	6
259	Low patch test reactivity to nickel in unselected adolescents tested repeatedly with nickel in infancy. Pediatric Allergy and Immunology, 2016, 27, 636-639.	2.6	6
260	Occupational allergic contact dermatitis caused by heroin (diacetylmorphine) and morphine. Contact Dermatitis, 2016, 74, 301-302.	1.4	6
261	Contact Allergy to Fragrance Mix II and Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde: A Retrospective Study by International Contact Dermatitis Research Group. Dermatitis, 2020, 31, 268-271.	1.6	6
262	Allergic contact dermatitis from formaldehyde in Fucidin® ointment. Contact Dermatitis, 1983, 9, 78-79.	1.4	5
263	The Allergen Bank: The Idea Behind It and the Preliminary Results with It. Current Problems in Dermatology, 1995, 22, 1-7.	0.7	5
264	Non-specific hyperreactivity related to the use of Freund's complete adjuvant. Contact Dermatitis, 1996, 35, 127-127.	1.4	5
265	2-Amino-4-hydroxyethylaminoanisole sulfate "a coupler causing contact allergy from use in hair dyes. Contact Dermatitis, 2016, 74, 102-104.	1.4	5
266	Screening for Gold Sensitization in Consecutive Eczema Patients: Prevalence, Relevance, and Sources of Exposure. Dermatitis, 2019, 30, 222-226.	1.6	5
267	Patch Testing With Formaldehyde 2.0% (0.60 mg/cm <sup>2</sup> ) Detects More Contact Allergy to Formaldehyde Than 1.0%. Dermatitis, 2019, 30, 342-346.	1.6	5
268	Contact sensitization to florists' chrysanthemums and marguerite daisies in Denmark: A 21-year experience. Contact Dermatitis, 2020, 82, 18-23.	1.4	5
269	Increased retest reactivity by both patch and use test with methyl dibromoglutaronitrile in sensitized individuals. Acta Dermato-Venereologica, 2006, 86, 8-12.	1.3	5
270	Guinea Pig Allergy Tests: an Overview. Toxicology and Industrial Health, 1985, 1, 43-66.	1.4	4



#	ARTICLE	IF	CITATIONS
271	Allergic contact dermatitis. Clinics in Dermatology, 1997, 15, 645-654.	1.6	4
272	10. Atopic hand eczema and treatment strategies. Acta Dermato-Venereologica, 2005, 85, 45-48.	1.3	4
273	Allergic contact dermatitis caused by the emulsifier tricetarethâ€”phosphate. Contact Dermatitis, 2012, 66, 159-160.	1.4	4
274	Allergic contact dermatitis caused by mepyramine in topical products. Contact Dermatitis, 2015, 73, 255-256.	1.4	4
275	Hesperidin methyl chalconeâ€”a new cosmetic contact allergen. Contact Dermatitis, 2015, 72, 402-404.1.4	1.4	4
276	Generalized Correlation Coefficient for Non-Parametric Analysis of Microarray Time-Course Data. Journal of Integrative Bioinformatics, 2017, 14, .	1.5	4
277	Successful Treatment of Toxic Epidermal Necrolysis/Stevens-Johnson Syndrome Overlap with Human Granulocyte Colony Stimulating Factor: A Case Report. Acta Dermato-Venereologica, 2012, 92, 212-213.	1.3	3
278	Different concentrations and volumes of <i>p</i>â€”phenylenediamine in pet. (equivalent doses) are associated with similar patch test outcomes: a pilot study. Contact Dermatitis, 2018, 78, 335-340.	1.4	3
279	Allergens from the Standard Series. , 1995, , 413-458.		3
280	Contact dermatitis in children caused by diabetes devices. Contact Dermatitis, 0, , .	1.4	3
281	Validity of reaction index and positivity ratio?. Contact Dermatitis, 2008, 58, 320-320.	1.4	2
282	The diagnostic value of patch tests with two fragrance mix I preparations for detection of clinically relevant perfume allergy. Contact Dermatitis, 2012, 66, 350-352.	1.4	2
283	Generalized allergic contact dermatitis caused by methylisothiazolinone in a spray tan. Contact Dermatitis, 2015, 73, 184-185.	1.4	2
284	Dermatology nurses view on factors related to Danish psoriasis patientsâ€™ adherence to topical drugs: a focus group study. Journal of Dermatological Treatment, 2019, 32, 1-6.	2.2	2
285	Response to: Positive reactions to gold sodium thiosulfate in patch test panels (TRUE Test) in Japan: A multicentre study. Contact Dermatitis, 2019, 81, 156-156.	1.4	2
286	Predictive testing with 5-fluorouracil. Contact Dermatitis, 1979, 5, 404-404.	1.4	1
287	Evaluation of Allergic Potential of Rubber Products: Comparison of Sample Preparation Methods for the Testing of Polymeric Medical Devices. Cutaneous and Ocular Toxicology, 2003, 22, 169-185.	0.3	1
288	Patch testing with constituents of sesquiterpene lactoneâ€”containing mixes: time of application is important. Contact Dermatitis, 2012, 66, 354-355.	1.4	1

#	ARTICLE	IF	CITATIONS
289	Contact sensitization to dittany of Crete ( <i>Origanum dictamnus</i> ) in a herbal remedy. Contact Dermatitis, 2012, 67, 114-116.	1.4	1
290	Patch Testing With Methylchloroisothiazolinone/Methylisothiazolinone Using a New Diagnostic Mixâ€”A Multicenter Study From the International Contact Dermatitis Research Group. Dermatitis, 2021, 32, 220-224.	1.6	1
291	Allergens from the Standard Series. , 1992, , 413-456.		1
292	Preservatives. , 2016, , 147-157.		1
293	A comparison of patch testing with nickel sulfate in <sc>TRUE</sc> Test and in petrolatum at 2.5% and 5% concentrations. Contact Dermatitis, 2022, 86, 233-234.	1.4	1
294	Models for Preclinical Testing of Allergy. Drug Information Journal, 1997, 31, 1341-1345.	0.5	0
295	Short-time, High-dosage Penicillin Infusion Therapy of Syphilis: An Alternative to Recommended Regimens?. Acta Dermato-Venereologica, 2003, 83, 365-368.	1.3	0
296	FS10.â€™10 years experience with the Allergen Bank. Contact Dermatitis, 2008, 50, 160-160.	1.4	0
297	Potency and trends of contact sensitisation in humans with regard to consumer products. Toxicology Letters, 2009, 189, S27.	0.8	0
298	Nanotechnology and Skin. , 2012, , 747-753.		0
299	Compositae sensitization in Danish children and adolescents. Contact Dermatitis, 2020, 83, 296-300.	1.4	0
300	Patch Testing With a New Composition of the Mercapto Mixâ€”A Multicenter Study from the International Contact Dermatitis Research Group. Dermatitis, 2021, 32, 160-163.	1.6	0
301	Helpdesk and Allergen Supply of Rare Allergens. , 2012, , 899-901.		0
302	The Use of Visual Grading Scales in Evaluating Skin Irritation and Sensitization: A Historical Perspective. , 2014, , 369-381.		0
303	How to Select Extra Allergens and Problematic Allergens. , 2014, , 73-80.		0
304	Patch testing with constituents of Compositae mixes. Contact Dermatitis, 2012, , no-no.	1.4	0
305	Occupational contact dermatitis from <i>Senecio barbersonicus</i> â€”Himalayaâ€”. Contact Dermatitis, 2022, 87, 197-198.	1.4	0