

Klaus Ejner Andersen

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/5354293/publications.pdf>

Version: 2024-02-01

305
papers

13,658
citations

15504
65
h-index

31849
101
g-index

306
all docs

306
docs citations

306
times ranked

6310
citing authors

#	ARTICLE	IF	CITATIONS
1	A comparison of patch testing with nickel sulfate in <scp>TRUE</scp> Test and in petrolatum at 2.5% and 5% concentrations. Contact Dermatitis, 2022, 86, 233-234.	1.4	1
2	Guidelines for diagnosis, prevention, and treatment of hand eczema. Contact Dermatitis, 2022, 86, 357-378.	1.4	83
3	Occupational contact dermatitis from <i>Senecio barbertonicus</i> â€œHimalayaâ€œ. Contact Dermatitis, 2022, 87, 197-198.	1.4	0
4	Psoriasis patient preferences for topical drugs: a systematic review. Journal of Dermatological Treatment, 2021, 32, 478-483.	2.2	26
5	Patch Testing With a New Composition of the Mercapto Mixâ€™A Multicenter Study from the International Contact Dermatitis Research Group. Dermatitis, 2021, 32, 160-163.	1.6	0
6	Patch Testing With Methylchloroisothiazolinone/Methylisothiazolinone Using a New Diagnostic Mixâ€™A Multicenter Study From the International Contact Dermatitis Research Group. Dermatitis, 2021, 32, 220-224.	1.6	1
7	Pros and cons of eHealth: A systematic review of the literature and observations in Denmark. SAGE Open Medicine, 2021, 9, 205031212110161.	1.8	9
8	Long-term improvement of psoriasis patientsâ€™ adherence to topical drugs: testing a patient-supporting intervention delivered by healthcare professionals. Trials, 2021, 22, 742.	1.6	10
9	Improving psoriasis patientsâ€™ adherence to topical drugs: a systematic review. Journal of Dermatological Treatment, 2020, 31, 776-785.	2.2	14
10	Contact sensitization to floristsâ€™ chrysanthemums and marguerite daisies in Denmark: A 21â€™year experience. Contact Dermatitis, 2020, 82, 18-23.	1.4	5
11	Contact Allergy to Fragrance Mix II and Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde: A Retrospective Study by International Contact Dermatitis Research Group. Dermatitis, 2020, 31, 268-271.	1.6	6
12	Revised Baseline Series of the International Contact Research Group. Dermatitis, 2020, 31, e5-e7.	1.6	12
13	Compositae sensitization in Danish children and adolescents. Contact Dermatitis, 2020, 83, 296-300.	1.4	0
14	Screening for Compositae contact sensitization with sesquiterpene lactones and Compositae mix 2.5% pet. Contact Dermatitis, 2019, 81, 368-373.	1.4	14
15	Dermatology nurses view on factors related to Danish psoriasis patientsâ€™ adherence to topical drugs: a focus group study. Journal of Dermatological Treatment, 2019, 32, 1-6.	2.2	2
16	Twentyâ€™eightâ€™day followâ€™up of patch test reactions to pâ€™phenylenediamine and pâ€™phenylenediamine dihydrochloride: A multicentre study on behalf of the European Environmental and Contact Dermatitis Research Group. Contact Dermatitis, 2019, 81, 1-8.	1.4	13
17	Response to: Positive reactions to gold sodium thiosulfate in patch test panels (TRUE Test) in Japan: A multicentre study. Contact Dermatitis, 2019, 81, 156-156.	1.4	2
18	Screening for Gold Sensitization in Consecutive Eczema Patients: Prevalence, Relevance, and Sources of Exposure. Dermatitis, 2019, 30, 222-226.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Patch Testing With Formaldehyde 2.0% (0.60 mg/cm ²) Detects More Contact Allergy to Formaldehyde Than 1.0%. <i>Dermatitis</i> , 2019, 30, 342-346.	1.6	5
20	Atopic diseases and type I sensitization from adolescence to adulthood in an unselected population (<sc>TOACS</sc>) with focus on predictors for allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 308-317.	5.7	19
21	Anti-inflammatory potency testing of topical corticosteroids and calcineurin inhibitors in human volunteers sensitized to diphenylcyclopropenone. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1719-1728.	2.4	17
22	Allergic contact dermatitis caused by nail acrylates in Europe. An EECDRG study. <i>Contact Dermatitis</i> , 2018, 78, 254-260.	1.4	74
23	eHealth Technologies as an intervention to improve adherence to topical antipsoriatics: a systematic review. <i>Journal of Dermatological Treatment</i> , 2018, 29, 123-128.	2.2	9
24	Clinical patterns of <sc>C</sc>ompositae dermatitis in <sc>D</sc>anish monosensitized patients. <i>Contact Dermatitis</i> , 2018, 78, 185-193.	1.4	26
25	Excipient and Dose per Unit Area Affect Sensitivity When Patch Testing With Gold Sodium Thiosulfate. <i>Dermatitis</i> , 2018, 29, 258-263.	1.6	13
26	Parthenolide in Danish biodynamic and organic milk: A new source of exposure to an allergenic sesquiterpene lactone. <i>Contact Dermatitis</i> , 2018, 79, 208-212.	1.4	8
27	Can an app supporting psoriasis patients improve adherence to topical treatment? A single-blind randomized controlled trial. <i>BMC Dermatology</i> , 2018, 18, 2.	2.1	12
28	Different concentrations and volumes of <i>p</i>-phenylenediamine in pet. (equivalent doses) are associated with similar patch test outcomes: a pilot study. <i>Contact Dermatitis</i> , 2018, 78, 335-340.	1.4	3
29	Medical adherence to topical corticosteroid preparations prescribed for psoriasis: A systematic review. <i>Journal of Dermatological Treatment</i> , 2017, 28, 32-39.	2.2	22
30	Allergenic sesquiterpene lactones from cushion bush (<i>Leucophyta brownii</i> Cass.): new and old sensitizers in a shrub-turned-pot plant. <i>Contact Dermatitis</i> , 2017, 76, 280-286.	1.4	13
31	Multicenter Patch Testing With Methylisothiazolinone and Methylchlorisothiazolinone/Methylisothiazolinone Within the International Contact Dermatitis Research Group. <i>Dermatitis</i> , 2017, 28, 210-214.	1.6	22
32	Multicenter Patch Testing With Methylchlorisothiazoline/Methylisothiazolinone in 100 and 200 ppm Within the International Contact Dermatitis Research Group. <i>Dermatitis</i> , 2017, 28, 215-218.	1.6	11
33	The gene expression and immunohistochemical time-course of diphenylcyclopropenone-induced contact allergy in healthy humans following repeated epicutaneous challenges. <i>Experimental Dermatology</i> , 2017, 26, 926-933.	2.9	7
34	Clinical characteristics and real-life diagnostic approaches in all Danish children with hereditary angioedema. <i>Orphanet Journal of Rare Diseases</i> , 2017, 12, 55.	2.7	25
35	The epidemic of methylisothiazolinone: a <sc>E</sc>uropean prospective study. <i>Contact Dermatitis</i> , 2017, 76, 272-279.	1.4	76
36	Generalized Correlation Coefficient for Non-Parametric Analysis of Microarray Time-Course Data. <i>Journal of Integrative Bioinformatics</i> , 2017, 14, .	1.5	4

#	ARTICLE	IF	CITATIONS
37	Worldwide utilization of topical remedies in treatment of psoriasis: a systematic review. Journal of Dermatological Treatment, 2017, 28, 374-383.	2.2	35
38	Psoriasis patients's experiences concerning medical adherence to treatment with topical corticosteroids. Psoriasis: Targets and Therapy, 2016, Volume 6, 113-119.	2.2	7
39	Persistent Skin Reactions and Aluminium Hypersensitivity Induced by Childhood Vaccines. Acta Dermato-Venereologica, 2016, 96, 967-971.	1.3	20
40	Contact Allergy in Danish Healthcare Workers: A Retrospective Matched Case-control Study. Acta Dermato-Venereologica, 2016, 96, 237-240.	1.3	29
41	Low patch test reactivity to nickel in unselected adolescents tested repeatedly with nickel in infancy. Pediatric Allergy and Immunology, 2016, 27, 636-639.	2.6	6
42	Oxidized limonene and oxidized linalool – concomitant contact allergy to common fragrance terpenes. Contact Dermatitis, 2016, 74, 273-280.	1.4	49
43	2-Amino-4-hydroxyethylaminoanisole sulfate – a coupler causing contact allergy from use in hair dyes. Contact Dermatitis, 2016, 74, 102-104.	1.4	5
44	Occupational allergic contact dermatitis caused by heroin (diacetylmorphine) and morphine. Contact Dermatitis, 2016, 74, 301-302.	1.4	6
45	Should carba mix be reintroduced into the European baseline series?. Contact Dermatitis, 2016, 75, 48-50.	1.4	16
46	Lettuce contact allergy. Contact Dermatitis, 2016, 74, 67-75.	1.4	28
47	The reproducibility of nickel, cobalt and chromate sensitization in patients tested at least twice in the period 1992–2014 with TRUE Test®. Contact Dermatitis, 2016, 75, 111-113.	1.4	20
48	Contact allergy to 1,2-benzisothiazolin-3-one. Contact Dermatitis, 2016, 75, 324-326.	1.4	11
49	Methylisothiazolinone in a designer spectacle frame – a surprising finding. Contact Dermatitis, 2016, 75, 310-312.	1.4	18
50	Undisclosed presence of methylisothiazolinone in –100% natural– Konjac® sponge. Contact Dermatitis, 2016, 75, 308-309.	1.4	9
51	Proposed ICDRG Classification of the Clinical Presentation of Contact Allergy. Dermatitis, 2016, 27, 248-258.	1.6	30
52	Occupational allergic airborne contact dermatitis caused by pethoxamid – a new herbicide. Contact Dermatitis, 2016, 74, 315-316.	1.4	7
53	Preservatives. , 2016, , 147-157.		1
54	Sunflower seeds as eliciting agents of Compositae dermatitis. Contact Dermatitis, 2015, 72, 172-177.	1.4	14

#	ARTICLE	IF	CITATIONS
55	European Society of Contact Dermatitis guideline for diagnostic patch testing – recommendations on best practice. Contact Dermatitis, 2015, 73, 195-221.	1.4	1,012
56	Atopic dermatitis from adolescence to adulthood in the <scp>TOACS</scp> cohort: prevalence, persistence and comorbidities. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 836-845.	5.7	197
57	Contact sensitization to <i>Geranium robertianum</i> L. in an amateur gardener. Contact Dermatitis, 2015, 72, 420-421.	1.4	6
58	Guidelines for diagnosis, prevention and treatment of hand eczema. JDDG - Journal of the German Society of Dermatology, 2015, 13, e1-22.	0.8	158
59	Generalized allergic contact dermatitis caused by methylisothiazolinone in a spray tan. Contact Dermatitis, 2015, 73, 184-185.	1.4	2
60	Allergic contact dermatitis caused by mepyramine in topical products. Contact Dermatitis, 2015, 73, 255-256.	1.4	4
61	Decrease in the rate of sensitization and clinical allergy to natural rubber latex. Contact Dermatitis, 2015, 73, 21-28.	1.4	48
62	Patch Testing To a Textile Dye Mix by the International Contact Dermatitis Research Group. Dermatitis, 2015, 26, 170-176.	1.6	24
63	Recall Bias in Childhood Atopic Diseases Among Adults in The Odense Adolescence Cohort Study. Acta Dermato-Venereologica, 2015, 95, 968-972.	1.3	19
64	Reduced content of chloroatranol and atranol in oak moss absolute significantly reduces the elicitation potential of this fragrance material. Contact Dermatitis, 2015, 72, 75-83.	1.4	20
65	Hesperidin methyl chalcone – a new cosmetic contact allergen. Contact Dermatitis, 2015, 72, 402-404.	1.4	4
66	Guidelines for diagnosis, prevention and treatment of hand eczema – short version. JDDG - Journal of the German Society of Dermatology, 2015, 13, 77-84.	0.8	57
67	Health-related Quality of Life in Danish Patients with Hereditary Angioedema. Acta Dermato-Venereologica, 2015, 95, 225-226.	1.3	22
68	Phenylephrine is a frequent cause of periorbital allergic contact dermatitis. Contact Dermatitis, 2015, 73, 64-65.	1.4	11
69	Sensitization to palladium in <scp>E</scp>urope. Contact Dermatitis, 2015, 72, 11-19.	1.4	30
70	Triethylene glycol bis(2-ethylhexanoate) – a new contact allergen identified in a spectacle frame. Contact Dermatitis, 2014, 70, 112-116.	1.4	17
71	Occupational contact dermatitis in hairdressers: an analysis of patch test data from the <scp>Danish</scp> <scp>Contact</scp> <scp>Dermatitis</scp> <scp>Group</scp>, 2002-2011. Contact Dermatitis, 2014, 70, 233-237.	1.4	61
72	Airborne allergic contact dermatitis caused by methylisothiazolinone in a child sensitized from wet wipes. Contact Dermatitis, 2014, 70, 183-184.	1.4	21

#	ARTICLE	IF	CITATIONS
73	Further evidence of the methylisothiazolinone epidemic. Contact Dermatitis, 2014, 70, 246-247.	1.4	28
74	Patch testing with methylchloroisothiazolinone/methylisothiazolinone 200â€‰ppm aq. detects significantly more contact allergy than 100â€‰ppm. A multicentre study within the European Environmental and Contact Dermatitis Research Group. Contact Dermatitis, 2014, 71, 31-34.	1.4	18
75	Occupational contact dermatitis in blueâ€‰collar workers: results from a multicentre study from the <sc>Danish <sc>Contact <sc>Dermatitis <sc>Group (2003â€‰2012). Contact Dermatitis, 2014, 71, 348-355.	1.4	38
76	Systemic allergic dermatitis caused by <sc>A<sc>piaceae root vegetables. Contact Dermatitis, 2014, 70, 98-103.	1.4	20
77	Hand eczema in The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS): prevalence, incidence and risk factors from adolescence to adulthood. British Journal of Dermatology, 2014, 171, 313-323.	1.5	65
78	Positive patch test reactions to oxidized limonene: exposure and relevance. Contact Dermatitis, 2014, 71, 264-272.	1.4	35
79	Undisclosed methylisothiazolinone in an ultrasound gel causing occupational allergic contact dermatitis. Contact Dermatitis, 2014, 71, 312-313.	1.4	20
80	Occupations at risk of developing contact allergy to isothiazolinones in <sc>Danish contact dermatitis patients: results from a <sc>Danish multicentre study (2009â€‰2012). Contact Dermatitis, 2014, 71, 295-302.	1.4	48
81	Multicentre patch testing with methylisothiazolinone by the <sc>European <sc>Environmental and <sc>Contact <sc>Dermatitis <sc>Research <sc>Group. Contact Dermatitis, 2014, 70, 317-320.	1.4	8
82	Patch testing with a textile dye mixâ€‰â€‰â€‰a multicentre study. Contact Dermatitis, 2014, 71, 215-223.	1.4	21
83	The Use of Visual Grading Scales in Evaluating Skin Irritation and Sensitization: A Historical Perspective. , 2014, , 369-381.		0
84	How to Select Extra Allergens and Problematic Allergens. , 2014, , 73-80.		0
85	An international multicentre study on the allergenic activity of airâ€‰oxidized <i>R</i>-limonene. Contact Dermatitis, 2013, 68, 214-223.	1.4	60
86	Investigation of the homogeneity of methacrylate allergens in commercially available patch test preparations. Contact Dermatitis, 2013, 69, 239-244.	1.4	9
87	Contact allergy to common ingredients in hair dyes. Contact Dermatitis, 2013, 69, 32-39.	1.4	83
88	Sensitization patterns in Compositaeâ€‰allergic patients with current or past atopic dermatitis. Contact Dermatitis, 2013, 68, 277-285.	1.4	28
89	Outcome of a second patch test reading of TRUE TestsÂ® on D6/7. Contact Dermatitis, 2013, 68, 94-97.	1.4	36
90	Patch testing with 2.0% (0.60 mg/cm ²) formaldehyde instead of 1.0% (0.30) Tj ETQq0 0 0 rgBT /Overlock 10 Tf,50 62 Td (1.4	27

#	ARTICLE	IF	CITATIONS
91	Positive nickel patch tests in infants are of low clinical relevance and rarely reproducible. <i>Pediatric Allergy and Immunology</i> , 2013, 24, 84-87.	2.6	26
92	Contact sensitization to calocephalin, a sesquiterpene lactone of the guaianolide type from cushion bush (<i>Leucophyta brownii</i> , <i>Compositae</i>). <i>Contact Dermatitis</i> , 2013, 69, n/a-n/a.	1.4	9
93	Allergic contact dermatitis from octylisothiazolinone. <i>Contact Dermatitis</i> , 2013, 69, 49-52.	1.4	35
94	Allergic contact dermatitis in children: which factors are relevant? (review of the literature). <i>Pediatric Allergy and Immunology</i> , 2013, 24, 321-329.	2.6	58
95	Nickel allergy from adolescence to adulthood in the TOACS cohort. <i>Contact Dermatitis</i> , 2013, 68, 348-356.	1.4	40
96	Psoralen plus ultraviolet A (PUVA) soaks and UVB TL01 treatment for chronic hand dermatoses. <i>Dermatology Reports</i> , 2012, 4, e3.	0.8	9
97	Successful Treatment of Toxic Epidermal Necrolysis/Stevens-Johnson Syndrome Overlap with Human Granulocyte Colony Stimulating Factor: A Case Report. <i>Acta Dermato-Venereologica</i> , 2012, 92, 212-213.	1.3	3
98	Ethylhexylglycerinâ€”a Contact Allergen in Cosmetic Products. <i>Dermatitis</i> , 2012, 23, 291.	1.6	13
99	Airâ€”oxidized linaloolâ€”a frequent cause of fragrance contact allergy. <i>Contact Dermatitis</i> , 2012, 67, 247-259.	1.4	89
100	Tomato contact dermatitis. <i>Contact Dermatitis</i> , 2012, 67, 321-327.	1.4	13
101	Targeted testing with diethylthiourea often reveals clinically relevant allergic contact dermatitis caused by neoprene rubber. <i>Contact Dermatitis</i> , 2012, 67, 89-93.	1.4	7
102	Follow-up of the monitored levels of preservative sensitivity in Europe. Overview of the years 2001â€”2008. <i>Contact Dermatitis</i> , 2012, 67, 312-314.	1.4	47
103	Nanotechnology and Skin. , 2012, , 747-753.		0
104	Allergic contact dermatitis caused by the emulsifier tricetearethâ€”4â€”phosphate. <i>Contact Dermatitis</i> , 2012, 66, 159-160.	1.4	4
105	Stability of selected volatile contact allergens in different patch test chambers under different storage conditions. <i>Contact Dermatitis</i> , 2012, 66, 172-179.	1.4	35
106	Patch test concentrations (doses in mg/cm ²) for the 12 nonâ€”mix fragrance substances regulated by European legislation. <i>Contact Dermatitis</i> , 2012, 66, 131-136.	1.4	32
107	Patch testing with constituents of <i>Compositae</i> mixes. <i>Contact Dermatitis</i> , 2012, 66, 241-246.	1.4	11
108	The diagnostic value of patch tests with two fragrance mix I preparations for detection of clinically relevant perfume allergy. <i>Contact Dermatitis</i> , 2012, 66, 350-352.	1.4	2

#	ARTICLE	IF	CITATIONS
109	Patch testing with constituents of sesquiterpene lactone-containing mixes: time of application is important. Contact Dermatitis, 2012, 66, 354-355.	1.4	1
110	Contact allergy to epoxy resin: risk occupations and consequences. Contact Dermatitis, 2012, 67, 73-77.	1.4	44
111	Occupational contact dermatitis in painters – an analysis of patch test data from the Danish Contact Dermatitis Group. Contact Dermatitis, 2012, 67, 293-297.	1.4	63
112	Contact sensitization to dittany of Crete (<i>Origanum dictamnus</i>) in a herbal remedy. Contact Dermatitis, 2012, 67, 114-116.	1.4	1
113	Prevalence of allergic contact dermatitis caused by hydroxyisohexyl 3-cyclohexene carboxaldehyde has not changed in Denmark. Contact Dermatitis, 2012, 67, 49-51.	1.4	11
114	Helpdesk and Allergen Supply of Rare Allergens. , 2012, , 899-901.		0
115	Patch testing with constituents of Compositae mixes. Contact Dermatitis, 2012, , no-no.	1.4	0
116	Percutaneous penetration characteristics and release kinetics of contact allergens encapsulated in ethosomes. Cutaneous and Ocular Toxicology, 2011, 30, 38-44.	1.3	11
117	Encapsulating contact allergens in liposomes, ethosomes, and polycaprolactone may affect their sensitizing properties. Cutaneous and Ocular Toxicology, 2011, 30, 116-123.	1.3	6
118	Revised Minimal Baseline Series of the International Contact Dermatitis Research Group: Evidence-Based Approach. Dermatitis, 2011, 22, 121-122.	1.6	29
119	A Growth Curve Model with Fractional Polynomials for Analysing Incomplete Time-Course Data in Microarray Gene Expression Studies. Advances in Bioinformatics, 2011, 2011, 1-6.	5.7	6
120	Screening for Compositae sensitization with pure allergens: implications of molecular structure, strength of reaction, and time of testing. Contact Dermatitis, 2011, 64, 96-103.	1.4	21
121	Fluctuations in the prevalence of nickel and cobalt allergy in eczema patients patch tested after implementation of the nickel regulation in Denmark. Contact Dermatitis, 2011, 64, 126-131.	1.4	15
122	Deodorants are the leading cause of allergic contact dermatitis to fragrance ingredients*. Contact Dermatitis, 2011, 64, 258-264.	1.4	44
123	Historical perspective on the use of visual grading scales in evaluating skin irritation and sensitization. Contact Dermatitis, 2011, 65, 65-75.	1.4	34
124	Hand eczema in hairdressers: a Danish register-based study of the prevalence of hand eczema and its career consequences. Contact Dermatitis, 2011, 65, 151-158.	1.4	84
125	A study of the enhanced sensitizing capacity of a contact allergen in lipid vesicle formulations. Toxicology and Applied Pharmacology, 2011, 252, 221-227.	2.8	19
126	Alternative (non-animal) methods for cosmetics testing: current status and future prospects – 2010. Archives of Toxicology, 2011, 85, 367-485.	4.2	488

#	ARTICLE	IF	CITATIONS
127	Allergens from the European Baseline Series. , 2011, , 545-590.		14
128	Dermatitis from common ivy (<i>Hedera helix</i> L. subsp. <i>helix</i>) in Europe: past, present, and future. Contact Dermatitis, 2010, 62, 201-209.	1.4	51
129	The coumarin herniarin as a sensitizer in German chamomile [<i>Chamomilla recutita</i> (L.) Rauschert, Compositae]. Contact Dermatitis, 2010, 62, 338-342.	1.4	28
130	Fragrance mix II in the baseline series contributes significantly to detection of fragrance allergy. Contact Dermatitis, 2010, 63, 270-276.	1.4	41
131	Patch test reactivity to feverfew-containing creams in feverfew-allergic patients. Contact Dermatitis, 2010, 63, 146-150.	1.4	11
132	Flare-up of dermatitis following patch testing is more common in polysensitized patients. Contact Dermatitis, 2010, 63, 289-290.	1.4	8
133	Fragrance mix I patch test reactions in 5006 consecutive dermatitis patients tested simultaneously with TRUE Test [®] and Trolab [®] test material. Contact Dermatitis, 2010, 63, 248-253.	1.4	18
134	Ethosome formulation of contact allergens may enhance patch test reactions in patients [*] . Contact Dermatitis, 2010, 63, 209-214.	1.4	9
135	Occupational cobalt-allergic contact dermatitis resulting from polyester resin. Contact Dermatitis, 2010, 63, 292-294.	1.4	14
136	Fluctuations in the prevalence of chromate allergy in Denmark and exposure to chrome-tanned leather. Contact Dermatitis, 2010, 63, 340-346.	1.4	28
137	Development of atopic dermatitis in the DARC birth cohort. Pediatric Allergy and Immunology, 2010, 21, 307-314.	2.6	68
138	Microvesicle Formulations Used in Topical Drugs and Cosmetics Affect Product Efficiency, Performance and Allergenicity. Dermatitis, 2010, 21, 243-247.	1.6	6
139	Ethosome Formulations of Known Contact Allergens can Increase their Sensitizing Capacity. Acta Dermato-Venereologica, 2010, 90, 374-378.	1.3	17
140	Genome-Wide Expression Analysis of Human In Vivo Irritated Epidermis: Differential Profiles Induced by Sodium Lauryl Sulfate and Nonanoic Acid. Journal of Investigative Dermatology, 2010, 130, 2201-2210.	0.7	30
141	Pyoderma gangraenosa as a complication to knee arthroscopy. Knee, 2009, 16, 299-300.	1.6	14
142	Hand eczema classification: a cross-sectional, multicentre study of the aetiology and morphology of hand eczema. British Journal of Dermatology, 2009, 160, 353-358.	1.5	198
143	Clinical severity and prognosis of hand eczema. British Journal of Dermatology, 2009, 160, 1229-1236.	1.5	62
144	Concordance of patch test results with four new TRUE [®] test allergens compared with the same allergens from Chemotechnique [®] . Contact Dermatitis, 2009, 60, 59-59.	1.4	9

#	ARTICLE	IF	CITATIONS
145	Association between positive patch tests to epoxy resin and fragrance mix I ingredients. Contact Dermatitis, 2009, 60, 155-157.	1.4	22
146	Occupational allergic contact dermatitis to hydroxyethyl methacrylate (2â€HEMA) in a manicurist. Contact Dermatitis, 2009, 61, 48-50.	1.4	14
147	Phenylenediamine sensitization is more prevalent in central and southern European patch test centres than in Scandinavian: results from a multicentre study. Contact Dermatitis, 2009, 60, 314-319.	1.4	77
148	Characterization of the polysensitized patient: a matched caseâ€control study. Contact Dermatitis, 2009, 61, 22-30.	1.4	24
149	Allergic contact dermatitis to ethylhexylglycerin and pentylene glycol. Contact Dermatitis, 2009, 61, 180-180.	1.4	20
150	Contact sensitisation in hand eczema patientsâ€relation to subdiagnosis, severity and quality of life: a multiâ€centre study. Contact Dermatitis, 2009, 61, 291-296.	1.4	53
151	Extraction of highâ€quality epidermal RNA after ammonium thiocyanateâ€induced dermoâ€epidermal separation of 4â€fmm human skin biopsies. Experimental Dermatology, 2009, 18, 979-984.	2.9	26
152	Food allergy and food sensitization in early childhood: results from the DARC cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 1023-1029.	5.7	138
153	The Prevalence of food hypersensitivity in young adults. Pediatric Allergy and Immunology, 2009, 20, 686-692.	2.6	99
154	The association between early sensitization patterns and subsequent allergic disease. The DARC birth cohort study. Pediatric Allergy and Immunology, 2009, 20, 726-734.	2.6	73
155	Potency and trends of contact sensitisation in humans with regard to consumer products. Toxicology Letters, 2009, 189, S27.	0.8	0
156	The doseâ€response relationship between the patch test and ROAT and the potential use for regulatory purposes. Contact Dermatitis, 2009, 61, 201-208.	1.4	45
157	Self-administration of intravenous C1-inhibitor therapy for hereditary angioedema and associated quality of life benefits. European Journal of Dermatology, 2009, 19, 147-151.	0.6	115
158	The reaction index and positivity ratio revisited. Contact Dermatitis, 2008, 58, 28-31.	1.4	15
159	Recommendation to include fragrance mix 2 and hydroxyisohexyl 3â€cyclohexene carboxaldehyde (Lylal [®]) in the European baseline patch test series. Contact Dermatitis, 2008, 58, 129-133.	1.4	124
160	Sesquiterpene lactone dermatitis in the young: is atopy a risk factor?. Contact Dermatitis, 2008, 59, 1-6.	1.4	57
161	Validity of reaction index and positivity ratio?. Contact Dermatitis, 2008, 58, 320-320.	1.4	2
162	Hand eczema severity and quality of life: a crossâ€sectional, multicentre study of hand eczema patients. Contact Dermatitis, 2008, 59, 43-47.	1.4	189

#	ARTICLE	IF	CITATIONS
163	Decreasing trends in methyl dibromo glutaronitrile contact allergy – following regulatory intervention. <i>Contact Dermatitis</i> , 2008, 59, 48-51.	1.4	70
164	FS10.6 – 10 years experience with the Allergen Bank. <i>Contact Dermatitis</i> , 2008, 50, 160-160.	1.4	0
165	The prevalence of allergic diseases in an unselected group of 6 – year – old children. The DARC birth cohort study. <i>Pediatric Allergy and Immunology</i> , 2008, 19, 737-745.	2.6	75
166	Identification of Cowpox Infection in a 13-year-old Danish Boy. <i>Acta Dermato-Venereologica</i> , 2008, 88, 188-190.	1.3	9
167	New aspects in allergic contact dermatitis. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2008, 8, 428-432.	2.3	27
168	Comparison of the effect of glycerol and triamcinolone acetonide on cumulative skin irritation in a randomized trial. <i>Journal of the American Academy of Dermatology</i> , 2007, 56, 228-235.	1.2	15
169	Allergic contact dermatitis from retinyl palmitate in polycaprolactone. <i>Contact Dermatitis</i> , 2007, 56, 288-289.	1.4	15
170	Allergic contact dermatitis to topical metronidazole ? 3 cases. <i>Contact Dermatitis</i> , 2007, 56, 364-366.	1.4	39
171	Experimental elicitation with hydroxyisohexyl-3-cyclohexene carboxaldehyde-containing deodorants. <i>Contact Dermatitis</i> , 2007, 56, 146-150.	1.4	23
172	Long-lasting patch reactions to gold sodium thiosulfate occurs frequently in healthy volunteers. <i>Contact Dermatitis</i> , 2007, 56, 214-217.	1.4	26
173	Allergic contact dermatitis to ethylhexylglycerin in a cream. <i>Contact Dermatitis</i> , 2007, 57, 193-194.	1.4	20
174	Patients with multiple contact allergies: a review. <i>Contact Dermatitis</i> , 2007, 58, 071023221110003-???	1.4	48
175	Allergic contact dermatitis to methyl aminolevulinate after photodynamic therapy in 9 patients. <i>Contact Dermatitis</i> , 2007, 57, 321-323.	1.4	39
176	Cosmetics and herbal remedies with Compositae plant extracts – are they tolerated by Compositae-allergic patients?. <i>Contact Dermatitis</i> , 2007, 58, 071023221110002-???	1.4	27
177	ROAT: morphology of ROAT on arm, neck and face in formaldehyde and diazolidinyl urea sensitive individuals. <i>Contact Dermatitis</i> , 2006, 54, 21-24.	1.4	24
178	Severe allergic hair dye reactions in 8 children. <i>Contact Dermatitis</i> , 2006, 54, 87-91.	1.4	86
179	Comparison of elicitation potential of chloroatranol and atranol - 2 allergens in oak moss absolute. <i>Contact Dermatitis</i> , 2006, 54, 192-195.	1.4	38
180	Retrospective evaluation of the consequence of alleged patch test sensitization. <i>Contact Dermatitis</i> , 2006, 55, 30-35.	1.4	42

#	ARTICLE	IF	CITATIONS
181	Mercaptobenzothiazole or the mercapto-mix: which should be in the standard series?. Contact Dermatitis, 2006, 55, 36-38.	1.4	25
182	Decyl glucoside contact allergy from a sunscreen product. Contact Dermatitis, 2006, 54, 349-350.	1.4	46
183	Patterns of sensitization in infants and its relation to atopic dermatitis. Pediatric Allergy and Immunology, 2006, 17, 591-600.	2.6	63
184	Anti-irritants I: doseâ€‘response in acute irritation. Contact Dermatitis, 2006, 55, 148-154.	1.4	28
185	Anti-irritants II: efficacy against cumulative irritation. Contact Dermatitis, 2006, 55, 155-159.	1.4	23
186	Allergic contact dermatitis from cera alba (purified propolis) in a lip balm and candy. Contact Dermatitis, 2006, 55, 312-313.	1.4	14
187	Miconidin and miconidin methyl ether from Primula obconica Hance: new allergens in an old sensitizer. Contact Dermatitis, 2006, 55, 203-209.	1.4	21
188	Identification and classification of skin sensitizers: identifying false positives and false negatives. Contact Dermatitis, 2006, 55, 268-273.	1.4	38
189	Not only oxidized R-(+)- but also S-(?)-limonene is a common cause of contact allergy in dermatitis patients in Europe. Contact Dermatitis, 2006, 55, 274-279.	1.4	69
190	Allergic contact dermatitis from oleyl alcohol in Elidel [®] 1/2 cream. Contact Dermatitis, 2006, 55, 354-356.	1.4	23
191	Patch testing with myristyl alcohol. Contact Dermatitis, 2006, 55, 366-367.	1.4	7
192	The Prevalence of Suspected and Challengeâ€‘Verified Penicillin Allergy in a University Hospital Population. Basic and Clinical Pharmacology and Toxicology, 2006, 98, 357-362.	2.5	112
193	The Prevalence of Acute Cutaneous Drug Reactions in a Scandinavian University Hospital. Acta Dermato-Venereologica, 2006, 86, 518-522.	1.3	32
194	Cutaneous Adverse Drug Reactions Seen at a University Hospital Department of Dermatology. Acta Dermato-Venereologica, 2006, 86, 523-527.	1.3	17
195	Allergens from the Standard Series. , 2006, , 453-492.		26
196	Increased retest reactivity by both patch and use test with methyldibromoglutaronitrile in sensitized individuals. Acta Dermato-Venereologica, 2006, 86, 8-12.	1.3	5
197	The prevalence of peanut sensitization and the association to pollen sensitization in a cohort of unselected adolescents â€‘ The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS). Pediatric Allergy and Immunology, 2005, 16, 501-506.	2.6	34
198	A comparison between criteria for diagnosing atopic eczema in infants. British Journal of Dermatology, 2005, 153, 352-358.	1.5	77

#	ARTICLE	IF	CITATIONS
199	Contact dermatitis to hair dyes in a Danish adult population: an interview-based study. <i>British Journal of Dermatology</i> , 2005, 153, 132-135.	1.5	99
200	The silver-releasing foam dressing, Contreet Foam, promotes faster healing of critically colonised venous leg ulcers: a randomised, controlled trial. <i>International Wound Journal</i> , 2005, 2, 64-73.	2.9	114
201	<i>Staphylococcus aureus</i> Clonal Dynamics and Virulence Factors in Children with Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2005, 125, 977-982.	0.7	52
202	Evaluation of the skin sensitizing potency of chemicals by using the existing methods and considerations of relevance for elicitation. <i>Contact Dermatitis</i> , 2005, 52, 39-43.	1.4	129
203	Monitoring the European standard series in 10 centres 1996-2000. <i>Contact Dermatitis</i> , 2005, 53, 146-149.	1.4	82
204	Course of contact allergy in consecutive eczema patients patch tested with TRUE Testtm panels 1 and 2 at least twice over a 12-year period. <i>Contact Dermatitis</i> , 2005, 52, 242-246.	1.4	25
205	Patch testing with a new fragrance mix " reactivity to the individual constituents and chemical detection in relevant cosmetic products. <i>Contact Dermatitis</i> , 2005, 52, 216-225.	1.4	95
206	Patch testing with a new fragrance mix detects additional patients sensitive to perfumes and missed by the current fragrance mix. <i>Contact Dermatitis</i> , 2005, 52, 207-215.	1.4	157
207	Deodorants: an experimental provocation study with isoeugenol. <i>Contact Dermatitis</i> , 2005, 52, 260-267.	1.4	28
208	Selected oxidized fragrance terpenes are common contact allergens. <i>Contact Dermatitis</i> , 2005, 52, 320-328.	1.4	175
209	Colophonium and Compositae mix as markers of fragrance allergy: Cross-reactivity between fragrance terpenes, colophonium and Compositae plant extracts. <i>Contact Dermatitis</i> , 2005, 53, 285-291.	1.4	71
210	Experimental elicitation of contact allergy from a diazolidinyl urea-preserved cream in relation to anatomical region, exposure time and concentration. <i>Contact Dermatitis</i> , 2005, 53, 268-277.	1.4	32
211	Allergic contact dermatitis from sodium stearyl lactylate, an emulsifier commonly used in food products. <i>Contact Dermatitis</i> , 2005, 53, 116-116.	1.4	7
212	10. Atopic hand eczema and treatment strategies. <i>Acta Dermato-Venereologica</i> , 2005, 85, 45-48.	1.3	4
213	Allergic Contact Dermatitis from a Topical Corticosteroid Mimicking Acute Generalized Exanthematous Pustulosis. <i>Acta Dermato-Venereologica</i> , 2005, 85, 444-445.	1.3	14
214	Oral prednisone suppresses allergic but not irritant patch test reactions in individuals hypersensitive to nickel. <i>Contact Dermatitis</i> , 2004, 50, 298-303.	1.4	91
215	Hair dye contact allergy: quantitative exposure assessment of selected products and clinical cases. <i>Contact Dermatitis</i> , 2004, 50, 344-348.	1.4	55
216	The diagnostic accuracy of the atopy patch test in diagnosing hypersensitivity to cow's milk and hen's egg in unselected children with and without atopic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, 556-562.	1.2	56

#	ARTICLE	IF	CITATIONS
217	Contact allergy to oak moss: search for sensitizing molecules using combined bioassay-guided chemical fractionation, GC-MS, and structure-activity relationship analysis. Archives of Dermatological Research, 2003, 295, 229-235.	1.9	68
218	Occupational issues of allergic contact dermatitis. International Archives of Occupational and Environmental Health, 2003, 76, 347-350.	2.3	26
219	Airborne allergic contact dermatitis from 3-iodo-2-propynyl-butylcarbamate at a paint factory. Contact Dermatitis, 2003, 48, 155-157.	1.4	26
220	Hydroxyisohexyl 3-cyclohexene carboxaldehyde- known as Lyrall®: quantitative aspects and risk assessment of an important fragrance allergen. Contact Dermatitis, 2003, 48, 310-316.	1.4	67
221	Fragrance allergy in patients with hand eczema - a clinical study. Contact Dermatitis, 2003, 48, 317-323.	1.4	67
222	Allergic contact dermatitis from a condensate of boric acid, monoethanolamine and fatty acids in a metalworking fluid. Contact Dermatitis, 2003, 49, 45-46.	1.4	12
223	Chloroatranol, an extremely potent allergen hidden in perfumes: a dose-response elicitation study. Contact Dermatitis, 2003, 49, 180-184.	1.4	69
224	Evaluation of Allergic Potential of Rubber Products: Comparison of Sample Preparation Methods for the Testing of Polymeric Medical Devices. Cutaneous and Ocular Toxicology, 2003, 22, 169-185.	0.3	1
225	Atopy Patch Tests in Young Adult Patients with Atopic Dermatitis and Controls: Dose-response Relationship, Objective Reading, Reproducibility and Clinical Interpretation. Acta Dermato-Venereologica, 2003, 83, 18-23.	1.3	18
226	Short-time, High-dosage Penicillin Infusion Therapy of Syphilis: An Alternative to Recommended Regimens?. Acta Dermato-Venereologica, 2003, 83, 365-368.	1.3	0
227	Type I Sensitization in Adolescents: Prevalence and Association with Atopic Dermatitis. Acta Dermato-Venereologica, 2003, 83, 194-201.	1.3	22
228	Contact Allergy and Allergic Contact Dermatitis in Adolescents: Prevalence Measures and Associations.. Acta Dermato-Venereologica, 2002, 82, 352-358.	1.3	113
229	Nickel Sensitization in Adolescents and Association with Ear Piercing, Use of Dental Braces and Hand Eczema. Acta Dermato-Venereologica, 2002, 82, 359-364.	1.3	149
230	Monitoring levels of preservative sensitivity in Europe. Contact Dermatitis, 2002, 46, 207-210.	1.4	205
231	Further important sensitizers in patients sensitive to fragrances*. Contact Dermatitis, 2002, 47, 78-85.	1.4	143
232	55 cases of allergic reactions to hair dye: a descriptive, consumer complaint-based study. Contact Dermatitis, 2002, 47, 299-303.	1.4	98
233	Prevalence of atopic dermatitis, asthma, allergic rhinitis, and hand and contact dermatitis in adolescents. The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis. British Journal of Dermatology, 2001, 144, 523-532.	1.5	305
234	An 8-year experience with routine SL mix patch testing supplemented with Compositae mix in Denmark. Contact Dermatitis, 2001, 45, 29-35.	1.4	59

#	ARTICLE	IF	CITATIONS
235	Allergic contact dermatitis from sodium dihydroxycetyl phosphate, a new cosmetic allergen?. Contact Dermatitis, 2001, 45, 143-145.	1.4	9
236	Sensitization and cross-reaction patterns in Danish Compositae-allergic patients. Contact Dermatitis, 2001, 45, 197-204.	1.4	70
237	The Timeâ€Doseâ€Response Relationship for Elicitation of Contact Dermatitis in Isoeugenol Allergic Individuals. Toxicology and Applied Pharmacology, 2001, 170, 166-171.	2.8	99
238	Allergens from the Standard Series. , 2001, , 605-658.		10
239	Patch testing with corticosteroid mixes in Europe. Contact Dermatitis, 2000, 42, 27-35.	1.4	80
240	LyrallR is an important sensitizer in patients sensitive to fragrances. British Journal of Dermatology, 1999, 141, 1076-1083.	1.5	112
241	Gold ? a controversial sensitizer. Contact Dermatitis, 1999, 40, 295-299.	1.4	104
242	Allergic contact dermatitis in children and adolescents. Contact Dermatitis, 1999, 41, 121-130.	1.4	158
243	Histological distinction between early allergic and irritant patch test reactions: follicular spongiosis may be characteristic of early allergic contact dermatitis. Contact Dermatitis, 1999, 41, 207-210.	1.4	47
244	Absorption and Retention of Nickel from Drinking Water in Relation to Food Intake and Nickel Sensitivity. Toxicology and Applied Pharmacology, 1999, 154, 67-75.	2.8	119
245	Contents of fragrance allergens in children's cosmetics and cosmeticâ€™toys. Contact Dermatitis, 1999, 41, 84-88.	1.4	66
246	Deodorants on the European market: quantitative chemical analysis of 21 fragrances. Contact Dermatitis, 1998, 38, 29-35.	1.4	151
247	Persistent reactions after patch testing with TRUE TestTMpanels 1 and 2. Contact Dermatitis, 1998, 38, 218-220.	1.4	14
248	Multicentre patch test studies: are they worth the effort?. Contact Dermatitis, 1998, 38, 222-223.	1.4	18
249	The repeated open application test: suggestions for a scale of evaluation. Contact Dermatitis, 1998, 39, 95-96.	1.4	110
250	Fragrances and other materials in deodorants: search for potentially sensitizing molecules using combined GC-MS and structure activity relationship (SAR) analysis. Contact Dermatitis, 1998, 39, 293-303.	1.4	80
251	Identification of risk products for fragrance contact allergy: A case-referent study based on patients' histories. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 1998, 9, 80-86.	0.4	25
252	Models for Preclinical Testing of Allergy. Drug Information Journal, 1997, 31, 1341-1345.	0.5	0

#	ARTICLE	IF	CITATIONS
253	Allergic contact dermatitis. Clinics in Dermatology, 1997, 15, 645-654.	1.6	4
254	Threshold responses in cinnamic-aldehyde-sensitive subjects: results and methodological aspects. Contact Dermatitis, 1996, 34, 165-171.	1.4	98
255	Reproducibility of the chamber scarification test. Contact Dermatitis, 1996, 34, 181-184.	1.4	19
256	Quantitative aspects of isoeugenol contact allergy assessed by use and patch tests. Contact Dermatitis, 1996, 34, 414-418.	1.4	73
257	Corticosteroid contact allergy: an EECDRG multicentre study. Contact Dermatitis, 1996, 35, 40-44.	1.4	94
258	Non-specific hyperreactivity related to the use of Freund's complete adjuvant. Contact Dermatitis, 1996, 35, 127-127.	1.4	5
259	The European standard series. Contact Dermatitis, 1995, 33, 145-148.	1.4	74
260	Patch testing with fragrances: results of a multicenter study of the European Environmental and Contact Dermatitis Research Group with 48 frequently used constituents of perfumes. Contact Dermatitis, 1995, 33, 333-342.	1.4	184
261	The Allergen Bank: The Idea Behind It and the Preliminary Results with It. Current Problems in Dermatology, 1995, 22, 1-7.	0.7	5
262	Allergens from the Standard Series. , 1995, , 413-458.		3
263	How to do sensitization tests in guinea pigs. Contact Dermatitis, 1994, 31, 278-279.	1.4	7
264	Compositae dermatitis in a Danish dermatology department in one year. Contact Dermatitis, 1993, 29, 6-10.	1.4	79
265	Allergens from the Standard Series. , 1992, , 413-456.		1
266	Nickel-sulphate-induced contact dermatitis in the guinea pig maximization test: a dose-response study. Contact Dermatitis, 1991, 24, 35-39.	1.4	21
267	Patch testing with the "sesquiterpene lactone mix" a marker for contact allergy to Compositae and other sesquiterpene-lactone-containing plantsA multicentre study of the EECDRG. Contact Dermatitis, 1990, 22, 249-252.	1.4	93
268	Clinical patch test data evaluated by multivariate analysis. Contact Dermatitis, 1989, 21, 291-299.	1.4	103
269	Pyrocatechol contact allergy from a permanent cream dye for eyelashes and eyebrows. Contact Dermatitis, 1988, 18, 306-307.	1.4	16
270	Contact dermatitis. Contact Dermatitis, 1987, 16, 55-78.	1.4	69

#	ARTICLE	IF	CITATIONS
271	IPPD contact allergy from an orthopedic bandage. Contact Dermatitis, 1987, 17, 119-121.	1.4	20
272	Testing for Contact Allergy in Experimental Animals. Basic and Clinical Pharmacology and Toxicology, 1987, 61, 1-8.	0.0	17
273	Allergic hand dermatitis from 2-hydroxyethyl-acrylate in contact lenses. Contact Dermatitis, 1986, 15, 188-189.	1.4	13
274	Systemic symptoms related to patch tests with UV curable acrylic monomers.. Contact Dermatitis, 1986, 14, 180-180.	1.4	6
275	Triphenyl phosphate allergy from spectacle frames. Contact Dermatitis, 1986, 15, 274-277.	1.4	40
276	Biocide patch tests. Contact Dermatitis, 1985, 12, 99-103.	1.4	53
277	Contact sensitivity and bioavailability of chlorocresol. Contact Dermatitis, 1985, 13, 246-251.	1.4	16
278	Guinea Pig Allergy Tests: an Overview. Toxicology and Industrial Health, 1985, 1, 43-66.	1.4	4
279	ACTH versus prednisone and placebo in herpes zoster treatment. Clinical and Experimental Dermatology, 1984, 9, 557-563.	1.3	54
280	Multiple application delayed onset contact urticaria: possible relation to certain unusual formalin and textile reactions?. Contact Dermatitis, 1984, 10, 227-234.	1.4	34
281	Guinea pig maximization tests with formaldehyde releasers. Contact Dermatitis, 1984, 10, 257-266.	1.4	40
282	How sensitizing is chlorocresol?. Contact Dermatitis, 1984, 11, 11-20.	1.4	26
283	The baboon syndrome: systemically induced allergic contact dermatitis [*] . Contact Dermatitis, 1984, 10, 97-100.	1.4	267
284	Contact allergy related to TEA-PEG-3 cocamide sulfate and cocamidopropyl betaine in a shampoo. Contact Dermatitis, 1984, 11, 192-192.	1.4	38
285	Lipstick dermatitis related to castor oil. Contact Dermatitis, 1984, 11, 253-254.	1.4	31
286	Nickel in tap water. Contact Dermatitis, 1983, 9, 140-143.	1.4	49
287	Diethylthiourea contact dermatitis from an acidic detergent. Contact Dermatitis, 1983, 9, 146-146.	1.4	13
288	Is Cytos [®] 3522 (10% methylene-bis-thiocyanate) a human skin sensitizer?. Contact Dermatitis, 1983, 9, 186-189.	1.4	16

#	ARTICLE	IF	CITATIONS
289	Formaldehyde in a hypoallergenic non-woven textile acrylate tape. Contact Dermatitis, 1983, 9, 228-228.	1.4	6
290	Allergic contact dermatitis from 2-n-octyl-4-isothiazolin-3-one, a paint mildewcide. Contact Dermatitis, 1983, 9, 507-509.	1.4	40
291	Allergic contact dermatitis from formaldehyde in Fucidin® ointment. Contact Dermatitis, 1983, 9, 78-79.	1.4	5
292	Cost benefit of patch testing with textile finish resins. Contact Dermatitis, 1982, 8, 64-67.	1.4	18
293	Occupational irritant contact folliculitis associated with triphenyl tin fluoride (TPTF) exposure. Contact Dermatitis, 1982, 8, 173-177.	1.4	12
294	Medical Aspects of the Decubitus Ulcer. International Journal of Dermatology, 1982, 21, 265-270.	1.0	37
295	Pharmacokinetic and clinical comparison of two 8-methoxypsoralen brands. Archives of Dermatological Research, 1980, 268, 23-29.	1.9	22
296	The guinea-pig: an animal model for human skin absorption of hydrocortisone, testosterone and benzoic acid?. British Journal of Dermatology, 1980, 102, 447-453.	1.5	46
297	Allergic Reaction to Drugs Used Topically. Clinical Toxicology, 1980, 16, 415-465.	0.5	14
298	Sex chromosomal anomalies: a possible association with leg ulcers. Clinical and Experimental Dermatology, 1979, 4, 223-226.	1.3	10
299	Predictive testing with 5-fluorouracil. Contact Dermatitis, 1979, 5, 404-404.	1.4	1
300	Black and white human skin differences. Journal of the American Academy of Dermatology, 1979, 1, 276-282.	1.2	92
301	An investigation of the possible immunological relationship between allergen extracts from birch pollen, hazelnut, potato and apple. Contact Dermatitis, 1978, 4, 73-79.	1.4	97
302	Contact allergy to toothpaste flavors. Contact Dermatitis, 1978, 4, 195-198.	1.4	78
303	Sensitivity to a flame retardant, Tris(2,3-dibromopropyl)phosphate (Firemaster LVT 23 P). Contact Dermatitis, 1977, 3, 297-300.	1.4	16
304	Allergic contact dermatitis from fluocortolone, fluocortolone pivalate and fluocortolone caproate. Contact Dermatitis, 1977, 3, 337-340.	1.4	21
305	Contact dermatitis in children caused by diabetes devices. Contact Dermatitis, 0, , .	1.4	3