Reda M Mohamed

List of Publications by Citations

Source: https://exaly.com/author-pdf/5354738/reda-m-mohamed-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

768 26 15 52 h-index g-index citations papers 58 4.1 1,252 5.41 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 52 | Effect of the silica sources on the crystallinity of nanosized ZSM-5 zeolite. <i>Microporous and Mesoporous Materials</i> , 2005 , 79, 7-12 | 5.3 | 90 |
| 51 | Platinum/zinc oxide nanoparticles: Enhanced photocatalysts degrade malachite green dye under visible light conditions. <i>Ceramics International</i> , 2016 , 42, 9375-9381 | 5.1 | 55 |
| 50 | CuO nanobelts synthesized by a template-free hydrothermal approach with optical and magnetic characteristics. <i>Ceramics International</i> , 2014 , 40, 2127-2133 | 5.1 | 55 |
| 49 | Soft and hard templates assisted synthesis mesoporous CuO/g-CN heterostructures for highly enhanced and accelerated Hg(II) photoreduction under visible light. <i>Journal of Colloid and Interface Science</i> , 2020 , 580, 223-233 | 9.3 | 50 |
| 48 | Performance of mesoporous Fe2O3/g-C3N4 heterojunction for photoreduction of Hg(II) under visible light illumination. <i>Ceramics International</i> , 2020 , 46, 23098-23106 | 5.1 | 40 |
| 47 | Fluorine doped zinc oxide nanowires: Enhanced photocatalysts degrade malachite green dye under visible light conditions. <i>Ceramics International</i> , 2016 , 42, 4672-4678 | 5.1 | 40 |
| 46 | Decoration of g-C3N4 nanosheets by mesoporous CoFe2O4 nanoparticles for promoting visible-light photocatalytic Hg(II) reduction. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 603, 125206 | 5.1 | 34 |
| 45 | Photodegradation of the herbicide imazapyr over mesoporous In2O3-TiO2 nanocomposites with enhanced photonic efficiency. <i>Separation and Purification Technology</i> , 2018 , 205, 66-73 | 8.3 | 30 |
| 44 | Increasing visible light water splitting efficiency through synthesis route and charge separation in measoporous g-C3N4 decorated with WO3 nanoparticles. <i>Ceramics International</i> , 2019 , 45, 3886-3893 | 5.1 | 28 |
| 43 | A comparative study on mesoporous and commercial TiO2 photocatalysts for photodegradation of organic pollutants. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018 , 367, 66-73 | 4.7 | 25 |
| 42 | Facile Synthesis of Mesoporous AgO-ZnO Heterojunctions for Efficient Promotion of Visible Light Photodegradation of Tetracycline. <i>ACS Omega</i> , 2020 , 5, 33269-33279 | 3.9 | 25 |
| 41 | Uniform dispersion of CuO nanoparticles on mesoporous TiO2 networks promotes visible light photocatalysis. <i>Ceramics International</i> , 2020 , 46, 8819-8826 | 5.1 | 22 |
| 40 | Decoration of mesoporous graphite-like C3N4 nanosheets by NiS nanoparticle-driven visible light for hydrogen evolution. <i>Applied Nanoscience (Switzerland)</i> , 2018 , 8, 1587-1596 | 3.3 | 21 |
| 39 | Cobalt/zinc oxide hollow spheres: Visible light nanophotocatalysts. <i>Ceramics International</i> , 2016 , 42, 2299-2305 | 5.1 | 18 |
| 38 | A novel biosensor for early diagnosis of liver cancer cases using smart nano-magnetic metalBrganic framework. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e5249 | 3.1 | 16 |
| 37 | WO3IIiO2 nanocomposites for paracetamol degradation under visible light. <i>Applied Nanoscience</i> (Switzerland), 2018 , 8, 2021-2030 | 3.3 | 14 |
| 36 | A novel design of porous Cr2O3@ZnO nanocomposites as highly efficient photocatalyst toward degradation of antibiotics: A case study of ciprofloxacin. <i>Separation and Purification Technology</i> , 2021 , 266, 118588 | 8.3 | 14 |

(2021-2021)

| 35 | Z-scheme g-C3N4 nanosheet photocatalyst decorated with mesoporous CdS for the photoreduction of carbon dioxide. <i>Ceramics International</i> , 2021 , 47, 17210-17219 | 5.1 | 13 |
|----|---|-----|----|
| 34 | Mesoporous Pt/La0.02Na0.98TaO3 nanocomposites as efficient photocatalyst for hydrogen evolution. <i>Molecular Catalysis</i> , 2020 , 486, 110885 | 3.3 | 12 |
| 33 | Preparation and characterization of Pt, N-TiO2-graphene nanocomposites for hydrogen production. <i>Ceramics International</i> , 2019 , 45, 6058-6065 | 5.1 | 11 |
| 32 | New Visible-Light Pt/PbS Nanoparticle Photocatalysts for the Photocatalytic Oxidation of Thiophene. <i>Clean - Soil, Air, Water</i> , 2015 , 43, 421-426 | 1.6 | 10 |
| 31 | Triblock copolymer-assisted synthesis of Z-scheme porous g-C3N4 based photocatalysts with promoted visible-light-driven performance. <i>Ceramics International</i> , 2020 , 46, 28903-28913 | 5.1 | 10 |
| 30 | H2 production using CuS/g-C3N4 nanocomposites under visible light. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 223-232 | 3.3 | 10 |
| 29 | Mesoporous BiVO4/2D-g-C3N4 heterostructures for superior visible light-driven photocatalytic reduction of Hg(II) ions. <i>Ceramics International</i> , 2021 , 47, 26063-26073 | 5.1 | 10 |
| 28 | Construction of highly dispersed Nd2O3 nanoparticles onto mesoporous LaNaTaO3 nanocomposites for H2 evolution. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020 , 400, 112723 | 4.7 | 9 |
| 27 | Mesoporous Fe2O3/ZnO heterojunction with a synergistic effect for rapid and efficient reduction of mercury ions. <i>Separation and Purification Technology</i> , 2021 , 266, 118360 | 8.3 | 9 |
| 26 | Fabrication of Mesoporous PtO-ZnO Nanocomposites with Promoted Photocatalytic Performance for Degradation of Tetracycline. <i>ACS Omega</i> , 2021 , 6, 6438-6447 | 3.9 | 9 |
| 25 | Nd-doped Bi2O3 nanocomposites: simple synthesis and improved photocatalytic activity for hydrogen production under visible light. <i>Applied Nanoscience (Switzerland)</i> , 2018 , 8, 1233-1239 | 3.3 | 8 |
| 24 | Photocatalytic performance mesoporous Nd2O3 modified ZnO nanoparticles with enhanced degradation of tetracycline. <i>Catalysis Today</i> , 2020 , 380, 259-259 | 5.3 | 8 |
| 23 | Enhanced CO2 photocatalytic conversion into CH3OH over visible-light-driven Pt nanoparticle-decorated mesoporous ZnOØnS S-scheme heterostructures. <i>Ceramics International</i> , 2021 , 47, 26779-26788 | 5.1 | 8 |
| 22 | Synthesis of BaCeO3 nanoneedles and the effect of V, Ag, Au, Pt doping on the visible light hydrogen evolution in the photocatalytic water splitting reaction. <i>Journal of Sol-Gel Science and Technology</i> , 2019 , 91, 138-145 | 2.3 | 7 |
| 21 | Pt-decorated CuO nanosheets and their application in the visible light photocatalytic water splitting reaction. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 4291-4298 | 3.3 | 7 |
| 20 | Silver-Doped Antimony Trioxide Nanocomposites for the Photocatalytic Reduction of Nitrobenzene. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 3528-3535 | 1.3 | 6 |
| 19 | Thin-layer g-C3N4 nanosheet decoration with MoS2 nanoparticles as a highly efficient photocatalyst in the H2 production reaction. <i>Journal of Nanoparticle Research</i> , 2020 , 22, 1 | 2.3 | 5 |
| 18 | Promoting Visible Light Generation of Hydrogen Using a Sol-Gel-Prepared MnCoO@g-CN p-n Heterojunction Photocatalyst. <i>ACS Omega</i> , 2021 , 6, 8717-8725 | 3.9 | 5 |

| 17 | Photo-catalytic destruction of acetaldehyde using cobalt, copper co-doped titania dioxide nanoparticles beneath Visible light. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 931-939 | 3.3 | 5 |
|----|---|------|---|
| 16 | Adsorption of carbon dioxide on CuxMgy(BTC)2 MOFs: influence of Cu/Mg ratio. <i>Journal of Nanoparticle Research</i> , 2020 , 22, 1 | 2.3 | 4 |
| 15 | S-scheme mesoporous LiMnO/g-CN heterojunctions as efficient photocatalysts for the mineralization of trichloroethylene in aqueous media <i>Journal of Colloid and Interface Science</i> , 2022 , 614, 160-171 | 9.3 | 4 |
| 14 | Synthesis and characterizations of ZnMn2O4-ZnO nanocomposite photocatalyst for enlarged photocatalytic oxidation of ciprofloxacin using visible light irradiation. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 2269-2278 | 3.3 | 3 |
| 13 | Enhancement of Titanium Dioxide-Manganese Oxide Nanoparticles Photocatalytic Activity by Doping with Multi-walled Carbon Nanotubes. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2014 , 22, 765-779 | 1.8 | 3 |
| 12 | Generation of Hydrogen Gas Using CuCrO-g-CN Nanocomposites under Illumination by Visible Light. <i>ACS Omega</i> , 2021 , 6, 4485-4494 | 3.9 | 3 |
| 11 | Construction of hierarchical ZnS@ZnO secured from metal lbrganic framework- ZnS@ZIF-8 for enhanced photoreduction of CO2. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021 , 127, 208- | 2513 | 3 |
| 10 | Synergistic impact of two-dimensional Ag2O/Co3O4 nanocomposites for improved photocatalytic performance. <i>Optical Materials</i> , 2022 , 123, 111937 | 3.3 | 2 |
| 9 | One-step sol-gel synthesis of PbTiO3 nanosheets and photocatalytic enhancement through decoration by platinum. <i>Journal of Nanoparticle Research</i> , 2020 , 22, 1 | 2.3 | 2 |
| 8 | Z-scheme Mesoporous CdIn2S4/g-C3N4 heterojunction for enlarged photocatalytic efficiency utilizing visible-light illumination. <i>Optical Materials</i> , 2022 , 123, 111946 | 3.3 | 1 |
| 7 | MgFe2O4 decoration of g-C3N4 nanosheets to enhance CIP oxidation in visible-light photocatalysis. <i>Optical Materials</i> , 2021 , 121, 111598 | 3.3 | 1 |
| 6 | Extremely Effective Visible Light-Driven Generation of Hydrogen by Solfiel LaFeO3-Decorated g-C3N4 Photocatalyst. <i>Nanoscience and Nanotechnology Letters</i> , 2020 , 12, 1255-1264 | 0.8 | O |
| 5 | FeYO3@rGO nanocomposites: Synthesis, characterization and application in photooxidative degradation of atrazine under visible light. <i>Materials Express</i> , 2021 , 11, 706-716 | 1.3 | O |
| 4 | Facile Fabrication of Pt-Doped Mesoporous ZnS as High Efficiency for Photocatalytic CO2 Conversion. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> ,1 | 3.2 | О |
| 3 | SrSnO-Assembled MWCNT Heterojunctions for Superior Hydrogen Production under Visible Light. <i>ACS Omega</i> , 2021 , 6, 30534-30541 | 3.9 | |
| 2 | Construction of mesoporous CdO/g-C3N4 nanocomposites for photooxidation of ciprofloxacin under visible light exposure. <i>Optical Materials</i> , 2021 , 122, 111816 | 3.3 | |
| 1 | Mesoporous Titania Accommodated with In2O3 Nanoparticles as a Superior Photocatalyst for Degradation Ciprofloxacin Antibiotic. <i>Inorganic Chemistry Communication</i> , 2022 , 109564 | 3.1 | |