

Chong-an Di

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5354961/chong-an-di-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

13,046
citations

60
h-index

111
g-index

178
ext. papers

14,580
ext. citations

12.9
avg, IF

6.45
L-index

#	Paper	IF	Citations
170	Enhancement of the Thermoelectric Performance of n-Type Naphthalene Diimide-Based Conjugated Polymer by Engineering of Side Alkyl Chains 2022 , 4, 521-527		0
169	Advanced Thermoelectric Materials for Flexible Cooling Application. <i>Advanced Functional Materials</i> , 2021 , 31, 2010695	15.6	12
168	An Oligonucleotide-Distortion-Responsive Organic Transistor for Platinum-Drug-Induced DNA-Damage Detection. <i>Advanced Materials</i> , 2021 , 33, e2100489	24	4
167	Enhanced thermoelectric performance of pentacene via surface charge transfer doping in a sandwich structure. <i>Applied Physics Letters</i> , 2021 , 118, 253302	3.4	2
166	Ion-Gating Engineering of Organic Semiconductors toward Multifunctional Devices. <i>Advanced Functional Materials</i> , 2021 , 31, 2102149	15.6	3
165	An organic transistor with light intensity-dependent active photoadaptation. <i>Nature Electronics</i> , 2021 , 4, 522-529	28.4	21
164	Persistent Conjugated Backbone and Disordered Lamellar Packing Impart Polymers with Efficient n-Doping and High Conductivities. <i>Advanced Materials</i> , 2021 , 33, e2005946	24	46
163	Electronic structure engineering in organic thermoelectric materials. <i>Journal of Energy Chemistry</i> , 2021 , 62, 204-219	12	8
162	A Conjugated Polymer Containing Arylazopyrazole Units in the Side Chains for Field-Effect Transistors Optically Tunable by Near Infra-Red Light. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 13844-13851	16.4	6
161	Advances in Organic Transistor-Based Biosensors. <i>Advanced Materials Technologies</i> , 2020 , 5, 2000218	6.8	25
160	Enhanced Thermoelectric Performance of n-Type Organic Semiconductor via Electric Field Modulated Photo-Thermoelectric Effect. <i>Advanced Materials</i> , 2020 , 32, e2000273	24	17
159	A Conjugated Polymer Containing Arylazopyrazole Units in the Side Chains for Field-Effect Transistors Optically Tunable by Near Infra-Red Light. <i>Angewandte Chemie</i> , 2020 , 132, 13948-13955	3.6	3
158	Exploring Thermoelectric Materials from High Mobility Organic Semiconductors <i>Chemistry of Materials</i> , 2020 , 32, 2688-2702	9.6	43
157	A thermally activated and highly miscible dopant for n-type organic thermoelectrics. <i>Nature Communications</i> , 2020 , 11, 3292	17.4	57
156	Monolayer Two-dimensional Molecular Crystals for an Ultrasensitive OFET-based Chemical Sensor. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 4380-4384	16.4	57
155	Organic topological insulators (OTI): a dream coming true?. <i>National Science Review</i> , 2020 , 7, 996-997	10.8	6
154	2D Semiconducting Metal-Organic Framework Thin Films for Organic Spin Valves. <i>Angewandte Chemie</i> , 2020 , 132, 1134-1139	3.6	25

153	2D Semiconducting Metal-Organic Framework Thin Films for Organic Spin Valves. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 1118-1123	16.4	90
152	Carbon nanotube yarn based thermoelectric textiles for harvesting thermal energy and powering electronics. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 2984-2994	13	56
151	Chemical doping of organic semiconductors for thermoelectric applications. <i>Chemical Society Reviews</i> , 2020 , 49, 7210-7228	58.5	74
150	Impact of Stoichiometry and Fluorine Atoms on the Charge Transport of Perylene-FTCNQ. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 3376-3380	6.4	8
149	A Flexible Self-Powered Sensing Element with Integrated Organic Thermoelectric Generator. <i>Advanced Materials Technologies</i> , 2019 , 4, 1900247	6.8	46
148	Enabling Multifunctional Organic Transistors with Fine-Tuned Charge Transport. <i>Accounts of Chemical Research</i> , 2019 , 52, 1113-1124	24.3	23
147	Cholesteric Aggregation at the Quinoidal-to-Diradical Border Enabled Stable n-Doped Conductor. <i>CheM</i> , 2019 , 5, 964-976	16.2	48
146	Advances in n-Type Organic Thermoelectric Materials and Devices. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800825	6.4	81
145	Selenium-Substituted Diketopyrrolopyrrole Polymer for High-Performance p-Type Organic Thermoelectric Materials. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 18994-18999	16.4	75
144	Mimicking Sensory Adaptation with Dielectric Engineered Organic Transistors. <i>Advanced Materials</i> , 2019 , 31, e1905018	24	11
143	Selenium-Substituted Diketopyrrolopyrrole Polymer for High-Performance p-Type Organic Thermoelectric Materials. <i>Angewandte Chemie</i> , 2019 , 131, 19170-19175	3.6	11
142	Titelbild: Selenium-Substituted Diketopyrrolopyrrole Polymer for High-Performance p-Type Organic Thermoelectric Materials (Angew. Chem. 52/2019). <i>Angewandte Chemie</i> , 2019 , 131, 18893-18893 ^{3,6}		
141	Organic Adaptive Transistors: Mimicking Sensory Adaptation with Dielectric Engineered Organic Transistors (Adv. Mater. 48/2019). <i>Advanced Materials</i> , 2019 , 31, 1970342	24	1
140	Rolling up transition metal dichalcogenide nanoscrolls via one drop of ethanol. <i>Nature Communications</i> , 2018 , 9, 1301	17.4	69
139	Correlation between Seebeck coefficient and transport energy level in poly(3-hexylthiophene). <i>Organic Electronics</i> , 2018 , 56, 125-128	3.5	17
138	Molecular antenna tailored organic thin-film transistors for sensing application. <i>Materials Horizons</i> , 2018 , 5, 240-247	14.4	31
137	Enhancing the n-Type Conductivity and Thermoelectric Performance of Donor-Acceptor Copolymers through Donor Engineering. <i>Advanced Materials</i> , 2018 , 30, e1802850	24	115
136	Exploring Peltier effect in organic thermoelectric films. <i>Nature Communications</i> , 2018 , 9, 3586	17.4	42

135	Effect of Alkyl-Chain Length on Charge Transport Properties of Organic Semiconductors and Organic Field-Effect Transistors. <i>Advanced Electronic Materials</i> , 2018 , 4, 1800175	6.4	14
134	Insight into thin-film stacking modes of expanded quinoidal molecules on charge transport property via side-chain engineering. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1935-1943	7.1	20
133	Metal-organic complexes-towards promising organic thermoelectric materials. <i>Synthetic Metals</i> , 2017 , 225, 22-30	3.6	31
132	A Dual-Organic-Transistor-Based Tactile-Perception System with Signal-Processing Functionality. <i>Advanced Materials</i> , 2017 , 29, 1606088	24	154
131	Critical Role of Molecular Symmetry for Charge Transport Properties: A Paradigm Learned from Quinoidal Bithieno[3,4-b]thiophenes. <i>Chemistry of Materials</i> , 2017 , 29, 4999-5008	9.6	21
130	Organic transistor for bioelectronic applications. <i>Science China Chemistry</i> , 2017 , 60, 437-449	7.9	14
129	Trichalcogenasumanene ortho-Quinones: Synthesis, Properties, and Transformation into Various Heteropolycycles. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 13470-13474	16.4	29
128	Flexible unipolar thermoelectric devices based on patterned poly[Kx(Ni-ethylenetetra-thiolate)] thin films. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 2111-2116	7.8	21
127	Conjugated-Backbone Effect of Organic Small Molecules for n-Type Thermoelectric Materials with ZT over 0.2. <i>Journal of the American Chemical Society</i> , 2017 , 139, 13013-13023	16.4	156
126	Efficient Solution-Processed n-Type Small-Molecule Thermoelectric Materials Achieved by Precisely Regulating Energy Level of Organic Dopants. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 28795-28807	8.5	63
125	Pursuing High-Mobility n-Type Organic Semiconductors by Combination of "Molecule-Framework" and "Side-Chain" Engineering. <i>Advanced Materials</i> , 2016 , 28, 8456-8462	24	78
124	Bismuth Interfacial Doping of Organic Small Molecules for High Performance n-type Thermoelectric Materials. <i>Angewandte Chemie</i> , 2016 , 128, 10830-10833	3.6	8
123	Organic thermoelectrics for green energy. <i>National Science Review</i> , 2016 , 3, 269-271	10.8	28
122	Scanning Kelvin Probe Microscopy Investigation of the Role of Minority Carriers on the Switching Characteristics of Organic Field-Effect Transistors. <i>Advanced Materials</i> , 2016 , 28, 4713-9	24	30
121	Device Engineered Organic Transistors for Flexible Sensing Applications. <i>Advanced Materials</i> , 2016 , 28, 4549-55	24	127
120	Flexible n-Type High-Performance Thermoelectric Thin Films of Poly(nickel-ethylenetetra-thiolate) Prepared by an Electrochemical Method. <i>Advanced Materials</i> , 2016 , 28, 3351-8	24	161
119	D-A1-D-A2 Copolymer Based on Pyridine-Capped Diketopyrrolopyrrole with Fluorinated Benzothiadiazole for High-Performance Ambipolar Organic Thin-Film Transistors. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 8620-6	9.5	19
118	Dithienoindophenines: p-Type Semiconductors Designed by Quinoid Stabilization for Solar-Cell Applications. <i>Chemistry - A European Journal</i> , 2016 , 22, 17136-17140	4.8	23

117	Organic Electronics: Pursuing High-Mobility n-Type Organic Semiconductors by Combination of Molecule-Framework and Side-Chain Engineering (Adv. Mater. 38/2016). <i>Advanced Materials</i> , 2016 , 28, 8455-8455	24	
116	Bismuth Interfacial Doping of Organic Small Molecules for High Performance n-type Thermoelectric Materials. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 10672-5	16.4	66
115	n-Type thermoelectric materials based on CuTCNQ nanocrystals and CuTCNQ nanorod arrays. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 2677-2683	13	22
114	A two-dimensional π conjugated coordination polymer with extremely high electrical conductivity and ambipolar transport behaviour. <i>Nature Communications</i> , 2015 , 6, 7408	17.4	426
113	Interface-Located Photothermoelectric Effect of Organic Thermoelectric Materials in Enabling NIR Detection. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 8968-73	9.5	30
112	Flexible suspended gate organic thin-film transistors for ultra-sensitive pressure detection. <i>Nature Communications</i> , 2015 , 6, 6269	17.4	400
111	Low-bandgap thieno[3,4-c]pyrrole-4,6-dione-polymers for high-performance solar cells with significantly enhanced photocurrents. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 11194-11198	13	33
110	Conjugation-Break Spacers in Semiconducting Polymers: Impact on Polymer Processability and Charge Transport Properties. <i>Macromolecules</i> , 2015 , 48, 2048-2053	5.5	78
109	Modulated Thermoelectric Properties of Organic Semiconductors Using Field-Effect Transistors. <i>Advanced Functional Materials</i> , 2015 , 25, 3004-3012	15.6	79
108	Flexible and self-powered temperature-pressure dual-parameter sensors using microstructure-frame-supported organic thermoelectric materials. <i>Nature Communications</i> , 2015 , 6, 8356	17.4	330
107	Advances of flexible pressure sensors toward artificial intelligence and health care applications. <i>Materials Horizons</i> , 2015 , 2, 140-156	14.4	765
106	Sensitive Flexible Magnetic Sensors using Organic Transistors with Magnetic-Functionalized Suspended Gate Electrodes. <i>Advanced Materials</i> , 2015 , 27, 7979-85	24	44
105	Toward High Performance n-Type Thermoelectric Materials by Rational Modification of BDPPV Backbones. <i>Journal of the American Chemical Society</i> , 2015 , 137, 6979-82	16.4	274
104	A novel cuprous ethylenetetrathiolate coordination polymer: Structure characterization, thermoelectric property optimization and a bulk thermogenerator demonstration. <i>Synthetic Metals</i> , 2014 , 193, 1-7	3.6	23
103	Naphthalenediimides Fused with 2-(1,3-Dithiol-2-ylidene)acetonitrile: Strong Electron-Deficient Building Blocks for High-Performance n-Type Polymeric Semiconductors. <i>ACS Macro Letters</i> , 2014 , 3, 1174-1177	6.6	33
102	Phase Transitions and Anisotropic Thermal Expansion in High Mobility Core-expanded Naphthalene Diimide Thin Film Transistors. <i>Advanced Functional Materials</i> , 2014 , 24, n/a-n/a	15.6	11
101	Two-dimensional π -expanded quinoidal terthiophenes terminated with dicyanomethylenes as n-type semiconductors for high-performance organic thin-film transistors. <i>Journal of the American Chemical Society</i> , 2014 , 136, 16176-84	16.4	132
100	Solution-sheared ultrathin films for highly-sensitive ammonia detection using organic thin-film transistors. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 1264	7.1	56

99	An easily accessible carbon material derived from carbonization of polyacrylonitrile ultrathin films: ambipolar transport properties and application in a CMOS-like inverter. <i>Chemical Communications</i> , 2014 , 50, 2374-6	5.8	13
98	Thieno[3,2-b]thiophene-diketopyrrolopyrrole-based quinoidal small molecules: synthesis, characterization, redox behavior, and n-channel organic field-effect transistors. <i>Chemistry - A European Journal</i> , 2014 , 20, 13755-61	4.8	33
97	Solution-processed small molecules based on indacenodithiophene for high performance thin-film transistors and organic solar cells. <i>Organic Electronics</i> , 2014 , 15, 1155-1165	3.5	20
96	Effect of molecular asymmetry on the charge transport physics of high mobility n-type molecular semiconductors investigated by scanning Kelvin probe microscopy. <i>ACS Nano</i> , 2014 , 8, 6778-87	16.7	15
95	Inkjet-printed flexible organic thin-film thermoelectric devices based on p- and n-type poly(metal 1,1,2,2-ethenetetrathiolate)s/polymer composites through ball-milling. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2014 , 372, 20130008	3	90
94	Specific and reproducible gas sensors utilizing gas-phase chemical reaction on organic transistors. <i>Advanced Materials</i> , 2014 , 26, 2862-7	24	76
93	Multi-functional integration of organic field-effect transistors (OFETs): advances and perspectives. <i>Advanced Materials</i> , 2013 , 25, 313-30	24	254
92	Alternating Electron Donor-Acceptor Conjugated Polymers Based on Modified Naphthalene Diimide Framework: The Large Enhancement of p-Type Semiconducting Performance upon Solvent Vapor Annealing. <i>Macromolecules</i> , 2013 , 46, 5504-5511	5.5	25
91	1,2,5,6-Naphthalenediimide Based Donor-Acceptor Copolymers Designed from Isomer Chemistry for Organic Semiconducting Materials. <i>Macromolecules</i> , 2013 , 46, 7705-7714	5.5	47
90	A facile strategy to enhance the fill factor of ternary blend solar cells by increasing charge carrier mobility. <i>New Journal of Chemistry</i> , 2013 , 37, 1728	3.6	18
89	Fullerene/sulfur-bridged annulene cocrystals: two-dimensional segregated heterojunctions with ambipolar transport properties and photoresponsivity. <i>Journal of the American Chemical Society</i> , 2013 , 135, 558-61	16.4	150
88	Organic Electronics: Ultrathin Film Organic Transistors: Precise Control of Semiconductor Thickness via Spin-Coating (Adv. Mater. 10/2013). <i>Advanced Materials</i> , 2013 , 25, 1370-1370	24	3
87	Ultrathin film organic transistors: precise control of semiconductor thickness via spin-coating. <i>Advanced Materials</i> , 2013 , 25, 1401-7	24	187
86	All-brush-painted top-gate organic thin-film transistors. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 3072	7.1	33
85	Extended π -conjugated molecules derived from naphthalene diimides toward organic emissive and semiconducting materials. <i>Journal of Organic Chemistry</i> , 2013 , 78, 2926-34	4.2	42
84	Critical role of alkyl chain branching of organic semiconductors in enabling solution-processed N-channel organic thin-film transistors with mobility of up to 3.50 cm ² V ⁻¹ s ⁻¹ . <i>Journal of the American Chemical Society</i> , 2013 , 135, 2338-49	16.4	344
83	Effect of a furan π -bridge on polymer coplanarity and performance in organic field effect transistors. <i>Polymer Chemistry</i> , 2013 , 4, 4199	4.9	14
82	High-performance n-type organic thin-film phototransistors based on a core-expanded naphthalene diimide. <i>Applied Physics Letters</i> , 2013 , 103, 053301	3.4	23

81	Highly Sensitive Chemical-Vapor Sensor Based on Thin-Film Organic Field-Effect Transistors with Benzothiadiazole-Fused-Tetrathiafulvalene. <i>Advanced Functional Materials</i> , 2013 , 23, 1671-1676	15.6	44
80	Organic field-effect transistors based on low-temperature processable transparent polymer dielectrics with low leakage current. <i>Organic Electronics</i> , 2012 , 13, 733-736	3.5	6
79	Inkjet printing high-resolution, large-area graphene patterns by coffee-ring lithography. <i>Advanced Materials</i> , 2012 , 24, 436-40	24	138
78	Organic thermoelectric materials and devices based on p- and n-type poly(metal 1,1,2,2-ethenetetrathiolate)s. <i>Advanced Materials</i> , 2012 , 24, 932-7	24	386
77	Design of benzodithiophene-diketopyrrolopyrrole based donor-acceptor copolymers for efficient organic field effect transistors and polymer solar cells. <i>Journal of Materials Chemistry</i> , 2012 , 22, 22734		62
76	One-pot synthesis of core-expanded naphthalene diimides: enabling N-substituent modulation for diverse n-type organic materials. <i>Organic Letters</i> , 2012 , 14, 292-5	6.2	58
75	Production of graphite chloride and bromide using microwave sparks. <i>Scientific Reports</i> , 2012 , 2, 662	4.9	110
74	A stable solution-processed polymer semiconductor with record high-mobility for printed transistors. <i>Scientific Reports</i> , 2012 , 2, 754	4.9	733
73	Sulfur-bridged annulene-TCNQ co-crystal: a self-assembled "molecular level heterojunction" with air stable ambipolar charge transport behavior. <i>Advanced Materials</i> , 2012 , 24, 2603-7	24	176
72	Inkjet-Printed Organic Electrodes for Bottom-Contact Organic Field-Effect Transistors. <i>Advanced Functional Materials</i> , 2011 , 21, 786-791	15.6	26
71	Interfacial heterogeneity of surface energy in organic field-effect transistors. <i>Advanced Materials</i> , 2011 , 23, 1009-14	24	53
70	All-solution-processed, high-performance n-channel organic transistors and circuits: toward low-cost ambient electronics. <i>Advanced Materials</i> , 2011 , 23, 2448-53	24	164
69	Morphology optimization for the fabrication of high mobility thin-film transistors. <i>Advanced Materials</i> , 2011 , 23, 3128-33	24	47
68	Organic Thin-Film Transistors: Interfacial Heterogeneity of Surface Energy in Organic Field-Effect Transistors (Adv. Mater. 8/2011). <i>Advanced Materials</i> , 2011 , 23, 1008-1008	24	
67	Core-Expanded Naphthalene Diimides Fused with Sulfur Heterocycles and End-Capped with Electron-Withdrawing Groups for Air-Stable Solution-Processed n-Channel Organic Thin Film Transistors. <i>Chemistry of Materials</i> , 2011 , 23, 1204-1215	9.6	136
66	General route toward patterning of graphene oxide by a combination of wettability modulation and spin-coating. <i>ACS Nano</i> , 2010 , 4, 5749-54	16.7	50
65	High quality graphene with large flakes exfoliated by oleyl amine. <i>Chemical Communications</i> , 2010 , 46, 5728-30	5.8	57
64	Core-expanded naphthalene diimides fused with 2-(1,3-dithiol-2-ylidene)malonitrile groups for high-performance, ambient-stable, solution-processed n-channel organic thin film transistors. <i>Journal of the American Chemical Society</i> , 2010 , 132, 3697-9	16.4	255

63	Engineering of the dielectric/semiconductor interface in organic field-effect transistors. <i>Journal of Materials Chemistry</i> , 2010 , 20, 2599		128
62	Solution processed organic field-effect transistors and their application in printed logic circuits. <i>Journal of Materials Chemistry</i> , 2010 , 20, 7059		73
61	Hexathienoacene: synthesis, characterization, and thin-film transistors. <i>Chemistry - an Asian Journal</i> , 2010 , 5, 1550-4	4.5	21
60	Phenyl-substituted fluorene-dimer cored anthracene derivatives: highly fluorescent and stable materials for high performance organic blue- and white-light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2010 , 20, 3186		49
59	High-Performance Phototransistors Based on Organic Microribbons Prepared by a Solution Self-Assembly Process. <i>Advanced Functional Materials</i> , 2010 , 20, 1019-1024	15.6	116
58	Solvent-assisted re-annealing of polymer films for solution-processable organic field-effect transistors. <i>Advanced Materials</i> , 2010 , 22, 1273-7	24	51
57	Top-gate organic thin-film transistors constructed by a general lamination approach. <i>Advanced Materials</i> , 2010 , 22, 3537-41	24	37
56	Synthesis, structures, and properties of fused thiophenes for organic field-effect transistors. <i>Chemistry - A European Journal</i> , 2010 , 16, 2231-9	4.8	61
55	Multibit Storage of Organic Thin-Film Field-Effect Transistors. <i>Advanced Materials</i> , 2009 , 21, 1954-1959	24	164
54	Improvements in Stability and Performance of N,N'-Dialkyl Perylene Diimide-Based n-Type Thin-Film Transistors. <i>Advanced Materials</i> , 2009 , 21, 1631-1635	24	80
53	Polymer gate dielectrics with self-assembled monolayers for high-mobility organic thin-film transistors based on copper phthalocyanine. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 95, 777-780	2.6	16
52	Linking polythiophene chains with vinylene-bridges: A way to improve charge transport in polymer field-effect transistors. <i>Journal of Polymer Science Part A</i> , 2009 , 47, 1381-1392	2.5	9
51	Effect of substituents on electronic properties, thin film structure and device performance of dithienothiophene/phenylene cooligomers. <i>Thin Solid Films</i> , 2009 , 517, 2968-2973	2.2	14
50	Selective Crystallization of Organic Semiconductors for High Performance Organic Field-Effect Transistors. <i>Chemistry of Materials</i> , 2009 , 21, 4873-4879	9.6	13
49	Interface engineering: an effective approach toward high-performance organic field-effect transistors. <i>Accounts of Chemical Research</i> , 2009 , 42, 1573-83	24.3	285
48	Wide-Energy-Gap Host Materials for Blue Phosphorescent Organic Light-Emitting Diodes. <i>Chemistry of Materials</i> , 2009 , 21, 1333-1342	9.6	72
47	Novel Functionalized Conjugated Polythiophene with Oxetane Substituents: Synthesis, Optical, Electrochemical, and Field-Effect Properties. <i>Macromolecules</i> , 2009 , 42, 3222-3226	5.5	43
46	Field dependent and high light sensitive organic phototransistors based on linear asymmetric organic semiconductor. <i>Applied Physics Letters</i> , 2009 , 94, 143303	3.4	46

45	Unusual tubular organization with crystal stacks from a new cyclic thiophene compound,. <i>CrystEngComm</i> , 2009 , 11, 2288	3.3	1
44	Effect of dielectric layers on device stability of pentacene-based field-effect transistors. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 7268-73	3.6	31
43	Efficient modification of Cu electrode with nanometer-sized copper tetracyanoquinodimethane for high performance organic field-effect transistors. <i>Physical Chemistry Chemical Physics</i> , 2008 , 10, 2302-7	3.6	35
42	Photophysical properties of polyphenylphenyl compounds in aqueous solutions and application of their nanoparticles for nucleobase sensing. <i>Journal of Materials Chemistry</i> , 2008 , 18, 2555		32
41	Trifluoromethyltriphenodioxazine: air-stable and high-performance n-type semiconductor. <i>Organic Letters</i> , 2008 , 10, 3025-8	6.2	58
40	Novel copolymers incorporating dithieno[3,2-b:2',3'-d]thiophene moieties for air-stable and high performance organic field-effect transistors. <i>Journal of Materials Chemistry</i> , 2008 , 18, 3426		47
39	Nanophotoswitches with a high on/off ratio based on a structure of indium tin oxide/organic insulator/metal. <i>Applied Physics Letters</i> , 2008 , 92, 043302	3.4	4
38	Synthesis, characterization, and field-effect transistor properties of carbazolevinylene oligomers: from linear to cyclic architectures. <i>Chemistry - A European Journal</i> , 2008 , 14, 4731-40	4.8	40
37	Synthesis and Luminescent Properties of Two New Triphenylamine-based Compounds with Hetero-cyclic Ring as Conjugation Bridge. <i>Chinese Journal of Chemistry</i> , 2008 , 26, 1150-1152	4.9	3
36	High-Performance, Low-Operating-Voltage Organic Field-Effect Transistors with Low Pinch-Off Voltages. <i>Advanced Functional Materials</i> , 2008 , 18, 810-815	15.6	17
35	High-Performance Organic Transistor Memory Elements with Steep Flanks of Hysteresis. <i>Advanced Functional Materials</i> , 2008 , 18, 2593-2601	15.6	73
34	Organic Field-Effect Transistors with a Low Pinch-Off Voltage and a Controllable Threshold Voltage. <i>Advanced Materials</i> , 2008 , 20, 611-615	24	18
33	High-Performance Organic Field-Effect Transistors with Low-Cost Copper Electrodes. <i>Advanced Materials</i> , 2008 , 20, 1286-1290	24	85
32	Patterned Graphene as Source/Drain Electrodes for Bottom-Contact Organic Field-Effect Transistors. <i>Advanced Materials</i> , 2008 , 20, 3289-3293	24	339
31	Optimizing Single-Walled Carbon Nanotube Films for Applications in Electroluminescent Devices. <i>Advanced Materials</i> , 2008 , 20, 4442-4449	24	87
30	Single-Crystal Microribbons of an Indolo[3,2-b]carbazole Derivative by Solution-Phase Self-Assembly with Novel Mechanical, Electrical, and Optical Properties. <i>Advanced Materials</i> , 2008 , 20, 4835-4839	24	54
29	Synthesis and characterization of a quinoxaline compound containing polyphenylphenyl and strong electron-accepting groups, and its multiple applications in electroluminescent devices. <i>Journal of Materials Chemistry</i> , 2008 , 18, 299-305		33
28	Solution-Processed Organic Field-Effect Transistors Based on Polythiophene Derivatives with Conjugated Bridges as Linking Chains. <i>Chemistry of Materials</i> , 2007 , 19, 3361-3363	9.6	37

27	High-performance organic field-effect transistors: molecular design, device fabrication, and physical properties. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 14083-96	3.4	83
26	High-performance transistor based on individual single-crystalline micrometer wire of perylo[1,12-b,c,d]thiophene. <i>Journal of the American Chemical Society</i> , 2007 , 129, 1882-3	16.4	134
25	Charge Carrier Transporting, Photoluminescent, and Electroluminescent Properties of Zinc(II)-2-(2-hydroxyphenyl)benzothiazolate Complex. <i>Chemistry of Materials</i> , 2007 , 19, 1740-1748	9.6	64
24	Organic Light-Emitting Transistors Containing a Laterally Arranged Heterojunction. <i>Advanced Functional Materials</i> , 2007 , 17, 1567-1573	15.6	36
23	High-Efficiency Blue Light-Emitting Diodes Based on a Polyphenylphenyl Compound with Strong Electron-Accepting Groups. <i>Advanced Materials</i> , 2007 , 19, 1281-1285	24	63
22	High-efficiency low operation voltage organic light-emitting diodes. <i>Applied Physics Letters</i> , 2007 , 90, 133508	3.4	19
21	Tuning the threshold voltage by inserting a thin molybdenum oxide layer into organic field-effect transistors. <i>Applied Physics Letters</i> , 2007 , 91, 263502	3.4	21
20	Fluorescence enhancements of benzene-cored luminophors by restricted intramolecular rotations: AIE and AIEE effects. <i>Chemical Communications</i> , 2007 , 70-2	5.8	341
19	New semiconductors based on triphenylamine with macrocyclic architecture: synthesis, properties and applications in OFETs. <i>Journal of Materials Chemistry</i> , 2007 , 17, 4483		34
18	High-Performance and Stable Organic Thin-Film Transistors Based on Fused Thiophenes. <i>Advanced Functional Materials</i> , 2006 , 16, 426-432	15.6	169
17	Photoluminescence and Electroluminescence from Tris(8-hydroxyquinoline)aluminum Nanowires Prepared by Adsorbent-Assisted Physical Vapor Deposition. <i>Advanced Functional Materials</i> , 2006 , 16, 1985-1991	15.6	136
16	Effective modification of indium tin oxide for improved hole injection in organic light-emitting devices. <i>Applied Physics Letters</i> , 2006 , 89, 033502	3.4	28
15	Noncoplanar organic field-effect transistor based on copper phthalocyanine. <i>Applied Physics Letters</i> , 2006 , 88, 121907	3.4	13
14	Organic thin-film transistors with high mobilities and low operating voltages based on 5,5'-bis-biphenyl-dithieno[3,2-b:2',3'-d]thiophene semiconductor and polymer gate dielectric. <i>Applied Physics Letters</i> , 2006 , 88, 242113	3.4	40
13	1-Imino nitroxide pyrene for high performance organic field-effect transistors with low operating voltage. <i>Journal of the American Chemical Society</i> , 2006 , 128, 13058-9	16.4	82
12	Structural Control of the Side-Chain Chromophores To Achieve Highly Efficient Nonlinear Optical Polyurethanes. <i>Macromolecules</i> , 2006 , 39, 6951-6961	5.5	140
11	An Attempt To Modify Nonlinear Optical Effects of Polyurethanes by Adjusting the Structure of the Chromophore Moieties at the Molecular Level Using Click Chemistry. <i>Macromolecules</i> , 2006 , 39, 8544-8548	5.5	79
10	A novel air-stable n-type organic semiconductor: 4,4'-bis[(6,6'-diphenyl)-2,2-difluoro-1,3,2-dioxaborine] and its application in organic ambipolar field-effect transistors. <i>Journal of Materials Chemistry</i> , 2006 , 16, 4499-4503		51

9	A cyclic triphenylamine dimer for organic field-effect transistors with high performance. <i>Journal of the American Chemical Society</i> , 2006 , 128, 15940-1	16.4	212
8	High-performance low-cost organic field-effect transistors with chemically modified bottom electrodes. <i>Journal of the American Chemical Society</i> , 2006 , 128, 16418-9	16.4	113
7	Efficient nondoped white organic light-emitting diodes based on electromers. <i>Applied Physics Letters</i> , 2006 , 89, 123503	3.4	29
6	New light-emitting hyperbranched polymers prepared from tribromoaryls and 9,9-dihexylfluorene-2,7-bis(trimethyleneborate). <i>Polymer</i> , 2006 , 47, 7889-7899	3.9	19
5	Synthesis and properties of new poly(terfluorene) derivatives containing spirobifluorene and electron transport groups for stable blue electroluminescence. <i>Journal of Polymer Science Part A</i> , 2005 , 43, 4517-4529	2.5	15
4	Advances in organic thermoelectric materials and devices for smart applications. <i>SmartMat</i> ,	22.8	13
3	Recent Advances in Molecular Design of Organic Thermoelectric Materials. <i>CCS Chemistry</i> , 2212-2225	7.2	5
2	Implantable application of polymer-based biosensors. <i>Journal of Polymer Science</i> ,	2.4	6
1	Hierarchical Heterojunction Enhanced Photodoping of Polymeric Semiconductor for Photodetection and Photothermoelectric Applications 815-822		0