

Ana Campa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5355066/publications.pdf>

Version: 2024-02-01

79
papers

2,695
citations

147801

31
h-index

206112

48
g-index

81
all docs

81
docs citations

81
times ranked

3428
citing authors

#	ARTICLE	IF	CITATIONS
1	Kynurenine inhibits melanogenesis in human melanocyte-keratinocyte co-cultures and in a reconstructed 3D skin model. <i>Experimental Dermatology</i> , 2022, 31, 427-432.	2.9	3
2	Acute Inflammation Is a Predisposing Factor for Weight Gain and Insulin Resistance. <i>Pharmaceutics</i> , 2022, 14, 623.	4.5	4
3	Indoleamine 2,3-dioxygenase in melanoma progression and BRAF inhibitor resistance. <i>Pharmacological Research</i> , 2020, 159, 104998.	7.1	10
4	Flavivirus-Mediating B Cell Differentiation Into Antibody-Secreting Cells in Humans Is Associated With the Activation of the Tryptophan Metabolism. <i>Frontiers in Immunology</i> , 2020, 11, 20.	4.8	10
5	Indoleamine 2,3-dioxygenase and tryptophan 2,3-dioxygenase expression in HPV infection, SILs, and cervical cancer. <i>Cancer Cytopathology</i> , 2019, 127, 586-597.	2.4	19
6	Serum amyloid A1 is upregulated in human glioblastoma. <i>Journal of Neuro-Oncology</i> , 2017, 132, 383-391.	2.9	23
7	Serum Amyloid A Production Is Triggered by Sleep Deprivation in Mice and Humans: Is That the Link between Sleep Loss and Associated Comorbidities?. <i>Nutrients</i> , 2017, 9, 311.	4.1	13
8	Serum amyloid A links endotoxaemia to weight gain and insulin resistance in mice. <i>Diabetologia</i> , 2016, 59, 1760-1768.	6.3	22
9	Myeloperoxidase in human peripheral blood lymphocytes: Production and subcellular localization. <i>Cellular Immunology</i> , 2016, 300, 18-25.	3.0	19
10	Melanocytes are more responsive to IFN- γ and produce higher amounts of kynurenine than melanoma cells. <i>Biological Chemistry</i> , 2016, 397, 85-90.	2.5	6
11	Late effects of sleep restriction: Potentiating weight gain and insulin resistance arising from a high-fat diet in mice. <i>Obesity</i> , 2015, 23, 391-398.	3.0	22
12	Serum Amyloid A in the Placenta and Its Role in Trophoblast Invasion. <i>PLoS ONE</i> , 2014, 9, e90881.	2.5	30
13	Cytotoxicity of PVPAC-treated bovine pericardium: A potential replacement for glutaraldehyde in biological heart valves. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2014, 102, 574-582.	3.4	9
14	Indoleamine 2,3-dioxygenase (IDO) Activity in Placental Compartments of Renal-Transplanted Pregnant Women. <i>American Journal of Reproductive Immunology</i> , 2014, 72, 45-56.	1.2	5
15	The term basal plate of the human placenta as a source of functional extravillous trophoblast cells. <i>Reproductive Biology and Endocrinology</i> , 2014, 12, 7.	3.3	36
16	Fibroblasts Protect Melanoma Cells from the Cytotoxic Effects of Doxorubicin. <i>Tissue Engineering - Part A</i> , 2014, 20, 2412-2421.	3.1	40
17	Biosynthesis of N,N-dimethyltryptamine (DMT) in a melanoma cell line and its metabolization by peroxidases. <i>Biochemical Pharmacology</i> , 2014, 88, 393-401.	4.4	14
18	The expanding roles of 5-methyltryptophan (5MT): in addition to inhibiting kynurenine production, 5MT activates the synthesis of melatonin in skin cells. <i>FEBS Journal</i> , 2013, 280, 4782-4792.	4.7	27

#	ARTICLE	IF	CITATIONS
19	Intracellular localization of myeloperoxidase in murine peritoneal B-lymphocytes and macrophages. <i>Cellular Immunology</i> , 2013, 281, 27-30.	3.0	50
20	Tryptamine and dimethyltryptamine inhibit indoleamine 2,3 dioxygenase and increase the tumor-reactive effect of peripheral blood mononuclear cells. <i>Cell Biochemistry and Function</i> , 2013, 31, 361-364.	2.9	43
21	Hypoxia Increases Serum Amyloid A3 (SAA3) in Differentiated 3T3-L1 Adipocytes. <i>Inflammation</i> , 2013, 36, 1107-1110.	3.8	12
22	Dual Effect of Serum Amyloid A on the Invasiveness of Glioma Cells. <i>Mediators of Inflammation</i> , 2013, 2013, 1-10.	3.0	33
23	Hybrid Scaffolds Built From PET and Collagen as a Model For Vascular Graft Architecture. <i>Macromolecular Bioscience</i> , 2012, 12, 1660-1670.	4.1	26
24	Serum amyloid A is a growth factor for 3T3-L1 adipocytes, inhibits differentiation and promotes insulin resistance. <i>International Journal of Obesity</i> , 2012, 36, 1032-1039.	3.4	39
25	Oxidation of lysergic acid diethylamide (LSD) by peroxidases: a new metabolic pathway. <i>Forensic Toxicology</i> , 2012, 30, 87-97.	2.4	9
26	High-density lipoprotein prevents SAA-induced production of TNF- α in THP-1 monocytic cells and peripheral blood mononuclear cells. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2011, 106, 986-992.	1.6	20
27	Serum amyloid A induces reactive oxygen species (ROS) production and proliferation of fibroblast. <i>Clinical and Experimental Immunology</i> , 2011, 163, 362-367.	2.6	44
28	Melatonin Protects CD4+ T Cells from Activation-Induced Cell Death by Blocking NFAT-Mediated CD95 Ligand Upregulation. <i>Journal of Immunology</i> , 2010, 184, 3487-3494.	0.8	51
29	Enhanced fibroblast adhesion and proliferation on electrospun fibers obtained from poly(isosorbide) Tj ETQq1 1 0.784314 rgBT /Overloc	3.8	22
30	Serum amyloid A induces CCL20 secretion in mononuclear cells through MAPK (p38 and ERK1/2) signaling pathways. <i>Immunology Letters</i> , 2008, 121, 22-26.	2.5	20
31	Analysis of chemokines and reactive oxygen species formation by rat and human neutrophils induced by microcystin-LA, -YR and -LR. <i>Toxicon</i> , 2008, 51, 1274-1280.	1.6	35
32	Is serum amyloid A an endogenous TLR4 agonist?. <i>Journal of Leukocyte Biology</i> , 2008, 83, 1174-1180.	3.3	163
33	SODIUM CHLORIDE INHIBITS CYTOKINE PRODUCTION BY LIPOPOLYSACCHARIDE-STIMULATED HUMAN NEUTROPHILS AND MONONUCLEAR CELLS. <i>Shock</i> , 2007, 27, 32-35.	2.1	34
34	Interaction between serum amyloid A and leukocytes—a possible role in the progression of vascular complications in diabetes. <i>Immunology Letters</i> , 2007, 108, 160-166.	2.5	39
35	Effects of microcystins on human polymorphonuclear leukocytes. <i>Biochemical and Biophysical Research Communications</i> , 2006, 341, 273-277.	2.1	31
36	Neutrophils and monocytes as potentially important sources of proinflammatory cytokines in diabetes. <i>Clinical and Experimental Immunology</i> , 2006, 146, 443-447.	2.6	165

#	ARTICLE	IF	CITATIONS
37	Melatonin and its kynurenin-like oxidation products affect the microbicidal activity of neutrophils. <i>Microbes and Infection</i> , 2006, 8, 420-425.	1.9	18
38	The Acute-Phase Proteins Serum Amyloid A and C Reactive Protein in Transudates and Exudates. <i>Mediators of Inflammation</i> , 2006, 2006, 1-6.	3.0	12
39	High concentrations of the melatonin metabolite, N1-acetyl-N 2-formyl-5-methoxykynuramine, in cerebrospinal fluid of patients with meningitis: a possible immunomodulatory mechanism. <i>Journal of Pineal Research</i> , 2005, 39, 302-306.	7.4	51
40	Maternal and Cord Blood Levels of Serum Amyloid A, C-Reactive Protein, Tumor Necrosis Factor- α , Interleukin-1 β , and Interleukin-8 During and After Delivery. <i>Mediators of Inflammation</i> , 2005, 2005, 96-100.	3.0	33
41	Superoxide-dependent Oxidation of Melatonin by Myeloperoxidase. <i>Journal of Biological Chemistry</i> , 2005, 280, 38160-38169.	3.4	67
42	Oxidation of melatonin and its catabolites, N ¹ -acetyl-N ² -formyl-5-methoxykynuramine and N ¹ -acetyl-5-methoxykynuramine, by activated leukocytes. <i>Journal of Pineal Research</i> , 2004, 37, 171-175.	7.4	97
43	Neutrophils as a specific target for melatonin and kynuramines: effects on cytokine release. <i>Journal of Neuroimmunology</i> , 2004, 156, 146-152.	2.3	77
44	Hyperresponsiveness of neutrophils from gp 91phox deficient patients to lipopolysaccharide and serum amyloid A. <i>Immunology Letters</i> , 2004, 94, 43-46.	2.5	44
45	Serum amyloid A-induced mRNA expression and release of tumor necrosis factor-alpha (TNF- α) in human neutrophils. <i>Immunology Letters</i> , 2004, 91, 33-37.	2.5	58
46	Hyperresponsiveness of neutrophils from gp 91phox deficient patients to lipopolysaccharide and serum amyloid A. <i>Immunology Letters</i> , 2004, 94, 43-43.	2.5	5
47	Interferon-gamma independent oxidation of melatonin by macrophages. <i>Journal of Pineal Research</i> , 2003, 34, 69-74.	7.4	21
48	The acute phase protein serum amyloid A primes neutrophils. <i>FEMS Immunology and Medical Microbiology</i> , 2003, 38, 81-84.	2.7	50
49	mRNA expression and release of interleukin-8 induced by serum amyloid A in neutrophils and monocytes. <i>Mediators of Inflammation</i> , 2003, 12, 173-178.	3.0	65
50	Macrophage Activation Includes High Intracellular Myeloperoxidase Activity. <i>Biochemical and Biophysical Research Communications</i> , 2002, 292, 869-873.	2.1	66
51	Apolipoproteins A-I and A-II downregulate neutrophil functions. <i>Lipids</i> , 2002, 37, 925-928.	1.7	50
52	The Oxidation of Indole Derivatives Catalyzed by Horseradish Peroxidase Is Highly Chemiluminescent. <i>Archives of Biochemistry and Biophysics</i> , 2001, 387, 173-179.	3.0	35
53	Oxidation of Melatonin and Tryptophan by an HRP Cycle Involving Compound III. <i>Biochemical and Biophysical Research Communications</i> , 2001, 287, 130-134.	2.1	50
54	Selective activity of butyrylcholinesterase in serum by a chemiluminescent assay. <i>Luminescence</i> , 2001, 16, 299-304.	2.9	4

#	ARTICLE	IF	CITATIONS
55	Oxidative metabolism and release of myeloperoxidase from polymorphonuclear leukocytes obtained from blood sedimentation in a ficoll-hypaque gradient. , 2000, 18, 127-132.		30
56	Lipid emulsion reduces subacute toxicity of amphotericin B: a histopathological study. Experimental and Toxicologic Pathology, 2000, 52, 169-175.	2.1	14
57	A Novel Function of Serum Amyloid A: A Potent Stimulus for the Release of Tumor Necrosis Factor- α , Interleukin-1 β , and Interleukin-8 by Human Blood Neutrophil. Biochemical and Biophysical Research Communications, 2000, 268, 405-408.	2.1	213
58	Myeloperoxidase-Catalyzed Oxidation of Melatonin by Activated Neutrophils. Biochemical and Biophysical Research Communications, 2000, 279, 657-662.	2.1	57
59	Pharmacological parameters of intravenously administered amphotericin B in rats: comparison of the conventional formulation with amphotericin B associated with a triglyceride-rich emulsion. Journal of Antimicrobial Chemotherapy, 1999, 44, 77-84.	3.0	24
60	Facile chemiluminescent method for alkaline phosphatase determination. Analytica Chimica Acta, 1999, 402, 99-104.	5.4	31
61	Chemiluminescent determination of esterases in monocytes. , 1998, 13, 195-200.		6
62	Effect of amphotericin B associated with a lipid emulsion on the oxidative burst of human polymorphonuclear leukocytes. General Pharmacology, 1997, 28, 203-207.	0.7	12
63	The Effect In vitro of High-Density Lipoprotein from Healthy and Infected Humans on the Oxidative Metabolism of Polymorphonuclear Leukocytes. , 1997, 15, 39-45.		4
64	Toxicity of amphotericin B to analbuminemic rats. Environmental Toxicology and Pharmacology, 1996, 2, 31-34.	4.0	2
65	Chemiluminescence Triggered by Hydrolase Activity in a Horseradish Peroxidase/H ₂ O ₂ -Coupled Assay. Photochemistry and Photobiology, 1996, 63, 742-745.	2.5	3
66	Esterase Coupled with the H ₂ O ₂ /Horseradish Peroxidase System Triggers Chemiluminescence from 2-Methyl-1-propenylbenzoate: A Potential Analytical Tool for Esterase Analysis. Analytical Biochemistry, 1996, 234, 215-220.	2.4	7
67	Human macrophage metabolism of low density lipoprotein oxidized by stimulated neutrophils and ferritin. Atherosclerosis, 1994, 107, 157-163.	0.8	13
68	Plant hormone ethylene is a Norrish type II product from enzymically generated triplet 1-butanol. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 410-412.	7.1	11
69	In-vitro and in-vivo studies of the decrease of amphotericin B toxicity upon association with a triglyceride-rich emulsion. Journal of Antimicrobial Chemotherapy, 1993, 32, 123-132.	3.0	54
70	Low density lipoprotein oxidation by stimulated neutrophils and ferritin. Atherosclerosis, 1992, 97, 149-159.	0.8	65
71	α -Oxidation of α -hydroxyfatty acids in rat brain. Possible involvement of an α -peroxylactone. Lipids, 1989, 24, 750-752.	1.7	9
72	α -OXIDASE ACTIVITY IN PLANTS AS PROMOTOR OF ELECTRONIC ENERGY. Photochemistry and Photobiology, 1989, 49, 349-354.	2.5	10

#	ARTICLE	IF	CITATIONS
73	CONJUGATED DIENE FORMATION PROMOTED BY TRIPLET ACETONE ACTING UPON ARACHIDONIC ACID. Photochemistry and Photobiology, 1988, 48, 719-723.	2.5	25
74	THE $\hat{I}\pm$ -OXIDASE SYSTEM OF YOUNG PEA LEAVES (<i>Pisum sativum</i>) AS GENERATOR OF ELECTRONICALLY EXCITED STATES. EXCITATION IN THE DARK UNDER NATURAL CONDITIONS. Photochemistry and Photobiology, 1987, 45, 849-854.	2.5	25
75	Chlorophyll: An efficient detector of electronically excited species in biochemical systems. Analytical Biochemistry, 1986, 155, 1-9.	2.4	49
76	Singlet oxygen generation from the peroxidase-catalysed aerobic oxidation of an activated $\hat{i}\text{---,CH}_2\hat{i}\text{---}$, substrate. Journal of Photochemistry and Photobiology, 1984, 25, 285-294.	0.6	15
77	TRIPLET ENERGY TRANSFER TO CHLOROPLASTS FROM PEROXIDASE-GENERATED EXCITED ALIPHATIC ALDEHYDES. Photochemistry and Photobiology, 1984, 40, 127-131.	2.5	25
78	ELECTRONICALLY EXCITED STATES IN MICROSOMAL MEMBRANES: USE OF CHLOROPHYLL $\hat{i}\text{---a</i>$ AS AN INDICATOR OF TRIPLET CARBONYLS. Photochemistry and Photobiology, 1984, 40, 661-666.	2.5	33
79	Low-level luminescence from microsomes exposed to enzymatic systems that generate triplet species. Archives of Biochemistry and Biophysics, 1984, 235, 673-678.	3.0	7