

Guowen Meng

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5355166/guowen-meng-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

4,730
citations

39
h-index

65
g-index

120
ext. papers

5,247
ext. citations

8.1
avg, IF

5.58
L-index

#	Paper	IF	Citations
115	Arrays of Cone-Shaped ZnO Nanorods Decorated with Ag Nanoparticles as 3D Surface-Enhanced Raman Scattering Substrates for Rapid Detection of Trace Polychlorinated Biphenyls. <i>Advanced Functional Materials</i> , 2012 , 22, 218-224	15.6	283
114	Controlled fabrication of hierarchically branched nanopores, nanotubes, and nanowires. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 7074-8	11.5	271
113	A Hierarchically Ordered Array of Silver-Nanorod Bundles for Surface-Enhanced Raman Scattering Detection of Phenolic Pollutants. <i>Advanced Materials</i> , 2016 , 28, 4871-6	24	239
112	Catalytic Growth of Large-Scale Single-Crystal CdS Nanowires by Physical Evaporation and Their Photoluminescence. <i>Chemistry of Materials</i> , 2002 , 14, 1773-1777	9.6	203
111	Periodically twinned nanowires and polytypic nanobelts of ZnS: The role of mass diffusion in vapor-liquid-solid growth. <i>Nano Letters</i> , 2006 , 6, 1650-5	11.5	201
110	Improved SERS performance from Au nanopillar arrays by abridging the pillar tip spacing by Ag sputtering. <i>Advanced Materials</i> , 2010 , 22, 4136-9	24	196
109	Controlled Synthesis of In ₂ O ₃ Octahedrons and Nanowires. <i>Crystal Growth and Design</i> , 2005 , 5, 1617-1621	15	163
108	Kinetics-driven growth of orthogonally branched single-crystalline magnesium oxide nanostructures. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 11204-8	3.4	108
107	Green synthesis of large-scale highly ordered core@shell nanoporous Au@Ag nanorod arrays as sensitive and reproducible 3D SERS substrates. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 15667-73	9.5	101
106	Large-area Ag nanorod array substrates for SERS: AAO template-assisted fabrication, functionalization, and application in detection PCBs. <i>Journal of Raman Spectroscopy</i> , 2013 , 44, 240-246	2.3	100
105	Ag nanosheet-assembled micro-hemispheres as effective SERS substrates. <i>Chemical Communications</i> , 2011 , 47, 2709-11	5.8	97
104	Ag Nanoparticle-Grafted PAN-Nanohump Array Films with 3D High-Density Hot Spots as Flexible and Reliable SERS Substrates. <i>Small</i> , 2015 , 11, 5452-9	11	90
103	Review Surface-Enhanced Raman Scattering Sensors for Food Safety and Environmental Monitoring. <i>Journal of the Electrochemical Society</i> , 2018 , 165, B3098-B3118	3.9	88
102	Flexible membranes of Ag-nanosheet-grafted polyamide-nanofibers as effective 3D SERS substrates. <i>Nanoscale</i> , 2014 , 6, 4781-8	7.7	78
101	Electrospun 1,4-DHAQ-doped cellulose nanofiber films for reusable fluorescence detection of trace Cu ²⁺ and further for Cr ³⁺ . <i>Environmental Science & Technology</i> , 2012 , 46, 367-73	10.3	77
100	Enhancing potassium-ion battery performance by defect and interlayer engineering. <i>Nanoscale Horizons</i> , 2019 , 4, 202-207	10.8	73
99	Aligned SiC Porous Nanowire Arrays with Excellent Field Emission Properties Converted from Si Nanowires on Silicon Wafer. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 20126-20130	3.8	69

98	Plasmonic hot electrons for sensing, photodetection, and solar energy applications: A perspective. <i>Journal of Chemical Physics</i> , 2020 , 152, 220901	3.9	65
97	Highly Sensitive and Selective Surface-Enhanced Raman Spectroscopy Label-free Detection of 3,3',4,4'-Tetrachlorobiphenyl Using DNA Aptamer-Modified Ag-Nanorod Arrays. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 5723-8	9.5	65
96	Zn nanobelts: a new quasi one-dimensional metal nanostructure. <i>Chemical Communications</i> , 2001 , 2632-2633	3.8	65
95	A flexible transparent Ag-NC@PE film as a cut-and-paste SERS substrate for rapid in situ detection of organic pollutants. <i>Analyst, The</i> , 2016 , 141, 5864-5869	5	63
94	Vertically aligned Ag nanoplate-assembled film as a sensitive and reproducible SERS substrate for the detection of PCB-77. <i>Journal of Hazardous Materials</i> , 2012 , 211-212, 389-95	12.8	63
93	A general synthetic approach to interconnected nanowire/nanotube and nanotube/nanowire/nanotube heterojunctions with branched topology. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 7166-70	16.4	62
92	ZnO-nanotaper array sacrificial templated synthesis of noble-metal building-block assembled nanotube arrays as 3D SERS-substrates. <i>Nano Research</i> , 2015 , 8, 957-966	10	59
91	Large-scale well-separated Ag nanosheet-assembled micro-hemispheres modified with HS-ECD as effective SERS substrates for trace detection of PCBs. <i>Journal of Materials Chemistry</i> , 2012 , 22, 2271-2278		57
90	Detection of Dithiocarbamate Pesticides with a Spongelike Surface-Enhanced Raman Scattering Substrate Made of Reduced Graphene Oxide-Wrapped Silver Nanocubes. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 39618-39625	9.5	54
89	Ag-nanoparticle-decorated porous ZnO-nanosheets grafted on a carbon fiber cloth as effective SERS substrates. <i>Nanoscale</i> , 2014 , 6, 15280-5	7.7	49
88	Tapered Optical Fiber Probe Assembled with Plasmonic Nanostructures for Surface-Enhanced Raman Scattering Application. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 17247-54	9.5	47
87	Aligned ZnO Nanorods with Tunable Size and Field Emission on Native Si Substrate Achieved via Simple Electrodeposition. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 189-193	3.8	47
86	Color fine-tuning of CNTs@AAO composite thin films via isotropically etching porous AAO before CNT growth and color modification by water infusion. <i>Advanced Materials</i> , 2010 , 22, 2637-41	24	46
85	Dielectric capacitors with three-dimensional nanoscale interdigital electrodes for energy storage. <i>Science Advances</i> , 2015 , 1, e1500605	14.3	45
84	Branched Silicon Nanotubes and Metal Nanowires via AAO-Template-Assistant Approach. <i>Advanced Functional Materials</i> , 2010 , 20, 3791-3796	15.6	45
83	Gap-tunable Ag-nanorod arrays on alumina nanotip arrays as effective SERS substrates. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 5015	7.1	43
82	Label-free selective SERS detection of PCB-77 based on DNA aptamer modified SiO ₂ @Au core/shell nanoparticles. <i>Analyst, The</i> , 2014 , 139, 3083-7	5	41
81	Rational design of novel nanostructured arrays based on porous AAO templates for electrochemical energy storage and conversion. <i>Nano Energy</i> , 2019 , 55, 234-259	17.1	41

80	A Generic Synthetic Approach to Large-Scale Pristine-Graphene/Metal-Nanoparticles Hybrids. <i>Advanced Functional Materials</i> , 2013 , 23, 5771-5777	15.6	40
79	Controlled synthesis of germanium nanowires and nanotubes with variable morphologies and sizes. <i>Nano Letters</i> , 2011 , 11, 1704-9	11.5	40
78	Y-branched Bi nanowires with metal-semiconductor junction behavior. <i>Applied Physics Letters</i> , 2004 , 85, 967-969	3.4	40
77	Plasmon-tunable Au@Ag core-shell spiky nanoparticles for surface-enhanced Raman scattering. <i>Nano Research</i> , 2019 , 12, 449-455	10	39
76	Electrochemical synthesis of metal and semimetal nanotube-nanowire heterojunctions and their electronic transport properties. <i>Chemical Communications</i> , 2007 , 1733-5	5.8	37
75	Enhanced cold field emission of large-area arrays of vertically aligned ZnO-nanotapers via sharpening: experiment and theory. <i>Scientific Reports</i> , 2014 , 4, 4676	4.9	35
74	Ag-nanoparticles-decorated NiO-nanoflakes grafted Ni-nanorod arrays stuck out of porous AAO as effective SERS substrates. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 3686-92	3.6	35
73	Reversible blue light emission from self-assembled silica nanocords. <i>Applied Physics Letters</i> , 2005 , 87, 033106	3.4	33
72	Ordered arrays of Au-nanobowls loaded with Ag-nanoparticles as effective SERS substrates for rapid detection of PCBs. <i>Nanotechnology</i> , 2014 , 25, 145605	3.4	32
71	Galvanic-cell-induced growth of Ag nanosheet-assembled structures as sensitive and reproducible SERS substrates. <i>Chemistry - A European Journal</i> , 2012 , 18, 14948-53	4.8	32
70	Hexagonally arranged arrays of urchin-like Ag hemispheres decorated with Ag nanoparticles for surface-enhanced Raman scattering substrates. <i>Nano Research</i> , 2015 , 8, 2261-2270	10	30
69	Porous AAO template-assisted rational synthesis of large-scale 1D hybrid and hierarchically branched nanoarchitectures. <i>Progress in Materials Science</i> , 2018 , 95, 243-285	42.2	30
68	Au Hierarchical Micro/Nanotower Arrays and Their Improved SERS Effect by Ag Nanoparticle Decoration. <i>Crystal Growth and Design</i> , 2011 , 11, 748-752	3.5	30
67	Large-scale homogeneously distributed Ag-NPs with sub-10 nm gaps assembled on a two-layered honeycomb-like TiO ₂ film as sensitive and reproducible SERS substrates. <i>Nanotechnology</i> , 2012 , 23, 385705	7.1	30
66	Ag-nanoparticle-decorated Au-fractal patterns on bowl-like-dimple arrays on Al foil as an effective SERS substrate for the rapid detection of PCBs. <i>Chemical Communications</i> , 2014 , 50, 569-71	5.8	29
65	High-density, aligned SiO ₂ nanowire arrays: microscopic imaging of the unique growth style and their ultraviolet light emission properties. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 15724-8	3.4	29
64	Polyacrylic acid sodium salt film entrapped Ag-nanocubes as molecule traps for SERS detection. <i>Nano Research</i> , 2014 , 7, 1177-1187	10	27
63	Controlled fabrication of gold and polypyrrole nanowires with straight and branched morphologies via porous alumina template-assisted approach. <i>Materials Letters</i> , 2009 , 63, 1431-1434	3.3	27

62	A Generic Approach to Desired Metallic Nanowires Inside Native Porous Alumina Template via Redox Reaction. <i>Chemistry of Materials</i> , 2009 , 21, 2397-2402	9.6	27
61	Tuning the architecture of MgO nanostructures by chemical vapour transport and condensation. <i>Nanotechnology</i> , 2006 , 17, 5006-5012	3.4	27
60	Microscopy Study of the Growth Process and Structural Features of Closely Packed Silica Nanowires. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 13029-13032	3.4	27
59	Highly sensitive fibre surface-enhanced Raman scattering probes fabricated using laser-induced self-assembly in a meniscus. <i>Nanoscale</i> , 2016 , 8, 10607-14	7.7	26
58	Fluorescence detection of trace PCB101 based on PITC immobilized on porous AAO membrane. <i>Analyst, The</i> , 2011 , 136, 278-81	5	26
57	Prototype of a porous ZnO SPV-based sensor for PCB detection at room temperature under visible light illumination. <i>Langmuir</i> , 2010 , 26, 13703-6	4	24
56	Ag-Nanoparticles@Bacterial Nanocellulose as a 3D Flexible and Robust Surface-Enhanced Raman Scattering Substrate. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 50713-50720	9.5	24
55	A silver-grafted sponge as an effective surface-enhanced Raman scattering substrate. <i>Sensors and Actuators B: Chemical</i> , 2018 , 258, 56-63	8.5	24
54	Nanocontainers made of various materials with tunable shape and size. <i>Scientific Reports</i> , 2013 , 3, 2238	4.9	20
53	Incorporation of a Basil-Seed-Based Surface Enhanced Raman Scattering Sensor with a Pipet for Detection of Melamine. <i>ACS Sensors</i> , 2016 , 1, 1193-1197	9.2	20
52	Electrosprayed large-area membranes of Ag-nanocubes embedded in cellulose acetate microspheres as homogeneous SERS substrates. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1402-1408	7.1	19
51	Ag-NP@Ge-nanotaper/Si-micropillar ordered arrays as ultrasensitive and uniform surface enhanced Raman scattering substrates. <i>Nanoscale</i> , 2015 , 7, 18218-24	7.7	19
50	Nanochannel-directed growth of multi-segment nanowire heterojunctions of metallic Au(1-x)Ge(x) and semiconducting Ge. <i>ACS Nano</i> , 2012 , 6, 831-6	16.7	18
49	A Hierarchical Nanostructure-Based Surface-Enhanced Raman Scattering Sensor for Preconcentration and Detection of Antibiotic Pollutants. <i>Advanced Materials Technologies</i> , 2017 , 2, 1700028	6.8	17
48	A Surface-Enhanced Raman Scattering Sensor Integrated with Battery-Controlled Fluidic Device for Capture and Detection of Trace Small Molecules. <i>Scientific Reports</i> , 2015 , 5, 12865	4.9	17
47	Mesh-Like Hemispherical Shells Formed by Self-Assembly of Zn ₂ SiO ₄ Textured Nanowires. <i>Crystal Growth and Design</i> , 2006 , 6, 1967-1971	3.5	17
46	Ag-nanoparticle-decorated Ge nanocap arrays protruding from porous anodic aluminum oxide as sensitive and reproducible surface-enhanced Raman scattering substrates. <i>Langmuir</i> , 2014 , 30, 13964-9	4	16
45	Synthesis of vertically oriented GaN nanowires on a LiAlO ₂ substrate via chemical vapor deposition. <i>Nano Research</i> , 2009 , 2, 321-326	10	16

44	Silver nanoparticle-assembled micro-bowl arrays for sensitive SERS detection of pesticide residue. <i>Nanotechnology</i> , 2020 , 31, 205303	3.4	16
43	Urchin-like Au-nanoparticles@Ag-nanohemisphere arrays as active SERS-substrates for recognition of PCBs. <i>RSC Advances</i> , 2014 , 4, 19654-19657	3.7	15
42	Long-range surface plasmon resonance and surface-enhanced Raman scattering on X-shaped gold plasmonic nanohole arrays. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 24126-24134	3.6	15
41	Visible-Light Localized Surface Plasmon Resonance of WO ₃ Nanosheets and Its Photocatalysis Driven by Plasmonic Hot Carriers. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 1500-1506	8.3	15
40	Fluorophores-modified nanomaterials for trace detection of polychlorobiphenyls and heavy metal ions. <i>Sensors and Actuators B: Chemical</i> , 2017 , 243, 1137-1147	8.5	14
39	Building desired heterojunctions of semiconductor CdS nanowire and carbon nanotube via AAO template-based approach. <i>Materials Letters</i> , 2009 , 63, 2249-2252	3.3	14
38	Scalable and controllable fabrication of CNTs improved yolk-shelled Si anodes with advanced in operando mechanical quantification. <i>Energy and Environmental Science</i> , 2021 , 14, 3502-3509	35.4	14
37	CNTs-anchored egg shell membrane decorated with Ag-NPs as cheap but effective SERS substrates. <i>Science China Materials</i> , 2015 , 58, 198-203	7.1	13
36	Spinach-extracted chlorophyll-a modified peanut shell as fluorescence sensors for selective detection of Hg ²⁺ in water. <i>Sensors and Actuators B: Chemical</i> , 2015 , 209, 237-241	8.5	13
35	Iodeosin-based fluorescent and colorimetric sensing for Ag ⁺ , Hg ²⁺ , Fe ³⁺ , and further for halide ions in aqueous solution. <i>RSC Advances</i> , 2014 , 4, 8055-8058	3.7	13
34	Improved sensitivity of polychlorinated-biphenyl-orientated porous-ZnO surface photovoltage sensors from chemisorption-formed ZnO-CuPc composites. <i>Scientific Reports</i> , 2014 , 4, 4284	4.9	13
33	Ostwald-ripening-induced growth of parallel face-exposed Ag nanoplates on micro-hemispheres for high SERS activity. <i>Chemistry - A European Journal</i> , 2013 , 19, 9211-7	4.8	12
32	Crystalline silicon nanotubes and their connections with gold nanowires in both linear and branched topologies. <i>ACS Nano</i> , 2010 , 4, 7105-12	16.7	12
31	Template-assisted fabrication of Ag-nanoparticles@ZnO-nanorods array as recyclable 3D surface enhanced Raman scattering substrate for rapid detection of trace pesticides. <i>Nanotechnology</i> , 2021 , 32, 145302	3.4	12
30	Fluorophore-modified Fe ₃ O ₄ -magnetic-nanoparticles for determination of heavy metal ions in water. <i>Sensors and Actuators B: Chemical</i> , 2013 , 185, 47-52	8.5	11
29	SiO ₂ nanowires growing on hexagonally arranged circular patterns surrounded by TiO ₂ films. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 222-6	3.4	11
28	Superstructural Raman Nanosensors with Integrated Dual Functions for Ultrasensitive Detection and Tunable Release of Molecules. <i>Chemistry of Materials</i> , 2018 , 30, 5256-5263	9.6	10
27	A GBI@PPyNWs-based prototype of reusable fluorescence sensor for the detection of Fe ³⁺ in aqueous solution. <i>Analytical Methods</i> , 2012 , 4, 2653	3.2	9

26	Alumina-sheathed nanocables with cores consisting of various structures and materials. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 2036-40	16.4	9
25	A General Synthetic Approach to Interconnected Nanowire/Nanotube and Nanotube/Nanowire/Nanotube Heterojunctions with Branched Topology. <i>Angewandte Chemie</i> , 2009 , 121, 7302-7306	3.6	9
24	Synthesis and Photoluminescence of Si-Related Nanowires Using Porous Silicon as Si Element Source. <i>Crystal Growth and Design</i> , 2008 , 8, 1818-1822	3.5	9
23	Surface-Enhanced Raman Scattering from Au-Nanorod Arrays with Sub-5-nm Gaps Stuck Out of an AAO Template. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 934-8	1.3	8
22	Synthesis and thermal expansion of copper nanotubes and nanowires with Y- and step-shaped topologies. <i>Small</i> , 2010 , 6, 381-5	11	8
21	Vertically aligned conductive carbon nanotube junctions and arrays for device applications. <i>Applied Physics Letters</i> , 2004 , 84, 2889-2891	3.4	8
20	R6G/8-AQ co-functionalized Fe ₃ O ₄ @SiO ₂ nanoparticles for fluorescence detection of trace Hg ²⁺ and Zn ²⁺ in aqueous solution. <i>Science China Materials</i> , 2015 , 58, 550-558	7.1	7
19	Fluorescence Turn on Detection of Cr ³⁺ using N-doped-CDs and graphitic nanosheet hybrids. <i>RSC Advances</i> , 2016 , 6, 72728-72732	3.7	7
18	Ordered arrays of Ag nanodendrite clusters as effective surface-enhanced Raman scattering substrates. <i>RSC Advances</i> , 2016 , 6, 26490-26494	3.7	7
17	Silver-Nanorod Bundles: A Hierarchically Ordered Array of Silver-Nanorod Bundles for Surface-Enhanced Raman Scattering Detection of Phenolic Pollutants (Adv. Mater. 24/2016). <i>Advanced Materials</i> , 2016 , 28, 4870	24	7
16	Surface-enhanced Raman scattering from plasmonic Ag-nanocube@Au-nanospheres core@satellites. <i>Journal of Raman Spectroscopy</i> , 2017 , 48, 217-223	2.3	6
15	Fluorescent Probes: Well-Defined Nanoclusters as Fluorescent Nanosensors: A Case Study on Au ₂₅ (SG) ₁₈ (Small 13/2012). <i>Small</i> , 2012 , 8, 2027-2027	11	5
14	Carbon nanotubes grafted on silicon oxide nanowires. <i>Journal of Nanoscience and Nanotechnology</i> , 2004 , 4, 712-5	1.3	5
13	Ag-coated 3D Cu(OH) ₂ nanowires on the woven copper mesh as a cost-effective surface-enhanced Raman scattering substrate. <i>Surface and Coatings Technology</i> , 2021 , 415, 127132	4.4	5
12	Fabrication of hexagonally patterned flower-like silver particle arrays as surface-enhanced Raman scattering substrates. <i>Nanotechnology</i> , 2016 , 27, 325303	3.4	5
11	Synthesis of AuNi/NiO Nanocables by Porous AAO Template Assisted Galvanic Deposition and Subsequent Oxidation. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 4309-4313	2.3	3
10	Converting free-standing porous silicon into related porous membranes. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 365-7	16.4	3
9	Ag-Nanoparticles-Decorated Ge-Nanowhisker Grafted on Carbon Fiber Cloth as Flexible and Effective SERS Substrates. <i>ChemistrySelect</i> , 2020 , 5, 8338-8343	1.8	3

8	Alumina-Sheathed Nanocables with Cores Consisting of Various Structures and Materials. <i>Angewandte Chemie</i> , 2011 , 123, 2084-2088	3.6	2
7	Ultraviolet photoluminescence of porous anodic alumina films. <i>Science Bulletin</i> , 2003 , 48, 1090-1092		2
6	A high performance Li-rich Li_2IrO_3 electrode for symmetric lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 19705-19709	13	2
5	A facile low-temperature growth of large-scale uniform two-end-open Ge nanotubes with hierarchical branches. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 5471	7.1	1
4	Copper-assisted growth of high-purity carbon nanofiber networks with controllably tunable wettabilities. <i>Journal of Materials Chemistry A</i> ,	13	1
3	Growth kinetics controlled rational synthesis of germanium nanotowers in chemical vapor deposition. <i>Science China Materials</i> , 2015 , 58, 877-883	7.1	
2	Porous Anodic Aluminum Oxide 2013 , 859-882		
1	Modulation of optical absorption edge in $\text{TiO}_2/\text{SiO}_2$ mesoporous composites. <i>Science Bulletin</i> , 1998 , 43, 2066-2070		