Melanie A Wakefield

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5355191/melanie-a-wakefield-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

186
papers

8,300
h-index

84
g-index

195
ext. papers

9,489
ext. citations

46
h-index

6.22
L-index

#	Paper	IF	Citations
186	Prevalence and trends in Australian adolescents Qadherence to 24-hour movement guidelines: findings from a repeated national cross-sectional survey <i>BMC Public Health</i> , 2022 , 22, 105	4.1	O
185	Australian smokers@experiences and perceptions of recessed and firm filter cigarettes. <i>Tobacco Control</i> , 2021 , 30, 660-667	5.3	2
184	Sugary drink advertising expenditure across Australian media channels 2016-2018. <i>Australian and New Zealand Journal of Public Health</i> , 2021 , 45, 270-276	2.3	2
183	Can point-of-sale nutrition information encourage reduced preference for sugary drinks among adolescents?. <i>Public Health Nutrition</i> , 2021 , 24, 4023-4034	3.3	О
182	General and specific graphic health warning labels reduce willingness to consume sugar-sweetened beverages. <i>Appetite</i> , 2021 , 161, 105141	4.5	2
181	Are anti-smoking social norms associated with tobacco control mass media campaigns, tax and policy changes? Findings from an Australian serial cross-sectional population study of smokers. <i>Tobacco Control</i> , 2021 , 30, 177-184	5.3	1
180	Public support for introducing cigarette pack inserts in Australia. <i>Tobacco Control</i> , 2021 , 30, 117-118	5.3	О
179	Understanding the effectiveness of advertisements about the long-term harms of alcohol and low-risk drinking guidelines: A mediation analysis. <i>Social Science and Medicine</i> , 2021 , 270, 113596	5.1	3
178	Intentions to reduce sugar-sweetened beverage consumption: the importance of perceived susceptibility to health risks. <i>Public Health Nutrition</i> , 2021 , 24, 5663-5672	3.3	2
177	Public support for phasing out the sale of cigarettes in Australia. <i>Medical Journal of Australia</i> , 2021 , 215, 471-472	4	0
176	A randomized controlled trial of the effectiveness of combinations of Qvhy to reduceQand Qow to reduceQalcohol harm-reduction communications. <i>Addictive Behaviors</i> , 2021 , 121, 107004	4.2	2
175	Food and drink marketing on social media and dietary intake in Australian adolescents: Findings from a cross-sectional survey. <i>Appetite</i> , 2021 , 166, 105431	4.5	6
174	Nothing beats taste or convenience: a national survey of where and why people buy sugary drinks in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2020 , 44, 291-294	2.3	4
173	Consumption of Sugar-Sweetened Beverages, Juice, Artificially-Sweetened Soda and Bottled Water: An Australian Population Study. <i>Nutrients</i> , 2020 , 12,	6.7	20
172	Can point-of-sale nutrition information and health warnings encourage reduced preference for sugary drinks?: An experimental study. <i>Appetite</i> , 2020 , 149, 104612	4.5	2
171	Comparing responses to public health and industry-funded alcohol harm reduction advertisements: an experimental study. <i>BMJ Open</i> , 2020 , 10, e035569	3	4
170	An In-Depth Exploration of Knowledge and Beliefs Associated with Soda and Diet Soda Consumption. <i>Nutrients</i> , 2020 , 12,	6.7	4

(2018-2020)

169	Can counter-advertising protect spectators of elite sport against the influence of unhealthy food and beverage sponsorship? A naturalistic trial. <i>Social Science and Medicine</i> , 2020 , 266, 113415	5.1	2
168	Pathways to a cancer-free future: a protocol for modelled evaluations to minimise the future burden of colorectal cancer in Australia. <i>BMJ Open</i> , 2020 , 10, e036475	3	1
167	"When we were young, it really was a treat; now sugar is just the norm every day"-A qualitative study of parents and young adults Operceptions and consumption of sugary drinks. <i>Health Promotion Journal of Australia</i> , 2020 , 31, 47-57	1.7	8
166	Impact of a mass media campaign on participation in the Australian bowel cancer screening program. <i>Journal of Medical Screening</i> , 2020 , 27, 18-24	1.4	3
165	Hardening or softening? An observational study of changes to the prevalence of hardening indicators in Victoria, Australia, 2001-2016. <i>Tobacco Control</i> , 2019 ,	5.3	9
164	Evaluating the influence of message framing and graphic imagery on perceptions of food product health warnings. <i>Food Quality and Preference</i> , 2019 , 77, 32-42	5.8	13
163	Association of the LiveLighter mass media campaign with consumption of sugar-sweetened beverages: Cohort study. <i>Health Promotion Journal of Australia</i> , 2019 , 30 Suppl 1, 34-42	1.7	11
162	Who drinks sugar sweetened beverages and juice? An Australian population study of behaviour, awareness and attitudes. <i>BMC Obesity</i> , 2019 , 6, 1	3.6	26
161	Who uses rollies? Trends in product offerings, price and use of roll-your-own tobacco in Australia. <i>Tobacco Control</i> , 2019 , 28, 317-324	5.3	12
160	Unhealthy sport sponsorship at the 2017 AFL Grand Final: a case study of its frequency, duration and nature. <i>Australian and New Zealand Journal of Public Health</i> , 2019 , 43, 366-372	2.3	4
159	Are Australians ready for warning labels, marketing bans and sugary drink taxes? Two cross-sectional surveys measuring support for policy responses to sugar-sweetened beverages. <i>BMJ Open</i> , 2019 , 9, e027962	3	15
158	Impact of a mass media campaign on participation rates in a National Bowel Cancer Screening Program: a field experiment. <i>BMJ Open</i> , 2019 , 9, e024267	3	11
157	Smoking prevalence following tobacco tax increases in Australia between 2001 and 2017: an interrupted time-series analysis. <i>Lancet Public Health, The</i> , 2019 , 4, e618-e627	22.4	18
156	Indexation of Tobacco Excise and Customs Duty and Smoking Prevalence Among Australian Adults, 2001-2010: A Serial Cross-sectional Study. <i>Nicotine and Tobacco Research</i> , 2019 , 21, 293-299	4.9	2
155	Immediate effects on adult drinkers of exposure to alcohol harm reduction advertisements with and without drinking guideline messages: experimental study. <i>Addiction</i> , 2018 , 113, 1019-1029	4.6	7
154	Adolescents Qalcohol use and strength of policy relating to youth access, trading hours and driving under the influence: findings from Australia. <i>Addiction</i> , 2018 , 113, 1030-1042	4.6	7
153	Food product health warnings promote dietary self-control through reductions in neural signals indexing food cue reactivity. <i>NeuroImage: Clinical</i> , 2018 , 18, 702-712	5.3	15
152	Investigating Single- Versus Multiple-Source Approaches to Communicating Health Messages Via an Online Simulation. <i>American Journal of Health Promotion</i> , 2018 , 32, 979-988	2.5	2

151	Tobacco price boards as a promotional strategy-a longitudinal observational study in Australian retailers. <i>Tobacco Control</i> , 2018 , 27, 427-433	5.3	4
150	Tobacco product developments in the Australian market in the 4 years following plain packaging. <i>Tobacco Control</i> , 2018 , 27, 580-584	5.3	30
149	Fear, Sadness and Hope: Which Emotions Maximize Impact of Anti-Tobacco Mass Media Advertisements among Lower and Higher SES Groups?. <i>Journal of Health Communication</i> , 2018 , 23, 445-	-46 ⁵ 1	17
148	Influence of premium vs masked cigarette brand names on the experienced taste of a cigarette after tobacco plain packaging in Australia: an experimental study. <i>BMC Public Health</i> , 2018 , 18, 295	4.1	11
147	Health warnings promote healthier dietary decision making: Effects of positive versus negative message framing and graphic versus text-based warnings. <i>Appetite</i> , 2018 , 127, 280-288	4.5	30
146	Observed smoking and tobacco pack display in Australian outdoor caf 2 years after implementation of plain packaging. <i>European Journal of Public Health</i> , 2018 , 28, 702-707	2.1	6
145	Controlled cohort evaluation of the mass media campaign@impact on adults@eported consumption of sugar-sweetened beverages. <i>BMJ Open</i> , 2018 , 8, e019574	3	25
144	The impact of unhealthy food sponsorship vs. pro-health sponsorship models on young adults@food preferences: a randomised controlled trial. <i>BMC Public Health</i> , 2018 , 18, 1399	4.1	7
143	Population awareness of tobacco-related harms: implications for refreshing graphic health warnings in Australia. <i>Medical Journal of Australia</i> , 2018 , 209, 173-174	4	3
142	Anti-smoking social norms are associated with increased cessation behaviours among lower and higher socioeconomic status smokers: A population-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0208950	3.7	16
141	A longitudinal examination of protective behavioral strategies and alcohol consumption among adult drinkers. <i>Addictive Behaviors</i> , 2018 , 87, 1-7	4.2	11
140	Factors associated with high consumption of soft drinks among Australian secondary-school students. <i>Public Health Nutrition</i> , 2017 , 20, 2340-2348	3.3	37
139	Adolescents Qexposure to paid alcohol advertising on television and their alcohol use: exploring associations during a 13-year period. <i>Addiction</i> , 2017 , 112, 1742-1751	4.6	18
138	Influence of premium versus value brand names on the smoking experience in a plain packaging environment: an experimental study. <i>BMJ Open</i> , 2017 , 7, e014099	3	18
137	Why Do Smokers Talk About Antismoking Campaigns? Predictors of the Occurrence and Content of Campaign-Generated Conversations. <i>Health Communication</i> , 2017 , 32, 1539-1556	3.2	9
136	Features of alcohol harm reduction advertisements that most motivate reduced drinking among adults: an advertisement response study. <i>BMJ Open</i> , 2017 , 7, e014193	3	10
135	Competing with big business: a randomised experiment testing the effects of messages to promote alcohol and sugary drink control policy. <i>BMC Public Health</i> , 2017 , 17, 945	4.1	6
134	Food marketing with movie character toys: Effects on young children@preferences for unhealthy and healthier fast food meals. <i>Appetite</i> , 2017 , 117, 342-350	4.5	18

(2015-2017)

133	Public awareness and misunderstanding about DrinkWise Australia: a cross-sectional survey of Australian adults. <i>Australian and New Zealand Journal of Public Health</i> , 2017 , 41, 352-357	2.3	6
132	Alcohol harm reduction advertisements: a content analysis of topic, objective, emotional tone, execution and target audience. <i>BMC Public Health</i> , 2017 , 17, 312	4.1	19
131	The effect of packaging, branding and labeling on the experience of unhealthy food and drink: A review. <i>Appetite</i> , 2016 , 99, 219-234	4.5	44
130	The association of point-of-sale cigarette marketing with cravings to smoke: results from a cross-sectional population-based study. <i>Tobacco Control</i> , 2016 , 25, 402-5	5.3	13
129	The effect of cancer warning statements on alcohol consumption intentions. <i>Health Education Research</i> , 2016 , 31, 60-9	1.8	31
128	The association between alcohol outlet density and alcohol use among urban and regional Australian adolescents. <i>Addiction</i> , 2016 , 111, 65-72	4.6	24
127	Point-of-Sale Cigarette Marketing, Urge to Buy Cigarettes, and Impulse Purchases of Cigarettes: Results From a Population-Based Survey. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1357-62	4.9	16
126	Talking About Antismoking Campaigns: What Do Smokers Talk About, and How Does Talk Influence Campaign Effectiveness?. <i>Journal of Health Communication</i> , 2016 , 21, 33-45	2.5	15
125	Can E-cigarette Ads Undermine Former Smokers? An Experimental Study. <i>Tobacco Regulatory Science (discontinued)</i> , 2016 , 2, 263-277	2	10
124	The Association of Exposure to Point-of-Sale Tobacco Marketing with Quit Attempt and Quit Success: Results from a Prospective Study of Smokers in the United States. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13, 203	4.6	20
123	Continued Impact of SunSmart Advertising on Youth and Adults@Behaviors. <i>American Journal of Preventive Medicine</i> , 2015 , 49, 20-8	6.1	21
122	No lasting effects of plain packaging on cigarette pack retrieval time in small Australian retail outlets. <i>Tobacco Control</i> , 2015 , 24, e108-9	5.3	8
121	Tobacco product developments coinciding with the implementation of plain packaging in Australia. <i>Tobacco Control</i> , 2015 , 24, e116-22	5.3	31
120	What is the role of tobacco control advertising intensity and duration in reducing adolescent smoking prevalence? Findings from 16 years of tobacco control mass media advertising in Australia. <i>Tobacco Control</i> , 2015 , 24, 198-204	5.3	27
119	Healthy weight and lifestyle advertisements: an assessment of their persuasive potential. <i>Health Education Research</i> , 2015 , 30, 569-79	1.8	16
118	Finding the keys to successful adult-targeted advertisements on obesity prevention: an experimental audience testing study. <i>BMC Public Health</i> , 2015 , 15, 804	4.1	21
117	Male smoker and non-smoker responses to television advertisements on the harms of secondhand smoke in China, India and Russia. <i>Health Education Research</i> , 2015 , 30, 24-34	1.8	12
116	What factors are associated with frequent unhealthy snack-food consumption among Australian secondary-school students?. <i>Public Health Nutrition</i> , 2015 , 18, 2153-60	3.3	15

115	Australian adult smokers@esponses to plain packaging with larger graphic health warnings 1 year after implementation: results from a national cross-sectional tracking survey. <i>Tobacco Control</i> , 2015 , 24, ii17-ii25	5.3	85
114	Are quitting-related cognitions and behaviours predicted by proximal responses to plain packaging with larger health warnings? Findings from a national cohort study with Australian adult smokers. <i>Tobacco Control</i> , 2015 , 24, ii33-ii41	5.3	21
113	Plain packaging: a logical progression for tobacco control in one of the world@ @arkest marketsQ <i>Tobacco Control</i> , 2015 , 24, ii3-ii8	5.3	17
112	Short-term changes in quitting-related cognitions and behaviours after the implementation of plain packaging with larger health warnings: findings from a national cohort study with Australian adult smokers. <i>Tobacco Control</i> , 2015 , 24, ii26-ii32	5.3	46
111	Use of illicit tobacco following introduction of standardised packaging of tobacco products in Australia: results from a national cross-sectional survey. <i>Tobacco Control</i> , 2015 , 24, ii76-ii81	5.3	19
110	How has alcohol advertising in traditional and online media in Australia changed? Trends in advertising expenditure 1997-2011. <i>Drug and Alcohol Review</i> , 2015 , 34, 521-530	3.2	15
109	Standardised packaging and new enlarged graphic health warnings for tobacco products in Australia-legislative requirements and implementation of the and the ,. <i>Tobacco Control</i> , 2015 , 24, ii9-ii1	1 ē ·3	30
108	Personal pack display and active smoking at outdoor caffstrips: assessing the impact of plain packaging 1 year postimplementation. <i>Tobacco Control</i> , 2015 , 24, ii94-ii97	5.3	11
107	The advertised price of cigarette packs in retail outlets across Australia before and after the implementation of plain packaging: a repeated measures observational study. <i>Tobacco Control</i> , 2015 , 24, ii82-ii89	5.3	14
106	Did smokers shift from small mixed businesses to discount outlets following the introduction of plain packaging in Australia? A national cross-sectional survey. <i>Tobacco Control</i> , 2015 , 24, ii98-ii100	5.3	4
105	Responses to antismoking radio and television advertisements among adult smokers and non-smokers across Africa: message-testing results from Senegal, Nigeria and Kenya. <i>Tobacco Control</i> , 2015 , 24, 601-8	5.3	4
104	Changes in use of types of tobacco products by pack sizes and price segments, prices paid and consumption following the introduction of plain packaging in Australia. <i>Tobacco Control</i> , 2015 , 24, ii66-i	i 7 5	25
103	Counter-advertising may reduce parent@susceptibility to front-of-package promotions on unhealthy foods. <i>Journal of Nutrition Education and Behavior</i> , 2014 , 46, 467-74	2	12
102	Q omething Q brewing Q The changing trends in alcohol coverage in Australian newspapers 2000-2011. <i>Alcohol and Alcoholism</i> , 2014 , 49, 336-42	3.5	31
101	Time series analysis of the impact of tobacco control policies on smoking prevalence among Australian adults, 2001-2011. <i>Bulletin of the World Health Organization</i> , 2014 , 92, 413-22	8.2	47
100	Early evidence about the predicted unintended consequences of standardised packaging of tobacco products in Australia: a cross-sectional study of the place of purchase, regular brands and use of illicit tobacco. <i>BMJ Open</i> , 2014 , 4, e005873	3	20
99	Personal tobacco pack display before and after the introduction of plain packaging with larger pictorial health warnings in Australia: an observational study of outdoor caffstrips. <i>Addiction</i> , 2014 , 109, 653-62	4.6	41
98	Public opinion about ending the sale of tobacco in Australia. <i>Tobacco Control</i> , 2014 , 23, 183-4	5.3	10

97	Socio-economic disparities in Australian adolescents Qeating behaviours. <i>Public Health Nutrition</i> , 2014 , 17, 2753-8	3.3	7
96	Product retrieval time in small tobacco retail outlets before and after the Australian plain packaging policy: real-world study. <i>Tobacco Control</i> , 2014 , 23, 70-6	5.3	9
95	The silent salesman: an observational study of personal tobacco pack display at outdoor cafßtrips in Australia. <i>Tobacco Control</i> , 2014 , 23, 339-44	5.3	11
94	Assessing the effectiveness of antismoking television advertisements: do audience ratings of perceived effectiveness predict changes in quitting intentions and smoking behaviours?. <i>Tobacco Control</i> , 2014 , 23, 412-8	5.3	52
93	Commentary on Sims et al. (2014) and Langley et al. (2014): mass media campaigns require adequate and sustained funding to change population health behaviours. <i>Addiction</i> , 2014 , 109, 1003-4	4.6	10
92	Can counter-advertising reduce pre-adolescent children@susceptibility to front-of-package promotions on unhealthy foods? Experimental research. <i>Social Science and Medicine</i> , 2014 , 116, 211-9	5.1	18
91	Tobacco packaging and mass media campaigns: research needs for Articles 11 and 12 of the WHO Framework Convention on Tobacco Control. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 817-31	4.9	48
90	Density of tobacco retail outlets near schools and smoking behaviour among secondary school students. <i>Australian and New Zealand Journal of Public Health</i> , 2013 , 37, 574-8	2.3	18
89	Potential effectiveness of anti-smoking advertisement types in ten low and middle income countries: do demographics, smoking characteristics and cultural differences matter?. <i>Social Science and Medicine</i> , 2013 , 98, 204-13	5.1	18
88	SmokersQesponses to television advertisements about the serious harms of tobacco use: pre-testing results from 10 low- to middle-income countries. <i>Tobacco Control</i> , 2013 , 22, 24-31	5.3	47
87	Large-scale unassisted smoking cessation over 50 years: lessons from history for endgame planning in tobacco control. <i>Tobacco Control</i> , 2013 , 22 Suppl 1, i33-5	5.3	23
86	Effects of tobacco-related media campaigns on smoking among 20-30-year-old adults: longitudinal data from the USA. <i>Tobacco Control</i> , 2013 , 22, 38-45	5.3	29
85	A store cohort study of compliance with a point-of-sale cigarette display ban in Melbourne, Australia. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 444-9	4.9	18
84	Does tobacco-control mass media campaign exposure prevent relapse among recent quitters?. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 385-92	4.9	23
83	Introduction effects of the Australian plain packaging policy on adult smokers: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3,	3	88
82	Televised antismoking advertising: effects of level and duration of exposure. <i>American Journal of Public Health</i> , 2013 , 103, e66-73	5.1	38
81	The long-term decline of adult tobacco use in Victoria: changes in smoking initiation and quitting over a quarter of a century of tobacco control. <i>Australian and New Zealand Journal of Public Health</i> , 2012 , 36, 17-23	2.3	12
80	Real people, real stories: a new mass media campaign that could help smokers quit. <i>Annals of Internal Medicine</i> , 2012 , 157, 907-9	8	26

79	Association between food marketing exposure and adolescents Good choices and eating behaviors. <i>Appetite</i> , 2012 , 58, 1-5	4.5	93
78	Mass media campaigns to promote smoking cessation among adults: an integrative review. <i>Tobacco Control</i> , 2012 , 21, 127-38	5.3	347
77	Public opinion on food-related obesity prevention policy initiatives. <i>Health Promotion Journal of Australia</i> , 2012 , 23, 86-91	1.7	46
76	What factors are associated with excess body weight in Australian secondary school students?. <i>Medical Journal of Australia</i> , 2012 , 196, 189-92	4	27
75	The association between exposure to point-of-sale anti-smoking warnings and smokersQnterest in quitting and quit attempts: findings from the International Tobacco Control Four Country Survey. <i>Addiction</i> , 2012 , 107, 425-33	4.6	20
74	Do larger pictorial health warnings diminish the need for plain packaging of cigarettes?. <i>Addiction</i> , 2012 , 107, 1159-67	4.6	57
73	Making news: the appearance of tobacco control organizations in newspaper coverage of tobacco control issues. <i>American Journal of Health Promotion</i> , 2012 , 26, 166-71	2.5	12
72	Prevalence and socio-demographic distribution of eating, physical activity and sedentary behaviours among Australian adolescents. <i>Health Promotion Journal of Australia</i> , 2012 , 23, 213-8	1.7	33
71	Results of a national mass media campaign in India to warn against the dangers of smokeless tobacco consumption. <i>Tobacco Control</i> , 2012 , 21, 12-7	5.3	54
70	Brand placement on price boards after tobacco display bans: a point-of-sale audit in Melbourne, Australia. <i>Tobacco Control</i> , 2012 , 21, 589-92	5.3	14
69	The effects of smoking-related television advertising on smoking and intentions to quit among adults in the United States: 1999-2007. <i>American Journal of Public Health</i> , 2012 , 102, 751-7	5.1	61
68	What impact have tobacco control policies, cigarette price and tobacco control programme funding had on Australian adolescents@moking? Findings over a 15-year period. <i>Addiction</i> , 2011 , 106, 1493-502	4.6	46
67	Price discounting of cigarettes in milk bars near secondary schools occurs more frequently in areas with greater socioeconomic disadvantage. <i>Australian and New Zealand Journal of Public Health</i> , 2011 , 35, 71-4	2.3	19
66	Which types of televised anti-tobacco campaigns prompt more quitline calls from disadvantaged groups?. <i>Health Education Research</i> , 2011 , 26, 998-1009	1.8	41
65	Potential effectiveness of specific anti-smoking mass media advertisements among Australian Indigenous smokers. <i>Health Education Research</i> , 2011 , 26, 961-75	1.8	25
64	Effects of mass media campaign exposure intensity and durability on quit attempts in a population-based cohort study. <i>Health Education Research</i> , 2011 , 26, 988-97	1.8	92
63	Does the portrayal of tanning in Australian women@magazines relate to real women@tanning beliefs and behavior?. <i>Health Education and Behavior</i> , 2011 , 38, 132-42	4.2	30
62	Still a burning issue: trends in the volume, content and population reach of newspaper coverage about tobacco issues. <i>Critical Public Health</i> , 2011 , 21, 313-325	2.6	21

(2008-2011)

61	Mass media campaigns designed to support new pictorial health warnings on cigarette packets: evidence of a complementary relationship. <i>Tobacco Control</i> , 2011 , 20, 412-8	5.3	66
60	Smoker sensitivity to retail tobacco displays and quitting: a cohort study. <i>Addiction</i> , 2010 , 105, 159-63	4.6	60
59	Comparative responses to radio and television anti-smoking advertisements to encourage smoking cessation. <i>Health Promotion International</i> , 2010 , 25, 5-13	3	20
58	Predictors and Consequences of Conversations About Health Promoting Media Messages. <i>Communication Monographs</i> , 2010 , 77, 518-539	1.7	57
57	Pathways to Persuasion: Cognitive and Experiential Responses to Health-Promoting Mass Media Messages. <i>Communication Research</i> , 2010 , 37, 133-164	3.8	143
56	Adolescents Querceptions of cigarette brand image: does plain packaging make a difference?. <i>Journal of Adolescent Health</i> , 2010 , 46, 385-92	5.8	123
55	Use of mass media campaigns to change health behaviour. <i>Lancet, The</i> , 2010 , 376, 1261-71	40	1272
54	The role of overweight and obesity in perceived risk factors for cancer: implications for education. <i>Journal of Cancer Education</i> , 2010 , 25, 506-11	1.8	10
53	Smoke-free SB Paulo: a campaign evaluation and the case for sustained mass media investment. <i>Salud Publica De Mexico</i> , 2010 , 52 Suppl 2, S216-25	1.7	11
52	Mass media campaign improves cervical screening across all socio-economic groups. <i>Health Education Research</i> , 2009 , 24, 867-75	1.8	33
51	Impact of a mass media campaign linking abdominal obesity and cancer: a natural exposure evaluation. <i>Health Education Research</i> , 2009 , 24, 1069-79	1.8	23
50	Taxation reduces social disparities in adult smoking prevalence. <i>American Journal of Preventive Medicine</i> , 2009 , 36, 285-91	6.1	66
49	Effects of different types of antismoking ads on reducing disparities in smoking cessation among socioeconomic subgroups. <i>American Journal of Public Health</i> , 2009 , 99, 2217-23	5.1	153
48	Trends in news coverage about skin cancer prevention, 1993-2006: increasingly mixed messages for the public. <i>Australian and New Zealand Journal of Public Health</i> , 2008 , 32, 461-6	2.3	27
47	The effect of retail cigarette pack displays on impulse purchase. <i>Addiction</i> , 2008 , 103, 322-8	4.6	137
46	Do graphic health warning labels have an impact on adolescents@moking-related beliefs and behaviours?. <i>Addiction</i> , 2008 , 103, 1562-71	4.6	138
45	Can You Feel It? Negative Emotion, Risk, and Narrative in Health Communication. <i>Media Psychology</i> , 2008 , 11, 52-75	2.9	102
44	Weekend sun protection and sunburn in Australia trends (1987-2002) and association with SunSmart television advertising. <i>American Journal of Preventive Medicine</i> , 2008 , 34, 94-101	6.1	117

43	How broadcast volume and emotional content affect youth recall of anti-tobacco advertising. <i>American Journal of Preventive Medicine</i> , 2008 , 35, 14-9	6.1	54
42	The contribution of antismoking advertising to quitting: intra- and interpersonal processes. <i>Journal of Health Communication</i> , 2008 , 13, 250-66	2.5	54
41	Interrupting a narrative transportation experience: program placement effects on responses to antismoking advertising. <i>Journal of Health Communication</i> , 2008 , 13, 667-80	2.5	24
40	How does increasingly plainer cigarette packaging influence adult smokersQperceptions about brand image? An experimental study. <i>Tobacco Control</i> , 2008 , 17, 416-21	5.3	97
39	Encouraging the right women to attend for cervical cancer screening: results from a targeted television campaign in Victoria, Australia. <i>Health Education Research</i> , 2008 , 23, 477-86	1.8	27
38	Impact of tobacco control policies and mass media campaigns on monthly adult smoking prevalence. <i>American Journal of Public Health</i> , 2008 , 98, 1443-50	5.1	213
37	The effects of television advertisements for junk food versus nutritious food on children@food attitudes and preferences. <i>Social Science and Medicine</i> , 2007 , 65, 1311-23	5.1	214
36	Working to make an image: an analysis of three Philip Morris corporate image media campaigns. <i>Tobacco Control</i> , 2007 , 16, 344-50	5.3	18
35	The impact of retail cigarette marketing practices on youth smoking uptake. <i>JAMA Pediatrics</i> , 2007 , 161, 440-5		142
34	Non-smokersQesponses when smokers light up: a population-based study. <i>Preventive Medicine</i> , 2007 , 45, 21-5	4.3	15
33	State anti-tobacco advertising and smoking outcomes by gender and race/ethnicity. <i>Ethnicity and Health</i> , 2007 , 12, 339-62	2.2	40
32	The good news about smoking: how do U.S. newspapers cover tobacco issues?. <i>Journal of Public Health Policy</i> , 2006 , 27, 166-81	2.9	42
31	An experimental study of effects on schoolchildren of exposure to point-of-sale cigarette advertising and pack displays. <i>Health Education Research</i> , 2006 , 21, 338-47	1.8	85
30	"Stay away from them until you@e old enough to make a decision": tobacco company testimony about youth smoking initiation. <i>Tobacco Control</i> , 2006 , 15 Suppl 4, iv44-53	5.3	15
29	Effects of exposure of youths at risk for smoking to television advertising for nicotine replacement therapy and Zyban: an experimental study. <i>Health Communication</i> , 2006 , 19, 253-8	3.2	11
28	Impact of smoking cessation aids and mass media among recent quitters. <i>American Journal of Preventive Medicine</i> , 2006 , 30, 217-24	6.1	68
27	Looking for boomerang effects: a pre-post experimental study of the effects of exposure of youth to television advertising for nicotine replacement therapy and Zyban. <i>Addictive Behaviors</i> , 2006 , 31, 215	8 1 -68	7
26	Teen smokers reach their mid twenties. <i>Journal of Adolescent Health</i> , 2006 , 39, 214-20	5.8	70

(2003-2006)

25	Effect of televised, tobacco company-funded smoking prevention advertising on youth smoking-related beliefs, intentions, and behavior. <i>American Journal of Public Health</i> , 2006 , 96, 2154-60	5.1	127
24	Adult smokersQuse of point-of-sale displays to select cigarette brands. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 483-4	2.3	10
23	Televised state-sponsored antitobacco advertising and youth smoking beliefs and behavior in the United States, 1999-2000. <i>JAMA Pediatrics</i> , 2005 , 159, 639-45		78
22	Secondhand smoke exposure and respiratory symptoms among casino, club, and office workers in Victoria, Australia. <i>Journal of Occupational and Environmental Medicine</i> , 2005 , 47, 698-703	2	28
21	State tobacco control spending and youth smoking. <i>American Journal of Public Health</i> , 2005 , 95, 338-44	5.1	90
20	Textual analysis of tobacco editorials: how are Key media gatekeepers framing the issues?. <i>American Journal of Health Promotion</i> , 2005 , 19, 361-8	2.5	33
19	Media advocacy and newspaper coverage of tobacco issues: a comparative analysis of 1 year@print news in the United States and Australia. <i>Nicotine and Tobacco Research</i> , 2005 , 7, 289-99	4.9	36
18	Mixed messages on tobacco: comparative exposure to public health, tobacco company- and pharmaceutical company-sponsored tobacco-related television campaigns in the United States, 1999-2003. <i>Addiction</i> , 2005 , 100, 1875-83	4.6	35
17	Youth Responses to Anti-Smoking Advertisements From Tobacco-Control Agencies, Tobacco Companies, and Pharmaceutical Companies1. <i>Journal of Applied Social Psychology</i> , 2005 , 35, 1894-1910	2.1	16
16	Trends in recall and appraisal of anti-smoking advertising among American youth: national survey results, 1997-2001. <i>Prevention Science</i> , 2005 , 6, 1-19	4	18
15	Australian letters to the editor on tobacco: triggers, rhetoric, and claims of legitimate voice. <i>Qualitative Health Research</i> , 2005 , 15, 1180-98	3.9	31
14	Framing of Australian newspaper coverage of a secondhand smoke injury claim: Lessons for media advocacy. <i>Critical Public Health</i> , 2005 , 15, 53-63	2.6	19
13	The effect of antismoking advertisement executional characteristics on youth comprehension, appraisal, recall, and engagement. <i>Journal of Health Communication</i> , 2005 , 10, 127-43	2.5	81
12	The role of smoking intentions in predicting future smoking among youth: findings from Monitoring the Future data. <i>Addiction</i> , 2004 , 99, 914-22	4.6	74
11	Individual versus corporate responsibility for smoking-related illness: Australian press coverage of the Rolah McCabe trial. <i>Health Promotion International</i> , 2003 , 18, 297-305	3	25
10	Association between exposure to workplace secondhand smoke and reported respiratory and sensory symptoms: cross-sectional study. <i>Journal of Occupational and Environmental Medicine</i> , 2003 , 45, 622-7	2	24
9	Role of the media in influencing trajectories of youth smoking. <i>Addiction</i> , 2003 , 98 Suppl 1, 79-103	4.6	178
8	Exposure to secondhand smoke at work: a survey of members of the Australian Liquor, Hospitality and Miscellaneous Workers Union. <i>Australian and New Zealand Journal of Public Health</i> , 2003 , 27, 496-50	0 1 .3	11

7	Effects of anti-smoking advertising on youth smoking: a review. <i>Journal of Health Communication</i> , 2003 , 8, 229-47	2.5	164
6	The effect of a smoke-free law on restaurant business in South Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2002 , 26, 375-82	2.3	30
5	Evaluation of smoke-free dining in South Australia: support and compliance among the community and restaurateurs. <i>Australian and New Zealand Journal of Public Health</i> , 2002 , 26, 38-44	2.3	19
4	Association of point-of-purchase tobacco advertising and promotions with choice of usual brand among teenage smokers. <i>Journal of Health Communication</i> , 2002 , 7, 113-21	2.5	41
3	Tobacco industry marketing at point of purchase after the 1998 MSA billboard advertising ban. <i>American Journal of Public Health</i> , 2002 , 92, 937-40	5.1	74
2	Tobacco control advocacy in Australia: reflections on 30 years of progress. <i>Health Education and Behavior</i> , 2001 , 28, 274-89	4.2	97
1	Effect of restrictions on smoking at home, at school, and in public places on teenage smoking: cross sectional study. <i>BMJ: British Medical Journal</i> , 2000 , 321, 333-7		326