

# Shiuan-Pey Lin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5356475/publications.pdf>

Version: 2024-02-01

34  
papers

751  
citations

516710

16  
h-index

526287

27  
g-index

34  
all docs

34  
docs citations

34  
times ranked

1184  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quercetin and Rutin Reduced the Bioavailability of Cyclosporine from Neoral, an Immunosuppressant, through Activating P-Glycoprotein and CYP 3A4. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 4644-4648.	5.2	83
2	Liquorice reduced cyclosporine bioavailability by activating P-glycoprotein and CYP 3A. <i>Food Chemistry</i> , 2012, 135, 2307-2312.	8.2	77
3	Pharmacokinetics and tissue distribution of resveratrol, emodin and their metabolites after intake of <i>Polygonum cuspidatum</i> in rats. <i>Journal of Ethnopharmacology</i> , 2012, 144, 671-676.	4.1	54
4	Flavonoid Pharmacokinetics and Tissue Distribution after Repeated Dosing of the Roots of <i>Scutellaria baicalensis</i> in Rats. <i>Planta Medica</i> , 2011, 77, 455-460.	1.3	48
5	Pharmacokinetics, Bioavailability, and Tissue Distribution of Magnolol Following Single and Repeated Dosing of Magnolol to Rats. <i>Planta Medica</i> , 2011, 77, 1800-1805.	1.3	47
6	Glycyrrhizin and Licorice Significantly Affect the Pharmacokinetics of Methotrexate in Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 1854-1859.	5.2	42
7	A new herb-drug interaction of <i>Polygonum cuspidatum</i> , a resveratrol-rich nutraceutical, with carbamazepine in rats. <i>Toxicology and Applied Pharmacology</i> , 2012, 263, 315-322.	2.8	38
8	Tissue distribution of naringenin conjugated metabolites following repeated dosing of naringin to		

#	ARTICLE	IF	CITATIONS
19	Green tea inhibited the elimination of nephro-cardiovascular toxins and deteriorated the renal function in rats with renal failure. <i>Scientific Reports</i> , 2015, 5, 16226.	3.3	14
20	The acute effects of green tea and carbohydrate coingestion on systemic inflammation and oxidative stress during sprint cycling. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 997-1003.	1.9	14
21	Rhubarb decreased the systemic exposure of cyclosporine, a probe substrate of P-glycoprotein and CYP 3A. <i>Xenobiotica</i> , 2016, 46, 677-682.	1.1	14
22	Serum Concentrations of Anthraquinones after Intake of Folium Sennae and Potential Modulation on P-glycoprotein. <i>Planta Medica</i> , 2014, 80, 1291-1297.	1.3	11
23	R- and S-Warfarin Were Transported by Breast Cancer Resistance Protein: From In Vitro to Pharmacokinetic-Pharmacodynamic Studies. <i>Journal of Pharmaceutical Sciences</i> , 2017, 106, 1419-1425.	3.3	10
24	Resveratrol stereoselectively affected ( $\pm$ )warfarin pharmacokinetics and enhanced the anticoagulation effect. <i>Scientific Reports</i> , 2020, 10, 15910.	3.3	10
25	Magnolol and Honokiol Inhibited the Function and Expression of BCRP with Mechanism Exploration. <i>Molecules</i> , 2021, 26, 7390.	3.8	10
26	Transporter-mediated interaction of indican and methotrexate in rats. <i>Journal of Food and Drug Analysis</i> , 2018, 26, S133-S140.	1.9	9
27	Biotransformation and Pharmacokinetics of 4-(3,4-Dihydroxybenzoyloxymethyl)phenyl- $\beta$ -D-glucopyranoside, an Antioxidant Isolated from <i>Origanum vulgare</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 2852-2856.	5.2	8
28	Effects of antibiotics on the pharmacokinetics of indoxyl sulfate, a nephro-cardiovascular toxin. <i>Xenobiotica</i> , 2020, 50, 588-592.	1.1	6
29	Different Influences on Tacrolimus Pharmacokinetics by Coadministrations of Zhi Ke and Zhi Shi in Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-6.	1.2	4
30	The Inhibitory Mechanisms Study of 5,6,4-Trihydroxy-7,3-Dimethoxyflavone against the LPS-Induced Macrophage Inflammatory Responses through the Antioxidant Ability. <i>Molecules</i> , 2016, 21, 136.	3.8	4
31	Bidirectional Influences of Cranberry on the Pharmacokinetics and Pharmacodynamics of Warfarin with Mechanism Elucidation. <i>Nutrients</i> , 2021, 13, 3219.	4.1	4
32	Potential modulation on BCRP and MRP 4 by onion: in vivo and ex-vivo studies. <i>Journal of Functional Foods</i> , 2014, 8, 243-251.	3.4	3
33	Folium Sennae Increased the Bioavailability of Methotrexate through Modulation on MRP 2 and BCRP. <i>Pharmaceuticals</i> , 2021, 14, 1036.	3.8	2
34	Metabolites of <i>Scutellariae Radix</i> Inhibit Injury of Endothelial Cells in Hypoxia Device. <i>Journal of Medical and Biological Engineering</i> , 2015, 35, 492-499.	1.8	0